

University of Groningen

Properties of Synthetic Derivatives of Buckminsterfullerene in Composites with Conducting Polymers

Wudl, Fred; Hummelen, J.-K.; Janssen, R.; Coldren, C.

Published in:

International Conference on Science and Technology of Synthetic Metals, 1994. ICSM '94

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

1994

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Wudl, F., Hummelen, J.-K., Janssen, R., & Coldren, C. (1994). Properties of Synthetic Derivatives of Buckminsterfullerene in Composites with Conducting Polymers. In *International Conference on Science and Technology of Synthetic Metals, 1994. ICSM '94* (pp. 6-6). University of Groningen, Stratingh Institute for Chemistry.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.


MON CTS1-3

SELECTIVELY DEUTERATED MOLECULAR CONDUCTOR (DMe-DCNQI)₂Cu -PHASE DIAGRAM AND DIMENSIONALITY-

R. Kato, S. Aonuma, and H. Sawa

Institute for Solid State Physics, The University of Tokyo, Roppongi 7-22-1, Minato-ku, Tokyo, 106, Japan

Conducting molecular system (R¹, R²-DCNQI)₂Cu consists of one-dimensional DCNQI columns, each of which is three-dimensionally linked by the coordination bond (Cu—N). Pπ-d interaction in this system provides unique electrical and magnetic properties. (DMe-DCNQI)₂Cu undergoes novel metal-insulator-metal (reentrant) transition under very low-pressure. Based on the discovery of the deuteration-induced metal-insulator transition¹⁾, we present fine tuning of the effective pressure (1-500 bar) by selective deuteration of the DMe-DCNQI molecule. Structural and electrical aspects of the phase transition in the selectively deuterated system (including alloy system) are described. We also report that three-dimensional Fermi surface observed in the de-Haas van Alphen effect²⁾ can be explained by a simple tight-binding band calculation.



References

- (1) S. Hünig et. al., *Angew. Chem. Int. Ed. Engl.*, **31**, 859 (1992).
- (2) S. Uji et. al., this conference.

MON FUL1-1

PROPERTIES OF SYNTHETIC DERIVATIVES OF BUCKMINSTERFULLERENE IN COMPOSITES WITH CONDUCTING POLYMERS

Fred Wudl, J.-K. Hummelen, R. Janssen, C. Coldren
The institute for Polymers and Organic Solids
University of California, Santa Barbara, CA93106, USA

Studies of photoinduced electron transfer from a conducting polymer to C₆₀ and C₆₁ derivatives with 60 and 58 π electrons will be described. The molecules with 58 π electrons are the methanofullerenes; e.g., **1** and the molecules with 60 π electrons are the fulleroids (**2**). These molecules were made into composites with conjugated polymers such as MEH-PPV and the epi-cholestanoxo-PPV analogs. The photophysics of the various composites and the dramatic effect of electron count will be described. Other physicochemical phenomena related to fulleroid-methanofullerene isomerism will also be described.

