

University of Groningen

## Selecting semiconducting single-walled carbon nanotubes by polymer wrapping

Gomulya, Widianta

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

2015

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Gomulya, W. (2015). *Selecting semiconducting single-walled carbon nanotubes by polymer wrapping: Mechanism and performances*. University of Groningen.

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

## Stellingen

Behorende bij het proefschrift

### Selecting Semiconducting Single-Walled Carbon Nanotubes by Polymer Wrapping: Mechanism and Performances

Door Widianta Gomulya

4 December 2015

1. An increase of the solvent's dielectric constant results in a red-shift of the PL peak and in a lower photoluminescence intensity. (chapter 2)
2. Temperature control during the s-SWNTs selection processes is very important. During the selection processes a temperature higher than 10 °C allows destroying small carbon nanotubes bundles. (chapter 3)
3. Increasing the number of carbon atoms in the alkyl-side chains results in the selection of s-SWNTs with a wider diameter distribution. (chapter 4)
4. For polymers with alkyl side chains longer than 12 carbon atoms, there is competition between SWNT-polymer  $\pi$ - $\pi$  interactions and Van der Waals forces which cause "zipping" of alkyl side-chains. (chapter 4)
5. The introduction of heteroatoms out of conjugated units in polymers impairs the s-SWNTs selection due to the strong interaction between electron lone pairs in the heteroatoms and polarizable nanotubes (m-SWNTs). (chapter 5 and 6)
6. The combination of the heteroatom and phenyl ring results in a higher extraction yield of s-SWNTs. (chapter 5)
7. Carbon nanotubes wrapped with polymers bearing thiol functional groups show strong attachment to gold electrodes. (chapter 6)
8. A person who never made a mistake never risk to discovered something new.
9. Good polymers are needed to select s-SWNTs; and good friends and colleagues are needed to have a successful PhD life.
10. Despite you have a good theory, if it doesn't match with the experimental results, it's wrong. (adapted from Richard Feynman)
11. To prepare SWNT solutions and devices can be easy, but to find a good solution for an experimental problem will never be so easy.