

University of Groningen

Bio-inspired algorithms for pattern recognition in audio and image processing

Strisciuglio, Nicola

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2016

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Strisciuglio, N. (2016). *Bio-inspired algorithms for pattern recognition in audio and image processing*. University of Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

List of Figures

1.1	Architecture of a pattern recognition system.	2
2.1	Overview of the system architecture.	13
2.2	ROC curves	20
2.3	Comparison of miss and false positive rates	22
3.1	Histogram construction.	30
3.2	Multi-class SVM classifier.	31
3.3	Scheme of the deployment architecture.	32
3.4	SNR variation with respect to distance	37
3.5	Performance results and robustness analysis.	41
3.6	ROC curves of the proposed system.	44
4.1	Overview of the proposed CoPE approach.	51
4.2	Gammatonegrams of typical events of interest.	54
4.3	Detection Error Trade-off curves.	65
4.4	Examples of CoPE filters response.	67
5.1	Examples of retinal images.	71
5.2	Sketch of the proposed <i>B</i> -COSFIRE filter.	73
5.3	Example prototype line patterns.	74
5.4	Configuration of a <i>B</i> -COSFIRE filter.	74
5.5	Orientation-tuned <i>B</i> -COSFIRE filters responses.	78
5.6	Configuration of an asymmetric <i>B</i> -COSFIRE filter.	79
5.7	Examples of response to bar endings.	79
5.8	Pre-processing step.	82

List of Figures

5.9	ROC curves for the considered data sets.	85
5.10	Examples of segmented images.	88
5.11	Analysis of robustness to noise.	94
6.1	Examples of fundus images.	98
6.2	Configuration of a <i>B</i> -COSFIRE filter.	102
6.3	Response of <i>B</i> -COSFIRE filters at various scales.	104
6.4	Feature relevances.	107
6.5	Sketch of the application phase of the proposed method.	108
6.6	MCC as a function of the top performing features.	113
6.7	ROC curves achieved on the DRIVE and STARE data sets.	114