



University of Groningen

Properties of double field theory

Penas, Victor Alejandro

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version Publisher's PDF, also known as Version of record

Publication date: 2016

Link to publication in University of Groningen/UMCG research database

Citation for published version (APA):

Penas, V. A. (2016). *Properties of double field theory*. [Thesis fully internal (DIV), University of Groningen]. University of Groningen.

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: https://www.rug.nl/library/open-access/self-archiving-pure/taverneamendment.

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): http://www.rug.nl/research/portal. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Download date: 28-12-2022

Stellingen behorende bij het proefschrift

Properties of Double Field Theory

Victor Alejandro Penas, 21 June 2016

• Strings probe space-time in a different way compared to point particles.

Chapter 2

 The addition of winding coordinates is not an artifact of Double Field Theory (DFT). Only when the strong constraint is assumed, the extra coordinates are physically meaningless.

Chapter 3

• DFT can be formulated with weaker versions of the strong constraint. This is crucial for flux compactifications.

Chapter 4

• In the Flux Formulation, terms that violate the strong constraint enter naturally into the DFT action. These terms are needed to make contact with gauged supergravities.

Chapter 4

 String theory requires the existence of some branes which lack a standard supergravity description. DFT provides a local description of them when solutions are allowed to depend on winding coordinates.

Chapter 5

• It is possible to formulate a dual theory of DFT that contains the standard duals of the supergravity fields but also extra ones. When reducing to the usual x-space, these extra fields do not propagate new degrees of freedom.

Chapter 6

• If we manage to build a theory of everything, we will have to face the inevitable: What should we do next?.

Stellingen behorende bij het proefschrift

Properties of Double Field Theory

Victor Alejandro Penas, 21 June 2016

• Strings probe space-time in a different way compared to point particles.

Chapter 2

• The addition of winding coordinates is not an artifact of Double Field Theory (DFT). Only when the strong constraint is assumed, the extra coordinates are physically meaningless.

Chapter 3

• DFT can be formulated with weaker versions of the strong constraint. This is crucial for flux compactifications.

Chapter 4

• In the Flux Formulation, terms that violate the strong constraint enter naturally into the DFT action. These terms are needed to make contact with gauged supergravities.

Chapter 4

• String theory requires the existence of some branes which lack a standard supergravity description. DFT provides a local description of them when solutions are allowed to depend on winding coordinates.

Chapter 5

• It is possible to formulate a dual theory of DFT that contains the standard duals of the supergravity fields but also extra ones. When reducing to the usual x-space, these extra fields do not propagate new degrees of freedom.

Chapter 6

• If we manage to build a theory of everything, we will have to face the inevitable: What should we do next?.