

University of Groningen

Correction to: Spontaneous discontinuation of distressing auditory verbal hallucinations in a school-based sample of adolescents

Brink, Vera; van Driel, Catheleine; El Bouhaddani, Saliha; Wardenaar, Klaas J; van Domburgh, Lieke; Schaefer, Barbara; van Beilen, Marije; Bartels-Velthuis, Agna A; Veling, Wim

Published in:
European Child & Adolescent Psychiatry

DOI:
[10.1007/s00787-019-01413-6](https://doi.org/10.1007/s00787-019-01413-6)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2020

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Brink, V., van Driel, C., El Bouhaddani, S., Wardenaar, K. J., van Domburgh, L., Schaefer, B., van Beilen, M., Bartels-Velthuis, A. A., & Veling, W. (2020). Correction to: Spontaneous discontinuation of distressing auditory verbal hallucinations in a school-based sample of adolescents: A longitudinal study. *European Child & Adolescent Psychiatry*, 29(6), 897-900. <https://doi.org/10.1007/s00787-019-01413-6>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.



Correction to: Spontaneous discontinuation of distressing auditory verbal hallucinations in a school-based sample of adolescents: a longitudinal study

Vera Brink¹ · Catheleine van Driel¹ · Saliha el Bouhaddani² · Klaas J. Wardenaar³ · Lieke van Domburgh^{4,5} · Barbara Schaefer² · Marije van Beilen¹ · Agna A. Bartels-Velthuis⁶ · Wim Veling¹

© Springer-Verlag GmbH Germany, part of Springer Nature 2019

Correction to: European Child and Adolescent Psychiatry
<https://doi.org/10.1007/s00787-019-01393-7>

In the Original Publication Table 2 was incorrectly published. The correct table is given below.

The original article can be found online at <https://doi.org/10.1007/s00787-019-01393-7>.

✉ Vera Brink
v.e.brink@umcg.nl

¹ University of Groningen, University Medical Center Groningen, University Center for Psychiatry, PO Box 30.001 (HPC CC60), 9700 RB Groningen, The Netherlands

² Parnassia Institute, Carnissensingel 51, 3083 JA Rotterdam, The Netherlands

³ Department of Psychiatry, Interdisciplinary Center Psychopathology and Emotion Regulation (ICPE), University of Groningen, University Medical Center Groningen, PO Box 30.001, Groningen 9700 RB, The Netherlands

⁴ Department of Child and Adolescent Psychiatry, VU University Medical Center, PO Box 303, 1115 ZG Duivendrecht, The Netherlands

⁵ Department of Research and Development, Pluryn-Intermetzo, PO Box 53, 6500 AB Nijmegen, The Netherlands

⁶ University of Groningen, University Medical Center Groningen, University Center for Psychiatry, Rob Giel Research center, PO Box 30.001, 9700 RB Groningen, The Netherlands

Table 2 Results of LASSO-penalized logistic regression with spontaneous discontinuation of distressing AVH at 12 months after baseline as outcome

	Imputed datasets									
	1	2	3	4	5	6	7	8	9	10
(Intercept)	2.74	0.60	1.00	0.97	2.15	0.69	1.95	3.53	2.77	1.10
Age	–	–	–	–	–	–	–	–0.13	–	–
Male gender	–	–	–	–	–	–	–	–	–	–
Not born in The Netherlands	0.68	–	–	–	0.62	–	0.39	1.34	0.80	–
Migrant-Dutch ethnicity	–	–	–	–	–	–	–	–	–	–
Religious	–	–	–	–	–	–	–	0.09	–	–
Living in a large town (> 110,000 residents)	–	–	–	–	–	–	–	–	–	–
Number of children in the family (including participant)	–0.12	–	–	–	–0.12	–	–0.06	–0.23	–0.14	–
High socioeconomic status of the family	0.36	–	–	–	0.34	–	0.24	0.54	0.37	0.11
High education level	–	–	–	–	–	–	–	–	–	–
School grade repetition	1.19	–	0.37	0.38	1.16	–	0.96	1.66	1.24	0.62
Moved houses (ever)	–	–	–	–	–	–	–	–0.16	–	–
Parents divorced	0.47	–	–	–	0.44	–	0.20	1.06	0.58	–
Parents divorced in past year	–1.73	–0.11	–0.86	–0.90	–1.75	–0.19	–1.38	–2.01	–1.72	–1.16
Parent deceased	–	–	–	–	–	–	–	–	–	–
Parent deceased in past year	–0.64	–	–	–	–0.31	–	–0.32	–1.08	–0.69	–
Traumatic experiences										
Been scared that an acquaintance would be killed or seriously injured	–	–	–	–	–	–	–	–	–	–0.01
Attacked, beaten up or threatened	–	–	–	–	–	–	–	–	–	–
Sexually assaulted	–	–	–	–0.04	–0.01	–	–0.07	–	–	–0.12
Been in or near a serious accident	–	–	–	–	–	–	–	–	–	–
Seen or heard someone being killed, passed away or seriously injured	–	–	–	–	–	–	–	0.07	–	–
Been scared by seeing a deceased body	–0.63	–	–0.05	–0.05	–0.62	–	–0.47	–0.93	–0.71	–0.30
Been discriminated on skin colour, ethnicity or religion in past year	–	–	–	–	–	–	–	–	–	–
Substance use										
Alcohol (ever)	–0.22	–	–	–	–0.22	–	–0.15	–0.40	–0.27	–
Been drunk in past year	–	–	–	–	–	–	–	–	–	–

Table 2 (continued)

	Imputed datasets									
	1	2	3	4	5	6	7	8	9	10
Been in a fight while drinking alcohol in past year	-0.42	-	-0.11	-	-0.51	-	-0.06	-0.66	-0.46	-
Cannabis (ever)	-1.56	-	-0.15	-0.18	-1.24	-	-1.32	-2.34	-1.71	-0.53
SAHA somatic complaints	-	-	-	-	-	-	-0.01	-	-0.01	-
SDQ scales										
Hyperactivity	0.10	-	-	-	0.10	-	0.07	0.14	0.11	0.03
Prosocial behaviour	-0.26	-	-0.08	-0.07	-0.25	-	-0.20	-0.34	-0.27	-0.12
Conduct problems	-	-	-	-	-	-	-	-	-	-
Emotional problems	-	-	-	-	-	-	-	-	-	-
Peer problems	-	-	-	-	-	-	-	-	-	-
RSE (self-esteem) total score	-	-	-	-	-	-	-	-	-	-
Mastery total score	-	-	-	-	-	-	-	-	-	-
High peer status	-	-	-	-	-	-	-	-	-	-
PQ-16 psychotic experiences										
I feel uninterested in the things I used to enjoy	-0.34	-	-	-	-0.30	-	-0.15	-0.66	-0.38	-
I often live through events exactly as they happened before	0.64	-	0.22	0.24	0.64	-	0.55	0.74	0.64	0.33
I sometimes smell or taste things that other people do not notice	-	-	-	-	-	-	-	0.17	-	-
I often hear unusual sounds in my ears	-	-	-	-	-	-	-	-	-	-
I have been confused at times whether something I experienced was real or imaginary	-	-	-	-	-	-	-	-	-	-
When I look at a person or at myself in a mirror, I have seen the face change right before me	0.24	-	-	-	0.27	-	0.08	0.33	0.24	-
I get extremely anxious when meeting people for the first time	0.35	-	0.01	0.02	0.34	-	0.24	0.39	0.32	0.10
I have seen things that other people cannot or do not see	-	-	-	-	-	-	-	-	-	-
My thoughts are sometimes so strong that I can almost hear them	-0.01	-	-	-	-0.02	-	-	-0.12	-0.02	-

Table 2 (continued)

	Imputed datasets									
	1	2	3	4	5	6	7	8	9	10
I sometimes see special meanings in advertisements, shop windows, or in the way things are arranged around me	–	–	–	–	–	–	–	–	–	–
I have felt not in control of my own ideas or thoughts	–	–	–	–	–	–	–	–	–	–
I sometimes feel suddenly distracted by distant sounds that I am not normally aware of	–0.33	–	–	–	–0.33	–	–0.01	–0.35	–0.18	–
I often feel that others have it in for me	–	0.10	0.43	0.43	1.06	0.10	0.69	1.39	1.07	0.62
I have had the sense that a person or force is around me, even though I did not see anyone	–	–	–	–	–0.02	–	0.00	–0.10	–0.05	–
I feel that parts of my body have changed in some way or that parts of my body are working differently	0.11	–	0.11	0.05	0.24	–	0.19	0.26	0.18	0.25
AUC of best model	0.64	0.62	0.61	0.62	0.64	0.61	0.62	0.64	0.62	0.62
SE (AUC of best model)	0.03	0.04	0.04	0.04	0.03	0.03	0.02	0.03	0.02	0.03
AUC of selected most parsimonious model	0.61	0.62	0.58	0.58	0.61	0.60	0.60	0.62	0.60	0.60

Presented coefficients are for the most parsimonious solution in each dataset. Coefficients are provided for the lambda value of the most parsimonious model with an AUC within 1 SE from the optimal cross-validated model. Note: coefficients are beta-coefficients for the prediction of the log-odds of the outcome. ORs can be obtained by taking the exponent of the beta coefficients. All coefficients regularized to zero are replaced by ‘–’ for clarity. All variables with a non-zero coefficient in ≥ 8 of the 10 imputed datasets are printed in bold

AUC area under the curve, AVH auditory verbal hallucinations, OR odds ratio, PQ-16 16 item Prodromal Questionnaire, RSE Rosenberg Self-Esteem Scale, SAHA Social And Health Assessment, SDQ Strengths and Difficulties Questionnaire (for age 4–17 years), SE Standard Error