

University of Groningen

Erratum

Liu, Boqun; Mavrova, Sara N; van den Berg, Jonas; Kristensen, Sebastian K; Mantovanelli, Luca; Veenhoff, Liesbeth M; Poolman, Bert; Boersma, Arnold J

Published in:
ACS Sensors

DOI:
[10.1021/acssensors.0c00744](https://doi.org/10.1021/acssensors.0c00744)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2020

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Liu, B., Mavrova, S. N., van den Berg, J., Kristensen, S. K., Mantovanelli, L., Veenhoff, L. M., Poolman, B., & Boersma, A. J. (2020). Erratum. *ACS Sensors*, 5(5), 1500-1500.
<https://doi.org/10.1021/acssensors.0c00744>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Correction to “Influence of Fluorescent Protein Maturation on FRET Measurements in Living Cells”

Boqun Liu, Sara N. Mavrova, Jonas van den Berg, Sebastian K. Kristensen, Luca Mantovanelli, Liesbeth M. Veenhoff, Bert Poolman,* and Arnold J. Boersma*

ACS Sens. 2018, 3 (9), 1735–1742. DOI: [10.1021/acssensors.8b00473](https://doi.org/10.1021/acssensors.8b00473)



Cite This: ACS Sens. 2020, 5, 1500–1500



Read Online

ACCESS |

 Metrics & More

 Article Recommendations

We acknowledge cofunding of the research from the EU ITN project SynCrop (project number 764591), appointment of Luca Mantovanelli.

Received: April 11, 2020
Published: April 21, 2020

