

University of Groningen

ASO Author Reflections

Jonker, Leonie T; van Leeuwen, Barbara L

Published in:
Annals of Surgical Oncology

DOI:
[10.1245/s10434-021-09734-0](https://doi.org/10.1245/s10434-021-09734-0)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2021

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Jonker, L. T., & van Leeuwen, B. L. (2021). ASO Author Reflections: Extending Postoperative Observation of Oncogeriatric Surgery Patients After Hospital Discharge by Using Telemonitoring. *Annals of Surgical Oncology*, 28, 6523-6524. <https://doi.org/10.1245/s10434-021-09734-0>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.



ASO AUTHOR REFLECTIONS

ASO Author Reflections: Extending Postoperative Observation of Oncogeriatric Surgery Patients After Hospital Discharge by Using Telemonitoring

Leonie T. Jonker, MD^{1,2}, and Barbara L. van Leeuwen, MD, PhD¹

¹Department of Surgical Oncology, University of Groningen, University Medical Centre Groningen, Groningen, The Netherlands; ²Department of Epidemiology, University of Groningen, University Medical Centre Groningen, Groningen, The Netherlands

PAST

After oncogeriatric surgery, problems might occur in the vulnerable period after hospital discharge, where monitoring is less intensive than in the hospital.¹ Furthermore, while the number of scientific publications on remote home monitoring has emerged rapidly in recent years, research on telemonitoring in the postoperative setting is relatively scarce.² The few studies that investigated the potential of telemonitoring in this population have demonstrated its feasibility and an increase in patient engagement.^{3,4} To be better informed about (deviations in) recovery after surgery once patients are at home, more telemonitoring data should be collected.

PRESENT

In this study,⁵ we monitored physical activity, vital signs, and patient-reported symptoms in oncogeriatric surgical patients for 2 weeks after hospital discharge. In total, 24 (43%) patients experienced a complication at home, 13 of whom were readmitted to the hospital. This confirms the extent of the clinical problem we have addressed. Monitored parameters violated the threshold 329 of 5379 times (7%), most often because of physical inactivity. Patients with readmissions had more physical

activity threshold violations. Unfortunately, no differences in threshold violations of vital signs and symptoms were observed between patients with and without postdischarge complications. Median pain score over 2 weeks was higher in patients with complications compared with patients without complications.

FUTURE

This study underlines the complexity of detecting complications after discharge in the oncogeriatric population. It requires more than the measurement of a single vital parameter, and it remains to be investigated how a combination of parameters affects the detection of complications and readmission rates. However, objectively measured physical activity might be of predictive value for postdischarge adverse events and should be explored in future studies. Finally, it is important to mention that telemonitoring in daily practice should not be considered a separate tool but rather a supplement to existing perioperative care.

DISCLOSURE Leonie T. Jonker and Barbara L. van Leeuwen declare no conflicts of interest.

OPEN ACCESS This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright

© The Author(s) 2021

First Received: 1 February 2021
Accepted: 4 February 2021

L. T. Jonker, MD
e-mail: l.t.jonker@umcg.nl

Published online: 27 February 2021

holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

REFERENCES

1. Ommundsen N, Nesbakken A, Wyller TB, et al. Post-discharge complications in frail older patients after surgery for colorectal cancer. *Eur J Surg Oncol.* 2018;44(10):1542–7.
2. Farias FAC, Dagostini CM, Bicca YA, et al. Remote patient monitoring: a systematic review. *Telemed J E Health.* 2020;26(5):576–83.
3. Metcalf M, Glazyrine V, Glavin K, et al. The feasibility of a health care application in the treatment of patients undergoing radical cystectomy. *J Urol.* 2019;201(5):902–8.
4. Jonker LT, Plas M, de Bock GH, et al. Remote home monitoring of older surgical cancer patients: perspective on study implementation and feasibility. *Ann Surg Oncol.* 2021;28(1):67–78.
5. Jonker LT, Lahr MMH, Oonk MHM, et al. Post-discharge telemonitoring of physical activity, vital signs, and patient-reported symptoms in older patients undergoing cancer surgery. *Ann Surg Oncol.* 2021. <https://doi.org/10.1245/s10434-021-09707-3>.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.