



University of Groningen

Cigarette smoke-induced mitochondrial dysfunction and oxidative stress in

Toorn, Marco van der

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version Publisher's PDF, also known as Version of record

Publication date: 2009

Link to publication in University of Groningen/UMCG research database

Citation for published version (APA): Toorn, M. V. D. (2009). Cigarette smoke-induced mitochondrial dysfunction and oxidative stress in. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: https://www.rug.nl/library/open-access/self-archiving-pure/taverneamendment.

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): http://www.rug.nl/research/portal. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

PREFACE

The research presented in this thesis started with studying the effects of oxidative stress in transplanted solid organs including kidneys. Immunosuppressive therapy with cyclosporin A (CsA) in order to prevent the rejection of transplanted organs is accompanied by undesired effects that promote a decline of the transplant function and accelerated atherogenesis. We hypothesized that CsA inhibits the mitochondrial permeability transition pore (MPTP). Inhibition of the MPTP will result in an increased mitochondrial membrane potential. Mitochondrial respiration was expected to proceed with an increased production of oxygen free radicals. In chapter 6 of this thesis we described that blocking of the MPTP did not play a role in CsA-induced oxidative stress. An important and unexpected result of this project stems from our use of cigarette smoke (CS) as a positive control for oxidative stress as shown in figure 1.



Figure 1. Incidence and significance of serendipity findings.

These serendipitous findings, described in chapter 1, showed that CS disturbs mitochondrial function, thereby decreasing the capacity of mitochondria for adenosine triphosphate synthesis, leading to increased susceptibility for cellular necrosis. We thought that it would be of interest to continue studying the effects of CS on airway epithelial cells. Finally, the results described in this thesis are of importance for both chronic obstructive pulmonary disease (COPD) and renal dysfunction after transplantation as described in the summary and future perspectives.