



University of Groningen

Development of an integrated system for activity-based profiling of matrix metallo-proteases Freije, Jan Robert

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version Publisher's PDF, also known as Version of record

Publication date: 2006

Link to publication in University of Groningen/UMCG research database

Citation for published version (APA):

Freije, J. R. (2006). Development of an integrated system for activity-based profiling of matrix metalloproteases. s.n.

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: https://www.rug.nl/library/open-access/self-archiving-pure/taverneamendment.

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): http://www.rug.nl/research/portal. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Download date: 06-06-2022

List of Abbreviations

AANHS acetic acid N-hydroxysuccinimide ester

ABP activity-based probe

ACE automated cartridge exchanger

ACN acetonitrile

ADAM a disintegrin and metallo-protease domain

ADAMTS a disintegrin and metallo-protease domain with thrombospon-

din motifs

APMA p-aminophenylmercuric acetate

APS ammonium persulphate

AS auto sampler

BPC base peak chromatogram CBB coomassie brilliant blue

CHAPS 3-(3-cholamidopropyl)-dimethylammoniopropane sulfonate

DDM dodecyl- β -D-maltoside

2DE two dimensional gel electrophoresis

Dpa N-3-(2,4-dinitrophenyl)-L-2,3-diaminopropionyl

DTT dithiothreitol

ECM extra cellular matrix

EDTA ethylenediaminetetratacetic acid EIC extracted ion chromatogram EDB elution digestion buffer

EIB elution buffer
ExB extraction buffer
EY extraction yield

HPD high pressure dispenser

Hpx hemopexin LD ligand density

MALDI matrix assisted laser desorption ionisation

MC missed cleavage

Mca (7-methoxycoumarin-4-yl)acetyl

MMP matrix metallo-protease MS mass spectrometry

MT-MMP membrane-type matrix metallo-protease

NHOH hydroxamic acid
NHS N-hydroxysuccinimide
OGP octylglucopyranoside
PEG ployetheleneglycol

 $\begin{array}{ll} {\rm PEG400\text{-}C_8} & \quad {\rm polyethyleneglycol\text{-}400\text{-}monooctylether} \\ {\rm PEG600\text{-}C_8} & \quad {\rm polyethyleneglycol\text{-}600\text{-}monooctylether} \end{array}$

PLG-NHOH Pro-Leu-Gly-NHOH RT retention time

RT retention time
SDS-PAGE sodium dodecyl sulphate polyacrylamide gel electrophoresis

SPE solid phase extraction

TAPI-2 N-(R)-[2-(Hydroxyaminocarbonyl)methyl]-4-methylpentanoyl-

L-t-butyl-alanyl-L-alanine, 2-aminoethyl Amide

TCA trichloroacetic acid TIC total ion chromatogram

TIMP tissue inhibitor of matrix metallo-protease

TEB trypsin equilibration buffer

TEMED N,N,N',N'-tetra-methyl-ethylenediamine TCPK tosyl phenylalanyl chloromethylketone

WB wash buffer

Z-Leu-Arg-AMC benzyloxycarbonyl-Leu-Arg-7-amino-4-methylcoumarin Z-Phe-Arg-AMC benzyloxycarbonyl-Phe-Arg-7-amino-4-methylcoumarin