

University of Groningen

Cervical dystonia

Vries, Paulien Maria de

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2008

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Vries, P. M. D. (2008). *Cervical dystonia: abnormal cerebral activation patterns related to preparation and execution of hand movement.* s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Chapter 10

References

References

- Abbruzzese, G., Berardelli, A., 2003. Sensorimotor integration in movement disorders. *Mov Disord.* 18, 231-240.
- Abbruzzese, G., Marchese, R., Buccolieri, A., Gasparetto, B., Trompetto, C., 2001. Abnormalities of sensorimotor integration in focal dystonia - A transcranial magnetic stimulation study. *Brain* 124, 537-545.
- Alexander, G.E., 1994. Basal ganglia-thalamocortical circuits: their role in control of movements. *Journal of clinical neurophysiology* 11, 420-431.
- Alexander, G.E., Crutcher, M.D., 1990. Functional architecture of basal ganglia circuits: neural substrates of parallel processing. *Trends Neurosci.* 13, 266-271.
- Annett, M., 1970. A classification of hand preference by association analysis. *Br J Psychol* 61, 303-321.
- Ansved, T., Odergren, T., Borg, K., 1997. Muscle fiber atrophy in leg muscles after botulinum toxin type A treatment of cervical dystonia. *Neurology* 48, 1440-1442.
- Aron, A.R., Poldrack, R.A., 2006. Cortical and subcortical contributions to Stop signal response inhibition: role of the subthalamic nucleus. *J.Neurosci.* 26, 2424-2433.
- Barker, A.T., Freeston, I.L., Jalinous, R., Jarratt, J.A., 1986. Clinical evaluation of conduction time measurements in central motor pathways using magnetic stimulation of human brain. *Lancet* 1, 1325-1326.
- Barker, A.T., Jalinous, R., Freeston, I.L., 1985. Non-invasive magnetic stimulation of human motor cortex. *Lancet* 1, 1106-1107.
- Barraquer, L., 1897. Contribution al estudio de la atetosis. *Gazeta Medicina Catalana* 20, 385-391.
- Battaglia-Mayer, A., Caminiti, R., 2002. Optic ataxia as a result of the breakdown of the global tuning fields of parietal neurones. *Brain* 125, 225-237.
- Baudewig, J., Paulus, W., Frahm, J., 2000. Artifacts caused by transcranial magnetic stimulation coils and EEG electrodes in T(2)*-weighted echo-planar imaging. *Magn Reson.Imaging* 18, 479-484.
- Baudewig, J., Siebner, H.R., Bestmann, S., Tergau, F., Tings, T., Paulus, W., Frahm, J., 2001. Functional MRI of cortical activations induced by transcranial magnetic stimulation (TMS). *Neuroreport* 12, 3543-3548.
- Beaulieu, C., 2002. The basis of anisotropic water diffusion in the nervous system - a technical review. *NMR Biomed* 15, 435-455.

- Beckmann, C.F., Jenkinson, M., Smith, S.M., 2003. General multilevel linear modeling for group analysis in fMRI. *Neuroimage*. 20, 1052-1063.
- Berardelli, A., Rothwell, J.C., Hallett, M., Thompson, P.D., Manfredi, M., Marsden, C.D., 1998. The pathophysiology of primary dystonia. *Brain* 121, 1195-1212.
- Bestmann, S., Baudewig, J., Siebner, H.R., Rothwell, J.C., Frahm, J., 2004. Functional MRI of the immediate impact of transcranial magnetic stimulation on cortical and subcortical motor circuits. *Eur.J.Neurosci*. 19, 1950-1962.
- Bestmann, S., Baudewig, J., Siebner, H.R., Rothwell, J.C., Frahm, J., 2003. Subthreshold high-frequency TMS of human primary motor cortex modulates interconnected frontal motor areas as detected by interleaved fMRI-TMS. *Neuroimage*. 20, 1685-1696.
- Binkofski, F., Amunts, K., Stephan, K., Posse, S., Schormann, T., Freund, H., Zilles, K., Seitz, R., 2000. Broca's region subserves imagery of motion: a combined cytoarchitectonic and fMRI study. *Human Brain Mapping* 11, 273-285.
- Binkofski, F., Buccino, G., Posse, S., Seitz, R.J., Rizzolatti, G., Freund, H., 1999. A fronto-parietal circuit for object manipulation in man: evidence from an fMRI-study. *Eur.J Neurosci*. 11, 3276-3286.
- Black, K.J., Ongur, D., Perlmutter, J.S., 1998. Putamen volume in idiopathic focal dystonia. *Neurology* 51, 819-824.
- Blakemore, S.J., Goodbody, S.J., Wolpert, D.M., 1998. Predicting the consequences of our own actions: the role of sensorimotor context estimation. *J.Neurosci*. 18, 7511-7518.
- Blood, A.J., Flaherty, A.W., Choi, J.K., Hochberg, F.H., Greve, D.N., Bonmassar, G., Rosen, B.R., Jenkins, B.G., 2004. Basal ganglia activity remains elevated after movement in focal hand dystonia. *Annals of Neurology* 55, 744-748.
- Boecker, H., Ceballos-Baumann, A.O., Bartenstein, P., Dagher, A., Forster, K., Haslinger, B., Brooks, D.J., Schwaiger, M., Conrad, B., 2002. A $H(2)O$ positron emission tomography study on mental imagery of movement sequences--the effect of modulating sequence length and direction. *Neuroimage*. 17, 999-1009.
- Bohning, D.E., Denslow, S., Bohning, P.A., Walker, J.A., George, M.S., 2003. A TMS coil positioning/holding system for MR image-guided TMS interleaved with fMRI. *Clin.Neurophysiol*. 114, 2210-2219.
- Bohning, D.E., He, L., George, M.S., Epstein, C.M., 2001. Deconvolution of transcranial magnetic stimulation (TMS) maps. *J.Neural Transm*. 108, 35-52.
- Bohning, D.E., Pecheny, A.P., Epstein, C.M., Speer, A.M., Vincent, D.J., Dannells, W., George, M.S., 1997. Mapping transcranial magnetic stimulation (TMS) fields in vivo with MRI. *Neuroreport* 8, 2535-2538.

References

- Bohning, D.E., Shastri, A., McConnell, K.A., Nahas, Z., Lorberbaum, J.P., Roberts, D.R., Teneback, C., Vincent, D.J., George, M.S., 1999. A combined TMS/fMRI study of intensity-dependent TMS over motor cortex. *Biol.Psychiatry* 45, 385-394.
- Bohning, D.E., Shastri, A., Nahas, Z., Lorberbaum, J.P., Andersen, S.W., Dannels, W.R., Haxthausen, E.U., Vincent, D.J., George, M.S., 1998. Echoplanar BOLD fMRI of brain activation induced by concurrent transcranial magnetic stimulation. *Invest Radiol.* 33, 336-340.
- Bohning, D.E., Shastri, A., Wassermann, E.M., Ziemann, U., Lorberbaum, J.P., Nahas, Z., Lomarev, M.P., George, M.S., 2000. BOLD-f MRI response to single-pulse transcranial magnetic stimulation (TMS). *J Magn Reson.Imaging* 11, 569-574.
- Brett, M., Anton, J., Valabregue, R., Poline JB, 2002. Region of interest analysis using an SPM toolbox. *Neuroimage* 16.
- Brin, M.F., Comella, C.L., Jankovic, J., 2004. Dystonia: Etiology, Clinical Features and Treatment. *Lippincott Williams & Wilkins*.
- Butler, A.G., Duffey, P.O., Hawthorne, M.R., Barnes, M.P., 2004. An epidemiologic survey of dystonia within the entire population of northeast England over the past nine years. *Adv.Neurol.* 94, 95-99.
- Byl, N.N., Merzenich, M.M., Jenkins, W.M., 1996. A primate genesis model of focal dystonia and repetitive strain injury: I. Learning-induced dedifferentiation of the representation of the hand in the primary somatosensory cortex in adult monkeys. *Neurology* 47, 508-520.
- Calautti, C., Baron, J.C., 2003. Functional neuroimaging studies of motor recovery after stroke in adults: a review. *Stroke* 34, 1553-1566.
- Caminiti, R., Ferraina, S., Johnson, P.B., 1996. The sources of visual information to the primate frontal lobe: a novel role for the superior parietal lobule. *Cereb.Cortex* 6, 319-328.
- Carbon, M., Trost, M., Ghilardi, M., Eidelberg, D., 2004a. Abnormal brain networks in primary torsion dystonia. *Adv.Neurol.* 94, 155-161.
- Carbon, M., Kingsley, P.B., Su, S., Smith, G.S., Spetsieris, P., Bressman, S., Eidelberg, D., 2004b. Microstructural white matter changes in carriers of the DYT1 gene mutation. *Ann.Neurol.* 56, 283-286.
- Carboncini, M.C., Manzoni, D., Strambi, S., Bonfiglio, L., Andre, P., Rossi, B., 2004. Impaired agonists recruitment during voluntary arm movements in patients affected by spasmotic torticollis. *Arch.Ital.Biol.* 142, 113-124.
- Castiello, U., 2005. The neuroscience of grasping. *Nat.Rev.Neurosci.* 6, 726-736.
- Ceballos-Baumann, A.O., Brooks, D.J., 1997. Basal ganglia function and dysfunction revealed by PET activation studies. *Adv.Neurol.* 74, 127-139.

- Ceballos-Baumann, A.O., Passingham, R.E., Stephan, K.M., 1994. Cerebral activation with performing and imagining movement in idiopathic torsion dystonia (ITD): a PET study. *Neurology* 44, 837S.
- Ceballos-Baumann, A.O., Passingham, R.E., Warner, T., Playford, E.D., Marsden, C.D., Brooks, D.J., 1995. Overactive prefrontal and underactive motor cortical areas in idiopathic dystonia. *Ann.Neurol.* 37, 363-372.
- Ceballos-Baumann, A.O., Sheean, G., Passingham, R.E., Marsden, C.D., Brooks, D.J., 1997. Botulinum toxin does not reverse the cortical dysfunction associated with writer's cramp. A PET study. *Brain* 120 (Pt 4), 571-582.
- Chen, R., 1997. Depression of motor cortex excitability by low-frequency transcranial magnetic stimulation. *Neurology* 48, 1398-1403.
- Chen, R.S., Tsai, C.H., Lu, C.S., 1995. Reciprocal inhibition in writer's cramp. *Mov Disord.* 10, 556-561.
- Chouinard, P.A., Paus, T., 2006. The primary motor and premotor areas of the human cerebral cortex. *Neuroscientist*. 12, 143-152.
- Christensen, M.S., Lundbye-Jensen, J., Geertsen, S.S., Petersen, T.H., Paulson, O.B., Nielsen, J.B., 2007. Premotor cortex modulates somatosensory cortex during voluntary movements without proprioceptive feedback. *Nat.Neurosci.* 10, 417-419.
- Cipolloni, P.B., 1999. Cortical connections of the frontoparietal opercular areas in the rhesus monkey. *Journal of comparative neurology* 403, 431-458.
- Colosimo, C., Pantano, P., Calistri, V., Totaro, P., Fabbrini, G., Berardelli, A., 2005. Diffusion tensor imaging in primary cervical dystonia. *J.Neurol.Neurosurg.Psychiatry* 76, 1591-1593.
- Conturo, T.E., Lori, N.F., Cull, T.S., Akbudak, E., Snyder, A.Z., Shimony, J.S., McKinstry, R.C., Burton, H., Raichle, M.E., 1999. Tracking neuronal fiber pathways in the living human brain. *Proc.Natl.Acad.Sci.U.S.A* 96, 10422-10427.
- Cullen, K.E., 2004. Sensory signals during active versus passive movement. *Curr.Opin.Neurobiol.* 14, 698-706.
- Dai, T.H., Liu, J.Z., Sahgal, V., Brown, R.W., Yue, G.H., 2001. Relationship between muscle output and functional MRI-measured brain activation. *Exp.Brain Res.* 140, 290-300.
- Dauer, W.T., Burke, R.E., Greene, P., Fahn, S., 1998. Current concepts on the clinical features, aetiology and management of idiopathic cervical dystonia. *Brain* 121 (Pt 4), 547-560.
- de Jong, B.M., Coert, J.H., Stenekes, M.W., Leenders, K.L., Paans, A.M., Nicolai, J.P., 2003. Cerebral reorganisation of human hand movement following dynamic immobilisation. *NeuroReport* 14, 1693-1696.

References

- de Jong, B.M., Leenders, K.L., Paans, A.M., 2002. Right parieto-premotor activation related to limb-independent antiphase movement. *Cereb.Cortex* 12, 1213-1217.
- de Jong, B.M., Paans, A.M., 2007. Medial versus lateral prefrontal dissociation in movement selection and inhibitory control. *Brain Res.* 1132, 139-147.
- de Jong, B.M., van der Graaf, F.H., Paans, A.M., 2001. Brain activation related to the representations of external space and body scheme in visuomotor control. *Neuroimage.* 14, 1128-1135.
- de Jong, B.M., Willemsen, A.T., Paans, A.M., 1999. Brain activation related to the change between bimanual motor programs. *Neuroimage.* 9, 290-297.
- Decety, J., 1996. The neurophysiological basis of motor imagery. *Behavioural Brain Research* 77, 45-52.
- Deiber, M.P., Ibanez, V., Sadato, N., Hallett, M., 1996. Cerebral structures participating in motor preparation in humans: a positron emission tomography study. *J.Neurophysiol.* 75, 233-247.
- Delmaire, C., Krainik, A., Tezenas du, M.S., Gerardin, E., Meunier, S., Mangin, J.F., Sangla, S., Garneron, L., Vidailhet, M., Lehericy, S., 2005. Disorganized somatotopy in the putamen of patients with focal hand dystonia. *Neurology* 64, 1391-1396.
- Delmaire, C., Vidailhet, M., Elbaz, A., Bourdain, F., Bleton, J.P., Sangla, S., Meunier, S., Terrier, A., Lehericy, S., 2007. Structural abnormalities in the cerebellum and sensorimotor circuit in writer's cramp. *Neurology* 69, 376-380.
- Denslow, S., Lomarev, M., George, M.S., Bohning, D.E., 2005. Cortical and subcortical brain effects of transcranial magnetic stimulation (TMS)-induced movement: an interleaved TMS/functional magnetic resonance imaging study. *Biol.Psychiatry* 57, 752-760.
- Desmurget, M., Epstein, C.M., Turner, R.S., Prablanc, C., Alexander, G.E., Grafton, S.T., 1999. Role of the posterior parietal cortex in updating reaching movements to a visual target. *Nat.Neurosci.* 2, 563-567.
- Deuschl, G., Seifert, C., Heinen, F., Illert, M., Lucking, C.H., 1992. Reciprocal inhibition of forearm flexor muscles in spasmotic torticollis. *J.Neurol.Sci.* 113, 85-90.
- Draganski, B., Thun-Hohenstein, C., Bogdahn, U., Winkler, J., May, A., 2003. "Motor circuit" gray matter changes in idiopathic cervical dystonia. *Neurology* 61, 1228-1231.
- Egger, K., Mueller, J., Schocke, M., Brenneis, C., Rinnerthaler, M., Seppi, K., Trieb, T., Wenning, G.K., Hallett, M., Poewe, W., 2007. Voxel based morphometry reveals specific gray matter changes in primary dystonia. *Mov Disord.* 22, 1538-1542.
- Ehrsson, H.H., Fagergren, E., Forssberg, H., 2001. Differential fronto-parietal activation depending on force used in a precision grip task: an fMRI study. *J.Neurophysiol.* 85, 2613-2623.

- Ehrsson, H.H., Geyer, S., Naito, E., 2003. Imagery of voluntary movement of fingers, toes, and tongue activates corresponding body-part-specific motor representations. *J.Neurophysiol.* 90, 3304-3316.
- Eidelberg, D., 2003. Brain networks and clinical penetrance: lessons from hyperkinetic movement disorders. *Curr.Opin.Neurol.* 16, 471-474.
- Eidelberg, D., Moeller, J.R., Antonini, A., Kazumata, K., Nakamura, T., Dhawan, V., Spetsieris, P., deLeon, D., Bressman, S.B., Fahn, S., 1998. Functional brain networks in DYT1 dystonia. *Ann.Neurol.* 44, 303-312.
- Epidemiological Study of Dystonia in Europe (ESDE) Collaborative Group, 2000. A prevalence study of primary dystonia in eight European countries. *J.Neurology.* 247, 787-792.
- Etgen, T., Muhlau, M., Gaser, C., Sander, D., 2006. Bilateral grey-matter increase in the putamen in primary blepharospasm. *J.Neurology.Neurosurgery.Psychiatry.* 77, 1017-1020.
- Evinger, C., 2005. Animal models of focal dystonia. *NeuroRx* 2, 513-524.
- Fabbrini, G., Pantano, P., Totaro, P., Calistri, V., Colosimo, C., Carmellini, M., Defazio, G., Berardelli, A., 2008. Diffusion tensor imaging in patients with primary cervical dystonia and in patients with blepharospasm. *Eur.J.Neurology.* 15, 185-189.
- Fang, P.C., Stepniewska, I., Kaas, J.H., 2005. Ipsilateral cortical connections of motor, premotor, frontal eye, and posterior parietal fields in a prosimian primate, *Otolemur garnetti*. *J.Comp Neurol.* 490, 305-333.
- Farrer, C., Frey, S.H., Van Horn, J.D., Tunik, E., Turk, D., Inati, S., Grafton, S.T., 2008. The angular gyrus computes action awareness representations. *Cereb.Cortex* 18, 254-261.
- Feiwell, R.J., Black, K.J., Gee-Minnich, L.A., Snyder, A.Z., MacLeod, A.M., Perlmutter, J.S., 1999. Diminished regional cerebral blood flow response to vibration in patients with blepharospasm. *Neurology* 52, 291-297.
- Felician, O., Romaiguere, P., Anton, J.L., Nazarian, B., Roth, M., Poncet, M., Roll, J.P., 2004. The role of human left superior parietal lobule in body part localization. *Ann.Neurology.* 55, 749-751.
- Fertl, E., Schnider, P., Schneider, B., Auff, E., 2000. Remote effects of chronic botulinum toxin treatment: electrophysiologic results Do not indicate subclinical remodelling of noninjected muscles. *Eur.Neurology.* 44, 139-143.
- Fox, P., Ingham, R., George, M.S., Mayberg, H., Ingham, J., Roby, J., Martin, C., Jerabek, P., 1997. Imaging human intra-cerebral connectivity by PET during TMS. *Neuroreport* 8, 2787-2791.
- Frima, N., Nasir, J., Grunewald, R.A., 2008. Abnormal vibration-induced illusion of movement in idiopathic focal dystonia: an endophenotypic marker? *Mov Disord.* 23, 373-377.

References

- Friston KJ, Holmes AP, Worsley KJ, Poline JB, Frith CD, Frackowiak RSJ, 1995. Statistical parametric maps in functional imaging: a general linear approach. *Human Brain Mapping* 2, 189-210.
- Friston, K.J., Frith, C.D., Liddle, P.F., Frackowiak, R.S., 1991. Comparing functional (PET) images: the assessment of significant change. *J.Cereb.Blood Flow Metab* 11, 690-699.
- Galardi, G., Perani, D., Grassi, F., Bressi, S., Amadio, S., Antoni, M., Comi, G.C., Canal, N., Fazio, F., 1996. Basal ganglia and thalamo-cortical hypermetabolism in patients with spasmodic torticollis. *Acta Neurol.Scand.* 94, 172-176.
- Garraux, G., Bauer, A., Hanakawa, T., Wu, T., Kansaku, K., Hallett, M., 2004. Changes in brain anatomy in focal hand dystonia. *Ann.Neurol.* 55, 736-739.
- Georgopoulos, A.P., 1991. Higher order motor control. *Annu.Rev.Neurosci.* 14, 361-377.
- Gerardin, E., Sirigu, A., Lehericy, S., Poline, J.B., Gaymard, B., Marsault, C., Agid, Y., Le Bihan, D., 2000. Partially overlapping neural networks for real and imagined hand movements. *Cerebral Cortex* 10, 1093-1104.
- Ghilardi, M.F., Carbon, M., Silvestri, G., Dhawan, V., Tagliati, M., Bressman, S., Ghez, C., Eidelberg, D., 2003. Impaired sequence learning in carriers of the DYT1 dystonia mutation. *Ann.Neurol.* 54, 102-109.
- Gieteling, E.W., van Rijn, M.A., de Jong, B.M., Hoogduin, J.M., Renken, R., van Hilten, J.J., Leenders, K.L., 2008. Cerebral activation during motor imagery in complex regional pain syndrome type 1 with dystonia. *Pain* 134, 302-309.
- Gilio, F., Curra, A., Lorenzano, C., Modugno, N., Manfredi, M., Berardelli, A., 2000. Effects of botulinum toxin type A on intracortical inhibition in patients with dystonia. *Ann.Neurol.* 48, 20-26.
- Goetz, C.G., Chmura, T.A., Lanska, D.J., 2001. History of dystonia: part 4 of the MDS-sponsored history of movement disorders exhibit, Barcelona, June, 2000. *Mov Disord.* 16, 339-345.
- Grezes, J., Decety, J., 2001. Functional anatomy of execution, mental simulation, observation, and verb generation of actions: a meta-analysis. *Hum.Brain Mapp.* 12, 1-19.
- Hallett, M., 1990. Clinical neurophysiology of akinesia. *Rev.Neurol.(Paris)* 146, 585-590.
- Hamjian, J.A., Walker, F.O., 1994. Serial neurophysiological studies of intramuscular botulinum-A toxin in humans. *Muscle Nerve* 17, 1385-1392.
- Hammond, W., 1871. Treatise on diseases of the nervous system. Appleton, New York, USA.

- Hanakawa, T., Immisch, I., Toma, K., Dimyan, M., van Gelderen, P., Hallett, M., 2003. Functional properties of brain areas associated with motor execution and imagery. *Journal of Neurophysiology* 89, 989-1002.
- Herz, E., 1944. Dystonia. *Arch Neurol Psych* 51, 305-355.
- Hinkley, L., Krubitzer, L., Nagarajan, S., Disbrow, E., 2007. Sensorimotor integration in S2, PV and parietal rostroventral areas of the human sylvian fissure. *J Neurophysiol* 97, 1288-1297.
- Horstink, M.W., van de Warrenburg, B.P., Speelman, J.D., 2007. Dystonia. In: Wolters, E.Ch., van Laar, T., Berendse, H.W. (Eds.), *Parkinsonism and related disorders*, 1 ed. VU University Press, Amsterdam, Netherlands, pp. 327-353.
- Hu, X.Y., Wang, L., Liu, H., Zhang, S.Z., 2006. Functional magnetic resonance imaging study of writer's cramp. *Chin Med.J (Engl.)* 119, 1263-1271.
- Huang, Y.Z., Edwards, M.J., Rounis, E., Bhatia, K.P., Rothwell, J.C., 2005. Theta burst stimulation of the human motor cortex. *Neuron* 45, 201-206.
- Hutchinson, M., Nakamura, T., Moeller, J.R., Antonini, A., Belakhlef, A., Dhawan, V., Eidelberg, D., 2000. The metabolic topography of essential blepharospasm: a focal dystonia with general implications. *Neurology* 55, 673-677.
- Ibanez, V., Sadato, N., Karp, B., Deiber, M., Hallett, M., 1999. Deficient activation of the motor cortical network in patients with writer's cramp. *Neurology* 53, 96-105.
- Isaac, A., Marks, D.F., Russel, D.G., 1986. An instrument for assessing imagery of movement: the vividness of movement imagery questionnaire (VMIQ). *J Ment Imagery* 10, 23-30.
- Jahanshahi, M., 2001. Impairment of movement initiation and execution but not preparation in idiopathic dystonia. *Experimental brain research* 140, 460-468.
- Jankovic, J., 2001. Can peripheral trauma induce dystonia and other movement disorders? *Yes! Mov Disord.* 16, 7-12.
- Jeannerod, M., 1995. Mental-Imagery in the Motor Context. *Neuropsychologia* 33, 1419-1432.
- Jeannerod, M., Decety, J., 1995. Mental motor imagery: a window into the representational stages of action. *Curr.Opin.Neurobiol.* 5, 727-732.
- Jenkinson, M., Bannister, P., Brady, M., Smith, S., 2002. Improved optimization for the robust and accurate linear registration and motion correction of brain images. *Neuroimage*. 17, 825-841.
- Jenkinson, M., Smith, S., 2001. A global optimisation method for robust affine registration of brain images. *Med.Image Anal.* 5, 143-156.

References

- Johnson, P.B., Ferraina, S., Bianchi, L., Caminiti, R., 1996. Cortical networks for visual reaching: physiological and anatomical organization of frontal and parietal lobe arm regions. *Cereb.Cortex* 6, 102-119.
- Jones, D.K., 2004. The effect of gradient sampling schemes on measures derived from diffusion tensor MRI: a Monte Carlo study. *Magn Reson.Med.* 51, 807-815.
- Jueptner, M., Ottinger, S., Fellows, S.J., Adamschewski, J., Flerich, L., Muller, S.P., Diener, H.C., Thilmann, A.F., Weiller, C., 1997. The relevance of sensory input for the cerebellar control of movements. *Neuroimage.* 5, 41-48.
- Kelly, R.M., Strick, P.L., 2003. Cerebellar loops with motor cortex and prefrontal cortex of a nonhuman primate. *J.Neurosci.* 23, 8432-8444.
- Kemna, L.J., Gembbris, D., 2003. Repetitive transcranial magnetic stimulation induces different responses in different cortical areas: a functional magnetic resonance study in humans. *Neuroscience Letters* 336, 85-88.
- Kim, J.W., Lee, P.H., 2007. Dystonic head tremor associated with a parietal lesion. *Eur.J.Neurol.* 14, e32-e33.
- Kobayashi, M., Pascual-Leone, A., 2003. Transcranial magnetic stimulation in neurology. *Lancet Neurology* 2, 145-156.
- Kopp, J., 1836. Denkwürdigkeiten in der ärztlichen praxis. Frankfurt, Germany.
- Lee, L., Siebner, H.R., Rowe, J.B., Rizzo, V., Rothwell, J.C., Frackowiak, R.S., Friston, K.J., 2003. Acute remapping within the motor system induced by low-frequency repetitive transcranial magnetic stimulation. *J.Neurosci.* 23, 5308-5318.
- Lehericy, S., Ducros, M., Van de Moortele, P.F., Francois, C., Thivard, L., Poupon, C., Swindale, N., Ugurbil, K., Kim, D.S., 2004. Diffusion tensor fiber tracking shows distinct corticostriatal circuits in humans. *Ann.Neurol.* 55, 522-529.
- Leiguarda, R.C., Marsden, C.D., 2000. Limb apraxias: higher-order disorders of sensorimotor integration. *Brain* 123 (Pt 5), 860-879.
- Leis, A.A., Dimitrijevic, M.R., Delapasse, J.S., Sharkey, P.C., 1992. Modification of cervical dystonia by selective sensory stimulation. *J.Neurol.Sci.* 110, 79-89.
- Lekhel, H., Popov, K., Anastasopoulos, D., Bronstein, A., Bhatia, K., Marsden, C.D., Gresty, M., 1997. Postural responses to vibration of neck muscles in patients with idiopathic torticollis. *Brain* 120 (Pt 4), 583-591.
- Lenz, F.A., Jaeger, C.J., Seike, M.S., Lin, Y.C., Reich, S.G., DeLong, M.R., Vitek, J.L., 1999. Thalamic single neuron activity in patients with dystonia: dystonia-related activity and somatic sensory reorganization. *J Neurophysiol.* 82, 2372-2392.
- Lewis, P.A., Wing, A.M., Pope, P.A., Praamstra, P., Miall, R.C., 2004. Brain activity correlates differentially with increasing temporal complexity of rhythms during

- initialisation, synchronisation, and continuation phases of paced finger tapping. *Neuropsychologia* 42, 1301-1312.
- Lotze, M., Montoya, P., Erb, M., Hulsmann, E., Flor, H., Klose, U., Birbaumer, N., Grodd, W., 1999. Activation of cortical and cerebellar motor areas during executed and imagined hand movements: an fMRI study. *J.Cogn Neurosci.* 11, 491-501.
- Mansur, C.G., Fregni, F., Boggio, P.S., Riberto, M., Gallucci-Neto, J., Santos, C.M., Wagner, T., Rigoatti, S.P., Marcolin, M.A., Pascual-Leone, A., 2005. A sham stimulation-controlled trial of rTMS of the unaffected hemisphere in stroke patients. *Neurology* 64, 1802-1804.
- Marsden, C.D., Obeso, J.A., Zarzanz, J.J., Lang, A.E., 1985. The anatomical basis of symptomatic hemidystonia. *Brain* 108 (Pt 2), 463-483.
- Maruishi, M., Miyatani, M., Nakao, T., Muranaka, H., 2007. Compensatory cortical activation during performance of an attention task by patients with diffuse axonal injury: a functional magnetic resonance imaging study. *J.Neurol.Neurosurg.Psychiatry* 78, 168-173.
- McCloskey, D., 1981. Corollary discharges: motor commands and perception. In: Brookhart, J., Mountcastle, V. (Eds.), *Handbook of physiology*, section 1: the nervous system. American Physiology Society, Bethesda, MD, pp. 1415-1448.
- Meunier, S., Garner, L., Ducorps, A., Mazieres, L., Lehericy, S., du Montcel, S.T., Renault, B., Vidailhet, M., 2001. Human brain mapping in dystonia reveals both endophenotypic traits and adaptive reorganization. *Ann.Neurol.* 50, 521-527.
- Mink, J.W., 1996. The basal ganglia: focused selection and inhibition of competing motor programs. *Prog.Neurobiol.* 50, 381-425.
- Molloy, F.M., Carr, T.D., Zeuner, K.E., Dambrosia, J.M., Hallett, M., 2003. Abnormalities of spatial discrimination in focal and generalized dystonia. *Brain* 126, 2175-2182.
- Morton, S.M., Bastian, A.J., 2007. Mechanisms of cerebellar gait ataxia. *Cerebellum*. 6, 79-86.
- Mountcastle, V.B., Lynch, J.C., Georgopoulos, A., Sakata, H., Acuna, C., 1975. Posterior parietal association cortex of the monkey: command functions for operations within extrapersonal space. *J.Neurophysiol.* 38, 871-908.
- Nahas, Z., Lomarev, M., Roberts, D.R., Shastri, A., Lorberbaum, J.P., Teneback, C., McConnell, K., Vincent, D.J., Li, X., George, M.S., Bohning, D.E., 2001. Unilateral left prefrontal transcranial magnetic stimulation (TMS) produces intensity-dependent bilateral effects as measured by interleaved BOLD fMRI. *Biol.Psychiatry* 50, 712-720.
- Naito, E., Kochiyama, T., Kitada, R., Nakamura, S., Matsumura, M., Yonekura, Y., Sadato, N., 2002. Internally simulated movement sensations during motor imagery activate cortical motor areas and the cerebellum. *J.Neurosci.* 22, 3683-3691.

References

- Naito, E., Roland, P.E., Grefkes, C., Choi, H.J., Eickhoff, S., Geyer, S., Zilles, K., Ehrsson, H.H., 2005. Dominance of the right hemisphere and role of area 2 in human kinesthesia. *J.Neurophysiol.* 93, 1020-1034.
- Naumann, M., Magyar-Lehmann, S., Reiners, K., Erbguth, F., Leenders, K.L., 2000. Sensory tricks in cervical dystonia: Perceptual dysbalance of parietal cortex modulates frontal motor programming. *Annals of Neurology* 47, 322-328.
- Nemeth, A.H., 2002. The genetics of primary dystonias and related disorders. *Brain* 125, 695-721.
- O'Reardon, J.P., Solvason, H.B., Janicak, P.G., Sampson, S., Isenberg, K.E., Nahas, Z., McDonald, W.M., Avery, D., Fitzgerald, P.B., Loo, C., Demitrack, M.A., George, M.S., Sackeim, H.A., 2007. Efficacy and safety of transcranial magnetic stimulation in the acute treatment of major depression: a multisite randomized controlled trial. *Biol.Psychiatry* 62, 1208-1216.
- O'Shea, J., Johansen-Berg, H., Trief, D., Gobel, S., Rushworth, M.F., 2007. Functionally specific reorganization in human premotor cortex. *Neuron* 54, 479-490.
- Obermann, M., Yaldizli, O., De, G.A., Lachenmayer, M.L., Buhl, A.R., Tumczak, F., Gizewski, E.R., Diener, H.C., Maschke, M., 2007. Morphometric changes of sensorimotor structures in focal dystonia. *Mov Disord.* 22, 1117-1123.
- Odergren, T., Iwasaki, N., Borg, J., Forssberg, H., 1996. Impaired sensory-motor integration during grasping in writer's cramp. *Brain* 119 (Pt 2), 569-583.
- Odergren, T., Stone-Elander, S., Ingvar, M., 1998. Cerebral and cerebellar activation in correlation to the action-induced dystonia in writer's cramp. *Mov Disord.* 13, 497-508.
- Oga, T., Honda, M., Toma, K., Murase, N., Okada, T., Hanakawa, T., Sawamoto, N., Nagamine, T., Konishi, J., Fukuyama, H., Kaji, R., Shibasaki, H., 2002. Abnormal cortical mechanisms of voluntary muscle relaxation in patients with writer's cramp: an fMRI study. *Brain* 125, 895-903.
- Ogawa, S., Tank, D.W., Menon, R., Ellermann, J.M., Kim, S.G., Merkle, H., Ugurbil, K., 1992. Intrinsic signal changes accompanying sensory stimulation: functional brain mapping with magnetic resonance imaging. *Proc.Natl.Acad.Sci.U.S.A* 89, 5951-5955.
- Oldergren, T., Iwasaki, N., Borg, J., Forssberg, H., 1996. Impaired sensory-motor integration during grasping in writer's cramp. *Brain* 119, 569-583.
- Olney, R.K., Aminoff, M.J., Gelb, D.J., Lowenstein, D.H., 1988. Neuromuscular effects distant from the site of botulinum neurotoxin injection. *Neurology* 38, 1780-1783.
- Oppenheim, H., 1911. Über eine eigenartige krampfkrankheit des kindlichen und jugendlichen alters (dysbasia lordotica progressiva, dystonia muscularorum deformans). *Neurol Centralbl* 30, 1090-1107.

- Pascual-Leone, A., Tormos, J.M., Keenan, J., Tarazona, F., Canete, C., Catala, M.D., 1998. Study and modulation of human cortical excitability with transcranial magnetic stimulation. *J.Clin.Neurophysiol.* 15, 333-343.
- Pascual-Leone, A., Valls-Sole, J., Brasil-Neto, J.P., Cammarota, A., Grafman, J., Hallett, M., 1994. Akinesia in Parkinson's disease. II. Effects of subthreshold repetitive transcranial motor cortex stimulation. *Neurology* 44, 892-898.
- Paus, T., Jech, R., Thompson, C.J., Comeau, R., Peters, T., Evans, A.C., 1997. Transcranial magnetic stimulation during positron emission tomography: a new method for studying connectivity of the human cerebral cortex. *J.Neurosci.* 17, 3178-3184.
- Petrides, M., Pandya, D.N., 1984. Projections to the frontal cortex from the posterior parietal region in the rhesus monkey. *J Comp Neurol.* 228, 105-116.
- Picard, N., Strick, P.L., 1996. Motor areas of the medial wall: a review of their location and functional activation. *Cereb.Cortex* 6, 342-353.
- Pierpaoli, C., Jezzard, P., Basser, P.J., Barnett, A., Di, C.G., 1996. Diffusion tensor MR imaging of the human brain. *Radiology* 201, 637-648.
- Playford, E.D., Passingham, R.E., Marsden, C.D., Brooks, D.J., 1998. Increased activation of frontal areas during arm movement in idiopathic torsion dystonia. *Mov Disord.* 13, 309-318.
- Plenz, D., Kital, S.T., 1999. A basal ganglia pacemaker formed by the subthalamic nucleus and external globus pallidus. *Nature* 400, 677-682.
- Poizner, H., Clark, M.A., Merians, A.S., Macauley, B., Gonzalez Rothi, L.J., Heilman, K.M., 1995. Joint coordination deficits in limb apraxia. *Brain* 118 (Pt 1), 227-242.
- Porro, C.A., Francescato, M.P., Cettolo, V., Diamond, M.E., Baraldi, P., Zuiani, C., Bazzocchi, M., di Prampero, P.E., 1996. Primary motor and sensory cortex activation during motor performance and motor imagery: a functional magnetic resonance imaging study. *J.Neurosci.* 16, 7688-7698.
- Poulet, J.F.A., Hedwig, B., 2007. New insights into corollary discharges mediated by identified neural pathways. *Trends in Neurosciences* 30, 14-21.
- Preibisch, C., Berg, D., Hofmann, E., Solymosi, L., Naumann, M., 2001. Cerebral activation patterns in patients with writer's cramp: a functional magnetic resonance imaging study. *J.Neurol.* 248, 10-17.
- Pridmore, S., Kleinjung, T., Langguth, B., Eichhammer, P., 2006. Transcranial magnetic stimulation: potential treatment for tinnitus? *Psychiatry Clin.Neurosci.* 60, 133-138.
- Pujol, J., Roset-Llobet, J., Rosines-Cubells, D., Deus, J., Narberhaus, B., Valls-Sole, J., Capdevila, A., Pascual-Leone, A., 2000. Brain cortical activation during guitar-induced hand dystonia studied by functional MRI. *NeuroImage* 12, 257-267.

References

- Quartarone, A., Morgante, F., Sant'angelo, A., Rizzo, V., Bagnato, S., Terranova, C., Siebner, H., Berardelli, A., Girlanda, P., 2008. Abnormal plasticity of sensorimotor circuits extends beyond the affected body part in focal dystonia. *J.Neurol.Neurosurg.Psychiatry* 79, 985-990.
- Raichle, M.E., 1998. Behind the scenes of functional brain imaging: a historical and physiological perspective. *Proc.Natl.Acad.Sci.U.S.A* 95, 765-772.
- Rice, N.J., Tunik, E., Grafton, S.T., 2006. The anterior intraparietal sulcus mediates grasp execution, independent of requirement to update: new insights from transcranial magnetic stimulation. *J.Neurosci.* 26, 8176-8182.
- Rizzolatti, G., Fogassi, L., Gallese, V., 1997. Parietal cortex: from sight to action. *Current Opinion in Neurobiology* 7, 562-567.
- Rizzolatti, G., Luppino, G., 2001. The cortical motor system. *Neuron* 31, 889-901.
- Rodriguez, M., Muniz, R., Gonzalez, B., Sabate, M., 2004. Hand movement distribution in the motor cortex: the influence of a concurrent task and motor imagery. *Neuroimage*. 22, 1480-1491.
- Rothwell, J., Obeso, J., Day, B., Marsden, C., 1983. Pathophysiology of dystonias. *Advances in Neurology* 39, 851-863.
- Rounis, E., Stephan, K.E., Lee, L., Siebner, H.R., Pesenti, A., Friston, K.J., Rothwell, J.C., Frackowiak, R.S., 2006. Acute changes in frontoparietal activity after repetitive transcranial magnetic stimulation over the dorsolateral prefrontal cortex in a cued reaction time task. *J.Neurosci.* 26, 9629-9638.
- Rushworth, M.F.S., Johansen-Berg, H., Gobel, S.M., Devlin, J.T., 2003. The left parietal and premotor cortices: motor attention and selection. *Neuroimage* 20, S89-S100.
- Sack, A.T., Kohler, A., Bestmann, S., Linden, D.E., Dechent, P., Goebel, R., Baudewig, J., 2007. Imaging the Brain Activity Changes Underlying Impaired Visuospatial Judgments: Simultaneous fMRI, TMS, and Behavioral Studies. *Cerebral Cortex* 17, 2841-2852.
- Sadato, N., Campbell, G., Ibanez, V., Deiber, M., Hallett, M., 1996. Complexity affects regional cerebral blood flow change during sequential finger movements. *J.Neurosci.* 16, 2691-2700.
- Sanger, T.D., Pascual-Leone, A., Tarsy, D., Schlaug, G., 2002. Nonlinear sensory cortex response to simultaneous tactile stimuli in writer's cramp. *Movement Disorders* 17, 105-111.
- Sanger, T.D., Tarsy, D., Pascual-Leone, A., 2001. Abnormalities of spatial and temporal sensory discrimination in writer's cramp. *Movement Disorders* 16, 94-99.
- Schaechter, J.D., Perdue, K.L., 2008. Enhanced cortical activation in the contralateral hemisphere of chronic stroke patients in response to motor skill challenge. *Cereb.Cortex* 18, 638-647.

- Schicatano, E.J., Basso, M.A., Evinger, C., 1997. Animal model explains the origins of the cranial dystonia benign essential blepharospasm. *J.Neurophysiol.* 77, 2842-2846.
- Schramm, A., Classen, J., Reiners, K., Naumann, M., 2007. Characteristics of sensory trick-like manoeuvres in jaw-opening dystonia. *Mov Disord* 22, 430-433.
- Schramm, A., Reiners, K., Naumann, M., 2004. Complex mechanisms of sensory tricks in cervical dystonia. *Mov Disord.* 19, 452-458.
- Sharma, N., Jones, P.S., Carpenter, T.A., Baron, J.C., 2008. Mapping the involvement of BA 4a and 4p during Motor Imagery. *Neuroimage.* 41, 92-99.
- Siebner, H.R., Auer, C., Conrad, B., 1999a. Abnormal increase in the corticomotor output to the affected hand during repetitive transcranial magnetic stimulation of the primary motor cortex in patients with writer's cramp. *Neuroscience Letters* 262, 133-136.
- Siebner, H.R., Tormos, J.M., Ceballos-Baumann, A.O., Auer, C., Catala, M.D., Conrad, B., Pascual-Leone, A., 1999b. Low-frequency repetitive transcranial magnetic stimulation of the motor cortex in writer's cramp. *Neurology* 52, 529-537.
- Siggelkow, S., Kossev, A., Moll, C., Dauper, J., Dengler, R., Rollnik, J., 2002. Impaired sensorimotor integration in cervical dystonia: a study using transcranial magnetic stimulation and muscle vibration. *Journal of clinical neurophysiology* 19, 232-239.
- Simon, S.R., Meunier, M., Piettre, L., Berardi, A.M., Segebarth, C.M., Boussaoud, D., 2002. Spatial attention and memory versus motor preparation: premotor cortex involvement as revealed by fMRI. *J.Neurophysiol.* 88, 2047-2057.
- Sirigu, A., Daprati, E., Ciancia, S., Giraux, P., Nighoghossian, N., Posada, A., Haggard, P., 2004. Altered awareness of voluntary action after damage to the parietal cortex. *Nat.Neurosci.* 7, 80-84.
- Sirigu, A., Duhamel, J.R., Cohen, L., Pillon, B., Dubois, B., Agid, Y., 1996. The mental representation of hand movements after parietal cortex damage. *Science* 273, 1564-1568.
- Smith, R.C., McCarthy, S., 1992. Physics of magnetic resonance. *J.Reprod.Med.* 37, 19-26.
- Smith, S.M., Zhang, Y., Jenkinson, M., Chen, J., Matthews, P.M., Federico, A., De, S.N., 2002. Accurate, robust, and automated longitudinal and cross-sectional brain change analysis. *Neuroimage.* 17, 479-489.
- Solodkin, A., Hlustik, P., Chen, E.E., Small, S.L., 2004. Fine modulation in network activation during motor execution and motor imagery. *Cereb.Cortex* 14, 1246-1255.
- Staffen, W., Mair, A., Zauner, H., Unterrainer, J., Niederhofer, H., Kutzelnigg, A., Ritter, S., Golaszewski, S., Iglseder, B., Ladurner, G., 2002. Cognitive function and fMRI in patients with multiple sclerosis: evidence for compensatory cortical activation during an attention task. *Brain* 125, 1275-1282.

References

- Stenekes, M.W., Hoogduin, J.M., Mulder, T., Geertzen, J.H., Leenders, K.L., Nicolai, J.P., de Jong, B.M., 2006. Functional dominance of finger flexion over extension, expressed in left parietal activation. *Neuroimage*. 32, 676-683.
- Stephan, K.M., Fink, G.R., Passingham, R.E., Silbersweig, D., Ceballos-Baumann, A.O., Frith, C.D., Frackowiak, R.S., 1995. Functional anatomy of the mental representation of upper extremity movements in healthy subjects. *J.Neurophysiol.* 73, 373-386.
- Stinear, C.M., Byblow, W.D., 2004. Impaired modulation of intracortical inhibition in focal hand dystonia. *Cerebral Cortex* 14, 555-561.
- Symms, M., Jager, H.R., Schmierer, K., Yousry, T.A., 2004. A review of structural magnetic resonance neuroimaging. *J.Neurol.Neurosurg.Psychiatry* 75, 1235-1244.
- Talairach, J., Tournoux, P., 1988. Co-planar Stereotaxic Atlas of the Human Brain: 3-Dimensional Proportional System - an Approach to Cerebral Imaging. Thieme Medical Publishers, New York, NY.
- Tanji, J., Hoshi, E., 2001. Behavioral planning in the prefrontal cortex. *Curr.Opin.Neurobiol.* 11, 164-170.
- Tempel, L.W., Perlmutter, J.S., 1993. Abnormal Cortical Responses in Patients with Writers Cramp. *Neurology* 43, 2252-2257.
- Thickbroom, G.W., Byrnes, M.L., Stell, R., Mastaglia, F.L., 2003. Reversible reorganisation of the motor cortical representation of the hand in cervical dystonia. *Movement Disorders* 18, 395-402.
- Tinazzi, M., 2003. Role of the somatosensory system in primary dystonia. *Movement Disorders* 18, 605-622.
- Trost, M., Carbon, M., Edwards, C., Ma, Y., Raymond, D., Mentis, M.J., Moeller, J.R., Bressman, S.B., Eidelberg, D., 2002. Primary dystonia: is abnormal functional brain architecture linked to genotype? *Ann.Neurol.* 52, 853-856.
- Tuch, D.S., Reese, T.G., Wiegell, M.R., Wedeen, V.J., 2003. Diffusion MRI of complex neural architecture. *Neuron* 40, 885-895.
- Tunik, E., Frey, S.H., Grafton, S.T., 2005. Virtual lesions of the anterior intraparietal area disrupt goal-dependent on-line adjustments of grasp. *Nat.Neurosci.* 8, 505-511.
- Tzourio-Mazoyer, N., Landeau, B., Papathanassiou, D., Crivello, F., Etard, O., Delcroix, N., Mazoyer, B., Joliot, M., 2002. Automated anatomical labeling of activations in SPM using a macroscopic anatomical parcellation of the MNI MRI single-subject brain. *Neuroimage* 15, 273-289.
- Van Den Eeden, S.K., Tanner, C.M., Bernstein, A.L., Fross, R.D., Leimpeter, A., Bloch, D.A., Nelson, L.M., 2003. Incidence of Parkinson's disease: variation by age, gender, and race/ethnicity. *Am.J.Epidemiol.* 157, 1015-1022.

- Van Der Graaf, F.H., de Jong, B.M., Maguire, R.P., Meiners, L.C., Leenders, K.L., 2004. Cerebral activation related to skills practice in a double serial reaction time task: striatal involvement in random-order sequence learning. *Brain Res.Cogn Brain Res.* 20, 120-131.
- van der Kamp, W., 1989. Rapid elbow movements in patients with torsion dystonia. *Journal of neurology, neurosurgery and psychiatry* 52, 1043-1049.
- von Holst, E., Mittelstaedt, H., 1950. Das reafferenzprinzip. *Naturwissenschaften* 37, 464-476.
- Weiss, E.M., Hershey, T., Karimi, M., Racette, B., Tabbal, S.D., Mink, J.W., Paniello, R.C., Perlmutter, J.S., 2006. Relative risk of spread of symptoms among the focal onset primary dystonias. *Mov Disord.* 21, 1175-1181.
- Williams, J.D., Rippon, G., Stone, B.M., Annett, J., 1995. Psychophysiological correlates of dynamic imagery. *Br.J Psychol.* 86 (Pt 2), 283-300.
- Wilson, K.D., Farah, M.J., 2006. Distinct patterns of viewpoint-dependent BOLD activity during common-object recognition and mental rotation. *Perception* 35, 1351-1366.
- Wise, S.P., Boussaoud, D., Johnson, P.B., Caminiti, R., 1997. Premotor and parietal cortex: corticocortical connectivity and combinatorial computations. *Annu.Rev.Neurosci.* 20, 25-42.
- Woolrich, M.W., Behrens, T.E., Beckmann, C.F., Jenkinson, M., Smith, S.M., 2004. Multilevel linear modelling for fMRI group analysis using Bayesian inference. *Neuroimage.* 21, 1732-1747.
- Woolrich, M.W., Ripley, B.D., Brady, M., Smith, S.M., 2001. Temporal autocorrelation in univariate linear modeling of fMRI data. *Neuroimage.* 14, 1370-1386.
- Worsley, K.J., Evans, A.C., Marrett, S., Neelin, P., 1992. A three-dimensional statistical analysis for CBF activation studies in human brain. *J.Cereb.Blood Flow Metab* 12, 900-918.

