

University of Groningen

Visualization of metrics and areas of interest on software architecture diagrams

Byelas, Heorhiy

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2010

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Byelas, H. (2010). *Visualization of metrics and areas of interest on software architecture diagrams*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Bibliography

- [1] A. KUHN, P. LORETAN, O. N. Consistent layout for thematic software maps. In *WCRE 08* (2008), IEEE Press, pp. 209–218.
- [2] AOSD. Aspect-oriented software development. <http://www.aosd.net/>.
- [3] ARANDA, J., ERNST, N., HORKOFF, J., AND EASTERBROOK, S. A framework for empirical evaluation of model comprehensibility. In *Proc. Intl. Workshop on Modeling in Software Engineering (MiSE)* (2007), pp. 7–15.
- [4] ARYA, S., MOUNT, D., NETANYAHU, N., SILVERMAN, R., AND WU, Y. An optimal algorithm for approximate nearest neighbor searching. *J. of the ACM* 45 (1998), 891–923.
- [5] AT & T. GraphViz. www.graphviz.org.
- [6] BALZER, M., AND DEUSSEN, O. Level-of-detail visualization of clustered graph layouts. In *APVIS '07* (2007), IEEE Press, pp. 133–140.
- [7] BERRETTI, S., BIMBO, A. D., AND PALA, P. Retrieval by shape similarity with perceptual distance and effective indexing. *IEEE Transactions of Multimedia* 2, 4 (2000), 225–239.
- [8] BISCHOFBERGER, W. Sniff+: A pragmatic approach to a c++ programming environment. In *Proc. USENIX C++ Conference* (1992), pp. 67–81.
- [9] BLOOMENTHAL, J., AND BAJAJ, C. *Introduction to Implicit Surfaces*. Morgan Kaufmann, 1997.
- [10] BOBROWSKA, A. A framework for empirical evaluation of model comprehensibility. In *Proc. SOFSEM* (2005), Springer, pp. 72–81.
- [11] BONDAREV, E., CHAUDRON, M., BYELAS, H., AND DE WITH, P. A toolkit for design and performance analysis of real-time component-based software systems. In *Proc. Intl. Conf. in Software Eng. Advances* (2006), pp. 4–8.
- [12] BONDAREV, E., CHAUDRON, M., AND DE KOCK, E. Exploring performance trade-offs of a JPEG decoder using the DeepCompass framework. In *Proc. Intl. Workshop on Software and Performance* (2007), pp. 153–163.

- [13] BORLAND INC. Together modeling tool. www.borland.com/together.
- [14] BREWER, C. A. Color use guidelines for mapping and visualization. In *Visualization in Modern Cartography* (1994), Elsevier Science, pp. 123–147.
- [15] CHEN, X., AND PLIMMER, B. CodeAnnotator: Digital ink annotation within eclipse. In *Proc. OZCHI* (2007), ACM, pp. 211–214.
- [16] CORBI, T. A. Program understanding: Challenge for the 1990s. *IBM Systems Journal* 28, 2 (1999), 294–306.
- [17] COSTA, L., AND CESAR, R. *Shape Analysis and Classification: Theory and Practice*. CRC Press, 2001.
- [18] COSTA, L. F., AND CESAR, R. M. *Shape Analysis and Classification: Theory and Practice*. CRC Press, 2001.
- [19] DA FONTOURA COSTA, L., AND CESAR, R. M. *Shape Analysis and Classification: Theory and Practice*. CRC Press, 2004.
- [20] DE BERG, M., CHEONG, O., KREVELD, M. V., AND OVERMARS, M. *Computational Geometry: Algorithms and Applications (3rd ed.)*. Springer, 2008.
- [21] DI BATTISTA, G., EADES, P., TAMASSIA, R., AND TOLLIS, I. G. *Graph Drawing*. Prentice Hall, 1999.
- [22] DIEHL, S. *Software Visualization - Visualizing the Structure, Behaviour, and Evolution of Software*. Springer, 2007.
- [23] DUCASSE, S., AND LANZA, M. The class blueprint: Visually supporting the understanding of classes. In *IEEE Trans. on Software engineering, vol.31, nr.1* (2005), IEEE Computer Society.
- [24] ECLIPSE. The eclipse foundation. <http://www.eclipse.org/>.
- [25] EICHELBERGER, H. Aesthetics of class diagrams. In *Proc IEEE VISSOFT* (2002), IEEE Press, pp. 23–31.
- [26] EICHELBERGER, H. *Aesthetics and Automatic Layout of UML Class Diagrams*. Univ. of Würzburg, Germany, 2005. PhD thesis.
- [27] FEKETE, J. D. The infovis toolkit. In *Proc. InfoVis* (2004), IEEE, pp. 167–174.
- [28] FENTON, N., AND PFLEEGER, S. *Software Metrics: A Rigorous and Practical Approach*. Chapman & Hall, 1998.
- [29] FERENC, R., MAGYAR, F., BESZEDES, A., KISS, A., AND TARKIAINEN, M. Columbus reverse engineering tool and schema for C++. In *Proc. Intl. Conf. Software Maintenance (ICSM)* (2002), IEEE, pp. 172–181.

- [30] GALLAGHER, K., HATCH, A., AND MUNRO, M. Software architecture visualization: An evaluation framework and its application. *IEEE Trans. Softw. Eng.* 34, 2 (2008), 260–270.
- [31] GAVRILA, D. M. Multi-feature hierarchical template matching using distance transforms. In *Proc. ICPR* (1998), pp. 439–444.
- [32] GDT. GDTOOLKIT: A graph drawing toolkit. www.dia.uniroma3.it/~gdt/.
- [33] GILL, N., AND GROVER, P. Component-based measurement: A few useful guidelines. *ACM SIGSOFT Software Engineering Notes* 28 (2003).
- [34] GOLDSTINE, H., AND VON NEUMANN, J. *Planning and coding of problems for an electronic computing instrument*. Part II, volume I of a report prepared for the U.S. Army Ord. Dept., 1947.
- [35] GTAUMAN, K., AND DARRELL, T. Fast contour matching using approximate earth mover’s distance. In *Proc. CVPR* (2004), pp. 220–227.
- [36] HOLTEN, D. Hierarchical edge bundles: Visualization of adjacency relations in hierarchical data. In *Proc. Vis/InfoVis* (2006), IEEE, pp. 741 – 748.
- [37] HOLTEN, D., VLIEGEN, R., AND VAN WIJK, J. J. Visual realism for the visualization of software metrics. In *Proc. VisSoft* (2005), IEEE, pp. 27–32.
- [38] IBM. *Rational Rose Modeling Tool*. www.306.ibm.com/software/rational.
- [39] ITEA. The *Robocop* project. <http://www.hitech-projects.com/euprojects/robocop/>.
- [40] ITEA. The *Space4U* project. <http://www.win.tue.nl/san/projects/space4u/>.
- [41] ITEA. The *Trust4All* project. www.hitech-projects.com/euprojects/trust4all/.
- [42] ITEA. Information technology for european advancement. <http://www.itea2.org/>.
- [43] J. J. VAN WIJK, A. T. Enridged contour maps. In *Proc. IEEE Visualization* (2001), IEEE Press, pp. 69–74.
- [44] JACKSON, M. *Principles of Program Design*. Academic Press, 1975.
- [45] JANSSEN, A., AND BOERBOOM, F. *Fact extraction, querying and visualization of large C++ code bases (Master’s thesis)*. Eindhoven University of Technology, the Netherlands, 2006.

- [46] KLEMOLA, T., AND RILLING, J. Modelling comprehension processes in software development. In *Proc. Intl. Conf. On Cognitive Informatics (ICCI)* (2002), IEEE Press, pp. 329–337.
- [47] KOSCHKE, R. Software visualization in software maintenance, reverse engineering, and re-engineering: a research survey. *Journal of Software Maintenance: Research and Practice* 15, 2 (2003), 87–109.
- [48] KROGSTIE, J. Evaluating uml using a generic quality framework. In *UML and the unified process* (2003), Idea Group Inc., pp. 1–22.
- [49] LANZA, M. Codecrawler - lessons learned in building a software visualization tool. In *Proc. of 7th European Conference on Software Maintenance and Reengineering* (2003), IEEE Computer Society, p. 409.
- [50] LANZA, M., AND DUCASSE, S. Understanding software evolution using a combination of software visualization and software metrics. In *Proc. of LMO* (2002).
- [51] LANZA, M., AND DUCASSE, S. Polymetric views a lightweight visual approach to reverse engineering. In *IEEE Trans. on Software engineering, vol.29, nr.9* (2003), IEEE Computer Society.
- [52] LANZA, M., AND MARINESCU, R. *Object-Oriented Metrics in Practice - Using Software Metrics to Characterize, Evaluate, and Improve the Design of Object-Oriented Systems*. Springer, 2006.
- [53] LEMKE, I., AND G.SANDER. Vcg: Visualization of compiler graphs. In *Tech. Report 12/94* (1994), Universität des Saarlandes, Saarbrücken, Germany.
- [54] LIKERT, R. A. A technique for the measurement of attitudes. *Archives of Psychology* 140 (1932).
- [55] LINDLAND, O. I., SINDRE, G., AND SOLVBERG, A. Understanding quality in conceptual modeling. *IEEE Software* (1994).
- [56] LITTLEFAIR, T. C and C++ code counter. sourceforge.net/projects/cccc.
- [57] LOMMERSE, G., NOSSIN, F., VOINEA, L., AND TELEA, A. The *Visual Code Navigator*: An interactive toolset for source code investigation. In *Proc. InfoVis* (2005), IEEE, pp. 24–31.
- [58] LORENSEN, W. E., AND CLINE, H. E. Marching cubes: A high resolution 3d surface construction algorithm. *Computer Graphics, (Proc. ACM SIGGRAPH)* 21, 4 (1987), 163–169.
- [59] MARCUS, A., FENG, L., AND MALETIC, J. 3D representations for software visualization. In *Proc. ACM SoftVis* (2003), p. 2736.

- [60] MARIN, M., VAN DEURSEN, A., AND MOONEN, L. Identifying crosscutting concerns using fan-in analysis. *ACM Trans. on Software Engineering and Methodology* 17 (2007).
- [61] MARINESCU, C., MARINESCU, R., MIHANEA, P. F., RATIU, D., AND WETTEL, R. iPlasma: An integrated platform for quality assessment of object-oriented design. In *Proc. of the 21st IEEE International Conference on Software Maintenance (ICSM)* (2005), pp. 265–272.
- [62] MICROSOFT. The component object model. [http://msdn.microsoft.com/en-us/library/ms694363\(VS.85\).aspx](http://msdn.microsoft.com/en-us/library/ms694363(VS.85).aspx).
- [63] MIHANEA, P. F., GANEA, G., VEREBI, I., MARINESCU, C., AND MARINESCU, R. McC and Mc#: Unified C++ and C# design facts extractors tools. In *Proc. of the 9th International Symposium on Symbolic and Numeric Algorithms for Scientific Computing (SYNASC)* (2007), IEEE Press, pp. 103–111.
- [64] MOWBRAY, T., AND ZAHAVI, R. *Essential Corba*. John Wiley and Sons, New York, 1995.
- [65] NASSI, I., AND SHNEIDERMAN, B. *Flowchart techniques for structured programming*. SIGPLAN Notices, 1973.
- [66] OMG. *The Unified Modeling Language*. 2008. <http://www.uml.org>.
- [67] PAGE-JONES, M. *What every programmer should know about object-oriented design*. Dorset House Publishing, 1995.
- [68] PARR, T., AND QUONG, R. Antlr: A predicated-ll(k) parser generator. *Software - Practice and Experience* 25, 7 (1995), 789–810.
- [69] PLIMMER, B., AND GRUNDY, J. Beautifying sketching-based design tool content: issues and experiences. In *Proc. AUIC* (2005), Australian Comp. Soc., pp. 31–38.
- [70] PLIMMER, B., GRUNDY, J., HOSKING, J., AND PRIEST, R. Inking in the IDE: Experiences with pen-based design and annotation. In *Proc. VL/HCC* (2006), IEEE, pp. 111–115.
- [71] PREFUSE. The prefuse information visualization system. <http://prefuse.org>.
- [72] PRETORIUS, A., AND VAN WIJK, J. Visual inspection of multivariate graphs. *Computer Graphics Forum (Proc. Eurographics/IEEE EuroVis)* 27, 3 (2008), 967–974.
- [73] PRIEST, R., AND PLIMMER, B. RCA: Experiences with an IDE annotation tool. In *Proc. CHINZ* (2006), ACM, pp. 53–60.
- [74] PURCHASE, H. C., CARRINGTON, D. A., AND ALLDER, J.-A. Empirical evaluation of aesthetics-based graph layout. *Empirical Software Engineering* 7, 3 (2002), 233–255.

- [75] PURCHASE, H. C., CARRINGTON, D. A., AND ALLDER, J.-A. Graph layout aesthetics in uml diagrams: User preferences. *Journal of Graph Algorithms and Applications* 6, 3 (2002), 255–279.
- [76] PURCHASE, H. C., COLPOYS, L., AND CARRINGTON, D. A. Uml collaboration diagram syntax: an empirical study of comprehension. In *Proc. VISSOFT* (2002), pp. 13–22.
- [77] PURCHASE, H. C., WELLAND, R., MCGILL, M., AND COLPOYS, L. Comprehension of diagram syntax: an empirical study of entity relationship diagram notations. *International Journal of Human-Computer Studies* 61, 2 (2004), 187–203.
- [78] RAO, R., AND CARD, S. The table lens: Merging graphical and symbolic representations in an interactive focus+context visualization for tabular information. In *Proc. CHI* (1994), ACM, pp. 222–230.
- [79] RENIERS, D., AND TELEA, A. Tolerance-based feature transforms. In *Advances in Computer Graphics and Computer Vision* (2008), vol. 4, Springer, pp. 187–200.
- [80] RILLING, J., AND MUDUR, S. P. 3d visualization techniques to support slicing-based program comprehension. *Computers and Graphics* 29, 3 (2005), 311–329.
- [81] RUMBAUGH, J. Notation notes: Principles for choosing notation. *Journal of Object-Oriented Programming* 12, 4 (1999).
- [82] SCHROEDER, W., MARTIN, K., AND LORENSEN, B. *The Visualization Toolkit - An Object-Oriented Approach to 3D Graphics* (3rd edition). Kitware, Inc., 2003.
- [83] SCIENTIFIC TOOLWORKS INC. *Understand for c++*. <http://www.scitools.com>.
- [84] SENSALIRE, M., OGAO, P., AND TELEA, A. Classifying desirable features of software visualization tools for corrective maintenance. In *Proc. ACM SOFTVIS* (2008), pp. 87–90.
- [85] SETHIAN, J. *Level set methods and fast marching methods*. Cambridge Univ. Press, 1999.
- [86] SHEWCHUK, J. R. Triangle: Engineering a 2d quality mesh generator and delaunay triangulator. In *Proc. Applied Computational Geometry* (1996), ACM Press, pp. 124–133.
- [87] SHORE, D. House M.D. In *Movie series 2004-2008* (2008).
- [88] SIDDIQI, K., AND PIZER, S. *Medial Representations: Mathematics, Algorithms and Applications*. Springer, 2008.
- [89] SMITH, J. M., AND STOTTS, D. SPQR: flexible automated design pattern extraction from source code. In *Proc. Automated Software Engineering (ASE)* (2003), IEEE, pp. 215–224.

- [90] SPENCE, R. *Information Visualization*. ACM Press, 2006.
- [91] SPENCE, R. *Information Visualization: Design for Interaction (2nd ed.)*. Prentice Hall, 2007.
- [92] SPRENGER, T. C., BRUNELLA, R., AND GROSS, M. H. H-BLOB: A hierarchical visual clustering method using implicit surfaces. In *Proc. IEEE Visualization (2000)*, IEEE, pp. 61–68.
- [93] STANDISH, T. A. An essay on software reuse. *IEEE Trans. Software. Eng.* 10, 5 (1984), 494–497.
- [94] STOREY, M.-A. Shrimp views: An interactive environment for exploring multiple hierarchical views of a java program. In *Proc. of the 5th international conference on Aspect-oriented software development (2006)*, ACM Press, pp. 146 – 157.
- [95] STROUSTRUP, B. *The C++ Programming Language (3rd ed.)*. Addison-Wesley, 2004.
- [96] STRZODKA, R., AND TELEA, A. *Generalized Distance Transforms and skeletons in graphics hardware*. Springer, 2004.
- [97] SUN. Enterprise javabeans. <http://java.sun.com/products/ejb/>.
- [98] SZYPERSKI, C. *Component Software: Beyond Object-Oriented Programming*. Addison-Wesley Professional, 1997.
- [99] T. PANAS, R. BERRIGAN, J. G. A 3d metaphor for software production visualization. In *Proc. of the Seventh International Conference on Information Visualization (2003)*, ACM Press, p. 314.
- [100] TAUBIN, G. Geometric signal processing on polygonal meshes. In *EUROGRAPHICS STAR Reports (2000)*.
- [101] TELEA, A. An open architecture for visual reverse engineering. In *Managing Corporate Information Systems Evolution and Maintenance (ed. K. Khan) (2004)*, Idea Group Inc., pp. 343–364.
- [102] TELEA, A. Combining enhanced table lens and treemap techniques for the visualization of large data tables. In *Proc. EuroVis (2006)*, IEEE Press, pp. 13–20.
- [103] TELEA, A. *Data Visualization: Principles and Practice*. A. K. Peters, 2008.
- [104] TELEA, A., MACCARI, A., AND RIVA, C. An open toolkit for prototyping reverse engineering visualizations. In *Proc. VisSym (2002)*, ACM Press, pp. 241–250.
- [105] TELEA, A., AND VOINEA, L. SOLIDFX: An interactive reverse-engineering environment for C++. In *Proc. CSMR (2008)*, pp. 320–322.
- [106] TELEA, A., AND WIJK, J. J. V. VISSION: an object oriented dataflow system for simulation and visualization. In *Proc. IEEE VisSym (1999)*, Springer, pp. 95–104.

- [107] TELELOGIC. *Telelogic Tau Modeling Tool*. www.telelogic.com/products/tau.
- [108] TERMEER, M., LANGE, C., TELEA, A., AND CHAUDRON, M. Visual exploration of combined architectural and metric information. In *Proc. VISSOFT (2005)*, IEEE Press, pp. 21–26.
- [109] THERON, R., SANTAMARIA, R., GARCIA, J., AND GOMEZ, D. Overlapper: visualization of interconnected social groups. In *Proc. Graph Drawing (tool competition) (2008)*, Springer.
- [110] THOMAS, J. J., AND COOK, K. A. *Illuminating the Path: The R&D Agenda for Visual Analytics*. National Visualization and Analytics Center, 2005.
- [111] TILLEY, S., WONG, K., STOREY, M., AND MÜLLER, H. Programmable reverse engineering. *Intl. J. Software Engineering and Knowledge Engineering* 4, 4 (1994), 501–520.
- [112] TOM SAWYER, INC. The tom sawyer graph layout software suite. <http://www.tomsawyer.com>.
- [113] VAN HAM, F., VAN DE WETERING, H., AND VAN WIJK, J. Interactive visualization of state transition systems. *IEEE Transactions on Visualization and Computer Graphics* 8, 4 (2002), 319–329.
- [114] VAN LIERE, R., AND DE LEEUW, W. Graphsplatting: Visualizing graphs as continuous fields. *IEEE Transactions on Visualization and Computer Graphics* 9, 2 (2003), 206–212.
- [115] VAN OMMERING, R., VAN DER LINDEN, F., KRAMER, J., AND MAGEE, J. The koala component model for consumer electronics software. In *IEEE Trans. Software Engineering* (2000), vol. 33, IEEE Press, pp. 78–85.
- [116] VAN WIJK, J. J., AND VAN DE WETERING, H. Cushion treemaps: Visualization of hierarchical information. In *Proc. InfoVis (1999)*, IEEE, pp. 73–78.
- [117] VOINEA, L., AND TELEA, A. A framework for interactive visualization of component-based software. In *Proc. EUROMICRO (2004)*, IEEE Press, pp. 567–574.
- [118] VOINEA, L., AND TELEA, A. Multiscale and multivariate visualizations of software evolution. In *Proc. SoftVis (2006)*, ACM, pp. 115–124.
- [119] WARE, C. *Information Visualization, Second Edition: Perception for Design*. Elsevier, 2004.
- [120] WETTEL, R., AND LANZA, M. Visual exploration of large-scale system evolution. In *WCRE 08 (2008)*, IEEE Press, pp. 219–228.

- [121] WIGG, D. *CPP.Parser: A C++ grammar for ANTLR*. <http://www.antlr.org/grammar/list>.
- [122] WONG, P. C., AND THOMAS, J. J. Visual analytics. *IEEE Computer Graphics and Applications* 24, 5 (2004), 20–21.
- [123] WOO, M., NEIDER, J., DAVIS, T., AND SHREINER, D. *OpenGL Programming Guide, 3rd edition*. Addison-Wesley, 2001.
- [124] WUST, J. *SDMetrics: The software design metrics tool for UML*. www.sdmetrics.com.
- [125] YEUNG, L., PLIMMER, B., LOBB, B., AND ELLIFFE, D. Levels of formality in diagram presentation. In *Proc. OZCHI (2007)*, ACM, pp. 311–317.

