

University of Groningen

Lung nodule assessment in low-dose CT lung cancer screening

Zhao, Yingru

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2013

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Zhao, Y. (2013). *Lung nodule assessment in low-dose CT lung cancer screening: validation of detection and volumetric measurement*. [S.n.].

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Thesis statements

Lung nodule assessment in low-dose CT lung cancer screening: validation of detection and volumetric measurement

1. For indeterminate nodules detected in screening, a short term follow-up after initial CT could exclude a considerable number of benign lesions from further work-up. (This thesis)
2. Using a combination of computed-aided detection and nodule size cut-off in lung cancer screening improves the sensitivity of pulmonary nodule detection, and significantly reduces the false positive rate. (This thesis)
3. The NELSON nodule management regimen has very high negative predictive value for lung cancer in CT lung cancer screening. (This thesis)
4. Using different software packages influences nodule management decisions, especially growth categorization based on consecutive examinations. (This thesis)
5. Further standardization of software for nodule volumetry and volume doubling time assessment is needed to optimize nodule management in lung cancer CT screening. (This thesis)
6. CT features of intermediate-sized nodules cannot sufficiently distinguish between malignant nodules and subsequently resolving nodules. (This thesis)
7. Volumetric three-dimensional measurement is more accurate than two-dimensional evaluation of pulmonary nodules.
8. LungCARE is a very accurate software package for measuring the volume of solid lung nodules.
9. As a fruit needs not only sunshine but cold nights and chilling showers to ripen it, so character needs not only joy but trial and difficulty to mellow it. (H. Black)
10. For a researcher, imagination is more important than knowledge.



Yingru Zhao
August 6, 2013