

University of Groningen

Substance P and the neurokinin 1 receptor

Hart, Maria Geertrudis Cornelia van der

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:
2009

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Hart, M. G. C. V. D. (2009). *Substance P and the neurokinin 1 receptor: from behavior to bioanalysis*. [s.n.]

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Publications

- ALFONSO,J., POLLEVICK,G.D., VAN DER HART,M.G., FLUGGE,G., FUCHS,E. & FRASCH,A.C. (2004). Identification of genes regulated by chronic psychosocial stress and antidepressant treatment in the hippocampus. *Eur. J. Neurosci.*, **19**, 659-666.
- BOSKER,F.J., FOLGERING,J.H., GLADKEVICH,A.V., SCHMIDT,A., VAN DER HART,M.C., SPROUSE,J., DEN BOER,J.A., WESTERINK,B.H. & CREMERS,T.I. (2009). Antagonism of 5-HT(1A) receptors uncovers an excitatory effect of SSRIs on 5-HT neuronal activity, an action probably mediated by 5-HT(7) receptors. *J. Neurochem.*, **108**, 1126-1135.
- BOSKER,F.J., WESTERINK,B.H., CREMERS,T.I., GERRITS,M., VAN DER HART,M.G., KUIPERS,S.D., VAN DER,P.G., TER HORST,G.J., DEN BOER,J.A. & KORF,J. (2004). Future antidepressants: what is in the pipeline and what is missing? *Cns Drugs*, **18**, 705-732.
- CZEH,B., PUDOVKINA,O., VAN DER HART,M.G., SIMON,M., HEILBRONNER,U., MICHAELIS,T., WATANABE,T., FRAHM,J. & FUCHS,E. (2005a). Examining SLV-323, a novel NK1 receptor antagonist, in a chronic psychosocial stress model for depression. *Psychopharmacology (Berl)*, **180**, 548-557.
- CZEH,B., SIMON,M., VAN DER HART,M.G.C., SCHMELTING,B., HESSELINK,M.B. & FUCHS,E. (2005). Chronic stress decreases the number of parvalbumin-immunoreactive Interneurons in the hippocampus: Prevention by treatment with a substance P receptor (NK1) antagonist. *Neuropsychopharmacology*, **30**, 67-79.
- MICHAEL-TITUS,A.T., ALBERT,M., MICHAEL,G.J., MICHAELIS,T., WATANABE,T., FRAHM,J., PUDOVKINA,O., VAN DER HART,M.G., HESSELINK,M.B., FUCHS,E. & CZEH,B. (2008). SONU20176289, a compound combining partial dopamine D(2) receptor agonism with specific serotonin reuptake inhibitor activity, affects neuroplasticity in an animal model for depression. *Eur. J. Pharmacol.*, **598**, 43-50.
- OLIVIER,J.D., VAN DER HART,M.G., VAN SWELM,R.P., DEDEREN,P.J., HOMBERG,J.R., CREMERS,T., DEEN,P.M., CUPPEN,E., COOLS,A.R. & ELLENBROEK,B.A. (2008). A study in male and female 5-HT transporter knockout rats: an animal model for anxiety and depression disorders. *Neuroscience*, **152**, 573-584.

Substance P and the Neurokinin 1 Receptor: from behavior to bioanalysis

- VAN DER HART,M.G., CZEH,B., DE BIURRUN,G., MICHAELIS,T., WATANABE,T., NATT,O., FRAHM,J. & FUCHS,E. (2002). Substance P receptor antagonist and clomipramine prevent stress-induced alterations in cerebral metabolites, cytopgenesis in the dentate gyrus and hippocampal volume. *Mol. Psychiatry*, **7**, 933-941.
- VAN DER HART,M.G., DE,B.G., CZEH,B., RUPNIAK,N.M., DEN BOER,J.A. & FUCHS,E. (2005). Chronic psychosocial stress in tree shrews: effect of the substance P (NK1 receptor) antagonist L-760735 and clomipramine on endocrine and behavioral parameters. *Psychopharmacology (Berl)*, **181**, 207-216.
- CREMERS, T. I. F. H., DE VRIS, M. G.; HUININK, K. D., VAN LOON, J., VAN DER HART, M., EBERT, B., WESTERINK, B. H. C. & DE LANGE, E. C. M. (2009). Quantitative microdialysis using modified ultraslow microdialysis: Direct rapid and reliable determination of free brain concentrations with the MetaQuant technique. *J. of Neuroscience Methods*, **178**, 249-254.
- BERK, J. A. M.; VAN DER LAAN, A., WOLTHUIS, A.; OPPENHEIMER, L. J., HOMMEMA, G., VAN DER HART, M. G. C., HESSELINK, M. B., VAN AMSTERDAM, P. H. & FUCHS, E (2004). Norepinephrine detection in "Tree shrews" urine using LC-tandem MS to verify that stress-induced alterations are prevented by the NK1 receptor antagonist SLV 323. *Ned. Tijdschrift. v. Klinische Chemie en Laboratoriumgeneeskunde*, **29**, 269-270.