

University of Groningen

SEAGLE- Simulating EAGLe Lenses

Mukherjee, Sampath

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2019

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Mukherjee, S. (2019). *SEAGLE- Simulating EAGLe Lenses: Deciphering the galaxy formation via strong lens simulations*. [Thesis fully internal (DIV), University of Groningen]. Rijksuniversiteit Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Propositions

accompanying the dissertation

SEAGLE- Simulating EAGLE LEnses

1. An end-to-end simulation and modeling pipeline of mock lenses, using state-of-the-art cosmological simulations, is essential to test galaxy formation models using strong gravitational lensing. (**Chapter 2**)
2. Directly comparing lens mass models of real lenses with the results from numerical simulations, without accounting for the lensing and observational effects, can lead to biased results. (**Chapter 2**)
3. The mass-size and density-slope distributions of massive luminous red galaxy (LRG) lenses require milder stellar and AGN feedback than is inferred from volume-limited samples of massive galaxies. (**Chapter 3,4**)
4. The dark matter fractions within half of the effective radius of lens galaxies can put any galaxy-formation simulations to test when comparing them with strong lensing observations. (**Chapter 4**)
5. Proper Initial Mass Function (IMF) modeling holds an important key for realistic Λ CDM simulations. (**Chapter 5**)
6. A steepening of the stellar IMF slope towards the centers of galaxies might mimic dark-matter cusps. (**Chapter 3, 4, 5**)
7. There are no accidents/serendipity in life. The chain of events is what it was meant to be. Only our ignorance keeps the illusion of accident/serendipity.
8. Being the lead author of any paper bestows an important responsibility on the person both scientifically and academically.
9. Names should be withheld from the review committee for a fair judgment of proposals.
10. Cosmological simulations and cooking have striking similarities. Changing the ingredients can lead to surprising result whether it be a galaxy or a biryani.

Sampath Mukherjee
January 2019, Groningen