

University of Dundee

Education at scale

Mackenzie, Scott C.; Cumming, Kirsten M.; Mehar, Salma; Wilson, Lyn; Cunningham, Scott G.; Bickerton, Alex

Published in:
Diabetic Medicine

DOI:
[10.1111/dme.14842](https://doi.org/10.1111/dme.14842)

Publication date:
2022

Licence:
CC BY-NC

Document Version
Publisher's PDF, also known as Version of record

[Link to publication in Discovery Research Portal](#)

Citation for published version (APA):

Mackenzie, S. C., Cumming, K. M., Mehar, S., Wilson, L., Cunningham, S. G., Bickerton, A., & Wake, D. J. (2022). Education at scale: Improvements in type 1 diabetes self-management following a massive open online course. *Diabetic Medicine*, [e14842]. <https://doi.org/10.1111/dme.14842>

General rights

Copyright and moral rights for the publications made accessible in Discovery Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from Discovery Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain.
- You may freely distribute the URL identifying the publication in the public portal.

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

LETTER

Education at scale: Improvements in type 1 diabetes self-management following a massive open online course

Dear Editor,

Self-management is key in type 1 diabetes (T1D) care to optimise glycaemic control, reduce diabetes complications and improve quality of life.¹ For people with T1D, long-term self-management can be challenging and require multidisciplinary support. In the United Kingdom, provision of diabetes self-management education (DSME) is typically delivered face-to-face, although significant regional variation exists. Barriers to attendance at DSME are complex and opportunities for re-intervention after initial invitation are often limited.² Furthermore, through social distancing and healthcare restructuring, COVID-19 has resulted in a substantial reduction in face-to-face DSME offered.

eLearning is a growing area in T1D care, offering a flexible and low-cost intervention aiming to increase reach through improved accessibility. Massive open online courses (MOOCs) are an example of eLearning where a cohort simultaneously progress through structured educational material. Through discussion boards and livestreams, MOOCs can provide a social space moderated by healthcare professionals for learners to ask questions, share experiences and benefit from peer-support. Additionally, interspersed quizzes can facilitate self-assessment of incremental knowledge gained. MOOCs for DSME have previously been well received in a diverse type 2 diabetes cohort, associated with sustained improvements in self-reported health knowledge and self-management ability.^{3,4} We developed and delivered an MOOC in type 1 DSME and herein report user experience and 3-month follow-up.

An MOOC in type 1 DSME was developed and delivered over a 2-day period in 2021. The course was developed by MyWay Digital Health Ltd./NHS Diabetes Programme, accredited by the Quality Institute for Self-Management Education and Training,⁵ and advertised widely through social media and email. Content was freely available and consistent with existing structured education topics, featuring multimedia resources and daily social media livestream question and answer sessions. See Appendix S1 for

course outline and [Figure 1](#) for user interface. User experience was established among consenting participants via integrated pre-course, post-course and 3-month follow-up surveys. Paired survey responses were analysed using a Wilcoxon signed-rank sum test and user demographics were compared with course-completion status using a chi-squared test.

Course and follow-up completion data are presented in [Table 1](#). Among users who provided pre-course demographic data ($n = 897$), most were people with T1D (51.4%), with family members/carers (26.6%) and healthcare professionals (16.9%) comprising much of the remaining cohort. Among users with T1D, 65.0% were aged 35–64, 68.6% were female, 95% lived in the United Kingdom and 93% identified as white. There was a range of time since diagnosis, and 58% had engaged with structured diabetes education before (87% face-to-face; 35% online). Users with T1D were less likely to complete the MOOC compared to users without T1D ($p < 0.0001$). Age, gender and previous DSME engagement were not associated with course completion status among users with T1D.

Users found the course useful, easy to use and motivating (see [Figure 2](#)). In the pre-course, post-course and follow-up survey, users with T1D were asked to self-assess their self-management ability and health knowledge through agreeability to the statements *I manage my diabetes well* and *I know enough about my health*. Comparing pre- and post-course responses, median response improved in the post-course survey from *neutral* to *agree* for both statements ($n = 131$, $p < 0.0001$ for both statements), and this improvement was sustained at 3 months ($n = 50$, $p < 0.003$ for both statements).


56.3% ($n = 36/64$) of course-completers with T1D at follow-up had made a change to the way they managed their diabetes following the course, with 69.2% ($n = 45/65$) agreeing the course improved their self-management confidence and motivation. Furthermore, course-completers with T1D were asked at follow-up if they felt taking part in the course had helped to reduce the frequency and/or

This is an open access article under the terms of the Creative Commons Attribution-NonCommercial License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited and is not used for commercial purposes.

© 2022 The Authors. *Diabetic Medicine* published by John Wiley & Sons Ltd on behalf of Diabetes UK.


23:27 Fri 18 Jun
understandingtype1.mydiabetes.com
54%

Correction doses



A correction dose is the amount of extra short-acting insulin you need to take if your blood glucose is too high. Everybody's dose is different and over time, you will get a feel for how much extra insulin to take as a correction dose.

Paul's pre-lunchtime blood glucose reading is 14 mmol/L. He takes 2 extra units of insulin to bring his glucose level down to 8 mmol/L.



If you are just about to eat a meal, you can add your correction dose into your calculated mealtime insulin dose. You may also take a correction dose at other times when glucose is high (e.g. during illness). You should avoid taking a correction dose within 2-3 hours of your last short-acting insulin dose, as there is a risk of a low glucose event (hypo).

Insulin sensitivity factor (ISF)

The amount of insulin that you need to reduce blood glucose varies a lot from person to person. On average 1 unit of insulin will reduce glucose by around 3 mmol/L. Your insulin sensitivity factor is a measure of how much 1 unit of insulin will reduce your blood glucose level by:

- If 1 unit of insulin drops your blood glucose by **3 mmol/L** then your insulin sensitivity factor is **1:3**

Expand All

COURSE INTRODUCTION

- Hello and welcome!
- 4 Topics

DAY 1: THURSDAY 17th JUNE

- All about type 1
 - 3 Topics | 1 Quiz
- Blood glucose monitoring
 - 4 Topics | 1 Quiz
- Understanding insulin
 - 6 Topics | 1 Quiz
 - Types of insulin
 - Insulin delivery
 - Insulin adjustment
 - Correction doses
 - Carb counting
 - Insulin to carb ratios
 - Understanding insulin quiz
- Thanks for joining us for Day 1!

DAY 2: FRIDAY 18th JUNE

- The complications of diabetes
 - 6 Topics | 1 Quiz
- Living with type 1 diabetes
 - 8 Topics | 1 Quiz
- Thanks for joining us!

[Return to Understanding Type 1 Diabetes MOOC](#)

My Progress

43% COMPLETE
17/39 Steps

FIGURE 1 Render of screenshot displaying user interface. Right-side menu displays course structure. Mock created using MockUPhone

TABLE 1 Course and follow-up survey completion data

Users who registered for the MOOC (<i>n</i>)	1682
Users who started the MOOC (<i>n</i>)	1161
Users who completed Day 1 (<i>n</i>)	592
Users who completed MOOC (<i>n</i>)	551 (47.5% completion rate for course starters)
Users who consented to follow-up (<i>n</i>)	991
Users who completed follow-up (<i>n</i>)	242 (24.4% response rate)

Note: Abbreviation: MOOC; massive open online course.




FIGURE 2 Summary of responses (*n* = 156-551) from post-course survey. Conditional logic was applied to display questions relevant to each user

severity of hypoglycaemia, of which 36.9% (*n* = 24/65) felt it did. 86.6% (*n* = 194/224) of respondents at follow-up agreed that they would benefit from taking part in further online DSME.

Users found an MOOC for type 1 DSME useful and motivational, demonstrating positive user experience and a satisfactory retention rate, associated with improvements in self-reported self-management ability and health knowledge sustained at 3 months. eHealth interventions show dropout rates of up to 80%,⁶ and some authors suggest expecting a 50% dropout rate among web-based DSME.⁷ A goal of the MOOC was to improve accessibility of DSME; given this MOOC was the first episode of structured DSME engagement for 42% of pre-course survey respondents, we feel this was achieved.

As the COVID-19 pandemic endures, remote interventions are of clear value to minimise viral transmission.

MOOCs in DSME benefit from the active online diabetes community⁸ yet mitigate misinformation risk through real-time healthcare professional moderation. Through their openness, MOOCs broaden the user base to which education is available. DSME traditionally serves mostly to educate the individual with diabetes, however as evidenced by the substantial proportion of course users who did not have diabetes and higher MOOC completion rates among this cohort, a significant and unmet demand for open DSME exists. Furthermore, the rapid pace of technological development in diabetes care necessitates regular DSME to optimise care, something which existing UK-based DSME initiatives seldom provide. However, accessing those who may need DSME most remains a challenge. User demographics show a predominantly white and middle-aged audience with limited international reach.




Self-management is a critical indicator of diabetes outcomes, and MOOCs through their low-cost, high-throughput mechanism have potential for high cost-effectiveness which can be clarified once true impact (e.g., glycaemic control) is quantified. Although not a universal solution, we feel MOOCs represent an important step in providing open and accessible education to empower individuals to improve their diabetes self-management.

CONFLICT OF INTEREST

SCM, KMC, and SGC are employees of MWDH. DJW and SGC are cofounders and shareholders of MWDH.

FUNDING INFORMATION

This work was funded by MyWay Digital Health (MWDH) Ltd.

Scott C. Mackenzie^{1,2} 
 Kirsten M. Cumming²
 Salma Mehar^{2,3}
 Lyn Wilson⁴
 Scott G. Cunningham⁵ 
 Alex Bickerton⁶
 Deborah J. Wake^{7,8} 

¹*School of Medicine and Veterinary Medicine, The University of Edinburgh, Edinburgh, UK*

²*MyWay Digital Health, Dundee, UK*

³*NHS North West London Collaboration of Clinical Commissioning Groups, London, UK*

⁴*NHS Lanarkshire, Lanark, Scotland, UK*

⁵*Population Health & Genomics, School of Medicine, University of Dundee, Dundee, UK*

⁶*Dept Diabetes & Endocrinology, Yeovil District Hospital NHS Foundation Trust, Yeovil, UK*

⁷*Centre for Medical Informatics, Usher Institute, University of Edinburgh, Edinburgh, UK*

⁸*Edinburgh Centre for Endocrinology and Diabetes, NHS Lothian, Edinburgh, UK*

Correspondence


Scott C Mackenzie, School of Medicine and Veterinary Medicine, The University of Edinburgh, Edinburgh, UK.

Email: scott.c.mackenzie@ed.ac.uk

ORCID

Scott C. Mackenzie  <https://orcid.org/0000-0001-5823-4334>

Scott G. Cunningham  <https://orcid.org/0000-0003-0861-8676>

Deborah J. Wake  <https://orcid.org/0000-0003-4376-6973>

REFERENCES

- Greenwood DA, Gee PM, Fatkin KJ, Peeples M. A systematic review of reviews evaluating technology-enabled diabetes self-management education and support. *J Diabet Sci Technol.* 2017;11(5):1015-1027.
- Harris S, Miller A, Amiel S, Mulnier H. Characterization of adults with type 1 diabetes not attending self-management education courses: the barriers to uptake of type 1 diabetes education (BUD1E) study. *Qual Health Res.* 2019;29(8):1174-1185.
- Mackenzie SC, Cumming KM, Garrell D, et al. Massive open online course for type 2 diabetes self-management: adapting education in the COVID-19 era. *BMJ Innovations.* 2021;7(1):141-147.
- Mackenzie SC, Cumming KM, Garrell D, et al. Follow-up of a massive open online course in type 2 diabetes self-management education. *J Diabet Sci Technol.* 2021;15(4):976-977. [10.1177/1932296821997178](https://doi.org/10.1177/1932296821997178)
- QISMET (Quality Institute for Self-Management Education and Training). Accreditation Register. [Internet] Available online: <https://www.qismet.org.uk/accreditation/accreditation-register/> (accessed Mar 11 2022)
- Lie SS, Karlsen B, Oord ER, Graue M, Oftedal B. Dropout from an eHealth intervention for adults with type 2 diabetes: a qualitative study. *J Med Internet Res.* 2017;19(5):e7479.
- Wangberg S, Bergmo T, Johnsen JAK. Adherence in internet-based interventions. *Patient Prefer Adh.* 2008;2:57-65.
- Litchman ML, Edelman LS, Donaldson GW. Effect of diabetes online community engagement on health indicators: cross-sectional study. *JMIR Diabet.* 2018;3(2):e8603.

SUPPORTING INFORMATION

Additional supporting information may be found in the online version of the article at the publisher's website.