## **Supplementary information**

## Test of lepton universality in beauty-quark decays

In the format provided by the authors and unedited

## Supplementary information

A modification of the  $\overline{b} \to \overline{s}$  coupling strength can be realised in new physics models with an additional heavy neutral boson [1–24] or with leptoquarks [25–54]. Other explanations of the data involve a variety of extensions to the SM, such as supersymmetry, extended Higgs-boson sectors and models with extra dimensions [55–66].

## References

- [1] B. Bhattacharya, A. Datta, D. London, and S. Shivashankara, Simultaneous explanation of the  $R_K$  and  $R(D^{(*)})$  puzzles, Phys. Lett. **B742** 370 (2015).
- [2] W. Altmannshofer, S. Gori, M. Pospelov, and I. Yavin, *Quark flavor transitions in*  $L_{\mu} L_{\tau}$  models, Phys. Rev. **D89** 095033 (2014).
- [3] A. Crivellin, G. D'Ambrosio, and J. Heeck, Explaining  $h \to \mu^{\pm} \tau^{\mp}$ ,  $B \to K^* \mu^+ \mu^$ and  $B \to K \mu^+ \mu^- / B \to K e^+ e^-$  in a two-Higgs-doublet model with gauged  $L_{\mu} - L_{\tau}$ , Phys. Rev. Lett. **114** 151801 (2015).
- [4] A. Celis, J. Fuentes-Martín, M. Jung, and H. Serôdio, Family nonuniversal Z' models with protected flavor-changing interactions, Phys. Rev. D92 015007 (2015).
- [5] A. Falkowski, M. Nardecchia, and R. Ziegler, Lepton flavor non-universality in B-meson decays from a U(2) flavor model, JHEP 11 173 (2015).
- [6] G. Bélanger, C. Delaunay, and S. Westhoff, A dark matter relic from muon anomalies, Phys. Rev. D 92 055021 (2015).
- [7] A. Crivellin, G. D'Ambrosio, and J. Heeck, Addressing the LHC flavor anomalies with horizontal gauge symmetries, Phys. Rev. D **91** 075006 (2015).
- [8] B. Bhattacharya *et al.*, Simultaneous explanation of the  $R_K$  and  $R_{D^{(*)}}$  puzzles: A model analysis, JHEP **01** 015 (2017).
- [9] S. F. King, Flavourful Z models for  $R_{K^{(*)}}$ , JHEP **08** 019 (2017).
- [10] C.-W. Chiang, X.-G. He, J. Tandean, and X.-B. Yuan,  $R_{K^{(*)}}$  and related  $b \to s\ell\bar{\ell}$  anomalies in minimal flavor violation framework with Z' boson, Phys. Rev. D 96 115022 (2017).
- [11] A. Falkowski, S. F. King, E. Perdomo, and M. Pierre, *Flavourful Z' portal for* vector-like neutrino dark matter and  $R_{K^{(*)}}$ , JHEP **08** 061 (2018).
- [12] B. C. Allanach, J. M. Butterworth, and T. Corbett, Collider constraints on Z' models for neutral current B-anomalies, JHEP 08 106 (2019).
- [13] B. C. Allanach and J. Davighi, Naturalising the third family hypercharge model for neutral current B-anomalies, Eur. Phys. J. C79 908 (2019).

- [14] J. Kawamura, S. Raby, and A. Trautner, Complete vectorlike fourth family and new U(1)' for muon anomalies, Phys. Rev. **D100** 055030 (2019).
- [15] S. Dwivedi, D. Kumar Ghosh, A. Falkowski, and N. Ghosh, Associated Z' production in the flavorful U(1) scenario for  $R_{K^{(*)}}$ , Eur. Phys. J. C80 263 (2020).
- [16] Z.-L. Han, R. Ding, S.-J. Lin, and B. Zhu, Gauged  $U(1)_{L_{\mu}-L_{\tau}}$  scotogenic model in light of  $R_{K^{(*)}}$  anomaly and AMS-02 positron excess, Eur. Phys. J. C79 1007 (2019).
- [17] B. Capdevila, A. Crivellin, C. A. Manzari, and M. Montull, *Explaining*  $b \to s\ell^+\ell^$ and the Cabibbo angle anomaly with a vector triplet, Phys. Rev. **D103** 015032 (2021).
- [18] W. Altmannshofer, J. Davighi, and M. Nardecchia, Gauging the accidental symmetries of the Standard Model, and implications for the flavor anomalies, Phys. Rev. D101 015004 (2020).
- [19] S.-L. Chen et al., Signatures of a flavor changing Z' boson in  $B_q \to \gamma Z'$ , Nucl. Phys. **B962** 115237 (2021).
- [20] A. Carvunis, D. Guadagnoli, M. Reboud, and P. Stangl, *Composite dark matter and a horizontal symmetry*, JHEP **02** 056 (2021).
- [21] A. Karozas, G. K. Leontaris, I. Tavellaris, and N. D. Vlachos, On the LHC signatures of  $SU(5) \times U(1)'$  F-theory motivated models, Eur. Phys. J. C81 35 (2021).
- [22] D. Borah, L. Mukherjee, and S. Nandi, Low scale  $U(1)_X$  gauge symmetry as an origin of dark matter, neutrino mass and flavour anomalies, JHEP **12** 052 (2020).
- [23] B. C. Allanach,  $U(1)_{B_3-L_2}$  explanation of the neutral current *B*-anomalies, Eur. Phys. J. C81 56 (2021).
- [24] J.-H. Sheng, The analysis of  $b \to s\ell^+\ell^-$  in the family non-universal Z' Model, Int. J. Theor. Phys. **60** 26 (2021).
- [25] G. Hiller and M. Schmaltz,  $R_K$  and future  $b \to s\ell\ell$  physics beyond the Standard Model opportunities, Phys. Rev. **D90** 054014 (2014).
- [26] B. Gripaios, M. Nardecchia, and S. A. Renner, Composite leptoquarks and anomalies in B-meson decays, JHEP 05 006 (2015).
- [27] I. de Medeiros Varzielas and G. Hiller, Clues for flavor from rare lepton and quark decays, JHEP 06 072 (2015).
- [28] R. Barbieri, C. W. Murphy, and F. Senia, B-decay anomalies in a composite leptoquark model, Eur. Phys. J. C77 8 (2017).
- [29] L. Di Luzio, A. Greljo, and M. Nardecchia, Gauge leptoquark as the origin of B-physics anomalies, Phys. Rev. D 96 115011 (2017).
- [30] A. Crivellin, D. Müller, and T. Ota, Simultaneous explanation of  $R(D^{(*)})$  and  $b \to s\mu^+\mu^-$ : the last scalar leptoquarks standing, JHEP **09** 040 (2017).

- [31] D. Bečirević and O. Sumensari, A leptoquark model to accommodate  $R_K^{\text{exp}} < R_K^{\text{SM}}$  and  $R_{K^*}^{\text{exp}} < R_{K^*}^{\text{SM}}$ , JHEP **08** 104 (2017).
- [32] A. Greljo and B. A. Stefanek, Third family quark-lepton unification at the TeV scale, Phys. Lett. B 782 131 (2018).
- [33] M. Bordone, C. Cornella, J. Fuentes-Martín, and G. Isidori, Low-energy signatures of the PS3 model: from B-physics anomalies to LFV, JHEP 10 148 (2018).
- [34] B. Fornal, S. A. Gadam, and B. Grinstein, Left-right SU(4) vector leptoquark model for flavor anomalies, Phys. Rev. D99 055025 (2019).
- [35] A. Angelescu, D. Bečirević, D. A. Faroughy, and O. Sumensari, Closing the window on single leptoquark solutions to the B-physics anomalies, JHEP 10 183 (2018).
- [36] D. Bečirević et al., Scalar leptoquarks from grand unified theories to accommodate the B-physics anomalies, Phys. Rev. D 98 055003 (2018).
- [37] S. Balaji and M. A. Schmidt, Unified SU(4) theory for the  $R_{D^{(*)}}$  and  $R_{K^{(*)}}$  anomalies, Phys. Rev. **D101** 015026 (2020).
- [38] C. Cornella, J. Fuentes-Martin, and G. Isidori, *Revisiting the vector leptoquark* explanation of the B-physics anomalies, JHEP **07** 168 (2019).
- [39] A. Datta, D. Sachdeva, and J. Waite, Unified explanation of  $b \to s\mu^+\mu^-$  anomalies, neutrino masses, and  $B \to \pi K$  puzzle, Phys. Rev. **D100** 055015 (2019).
- [40] O. Popov, M. A. Schmidt, and G. White,  $R_2$  as a single leptoquark solution to  $R_{D^{(*)}}$ and  $R_{K^{(*)}}$ , Phys. Rev. **D100** 035028 (2019).
- [41] I. Bigaran, J. Gargalionis, and R. R. Volkas, A near-minimal leptoquark model for reconciling flavour anomalies and generating radiative neutrino masses, JHEP 10 106 (2019).
- [42] J. Bernigaud, I. de Medeiros Varzielas, and J. Talbert, Finite family groups for fermionic and leptoquark mixing patterns, JHEP 01 194 (2020).
- [43] L. Da Rold and F. Lamagna, A vector leptoquark for the B-physics anomalies from a composite GUT, JHEP 12 112 (2019).
- [44] J. Fuentes-Martín, M. Reig, and A. Vicente, Strong CP problem with low-energy emergent QCD: The 4321 case, Phys. Rev. D100 115028 (2019).
- [45] C. Hati, J. Kriewald, J. Orloff, and A. M. Teixeira, A non-unitary interpretation for a single vector leptoquark combined explanation to the B-decay anomalies, JHEP 12 006 (2019).
- [46] A. Datta, J. L. Feng, S. Kamali, and J. Kumar, Resolving the  $(g-2)_{\mu}$  and B anomalies with leptoquarks and a dark Higgs boson, Phys. Rev. **D101** 035010 (2020).
- [47] A. Crivellin, D. Müller, and F. Saturnino, Flavor phenomenology of the leptoquark singlet-triplet model, JHEP 06 020 (2020).

- [48] C. Borschensky, B. Fuks, A. Kulesza, and D. Schwartländer, Scalar leptoquark pair production at hadron colliders, Phys. Rev. D101 115017 (2020).
- [49] S. Saad, Combined explanations of  $(g-2)_{\mu}$ ,  $R_{D^{(*)}}$ ,  $R_{K^{(*)}}$  anomalies in a two-loop radiative neutrino mass model, Phys. Rev. **D102** 015019 (2020).
- [50] J. Fuentes-Martín and P. Stangl, Third-family quark-lepton unification with a fundamental composite Higgs, Phys. Lett. B811 135953 (2020).
- [51] P. S. Bhupal Dev, R. Mohanta, S. Patra, and S. Sahoo, Unified explanation of flavor anomalies, radiative neutrino masses, and ANITA anomalous events in a vector leptoquark model, Phys. Rev. D102 095012 (2020).
- [52] B. Fornal, Gravitational wave signatures of lepton universality violation, Phys. Rev. D103 015018 (2021).
- [53] J. Davighi, M. Kirk, and M. Nardecchia, Anomalies and accidental symmetries: charging the scalar leptoquark under  $L_{\mu} - L_{\tau}$ , JHEP **12** 111 (2020).
- [54] K. S. Babu, P. S. B. Dev, S. Jana, and A. Thapa, Unified framework for B-anomalies, muon g - 2 and neutrino masses, JHEP 03 179 (2021).
- [55] B. Barman, D. Borah, L. Mukherjee, and S. Nandi, Correlating the anomalous results in  $b \rightarrow s$  decays with inert Higgs doublet dark matter and muon (g-2), Phys. Rev. D100 115010 (2019).
- [56] M. Blanke and A. Crivellin, B meson anomalies in a Pati-Salam model within the Randall-Sundrum background, Phys. Rev. Lett. 121 011801 (2018).
- [57] S.-P. Li, X.-Q. Li, Y.-D. Yang, and X. Zhang,  $R_{D^{(*)}}$ ,  $R_{K^{(*)}}$  and neutrino mass in the 2HDM-III with right-handed neutrinos, JHEP **09** 149 (2018).
- [58] A. Shaw, Looking for  $B \to X_s \ell^+ \ell^-$  in a nonminimal universal extra dimensional model, Phys. Rev. **D99** 115030 (2019).
- [59] P. Arnan, A. Crivellin, M. Fedele, and F. Mescia, Generic loop effects of new scalars and fermions in  $b \to s\ell^+\ell^-$  and a vector-like 4<sup>th</sup> generation, JHEP **06** 118 (2019).
- [60] S. Trifinopoulos, B-physics anomalies: The bridge between R-parity violating supersymmetry and flavored dark matter, Phys. Rev. D100 115022 (2019).
- [61] L. Delle Rose, S. Khalil, S. J. D. King, and S. Moretti,  $R_K$  and  $R_{K^*}$  in an aligned 2HDM with right-handed neutrinos, Phys. Rev. **D101** 115009 (2020).
- [62] A. Ordell, R. Pasechnik, H. Serôdio, and F. Nottensteiner, Classification of anomalyfree 2HDMs with a gauged U(1)' symmetry, Phys. Rev. D100 115038 (2019).
- [63] C. Marzo, L. Marzola, and M. Raidal, Common explanation to the  $R_{K^{(*)}}$ ,  $R_{D^{(*)}}$  and  $\epsilon'/\epsilon$  anomalies in a 3HDM+ $\nu_R$  and connections to neutrino physics, Phys. Rev. **D100** 055031 (2019).
- [64] L. Darmé, M. Fedele, K. Kowalska, and E. M. Sessolo, *Flavour anomalies from a split dark sector*, JHEP 08 148 (2020).

- [65] Q.-Y. Hu and L.-L. Huang, Explaining  $b \to s\ell^+\ell^-$  data by sneutrinos in the *R*-parity violating MSSM, Phys. Rev. **D101** 035030 (2020).
- [66] Q.-Y. Hu, Y.-D. Yang, and M.-D. Zheng, Revisiting the B-physics anomalies in R-parity violating MSSM, Eur. Phys. J. C80 365 (2020).