

Contents lists available at ScienceDirect

International Journal of Infectious Diseases



journal homepage: www.elsevier.com/locate/ijid

Medical Imagery

Detection of *Bordetella trematum* in a diabetic patient with a skin and soft tissue infection



Case report

A 38-year-old obese male with spastic diplegia and diabetes was hospitalized due to progressive ulcers of both lower extremities (Figure 1A). Computed tomography showed subcutaneous inflammation with suspected fascial involvement. The patient underwent surgical debridement, after which clindamycin was started empirically. Cultures from tissue samples grew gramnegative rods, identified by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry (MALDI-TOF MS) as Bordetella trematum (Figure 1B) and, in minor quantity, Myroides odoratimimus. Antimicrobial susceptibility testing of B. trematum was performed to obtain minimal inhibitory concentrations (in μ g/mL; ampicillin \leq 2; piperacillin \leq 4; cefuroxime >64; ceftazidime 4; meropenem <0.25; moxifloxacin 2).

Following the debridement, the patient's condition improved substantially (Figure 1C), and he was discharged soon thereafter.

Discussion

Bordetella trematum is a gram-negative rod (Vandamme et al., 1996), which is rarely isolated from clinical specimens. A recent literature review identified nine cases of human *B. trematum* infections (Y Castro et al., 2019), most of which were associated with polymicrobial infections of chronic ulcers (Daxboeck et al., 2004; Almagro-Molto et al., 2015). However, severe systemic infections have also been reported (Majewski et al., 2016). The advent of MALDI-TOF MS enables a more reliable identification and might elucidate the 'true' epidemiology of *B. trematum* infections. An increased awareness is essential to

(A)



(B)



(C)



Figure 1. (A) Multiple ulcers on the left foot and lower leg of an obese diabetic patient, with adjacent redness and swelling; (B) colonies of *Bordetella trematum* grown from tissue samples of these lesions, as seen after 24 h of incubation on chocolate agar; and (C) clinical evolution of the lesions ten days after debridement.

estimate the importance of *B. trematum* as a potentially emerging pathogen.

Patient consent

Written informed consent was obtained from the patient.

Funding source

None.

Conflict of interest

The authors declare no conflicts of interest.

References

Almagro-Molto M, Eder W, Schubert S. *Bordetella trematum* in chronic ulcers: report on two cases and review of the literature. Infection 2015;43(4):489–94.

Daxboeck F, Goerzer E, Apfalter P, Nehr M, Krause R. Isolation of *Bordetella trematum* from a diabetic leg ulcer. Diabet Med 2004;21(11):1247–8.

Majewski LL, Nogi M, Bankowski MJ, Chung HH. *Bordetella trematum* sepsis with shock in a diabetic patient with rapidly developing soft tissue infection. Diagn Microbiol Infect Dis 2016;86(1):112–4.

Vandamme P, Heyndrickx M, Vancanneyt M, Hoste B, De Vos P, Falsen E, et al. *Bordetella trematum* sp. nov., isolated from wounds and ear infections in humans, and reassessment of *Alcaligenes denitrificans* Ruger and Tan 1983. Int J Syst Bacteriol 1996;46(4):849–58.

Y Castro T, Martins RCR, Dal Forno NLF, Santana L, Rossi F, Schwarzbold AV, et al. Bordetella trematum infection: case report and review of previous cases. BMC Infect Dis 2019;19(1):485.

> Sophia Benthien^a Christian Schlüter^b Sören L. Becker^a

> > Cihan Papana,*

^aCenter for Infectious Diseases, Institute of Medical Microbiology and Hygiene, Saarland University, Kirrberger Strasse, Building 43, 66421 Homburg/Saar, Germany

^bDepartment of General, Visceral, Vascular and Pediatric Surgery, Saarland University, Kirrberger Strasse, Building 57, 66421 Homburg/ Saar, Germany

* Corresponding author at: Center for Infectious Diseases, Institute of Medical Microbiology and Hygiene, Saarland University, Kirrberger Strasse, Building 43, 66421 Homburg/Saar, Germany.

E-mail address: cihan.papan@uks.eu (C. Papan).

Corresponding Editor: Eskild Petersen, Aarhus, Denmark

Received 6 August 2019 Received in revised form 21 August 2019 Accepted 22 August 2019