



## **Influence of patients' emotional state on the recovery processes after a transient global amnesia.**

Audrey Noël, Peggy Quinette, Jacques Dayan, Bérengère Guillery-Girard, Pascale Piolino, Alice Pélerin, Vincent De La Sayette, Fausto Viader, Béatrice Desgranges, Francis Eustache

### ► **To cite this version:**

Audrey Noël, Peggy Quinette, Jacques Dayan, Bérengère Guillery-Girard, Pascale Piolino, et al.. Influence of patients' emotional state on the recovery processes after a transient global amnesia.: Emotional and memory disorders after TGA. *Cortex*, Elsevier, 2011, 47 (8), pp.981-91. <10.1016/j.cortex.2010.10.003>. <inserm-00652848>

**HAL Id: inserm-00652848**

**<http://www.hal.inserm.fr/inserm-00652848>**

Submitted on 16 Dec 2011

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Table 3: Scores of both patients and controls on the psychopathological scales in the two sessions (four months and one year).

		Patients	Controls
State-STAI	Session 1	46.6 (6.1) [n=11]	44.7 (6.5) [n=15]
	Session 2	51.8 (6.1) [n=10]	44.6 (9) [n=10]
Trait-STAI	Session 1	45.9 (7.8) [n=14]	46.3 (9.4) [n=26]
	Session 2	44.5 (6.9) [n=10]	45.4 (11.7) [n=10]
Abridged version of BDI	Session 1	2.3 (2.7) [n=13]	2.5 (2.4) [n=26]
	Session 2	1.5 (1.2) [n=10]	1.9 (2.3) [n=10]
Adjective Mood Scale	Session 1	13 (2.7) [n=19]	10.8 (7.8) [n=26]
	Session 2	14 (4.8) [n=9]	8.8 (4.8) [n=10]

Session 1: four months; Session 2: one year after the episode

STAI: State-Trait Anxiety Inventory; BDI: Beck Depression Inventory