Lean Tools Selector – A Decision Support System

Adriana Mendes Department of Electromechanical Engineering University of Beira Interior Covilhã, Portugal adriana.sofia.mendes@ubi.pt Tânia M. Lima C-MAST - Centre for Mechanical and Aerospace Science and Technologies Department of Electromechanical Engineering University of Beira Interior Covilhã, Portugal tmlima@ubi.pt Pedro D. Gaspar C-MAST - Centre for Mechanical and Aerospace Science and Technologies Department of Electromechanical Engineering University of Beira Interior Covilhã, Portugal dinis@ubi.pt

Abstract— Small and Medium Enterprises (SMEs) contribute significantly to the economy of any country, but in return, they are limited in their resources. A large part of these companies, when setting out to promote the Lean Manufacturing (LM) have difficulties with the selection and analysis of Lean tools to implement. Eventually, if the improvement actions aren't properly planned, structured or supported by the whole organization then, they end up failing in their implementation. Besides this problem, the literature on LM does not provide enough information about how the selection of Lean tools or practices should be conducted. Therefore, this study presents a decision support system that can help organizations to identify waste and to select the most appropriate tools or Lean practices to implement. It should be noted that, before any implementation of a Lean tool or practice, the organization should take care of knowing its stakeholders, define its system, be informed of the current state of the organization, and identify all the processes that add value to the organization. The correct selection of Lean tools or practices does not ensure the success of the Lean philosophy in any organization, because there are some factors that must be required, namely, the commitment of top management, knowing how to lead and communicate with all employees, being the education and training a crucial point to ensure a good cultural change in the organization.

Keywords— Lean Manufacturing; Process Industries; Lean Tools: Decision support systems; SMEs

I. INTRODUCTION

Nowadays, with the increasing requirements of customers, the competitiveness between companies and the constant market dynamics, forces the companies to search for methods to optimize and make all their processes more efficient. One of these methods involves the use of Lean Manufacturing (LM) strategies in companies. However, it usual for companies to face difficulties in integrating the structure of LM, since it is a complex system, especially in the selection and evaluation of appropriate methods and/or tools to apply [1].

Large companies are able to provide necessary resources and specialized employees in the implementation of the LM. In contrast, small and medium-sized enterprises (SMEs) are limited in their resources, either financially or organizationally [2]. Due to the importance of SMEs for the economy of any country and given the current pandemic situation, the optimization and management of an organization is crucial.

A large part of the problem in the implementation of the LM in this type of company, is in the selection and evaluation of the best suited tools or practices to implement. The

objective of this study is the development of a decision support system to assist the organization in that choice.

II. LEAN PHILOSOPHY

A. Lean History

Frederick Taylor stands out for the importance of work standardization, so that all non-value adding activities could be eliminated [3], [4]. The application of Taylor's management system, known as Taylorism, contributed to a better factory organization and to a more united work environment between employees [3]. Henry Ford was famous for the change of approach in manufacturing from manual labour to the mass production system and the creation of assembly lines in the automobile industry. He designed his production system by adopting and refining Taylor's principles. The mass production system was developed and systematized based on the reduction of time and the reduction of movements associated with a certain task. Its ideology became known as "Fordism" and, however, it required additional improvements to become more competitive and keep up with market dynamics. Its limitations were in its ability to change and innovate [3]-[5].

The demand for vehicles in the Japanese market was insufficient to sustain high production volumes compared to the United States of America. In the 1950s, Taiichi Ohno to stand out in the Japanese market, developed a new production system, later called Toyota Production System (TPS). This production system, allows all products, procedures or activities to be in a constant process of continuous improvement in order to ensure the best quality, lowest cost and to ensure that all waste generated was minimized. These processes should be in agreement with the criteria established by the customers and, it should be assured that all workers collaborated with that system [3], [6], [7].

In 1988, John F. Krafcik was the first to introduce the term Lean through his study "Triumph of the Lean Production System" [8]. However, one of the most influential works to date was "The Machine That Changed the World" by Womack, Jones and Roos, written in the early 1990s, where the concept "Lean" was popularized worldwide [9].

B. Lean Principles

Womack and Jones [10] identified five principles that are the basis for the Lean philosophy: create value, define the value chain, optimize the flow, Pull System and perfection. However, according to Pinto [11] these five principles present some limitations. So, in order to improve the organization performance two more principles were added: knowing the stakeholders and innovation. The systematic review of Karim and Arif-Uz-Zaman [12] allowed to present a general approach in the implementation of Lean philosophy based on its principles and on the discussion of methods and techniques of continuous improvement. Considering also the two principles inserted by Pinto [11], to know the stakeholders and innovation, it was possible to elaborate a schematic representation of the Lean implementation, based on its principles, shown in Figure 1.

C. The eight wastes of Lean

Eliminating waste, is one of the ways to achieve success within any organization. In an organization, more than 95% of time is spent performing tasks that do not add value to the product [11]. Identifying and eliminating waste in the steps that do not add value, helps in simplifying procedures and increases process efficiency [13]. Today, there are eight types of waste known worldwide: Overproduction, Transportation, Waiting, Overprocessing, Inventory, Motion, Defects and Unused Talent. In Table 1, besides the definition of each waste, there are also some causes corresponding to each one. Table 1 serves as a reference for the construction of questionnaire to the decision support system.

D. Lean Tools and Practices

There are many Lean tools that have been proved to be able to help companies improving their efficiency, quality, costs and deliveries [14]. For an effective selection of Lean tools, it is important to collect information relative to the organization. The involvement and acceptance of employees concerning the culture change, are also critical points to lead to a better working environment [15]. However, many tools have the same objectives and functionalities and should be reviewed e.g. in terms of cost and expected time in order to determine the most suitable tool or method to implement [16].

E. Critical Factors

As mentioned, SMEs are the most important economic units in the world and the Lean implementation is highly likely to fail if the critical factors are not achieved. Critical factors are the goals that must be achieved to ensure the success of any Lean approach or technique. Through the study of Elkhairi *et al.* [1], the following critical factors were identified and categorized: leadership, cultural change, competence and experience, top management commitment, education and training, and communication. The results of the success of Lean implementation are mostly related to the knowledge of Lean in the organization.

F. Case Studies

The analysis of practical cases in the textile, metallurgical and metalworking and, automotive sectors is fundamental to obtain information about the applicability of Lean tools and practices to combat waste in these sectors. That analysis allows the system to automatically consider a set of tools that have the most successful application in the chosen sector. After the analysis of the case studies, there is a set of tools that can be used as a basis for the implementation of Lean practices in any organization, independent of the sector chosen. Perhaps one of the most important Lean tools is value stream mapping (VSM), because it can be used in any area and can provide an excellent starting point for identifying waste.




Figure 1: Implementation of Lean based on its principles

Type of Wate Definition Classes Overproduction Overproduction, consists in creating products, acrisce or generate information. beyond the customer's order [12], [14]. Production above the dreman; High interportation costs. High interportation costs. Transportation Customers will only invest in products based on their needs, sary morement of the product, may proteometric of the product, may product to customer will or equipment, the customer will wring for parts, tools, work instructions, a completion or an wring for parts, wring tools, proceeding, and the process for instructions, a completion or an aproduct or excisor, beyond the needs of the consumer. Steps that anomate of fatter of product, in the drefined by usen the max anomate of fatter of product, in the drefined by usen the max anomate of fatter of product, in the drefined by usen the max anomate of fatter of product, in the drefined by usen the max anomate of fatter of product, in the drefined as the production in deficition product in product, in the drefined as the production in the drefined as the production a deficition product in product in the drefin		Table	1: Types of waste and its causes
Overproduction, consists in creating products, services or generate information, beyould bio customer's order [12], [14]. i. Large stacks of linked products; i. Large stacks of parts and interime products based on their needs so any novement of the product ransportation of the product ransportation of parts, matrices so any novement of the product ransportation of parts, matrices in any adject of the transport requipment, here customer will require the transport requipment, the customer will require the transport require the trequire require the trequire the transport require t	Type of Waste	Definition	
Overproduction Construction - programments orealize products, services on generative information, beyond the customer's order [12], [14]. - Programments of the products based on their needs - so any movement of the product inservice of parts and marrate; Transportation - Lack of fields in planning or quipment, the customer will on to part directly for that or quipment, the customer will or the approval of a document [13]; - Noreasest mathematic quipment, - Noreasest planning, -			
Overproduction ensation products, services of generative information, beyouth is submitted. ICO Products: information, beyouth is submitted. ICO Products: information beyouth is submitted. Information beyouth is parks of parks, tonk, work in any over that involves a person waining for parks, tonk, work in any over that involves a person waining for parks, tonk, work in any over the any over the any over the any over the any over the any over that involves a person waining for parks, tonk, work in any over the any		Overproduction, consists in	
Overproduction encemprice in a face law (L) preduction; encemprice Transportation Customers will only invest in products based on their needs; so any movement of the product is accordination of maked between operations (Inappropriate layouts); Transportation Customers will only invest in products based on their needs; so any movement of the product insportation of parts, materials or suppresent of parts, materials instructions, a completion of an automater mathematic cycle, or year the approval of a document [13]; Non graph mathematics or suppresent of parts, materials or suppresent of parts, materials or performing more stops on parts or performing more stops on this wate [14]; Nong more handbase or subbase productions and processing or substant mathematics or performing more stops on this wate [14]; Noting more work, adding more varks or performing more stops on this wate [14]; Nong more work, adding more varks or performing more stops on this wate [14]; Nong more work, adding more varks or performing more stops on this wate [14]; Nong more varks or performing more stops on this wate [14]; Nong more varks or performing more stops on this wate [14]; Nong more varks or performing more varks or performing more varks or performing more stops on this wate [14]; Nong more varks or performing more varks inthis variantic [15]; Nong more var		-	
eustomer's order [12], [14], I hary partness of parts and microles, i hary partness of parts and microles, i hary partness of parts and microles, is our movement of the produc responsation of parts, materials or equipment, the customer with or equipment, the customer with in the customer with in the customer with and materials for parts, notes, work in the customer with and materials for parts, notes, work in the customer with in the customer with in the customer with in the customer with and materials for parts, notes, work in the customer with in the customer with i	Overproduction		
Clustomers will only invest in products hased on their needs, so any movement of the product transportation of parts, materials or equipment, the customer will not part any directly for that - Imacessary novement of neural approval. winting - Market between operations (huppropriate layout); - Discoverside communication: arrelability and data lose; winting for parts, looks, work, any event that involves a person waiting for parts, looks, work instructions, a completion of an auromated machine cyck, or even the approval of a document [13]; - Winting for parts, looks, work instructions, a completion of auromated machine cyck, or even the approval of a document [13]; - Winting for barts, looks, work instructions, a completion of auromated machine cyck, or even the approval of a document [13]; - Winting for barts, looks, work instructions, a completion of auromated machine cyck, or even the approval of a document [13]; - Winting for barts, looks, work instructions, are completed by instructions are also forms of this waste [14]; - Winting for barts, looks, work instructions are also forms of this waste [14]; - Winting for barts, look instructions are also forms of this waste [15]; - Winting for barts, look instructions, look work induction complete), parts on raw materials [15]; - Winting for a material induction in also forms of this waste [15]; - Winting for a material indication in a los forms of this waste [15]; - Winting for a material; Potection are materials [15]; - Winting for a material indication and maniferential indication and maniferential; - Winting for a material; Potecomplete: indicatin and the ingenera			
Transportation Products based on their needs, so any movement of the product or function of final de products between sectors, stocks and slipping: Promoution of final de products between sectors, stocks and slipping: interpretation of parts, materials, or equipment, the customer will Promoution of final de products between sectors, stocks and slipping: waiting Promoution of final de products between sectors, stocks and slipping: waiting for parts, tools, work, adding protes, tools, instructions, a completion of an automated machine cycle, or even the approval of a document [13]; Production affection of any automated machine cycle, or even the approval of a document [13]; instructions, a completion of any automated machine cycle, or even the approval of a document [13]; Product of age batchs, with the purpose of rubeng associated find cons; invested dualities above the request and dualities above the request and muterizes and ruben at automated machine cycle, or even des of the cycles. Product description; invested dualities above the request and muterizes of the rubeng and rubeng associated find or incomplete), purposes and rubeng and rubeng associated find cons; Product a specification; invested products Production and muterizes and rubeng associated find cons; Production and muterizes and rubeng associated find cons; invested products Production and muterizes and rubeng associated find cons; Production and rubeng associated find cons; invested products <t< th=""><th></th><td>Customers will only invest in</td><td></td></t<>		Customers will only invest in	
Supportance of parts, matrixing or quipment, the customer with customer with the customer with customer with the cu		-	
Transportation of parts, materials or equipment, the customer will not now directly for that is productor of the cost on periodics of proper handling equipment. • No response between operations; • No proper handling equipment. Waiting • No response between operations; • Deficient operation; • Deficient operatin; • Deficient operation; • Deficient operatin; • Deficient operat	Transportation	-	Displacement for document approval;
or equipment, the customer will • honecessiti communication: unchability and data loss: not pay directly for that • No proper handing equipment. Any event that involves a person • backing production and process planning; waiting for parts, tools, work • Vointrob deliver) from the supplier: waiting for parts, tools, work • Vointrob deliver) from the supplier: waiting for parts, tools, work • Vointrob deliver) from the supplier: waiting for parts, tools, work • Vointrob deliver) from the supplier: waiting for parts, tools, work • Vointrob deliver) from the supplier: waiting for parts, tools, work • Vointrob deliver) from the supplier: waiting for parts, tools, work • Vointrob deliver protections; • Production of large batches, with the purpose of reducing associated field coost; • Vorklable technological equipment on whoto preventime maintenance; • Opticer protection (and account [13]) • Vorklable technological equipment; • opticer protection (and excess plane) • Vorklable con deliver intervetors; • parts or performing mores steps oo a product or service, beyond the educumentation are also forms or excessity; • Vorklable con deliver intervetors; • production are also forms; • Producting praductind; • Vorklable con deliverind; <td>-</td> <td>Transportation of finished products between sectors, stocks and shipping;</td>		-	Transportation of finished products between sectors, stocks and shipping;
not pay directly for that >>>>>>>>>>>>>>>>>>>>>>>>>>>>			Unsuccessful communication: unreliability and data loss;
			No proper handling equipment.
May even that involves a person waining for parts, tools, work in automated machine cycle, or edu the approval of a document [15] invomated machine cycle, or edu the approval of a document [15] invomated machine cycle, or edu the approval of a document [15] involution of langing tools, procedures, or processes; involution of a document [16] involution of a document [17] involution previous expection aproduct or service, beyon aproduct or service, beyon aproduct or service, beyon aproduct or service, beyon aproduct in consumer. Steps that add qualities above the requires with a quality level above specification; involution are also forms of this wate [14]: involution are also forms of this wate [14]: involution are defined by unusual mounts of stored products in waterials [15]: involution [16] involution [16] inv		waiting for parts, tools, work instructions, a completion of an automated machine cycle, or even	Slow response between operations;
Waiting Any event that involves a person wining for parts, tools, work instructions, a completion of automated machine cycle, or even the approval of a document [13]; • Uninely delivery from the suppler; • Variance of the approval of a document [13]; • Production of large bathes, with the purpose of reducing associated fixed costs; • Doing more work, adding more parts or performing more steps on a parts or performing more steps on add qualities above the request and unnecessary or excessive documentation are also forms of this waste [14]; • Uninely delivery four the suppler; • Diverse and flow of factore technological equipment; • Diverse and flow (factore technological equipment); • Diverse and flow of factore technological equipment; • Diverse and flow (factore technological equipment); • Diverse are defined by muscle and unnecessary or excessive documentation are also forms of this waste [14]; • Production (factore technological equipment); • Diverse are defined by muscle amounts of stored products (finished or incomplete), parts are materials [15]; • High step fines; • Diverse are defined by muscle amounts of stored products (finished, decisions, or information [16]; • High step fines; • Diverse are defined by muscle are defined work and diverse backers; in dealing with market instability; • Diverse "andering"; • Diverse are defined by muscle (finished or information [16]; • Diverse "andering"; • Diverses "andering"; • Diverse are			Deficient production and process planning;
Waiting for parts, took, work instructions, a completion of an automated machine cycle, work is approval of a document [13]; • Waiting for parts, took, isstructions, or information; • Outer the approval of a document [13]; • Workins of changing took, precedures, or processes; • Outer the distances • Outer the distances • Outer the distances • Outer the distance • Outer the distances • Outer the distance • Outer the distance • Outer the distance •			Waiting for approval or signature;
Waiting an instructions, a completion of an the approval of a document [15]; Show manishion of changing took, procedures, or processes; Production of large batches, with the purpose of reducing associated fixed costs; Production of large batches, with the purpose of reducing associated fixed costs; Outer back in the purpose of reducing associated fixed costs; Production of large batches, with the purpose of reducing associated fixed costs; Outer back in the purpose of reducing associated fixed costs; Production of large batches, with the purpose of reducing associated fixed costs; Outer back in the purpose of reducing associated fixed costs; Production of large batches, with the purpose of reducing associated fixed costs; Outer back in the purpose of reducing associated fixed costs; Production of large batches, with the purpose of reducing associated fixed costs; Outer back in the purpose of reducing associated fixed costs; Production of large batches, with the purpose of reducing associated fixed costs; Intermediate of the consumer. Steps that and qualities above the request and produce of resonases, andefined by unsmalities and qualities above the requ			
Mathematical matchine cycle, or equipation of a documen [13] in the paproxal of a documen [13] in the paper standing all while automatic machine scatter cycles. Poing more work, adding more steps and a product or service, beyond the approxal of the consumer. Steps that a quality level above specification; Processes that a quality level above specification; Processes that are poorly defined or documented; Processes that are poorly defined or incomplete; Processes that are poordy defined or incomplete; Processes that are	Waiting		
Modeling is advanced of a document [13]; Foreaction args is diverse, in the papeor of reading issolution and costs, in the papeor of reading issolution and issolutis proceeseses is and issolution and issolution and issolution and			 Slow transition of changing tools, procedures, or processes;
Motion - Unreliable technological equipment or without preventive maintenance; - Obstructed flow (laiters, defect or accidents); - Distructed flow (laiters, defect or accidents); - Prophyses stanting still while automatic machines secure cycles. - Unreliable or defective technological equipment; - Producing parts or performing more steps on parts or performing more steps on the consume: Steps that add qualities above the request and unnecessary or excessive documentation are also forms of this waste [14]; - Bid producit designs require too much processing; - Producing parts or performing more steps on this waste [14]; - Producing parts with a quality level above specification; - Unclear specifications; - Producing parts with a quality level above specification; - Producing parts or performing more steps on this waste [14]; - Producing parts with a quality level above specification; - Producing parts or performing more steps on this waste [15]; - High setup times; - Inventories are defined by unusal - Excessior amounts of funceosary data in the log; - Justi-F Case (I/C) Producition; - Excessior amounts of funceosary data in the log; - Justi-F Case (I/C) Producition; - Excessior amount of funceos; - Poor workstation organization. - Excessior amount of funceos; - Difficulty and net fiftiency in dealing with market instability; - Interruption of the pr			Production of large batches, with the purpose of reducing associated fixed costs;
Methods • Obstructed flow (finknes, defects or accidents); • Implyees standing still while automutic machines execute cycles. • Implyees standing still while automutic machines execute cycles. • Overprocessing a product or service, beyond the needs of the consumer. Steps that and qualities above the request and quancessary or excessive documentation are also forms of this waste [14]; • Unreliable or defective technological equipment; • Manal processes that are poorly defined or documented; • Processes that are poorly defined or documented; • Inventories are defined by unusual amounts of stored products • High setup times; • Excessive movement of people, data, decisions, or information • High setup froms; • Excessive movement of people, data, decisions, or information • Observersite for productors; • Indequate layout market instability; • Interoprise or more indexis; • Oversite for or workplace ergonomics; • Observersite, or workplace ergonomics; • Indequate layout or marking; • Interoprise or for production; • Indequate layout or marking; • Interoprise or formation; • Indequate layout or marking; • Interoprise or for production; • Interoprise or information; • Overser wandering? • Interoprise or information; • Interregin or file production; </th <td>Unreliable technological equipment or without preventive maintenance:</td>			Unreliable technological equipment or without preventive maintenance:
Methods Employees standing still while automatic machines execute cycles. Poing more work, adding more parts or performing more steps on a product or service, beyond the needs of the consumer. Steps that and qualities above the request and unnecessary or excessive documentation are also formed this waste [14]; Hureliable or defective technological equipment; Producing parts with a quality level above specification; and qualities above the request and unnecessary or excessive documentation are also formed this waste [14]; Producing parts with a quality level above specification; Producing parts or products (finished or incomplete), parts or raw materials [15]; Auge the trave of the production; Producing Production; Producti			
Overprocessing Doing more work, adding more parts or performing more steps on a product or service, beyond the needs of the consumer. Steps that a product designs require too much processing: 			
Porceprocessing Poing more work, adding more steps on a product or service, beyond the needs of the consumer. Steps that ad qualities above the request and unnecessary or excessive documentation are also forms of this waste [14]; Producing parts with a quality level above specification; Add qualities above the request and unnecessary or excessive documentation are also forms of this waste [14]; Processes that are poorly defined or documented; Inventories are defined by unsult amounts of stored products High setup times; Intervalue (Consumer. Steps that amounts of stored products; Inventories are defined by unsult amounts of stored products; High setup times; Intervalue (Consumer. Steps that amounts of stored products; Inventories are defined by unsult amounts of stored products; Excess for aw material; Intervalue (Consumer. Steps that amounts of unnecessary data in the logs; Inventories (finished or incomplete), parts or raw materials [15]; Indequate loyout of machines; Workers "wandering" for information; Intervalue (Id); Poor workstation organization Poor workstation organization; Intervalue (Id); Poor works and unside; Poor workstation organization; Intervalue (Id); Poor workstation organization No time for corvering defects; Intervalue (Id); Poor workstation organization No time for corvering defects; Intervalue (I			
Processes that are poorly defined or documented; Ad qualities above the request and qualities above the request (finished or incomplete), parts of the request of production; (finished or incomplete), parts of tast-in-Case (IIC) Production; (finished a checisions, or information (16) High setup inses; (Finished or incomplete), parts of the request of production; (Finished as the production of popel, data, decisions, or information (16) Interruption of machines; (Norkers 'Nundering' for information; (Norkers 'Nundering' for information; (Norkers 'Nundering' for information; (Norkers' interplation of the production for the production for the product [11]; (Finished as the production of the production processes; (No control and inspection actions; (No kowkedge and information for where in inforwation for part, which will consequently of the product [11]; (No control and inspection actions; (No kowkedge a		Doing more work, adding more	
Overprocessing needs of the consumer. Steps that and qualities above the request and unnecessary or excessive documentation are also forms of this waste [14]; Producing parts with a quality level above specification; Inventories Producing parts with a quality level above specification; Inventories Producing parts with a quality level above specification; Inventories are defined by unusua amounts of stored products (finished or incomplete), parts or raw materials [15]; Producing parts with a quality level above specification; Inventories Producing parts with a quality level above specification; Inventories Producing parts with a quality level above specification; Inventories Producing parts with a quality level above specification; Inventories Producing parts with a quality level above specification; Inventories Producing parts with a quality level above specification; Inventories Producing parts with a quality level above specification; Inventories Producing parts with a quality level above specification; Inventories Producing parts with a quality level above specification; Interpriori Producing parts with a quality level above specification; Interpriori Producing parts with a quality level above specification; Interpriori Prod			
Overprocessing and dqualities above the request and unnecessary or excessive documentation are also forms of this waste [14]; •Processes that are poorly defined or documented; •Manual processes that can be automated; •Performing unnecessary operations; •Unckear specifications; •Unckear specifications; •Inventories are defined by unusual amounts of stored products in waterials [15]; •High setup times; •Inventories are defined by unusual amounts of stored products in waterials [15]; •Excessive amounts of unnecessary data in the logs; •Inventories •Inventories are defined by unusual amounts of stored products •Interpretion; •Inventories are defined by unusual •Excessive amounts of unnecessary data in the logs; •Interpretion; •Inventories •Inventories; •Interpretion; •Excessive amounts of unnecessary data in the logs; •Inventories •Interpretion of people; •Interpretion; •Interpretion; •Interpretion of the product on a defective product or parts; •Interruption of the production flow, because of bad information; •Interruption of the production in a defective product [11]; •Interruption of the production flow, because of bad information; •Interruption of the production in a defective product [11]; •Interruption of the production in the workers. The poople arc the into account the full capabilities of into a		a product or service, beyond the	• Using inadequate tools;
Invention and quattics above the request and unnecessary or excessive documentation are also forms of this waste [14]; Precesses that are poorly defined or documented; Inventories are defined by unusual amounts of stored products (finished or incomplet), parts or raw materials [15]; High setup times; Inventories are defined by unusual amounts of stored products (finished or incomplet), parts or raw materials [15]; High setup times; Inventories are defined by unusual amounts of stored products (finished or incomplet), parts or raw materials [15]; High setup times; Interruption Case Interruption Case Interruption Case Interruption Case Interruption case Interruption of the production; Interruption of the product or parts, which will consequently which will consequently of the product [11]; Interruption of the production flow, because of bad information; Indequate manufacturing processes; Interruption of the production flow, because of bad information; Indequate manufacturing processes; Interruption of the production flow, because of bad information; Is defined as the product or parts, which will consequently compromise the safety and quality; Interruption of the production flow, because of bad information; Is defined as the product or parts, which will consequently of the product [11]; Interruption of the production flow, because of bad information; Is defined as the product in production flow, because of bad information; <td rowspan="5">Overprocessing</td> <td rowspan="5">add qualities above the request and unnecessary or excessive documentation are also forms of</td> <td> Producing parts with a quality level above specification; </td>	Overprocessing	add qualities above the request and unnecessary or excessive documentation are also forms of	 Producing parts with a quality level above specification;
Ministra processes in currents, information, information, information are also forms of this waste [14]; Ministra processes in currents, information, informatind, informatind, information, informatind, informatind, informatio			Processes that are poorly defined or documented;
his waste [14]; Performing infracessary operations, Unclear specifications; Inventories are defined by unusual amounts of stored products (finished or incomplete), parts or raw materials [15]; High setup times; Inventories are defined by unusual amounts of stored products (finished or incomplete), parts or raw materials [15]; Excess of raw material; Inventories are defined by unusual amounts of stored products (finished or incomplete), parts or raw materials [15]; Excessive amounts of unceessary data in the logs; International interfaces (IIC) Production; Iscomplete projects; International interfaces (IIC) Production; Iscomplete projects; Internations, or information (IIG); Inadequate layout of machines; Isout and cecisions, or information a defective product or parts, which will consequently compromise the safety and quality of the product [11]; Interruption of the production flow, because of bad information; Isout for correcting defects; Interruption of the production flow, because of bad information; Isout for unustanding undicativity processes; Isout float ant material; Isout for unustanding undicativity processes; Isout float in the safety and quality of the product [11]; It is defined as the propulation a defective product or parts, which will consequently compromise the safety and quality of the product [11]; Interruption of the production flow, because of bad information; <			Manual processes that can be automated;
Inventors Unclear specifications; Inventories are defined by unsulation of stored products (finished or incomplete), parts or raw materials [15]; +High setup times; Inventories are defined by unsulation of stored products (finished or incomplete), parts or raw materials [15]; +High setup times; Inventories are defined by unsulation of stored products (finished or incomplete), parts or raw materials [15]; +High setup times; Inventories +Excessive anounts of unnecessary data in the logs; Interruption of the projects; -Just-in-Case (JIC) Production; Interruption of the projects; +Indequate koyout of machines; 'Vorkers ''wandering'' for information; +Poor workplace ergonomics; 'Vorkers ''wandering'' for information; +Poor workplace ergonomics; 'Vorkers ''wandering' for information; +Poor workstation organization. 'Vorkers ''wandering' for information; +Interruption of the production flow, because of bad information; 'Interruption of the production flow, because of bad information; +Liek of education and training; 'Vorkers' wandering' +Interruption of the production flow, because of bad information; 'Interruption of the production flow, bick will consequently compromise the safety and quality of the product [11]; +Interruption actions; 'No control and inspection act			Performing unnecessary operations;
Inventories are defined by unusual amounts of stored products (finished or incomplete), parts or raw materials [15]; Excessive amounts of unnecessary data in the logs;Just-in-Case (IIC) Production;Just-in-Case (IIC) Production;<!--</th--><td>Unclear specifications;</td>			Unclear specifications;
Inventory amounts of stored products (finished or incomplete), parts or raw materials [15]; : Large batch production; incomplete incomplete), parts or raw materials [15]; : Excessive amounts of unnecessary data in the logs; incomplete projects; : Just-in-Case (JIC) Production; incomplete projects; : Difficulty and inefficiency in dealing with market instability; incomplete projects; : Difficulty and inefficiency in dealing with market instability; indata, decisions, or information [16]; : Poor workplace ergonomics; interruption of the production fa data, decisions, or information [16]; : Interruption of the production for a defective product or parts, which will consequently compromise the safety and quality of the product [11]; : Interruption of the production flow, because of bad information; indequate manufacturing processes; : Lack of education and training; indequate manufacturing processes; : No control and inspection actions; into account the full capabilities of the workers. The people are the most valuable resource in an : Insufficient inclusion of workers in improvement actions; intack of education and training; : Lack of education and training;		amounts of stored products (finished or incomplete), parts or	High setup times;
Inventory (finished or incomplete), parts or raw materials [15]; • Excessive amounts of unnecessary data in the logs; ·Just-in-Case (JIC) Production; ·Incomplete projects; ·Difficulty and inefficiency in dealing with market instability; ·Difficulty and inefficiency in dealing with market instability; Motion Excessive movement of people, data, decisions, or information ·Inadequate layout of machines; ·Ioing ·Ioing for tools or materials; ·No instructions about the procedures; ·No instructions about the production flow, because of bad information; ·No instructions about the production flow, because of bad information; ·No instructions about the production of a defective product or parts, which will consequently compromise the safety and quality of the product [11]; ·Interruption of the production flow, because of bad information; ·Defective ·Inadequate manufacturing processes; ·Iack of education and training; ·Defective product [11]; ·Indequate manufacturing processes; ·Inadequate manufacturing processes; ·Inadequate manufacturing processes; ·Inadequate manufacturing processes; ·Iack of education and training; ·Iots corout the full capabilities of the workers. The people are the most valuable resource in an inspection actions; ·Iack of education and training; ·Iots workers. The people are the most valuable resource in an most valuable resource in an most valuable re			Excess of raw material;
nameis use in Case (IIC) Production; incomplete projects; Difficulty and inefficiency in dealing with market instability;MotionExcessive movement of people, data, decisions, or information [16];inadequate layout of machines; Workers "wandering" for information; Poor workplace ergonomics; Searching for tools or materials; No isstructions about the procedures; Poor workstation organization.It is defined as the production of a defective product or parts, which will consequently compromise the safety and quality of the product [11];Interruption of the production forw because of bad information; No to intro for correcting defects; Lack of education and training; No control and inspection actions;Unused TakeThe organization does not take into account the full capabilities of the workers. The people are the most valuable resource in anInsufficient inclusion of workers in improvement actions; Lack of education and training; No knowledge and information sharing between departments;			Large batch production;
MotionIncomplete projects; >Dificulty and inefficiency in dealing with market instability;MotionExcessive movement of people, data, decisions, or information [16];Inadequate layout of machines; >Workers "wandering" for information; >Poor workplace ergonomics; >No instructions about the procedures; >Poor workstation organization.PoferetsIt is defined as the production of a defective product or parts, which will consequently compromise the safety and quality of the product [11];Interruption of the production fow, because of bad information; No time for correcting defects; Icack of education and training; Defective raw material; Defective raw material; No control and inspection actions;Unused TatemThe organization does not take into account the full capabilities of the workers. The people are the most valuable resource in anInstructions abain draining; No knowledge and information sharing between departments; No knowledge and information sharing between departments;	Inventory		· -
Motion Difficulty and inefficiency in dealing with market instability; Imadequate layout of machines; Imadequate layout of machines; Workers "wandering" for information; Poor workplace ergonomics; Image: Poor workplace ergonomics; Searching for tools or materials; No instructions about the procedures; Poor workplace ergonomics; Poor workplace ergonomics; Searching for tools or materials; No instructions about the procedures; Poor workstation organization. Poor workstation organization. Interruption of the production flow, because of bad information; No time for correcting defects; Lack of education and training; Defects No time for correcting defects; Imadequate manufacturing processes; Imadequate manufacturing processes; No control and inspection actions; No koncurve in anot workers in improvement actions; Imadequate manufacturing processes; Imadequate inclusion of workers in improvement actions; Imadequate inclusion of workers in improvement actions; Lack of education and training; No knowledge and information sharing between departments; No knowledge and information sharing between departments;			
Motion Excessive movement of people, data, decisions, or information [16]; • Inadequate layout of machines; Workers "wandering" for information; • Poor workplace ergonomics; Searching for tools or materials; • No instructions about the procedures; • Poor workstation organization. • Interruption of the production flow, because of bad information; • No time for correcting defects; • Lack of education and training; • Defects • Interruption of the production and training; • Defects • The organization does not take into account the full capabilities of the workers. The people are the most valuable resource in an			
MotionExcessive movement of people, data, decisions, or information [16];			
Motion data, decisions, or information • Poor workplace ergonomics; [16]; • Searching for tools or materials; • No instructions about the procedures; • No instructions about the procedures; • Poor workplace ergonomics; • No instructions about the procedures; • No instructions about the procedures; • No instructions about the procedures; • No time for correcting defects; • No time for correcting defects; • Adefective product or parts, • No time for correcting defects; • Underworks the safety and quality • Defective raw material; • Oto control and inspection actions; • No control and inspection actions; • No control and inspection actions; • Insufficient inclusion of workers in improvement actions; • Lack of education and training; • No knowledge and information;		data, decisions, or information	
Motion[16];Searching for tools or materials;16];Searching for tools or materials;No instructions about the procedures;No instructions about the procedures;Poor workstation organization.No time for correcting defects;11 is defined as the product or parts, which will consequently compromise the safety and quality of the product [11];No time for correcting defects;12 defective product [11];Defective raw material;13 defective product [11];Inadequate manufacturing processes;14 dequate manufacturing processes;No control and inspection actions;15 defective full capabilities of into account the full capabilities of most valuable resource in anInsufficient inclusion of workers in improvement actions;15 defective raw naterial; No knowledge and information;Lack of education and training;16 defective product [11];Searching for control and inspection actions;16 defective product [11];Insufficient inclusion of workers in improvement actions;17 defective raw material; No knowledge and information;Lack of education and training;18 defined account the full capabilities of most valuable resource in anNo knowledge and information sharing between departments;19 defective rawNo knowledge and information sharing between departments;19 defective rawNo knowledge and information sharing between departments;19 defective rawNo knowledge and information sharing between departments;			-
Image: Process of the second secon	Motion		
Image: constraint of the second of the product on organization.Poor workstation organization.It is defined as the product on parts, which will consequently compromise the safety and quality of the product [11];Interruption of the production gloefcets; Inadequate manufacturing processes; Inadequate manufacturing processes; Inadeq			
Defects It is defined as the production of a defective product or parts, which will consequently compromise the safety and quality of the product [11]; • Interruption of the production flow, because of bad information; Unused Talent • Interruption of the production flow, because of bad information; • No time for correcting defects; • Lack of education and training; • Defective and quality • Defective raw material; • Indequate manufacturing processes; • No control and inspection actions; • No control and inspection of workers in improvement actions; • Lack of education and training; • No knowledge and information sharing between departments; • No knowledge and information sharing between departments;			-
It is defined as the production of a defective product or parts, which will consequently compromise the safety and quality of the product [11]; •No time for correcting defects; ·Lack of education and training; ·Defective raw material; ·Inadequate manufacturing processes; ·No control and inspection actions; ·No control and inspection actions; ·Lack of education and training; ·No control and inspection actions; ·No control and inspection actions; ·No control and inspection and training; ·No knowledge and information sharing between departments;			-
A defective product or parts, which will consequently compromise the safety and quality of the product [11]; - Lack of education and training; - Defective raw material; - Defective raw material; - No control and inspection actions; - No control and inspection actions; - Unused Table - Insufficient inclusion of workers in improvement actions; - Lack of education and training; - Lack of education and training; - No control and inspection actions; - Lack of education and training; - Lack of education and training; - Lack of education and training; - No knowledge and information sharing between departments; - No knowledge and information sharing between departments;	Defects	a defective product or parts, which will consequently compromise the safety and quality	
Defects which will consequently compromise the safety and quality of the product [11]; Defective raw material; Inadequate manufacturing processes; Inadequate manufacturing processes; No control and inspection actions; Unused Talent The organization does not take into account the full capabilities of the workers. The people are the most valuable resource in an Insufficient inclusion of workers in improvement actions; No knowledge and information sharing between departments; No knowledge and information sharing between departments;			No time for correcting defects;
unused Taleta compromise the safety and quality Delective raw material; unused Taleta of the product [11]; Inadequate manufacturing processes; unused Taleta The organization does not take Insufficient inclusion of workers in improvement actions; unused Taleta The organization does not take Insufficient inclusion of workers in improvement actions; unused Taleta Insufficient inclusion of workers in improvement actions; unused Taleta No knowledge and information sharing between departments;			Lack of education and training;
Unused Talent The organization does not take into account the full capabilities of the workers. The people are the most valuable resource in an • Inadequate manufacturing processes; • No control and inspection actions; • Insufficient inclusion of workers in improvement actions; • No knowledge and information sharing between departments; • No knowledge and information sharing between departments;			Defective raw material;
Unused Talent The organization does not take into account the full capabilities of the workers. The people are the most valuable resource in an • No control and inspection actions;			Inadequate manufacturing processes:
Unused Talent The organization does not take into account the full capabilities of the workers. The people are the most valuable resource in an • Insufficient inclusion of workers in improvement actions; • No knowledge and information sharing between departments;			
Unused Talent into account the full capabilities of the workers. The people are the most valuable resource in an • Lack of education and training; • No knowledge and information sharing between departments;			No control and inspection actions;
Unused Talent the workers. The people are the most valuable resource in an • No knowledge and information sharing between departments;	Unused Talent	into account the full capabilities of the workers. The people are the most valuable resource in an	-
• No knowledge and information sharing between departments;			Lack of education and training;
most valuable resource in an			 No knowledge and information sharing between departments:
organization [14]. • The organization's internal skills are not fully used.			
			The organization's internal skills are not fully used.

Table 1: Types of waste and its causes

In the same way, standard work, 5S practices and visual management systems, besides being able to solve several wastes by themselves, also provide great complement to other Lean tools.

III. DECISION SUPPORT SYSTEM

A. System Overview

Initially, it was important to proceed to the analysis of the Lean philosophy and its practices and tools. The connection between the tools and waste and the association of causes/situations to each waste were the pillars for the conception of this decision support system (DSS). Contents shown in Table 1 were the reference for the elaboration of a questionnaire. The purpose of this questionnaire is to identify the wastes associated to a company. Secondly, the practical cases were analysed to conclude about the applicability of Lean tools and practices in the textile, metallurgical and metalworking and, automotive sectors. When the user selects the economic activity of the organization, the system will automatically consider the Lean tools or practices with higher applicability in each sector of the case studies.

The DSS was developed on Microsoft Excel software, which is widely used in several industries as a tool for data analysis and visualization. The user starts the questionnaire with a questions asking the economic activity of the organization. If for some reason, the selection of the economic activity of the organization goes beyond the studied sectors, a larger set of Lean tools or practices will be considered. The questionnaire is composed by 40 questions to be answered by anyone in the organization, regardless of whether or not they are familiar with the concepts of Lean philosophy. After the completion of the questionnaire, the DSS will analyse the waste found and define which wastes need immediate measures. The next step consists in associating the Lean tools or practices to the waste found. Depending on the economic activity chosen, the DSS may present different solutions, because there are Lean tools or practices, which reveal to have a higher success of applicability in other types of sectors in the resolution of the same waste.

B. Example of Case Study

The DSS was tested for a possible practical case, in a metallurgical and metalworking industry. Table 2 shows the answers given to some questions of the simulation of the practical case. After the simulation of the questionnaire, the results obtained for this example are provided in Figure 2, where it is possible to see that overproduction, inventory and movements are the wastes with the highest incidence in the organization. The DSS suggests the application of Single Minute Exchange of Die (SMED), Kanban, standard work, 5S and Just in Time (JIT) production, to reduce the occurrence of these wastes. In the results page, the user still has the possibility to interact with the DSS, allowing him to access the contents library, where all the tools or Lean practices are explained in a detailed form. Besides, there is also the possibility for the user to print a report, in PDF format, about the results obtained and the waste found.

The Lean tools or practices that the DSS suggested focused on the production of smaller batches with the aid of SMED, resulting in less need for stock materials, reduced movement and setup times allowing the organization greater flexibility to meet new orders and, satisfying customer needs in terms of time of delivery and quantities.

JIT production means that only the required products are produced, in necessary quantities and according to demand or Takt Time (time in which a product needs to be produced or service must be provided in order to satisfy customer demand). It is essential to ensure that everyone in the company is working together to satisfy customer needs. By producing only what is needed, the company benefits by decreasing the waste of overproduction and as a result, reduces inventory.

Table 2: Example of answers given to a few questions from the practice case simulation

Question	Answer
1. Indicate the type of sector related to the company's economic activity:	Metallurgical and Metalworking sector
2. Existence of Lean culture or Lean Teams in the organization?	No
3. Does the organization use or has implemented Lean tools or practices?	Yes
4. Does the company dedicate resources and time for employees' education and training?	No
7. Does the organization have multidisciplinary and qualified work teams?	Yes
8. Does the organization take employees' feedback into account in making decisions, setting goals, and preparing and controlling activities?	No
11. Does the organization usually hold an unusual amount of stock, of finished goods, semi-finished products or raw materials, just in case there are unexpected orders?	Yes
12. Does the organization usually anticipate purchases of materials or parts?	Yes
24. Are there frequently any equipment breakdowns, quality defects, or work accidents?	No
25. Is preventive maintenance applied to all the organization's equipment?	No
•••	
32. Does the organization perform operations that are not requested by the customer, in order to add quality to the product?	No
33. Do all workers have access to work instructions, procedure instructions, or indications regarding the correct use and selection of tools for each task?	No
40. Does the organization regularly apply control and inspection actions?	Yes
41. Do the products manufactured in the organization compromise the safety or security of the user?	No




Figure 2: Results for the simulated practical case

Minimizing order lead times, improving quality and increasing efficiency are other associated benefits. Of course, if the company adopts this type of production, it should try to predict product demand and ensure that all suppliers meet the delivery of materials when requested.

The use of Kanban allows the production management and, as a result, the reduction of overproduction and inventory. Most companies use this method to provide flexibility and quick movement between workstations. This ensures more efficiency in the planning of task management and better management by the workers, because there is a better perception of the tasks to be carried out, which in turn, avoids unnecessary displacements to obtain information about the prioritization and distribution of tasks.

The standardization of tasks, movements or procedures are a good strategy to ensure a higher quality, safety and efficiency in the organization. Besides defining the work sequence, it is important to define the Takt Time and ensure a standard inventory to ensure a continuous production flow, without stops. By ensuring standard work, the worker will perform any task in an autonomous, repetitive and consistent way.

To keep workstations organized and avoid unnecessary movement of parts or tools, the use of 5S practices is the best way to ensure this. Their use has the benefit of reducing movement and waiting times to get some tool or equipment. Also, by removing any equipment or tools that are not needed at the workplace, it provides an insight into stock levels and what material, equipment or tools are required.

IV. CONCLUSIONS

The construction of this DSS allows assisting companies, more specifically SMEs, with the selection of Lean tool(s) or practice(s), since this was the main difficulty for organizations when they tried to adopt a Lean philosophy.

is important to mention, that before It anv implementation, the organization should know its stakeholders, define its system (from product type, target market, volume or demand patterns), should know the current state of the organization and identify the steps or procedures that add value, with the help of the VSM. The organization should also evaluate the current state, using performance indicators and only then should use project tools or the implementation of Lean practices. This projection can be made, for example, through tools such as the Plan-Do-Check-Act (PDCA) cycle and 5W2H, since these tools follow a structure and help identifying and solving several types of problems or wastes. The use of Lean tools or practices such as standard work, 5S, Kanban and SMED, besides being able to solve several types of waste simultaneously, can also be used as complements to other Lean tools. Afterwards, it is up to the organization to adopt routines and implement all the practices consistently, always with a view to continuous improvement.

Even if the organization knows which Lean tools or practices should implement, that is not enough to guarantee its success. That success is mostly determined by the understanding of Lean in the organization. The difficult part is not the implementation of Lean tools or practices itself, but it is the commitment of the organization to adopt leadership behaviours', to make a cultural change within the organization, to focus on the skills and experience of the workers, to know how to communicate and to prioritize the education and training of the workers.

As a proposal for future work, it is suggested to extend the DSS to other sectors besides the processing industry. In other words, a detailed study should be done for the other sectors in order to obtain a more precise response regarding Lean tools or practices.

ACKNOWLEDGMENT

This work was supported in part by Fundação para a Ciência e Tecnologia (FCT) and C-MAST- Centre for Mechanical and Aerospace Science and Technologies, under project UIDB/00151/2020.

REFERENCES

- A. Elkhairi, F. Fedouaki, and S. El Alami, "Barriers and critical success factors for implementing lean manufacturing in SMEs," *IFAC Pap.*, vol. 52, no. 13, pp. 565–570, 2019, doi: 10.1016/j.ifacol.2019.11.303.
- [2] A. Pearce, D. Pons, and T. Neitzert, "Implementing lean— Outcomes from SME case studies," *Oper. Res. Perspect.*, vol. 5, pp. 94–104, 2018, doi: 10.1016/j.orp.2018.02.002.
- [3] M. G. Dilanthi, "Conceptual Evolution of Lean Manufacturing a Review of Literature," Int. J. Econ. Commer. Manag. United Kingdom, vol. 3, no. 10, pp. 574–585, 2015.
- M. Hazarika, U. S. Dixit, and J. P. Davim, *History of Production and Industrial Engineering Through Contributions of Stalwarts*. Elsevier Ltd., 2019.
- [5] J. Tidd and J. Bessant, "Case Studies: The Model T Ford," *Innov. Portal*, pp. 1–3, 2013, [Online]. Available: http://www.innovationportal.info/wp-content/uploads/Model-T-Ford.pdf.
- [6] M. Holweg, "The genealogy of lean production," *J. Oper. Manag.*, vol. 25, pp. 420–437, 2007, doi: 10.1016/j.jom.2006.04.001.
- [7] R. Glass, S. Seifermann, and J. Metternich, "The Spread of Lean Production in the Assembly, Process and Machining Industry," *Procedia CIRP*, vol. 55, pp. 278–283, 2016, doi: 10.1016/j.procir.2016.08.021.
- [8] J. F. Krafcik, "Triumph of the Lean Production," MIT Sloan Manag. Rev., vol. 30, 1988.
- [9] J. P. Womack, D. T. Jones, and D. Roos, *The Machine that changed the world*. New York: Rawson Associates, 1990.
- [10] J. P. Womack and D. T. Jones, *Lean Thinking: Banish Waste and create wealth in your corporation*. New York, 1996.
- J. P. Pinto, Pensamento Lean: A filosofia das organizações vencedoras, 6th ed. 2014.
- [12] A. Karim and K. Arif-Uz-Zaman, "A methodology for effective implementation of lean strategies and its performance evaluation in manufacturing organizations," *Bus. Process Manag. J.*, vol. 19, no. 1, pp. 169–196, 2013, doi: 10.1108/14637151311294912.
- [13] V. Velmurugan, S. Karthik, and S. Thanikaikarasan, "Investigation and implementation of new methods in machine tool production using lean manufacturing system," *Mater. Today Proc.*, vol. 33, pp. 3080–3084, 2020, doi: 10.1016/j.matpr.2020.03.654.
- [14] Comunidade Lean Thinking, "Os oito desperdícios," 2018. https://www.cltservices.net/publicacoes/free-booklet-8desperdicios (accessed Jan. 18, 2021).
- [15] J. K. Liker, The Toyota Way: 14 Management Principles from the World's Greatest Manufacturer. McGraw-Hill, 2004.
- [16] T. Melton, "The benefits of lean manufacturing: What lean thinking has to offer the process industries," *Chem. Eng. Res. Des.*, vol. 83, no. A6, pp. 662–673, 2005, doi: 10.1205/cherd.04351.