

Nonlinear optical properties of poly (methyl methacrylate) thin films doped with Bixa Orellana dye

Submitted by Bouchta Sahraoui on Wed, 06/17/2015 - 16:33

Titre	Nonlinear optical properties of poly (methyl methacrylate) thin films doped with Bixa Orellana dye
Type de publication	Article de revue
Auteur	Zongo, S. [1], Kerasidou, Ariadni P. [2], Sone, BT [3], Diallo, A [4], Mthunzi, P [5], Iliopoulos, Konstantinos [6], Nkosi, M [7], Maaza, M. [8], Sahraoui, Bouchta [9]
Pays	Pays-Bas
Editeur	Elsevier
Ville	Amsterdam
Type	Article scientifique dans une revue à comité de lecture
Année	2015
Langue	Anglais
Numéro	15
Pagination	72-77
Volume	340
Titre de la revue	Applied Surface Science
ISSN	0169-4332
Mots-clés	Bixa orellana [10], maker fringes [11], Natural dyes [12], Polymer based composites [13], third order nonlinearity [14]
Résumé en anglais	<p>Natural dyes with highly delocalized π-electron systems are considered as promising organic materials for nonlinear optical applications. Among these dyes, Bixa Orellana dye with extended π-electron delocalization is one of the most attractive dyes. Bixa Orellana dye-doped Poly(methyl methacrylate) (PMMA) thin films were prepared through spin coating process for linear and nonlinear optical properties investigation. Atomic force microscopy (AFM) was used to evaluate the roughness of the thin films. The optical constants n and k were evaluated by ellipsometric spectroscopy. The refractive index had a maximum of about 1.456 at 508.5, 523.79 and 511.9 nm, while the maximum of k varies from 0.070 to 0.080 with the thickness. The third order nonlinear optical properties of the hybrid Bixa Orellana dye-PMMA polymer were investigated under 30 ps laser irradiation at 1064 nm with a repetition rate of 10 Hz. In particular the third-order nonlinear susceptibility has been determined by means of the Maker Fringes technique. The nonlinear third order susceptibility was found to be $1.00 \times 10^{-21} \text{ m}^2 \text{ V}^{-2}$ or $0.72 \times 10^{-13} \text{ esu}$. Our studies provide concrete evidence that the hybrid-PMMA composites of Bixa dye are prospective candidates for nonlinear material applications.</p>
URL de la notice	http://okina.univ-angers.fr/publications/ua12584 [15]
DOI	10.1016/j.apsusc.2015.02.161 [16]

Liens

- [1] [http://okina.univ-angers.fr/publications?f\[author\]=21969](http://okina.univ-angers.fr/publications?f[author]=21969)
- [2] <http://okina.univ-angers.fr/akerasi/publications>
- [3] [http://okina.univ-angers.fr/publications?f\[author\]=21966](http://okina.univ-angers.fr/publications?f[author]=21966)
- [4] [http://okina.univ-angers.fr/publications?f\[author\]=21967](http://okina.univ-angers.fr/publications?f[author]=21967)
- [5] [http://okina.univ-angers.fr/publications?f\[author\]=21957](http://okina.univ-angers.fr/publications?f[author]=21957)
- [6] [http://okina.univ-angers.fr/publications?f\[author\]=2818](http://okina.univ-angers.fr/publications?f[author]=2818)
- [7] [http://okina.univ-angers.fr/publications?f\[author\]=21968](http://okina.univ-angers.fr/publications?f[author]=21968)
- [8] [http://okina.univ-angers.fr/publications?f\[author\]=21972](http://okina.univ-angers.fr/publications?f[author]=21972)
- [9] <http://okina.univ-angers.fr/bouchta.sahraoui/publications>
- [10] [http://okina.univ-angers.fr/publications?f\[keyword\]=18917](http://okina.univ-angers.fr/publications?f[keyword]=18917)
- [11] [http://okina.univ-angers.fr/publications?f\[keyword\]=6940](http://okina.univ-angers.fr/publications?f[keyword]=6940)
- [12] [http://okina.univ-angers.fr/publications?f\[keyword\]=18916](http://okina.univ-angers.fr/publications?f[keyword]=18916)
- [13] [http://okina.univ-angers.fr/publications?f\[keyword\]=18918](http://okina.univ-angers.fr/publications?f[keyword]=18918)
- [14] [http://okina.univ-angers.fr/publications?f\[keyword\]=9759](http://okina.univ-angers.fr/publications?f[keyword]=9759)
- [15] <http://okina.univ-angers.fr/publications/ua12584>
- [16] <http://dx.doi.org/10.1016/j.apsusc.2015.02.161>

Publié sur *Okina* (<http://okina.univ-angers.fr>)