

Editorial: Nano-Bio Interactions: Ecotoxicology and Cytotoxicity of Nanomaterials

Original

Editorial: Nano-Bio Interactions: Ecotoxicology and Cytotoxicity of Nanomaterials / Jia, J.; Limongi, T.; Liu, Y.; Su, G.; Zhou, H.. - In: FRONTIERS IN BIOENGINEERING AND BIOTECHNOLOGY. - ISSN 2296-4185. - 8:(2020), p. 918. [10.3389/fbioe.2020.00918]

Availability:

This version is available at: 11583/2851093 since: 2020-11-06T10:51:08Z

Publisher:

Frontiers Media S.A.

Published

DOI:10.3389/fbioe.2020.00918

Terms of use:

openAccess

This article is made available under terms and conditions as specified in the corresponding bibliographic description in the repository

Publisher copyright

(Article begins on next page)



Editorial: Nano-Bio Interactions: Ecotoxicology and Cytotoxicity of Nanomaterials

Jianbo Jia^{1*}, Tania Limongi², Yin Liu^{3,4}, Gaoxing Su⁵ and Hongyu Zhou^{1*}

¹ Key Laboratory of Pearl River Delta Water Quality Safety and Protection, Ministry of Education, Institute of Environmental Research at Greater Bay, Guangzhou University, Guangzhou, China, ² Department of Applied Science and Technology, Polytechnic University of Turin, Turin, Italy, ³ Department of Pharmaceutical Sciences, Irma Lerma Rangel College of Pharmacy, Texas A&M University, College Station, TX, United States, ⁴ Research Center for Eco-Environmental Sciences (CAS), Beijing, China, ⁵ School of Pharmacy, Nantong University, Nantong, China

Keywords: engineered nanomaterials (ENMs), cytotoxicity, nano-bio interaction, nanotoxicology, nanomedicine

Editorial on the Research Topic

Nano-Bio Interactions: Ecotoxicology and Cytotoxicity of Nanomaterials

The past few decades have witnessed a boom in nanotechnology in various areas, raising global concerns about the environmental health and safety of engineered nanomaterials (ENMs). It has always been a challenging task to grasp the full picture of nanotoxicology and nanoecotoxicology, as multiple parameters should be taken into consideration for assessments simultaneously, including the physicochemical properties of ENMs, the migration and transformation of ENMs in the environment and organisms, and the physiological and pathological conditions of the testing organisms. This topic intends to explore nano-bio interactions from the aspects of ecotoxicology and cytotoxicity of ENMs, so as to efficiently modulate their bioactivities and reduce the potential risks.

The Research Topic “Nano-Bio Interactions: Ecotoxicology and Cytotoxicity of Nanomaterials” includes three reviews, one systematic review, and one original research, with the purpose of maximizing the understanding of how ENMs’ cellular internalization process affects cell damages and deaths, which are related to their ecotoxicology and cytotoxicity. The fascinating properties of two-dimensional transition metal dichalcogenides (2D TMDCs) make them highly attractive for applications ranging from electronics to nanomedicines. For a better understanding of 2D TMDCs, two kinds of synthesis and surface functionalization methods (top-down and bottom-up) have been reviewed by Zhou et al. The recent research progress of 2D TMDCs with particular focus on their biomedical applications and potential health risks are discussed. Authors also emphasize how 2D TMDCs interacting with biological systems can sometimes interfere with normal cellular functions, the metabolic processes, and cell death. More in detail, apart from 2D TMDCs’ chemical composition, size, and surface modification, they underline how their thickness effectively contributes to the establishment of cytotoxic effects even without entering cells. In another review of this special issue, Sun et al. summarized the effects of surface chemistry on various cytotoxicity-related bioactivities induced by ENMs. Negatively charged nanoparticles have a high protein binding capacity, whereas positively charged and hydrophobic nanoparticles can be more easily internalized by cells, triggering oxidative stress induction and the related autophagy, necrosis, and/or apoptosis phenomena. However, PEG decoration can counteract these cytotoxicity-related bioactivities. In their review, Sun et al. recommend surface decoration by combinatorial chemistry methods as an effective strategy to reveal the impact of surface chemistry on nanotoxicology. Besides, specific molecular pathways regulated by surface chemistry of ENMs are also discussed.

OPEN ACCESS

Edited and reviewed by:

Gianni Ciofani,

Italian Institute of Technology (IIT), Italy

*Correspondence:

Jianbo Jia
jjajianbo03@gmail.com
Hongyu Zhou
hyzhou001@126.com

Specialty section:

This article was submitted to
Nanobiotechnology,
a section of the journal
Frontiers in Bioengineering and
Biotechnology

Received: 13 July 2020

Accepted: 16 July 2020

Published: 16 September 2020

Citation:

Jia J, Limongi T, Liu Y, Su G and
Zhou H (2020) Editorial: Nano-Bio
Interactions: Ecotoxicology and
Cytotoxicity of Nanomaterials.
Front. Bioeng. Biotechnol. 8:918.
doi: 10.3389/fbioe.2020.00918

As one of the most important parameters in understanding possible health issues of ENMs, it is necessary to clarify the role of the “protein corona” in the interactions between NPs and physiological systems, such as biological media and blood. Yu et al. explored the effects of surface chemistry on the formation and dynamic behavior of the protein corona using a gold nanoparticle array with a wide range of surface hydrophobicities. Generally, nanoparticles coated by high hydrophobic surfaces adsorb smaller and negatively charged proteins, and exhibit a lower hard corona protein exchange rate than their hydrophilic counterparts. The types of adsorbed proteins are also affected by the hydrophobicity of ENMs. These findings enhance our understanding of protein corona formation and protein exchange dynamics, and will help researchers in the modulation of nanotoxic effects by controlling protein corona formation through surface NPs modifications.

As discussed by Gedda et al. ENMs may induce cytotoxicity through epigenetic changes at DNA, RNA, and protein levels. ENMs are considered as epimutagens, as they can promote neoplastic changes by disrupting the function of epigenetically preserved genes via global epigenetic processes. They may induce epigenetic toxicity by altering DNA methylation profiles, changing histone modifications, and regulating non-protein-coding RNAs at sub-cytotoxic and sub-genotoxic ENM concentrations. Although numerous “toxico-omics” studies have been conducted on ENMs, a specific “risk assessment paradigm” dealing with the epigenetic modulations in humans owing to the exposure of ENMs has not yet been defined. Thus, Gedda et al. propose that constructing a universally recognized and centralized database concerning reproducible ENMs’ characterization and *in vivo* standardized evaluation on ENMs’ epigenetic toxicity can be considered a benefit in understanding the nature and extent of NPs nanotoxicity.

As for biological systems used for nanotoxicity assessments, two-dimensional (2D) cell models can hardly reflect the complex tissue microenvironments and interactions between ENMs and different cells types, while animal models are not suitable for high-throughput toxicity screening. Three-dimensional (3D) cell models have been used as an improved cell-based assay with more biological relevance and as an alternative method to animal experimentation. In a systematic review, Sanches et al. assessed whether 3D skin models can be considered as an appropriate evaluation method of the TiO₂ nanoparticles toxicity. Through the evaluation of the reliability of data extracted from seven selected articles, they conclude that 3D skin models

are suitable for testing the hazard effect of TiO₂ nanoparticles, while emphasizing the need of standardized protocols for the related risk assessment procedures.

Taken together, although this topic included some very recent advances in the fields of nanotoxicity and nanoecotoxicology, challenges are still overwhelming, such as ever-increasing production, usage and disposal of ENMs and their based products, developing standardized high-throughput nanotoxicity testing protocols, establishing centralized database on nanotoxicity, and developing intelligent prediction models of all nano-bio interactions. To conclude, addressing these challenges is fundamental for a better understanding of nanotoxicity and for the design of the next generation of ENM with a better reliability and safety profile.

AUTHOR CONTRIBUTIONS

All authors listed have made a substantial, direct and intellectual contribution to the work, and approved it for publication.

FUNDING

This work was supported by the National Natural Science Foundation of China (21906035, 91743107, 21707159), the National Key R&D Program of China (2016YFA0203103), and the introduced innovative R&D team project under the Pearl River Talent Recruitment Program of Guangdong Province (2019ZT08L387).

ACKNOWLEDGMENTS

We would like to thank all authors for their contributions to this Research Topic and we acknowledge the work of the reviewers whose constructive comments contributed to improving the quality of the articles.

Conflict of Interest: The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Copyright © 2020 Jia, Limongi, Liu, Su and Zhou. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.