

The copyright © of this thesis belongs to its rightful author and/or other copyright owner. Copies can be accessed and downloaded for non-commercial or learning purposes without any charge and permission. The thesis cannot be reproduced or quoted as a whole without the permission from its rightful owner. No alteration or changes in format is allowed without permission from its rightful owner.



**DETERMINING EFFICIENT SCHEDULING APPROACH  
OF DOCTORS FOR OPERATING ROOMS: AN ANALYSIS  
ON AL-SHAHID GHAZI AL-HARIRI HOSPITAL IN  
BAGHDAD**



**HUSSEIN HASAN ALI**

**DOCTOR OF PHILOSOPY  
UNIVERSITI UTARA MALAYSIA  
September 2018**

**DETERMINING EFFICIENT SCHEDULING APPROACH OF DOCTORS FOR  
OPERATING ROOMS: AN ANALYSIS ON AL-SHAHID GHAZI AL-HARIRI  
HOSPITAL IN BAGHDAD**



**By**  
**HUSSEIN HASAN ALI**

**UUM**  
**Universiti Utara Malaysia**

**Thesis Submitted to  
School of Technology Management and Logistics,  
University Utara Malaysia,  
In Fulfillment of the Requirement for the Degree of Doctor of Philosophy**



**Kolej Perniagaan**  
(College of Business)  
**Universiti Utara Malaysia**

**PERAKUAN KERJA TESIS / DISERTASI**  
(Certification of thesis / dissertation)

Kami, yang bertandatangan, memperakukan bahawa  
(We, the undersigned, certify that)

**HUSSEIN HASAN ALI**

calon untuk Ijazah **DOCTOR OF PHILOSOPHY**  
(candidate for the degree of)

telah mengemukakan tesis / disertasi yang bertajuk:  
(has presented his/her thesis / dissertation of the following title)

**DETERMINING EFFICIENT SCHEDULING APPROACH OF DOCTORS FOR OPERATING ROOMS : AN  
ANALYSIS ON AL- SHAHID GHAZI AL- HARIRI HOSPITAL IN BAGHDAD.**

seperti yang tercatat di muka surat tajuk dan kulit tesis / disertasi.  
(as it appears on the title page and front cover of the thesis / dissertation).

Bahawa tesis/disertasi tersebut boleh diterima dari segi bentuk serta kandungan dan meliputi bidang ilmu dengan memuaskan, sebagaimana yang ditunjukkan oleh calon dalam ujian lisan yang diadakan pada:

**24 September 2018.**

(That the said thesis/dissertation is acceptable in form and content and displays a satisfactory knowledge of the field of study as demonstrated by the candidate through an oral examination held on:

**24 September 2018**

Pengerusi Viva : **Assoc. Prof. Dr.Mohamad Ghazali Hassan**  
(Chairman for Viva)

Tandatangan  
(Signature)

Pemeriksa Luar : **Prof. Dr. Abdul Talib Bon**  
(External Examiner)

Tandatangan  
(Signature)

Pemeriksa Dalam : **Assoc. Prof. Dr. Mohamed Najib Salleh**  
(Internal Examiner)

Tandatangan  
(Signature)

Tarikh: **24 September 2018**



Nama Pelajar  
(Name of Student) : Hussein Hasan Ali

---

Tajuk Tesis / Disertasi  
(Title of the Thesis / Dissertation) : Determining Efficient Scheduling Approach of Doctors for  
Operating Rooms : An Analysis on Al- Shahid Ghazi Al- Hariri  
Hospital in Baghdad.


---

Program Pengajian  
(Programme of Study) : Doctor of Philosophy

---

Nama Penyelia/Penyelia-penyelia  
(Name of Supervisor/Supervisors) : Assoc. Prof. Dr. Hendrik Lamsali

---



Tandatangan

Nama Penyelia/Penyelia-penyelia  
(Name of Supervisor/Supervisors) : Assoc. Prof. Dr. Siti Norezam Othman

---

Tandatangan

## **PERMISSION TO USE**

In presenting this thesis in fulfillment of the requirements for a Post Graduate degree from the Universiti Utara Malaysia (UUM), I agree that the library of this university may make it freely available for inspection. I further agree that permission for copying this thesis in any manner, in whole or in part, for scholarly purposes may be granted by my supervisors or in their absence, by the Dean of School of Technology Management and Logistics College of Business where I did my thesis. It is understood that any copying or publication or use of this thesis or parts of it for financial gain shall not be allowed without my written permission. It is also understood that due recognition shall be given to me and to the Universiti Utara Malaysia (UUM) in any scholarly use which may be made of any material in my thesis.

Request for permission to copy or to make other use of materials in this thesis in whole or in part should be addressed to:

Dean of School of Technology Management and Logistics  
College of Business  
Universiti Utara Malaysia  
06010 UUM Sintok  
Kedah Darul Aman



## ABSTRACT

Government hospitals in Iraq have long been suffering from overcrowded patients, and shortages of doctors and nurses. Unstable environment with occurrences of random war-related incidents has put further burden on hospitals' limited resources particularly the surgical department. Large number of pre-scheduled elective surgeries has occasionally been interrupted by the incoming war-related incidents patients. This in turn has put tremendous pressure on the hospital management to maximize utilization of its operating rooms' resources including surgeons and nurses, whilst simultaneously minimizing idle time. Al-Shahid Ghazi Al-Hariri hospital in Baghdad is presently experiencing these issues. Therefore, this study has been undertaken with the aims to identify efficient scheduling approach for elective surgeries for operating rooms in Al-Shahid Ghazi Al-Hariri hospital while considering interruptions from non-elective surgery (incoming patients from war-related incidents). Specifically, this study intends to develop a Mixed Integer Linear Programming (MILP) model to maximize the utilizations of operating rooms, availability of surgeons as well as to minimize potential idle time. A meta-heuristic approach in the form of a Tabu Search is then employed to generate an acceptable solution and utilizing time more efficiently. Real data was collected from the hospital in the form of interviews, observations and secondary reports. The initial MILP computational results show that the proposed model has successfully produced optimal solutions by improving the utilization of operating rooms. Notwithstanding, the difficulty to produce results in reasonable time for larger problem instances has led to the application of a more efficient meta-heuristic approach. The Tabu Search results indicated better performance of the model with good quality solutions in fewer computation times. The finding is important as it determines the feasibility of the proposed model and its potential benefit to all relevant stakeholders.

**Keywords:** operating room scheduling, tabu Search, mixed integer linear programming, elective surgery, non-elective surgery

## ABSTRAK

Hospital kerajaan di Iraq telah lama menghadapi masalah banjir pesakit, dan kekurangan doktor dan jururawat. Persekitaran yang tidak stabil dengan insiden berkaitan perang yang sering berlaku telah menambahkan beban terhadap sumber hospital yang terhad terutamanya di bahagian pembedahan. Sejumlah besar pesakit yang telah dijadualkan untuk menjalani pembedahan elektif kerap diganggu dengan kemasukan pesakit daripada insiden berkaitan peperangan. Keadaan ini telah memberi tekanan yang hebat kepada pengurusan hospital untuk memaksimumkan penggunaan sumber bilik pembedahan termasuk pakar bedah dan jururawat, pada masa yang sama meminimumkan masa melahu. Hospital Al-Shahid Ghazi Al-Hariri di Baghdad sedang berhadapan dengan masalah tersebut. Oleh yang demikian, kajian ini dijalankan untuk mengenal pasti pendekatan penjadualan yang cekap untuk pembedahan elektif bagi bilik pembedahan di Hospital Al-Shahid Ghazi Al-Hariri, pada masa yang sama mempertimbangkan gangguan daripada pembedahan bukan elektif (kemasukan pesakit daripada insiden berkaitan peperangan). Secara khususnya, kajian ini bertujuan menghasilkan sebuah model Pengaturcaraan Integer Linear campuran (MILP) bagi memaksimumkan penggunaan bilik pembedahan, kebolehsediaan pakar bedah dan meminimumkan potensi masa melahu. Pendekatan meta-heuristik dalam bentuk Pencarian Tabu digunakan untuk menghasilkan penyelesaian yang boleh diterima dan penggunaan masa yang lebih cekap. Data sebenar telah dikumpul daripada hospital melalui temu bual, pemerhatian dan laporan sekunder. Hasil pengiraan awal MILP menunjukkan bahawa model yang dicadangkan berjaya menghasilkan penyelesaian optimum dengan peningkatan penggunaan bilik pembedahan. Walau bagaimanapun, kesukaran untuk menghasilkan keputusan dalam masa yang berpatutan bagi masalah yang lebih besar telah membawa kepada aplikasi pendekatan meta-heuristik yang lebih cekap. Hasil Pencarian Tabu menunjukkan prestasi model yang mempunyai kualiti penyelesaian yang baik dengan berkurangnya masa pengiraan. Hasil kajian ini penting kerana dapat menentukan kebolehlaksanaan model yang dicadangkan dan potensi faedahnya kepada semua pemegang taruh yang berkaitan.

**Kata kunci:** jadual bilik pembedahan, pencarian tabu, pengaturcaraan integer linear campuran, pembedahan elektif, pembedahan bukan elektif



## ACKNOWLEDGEMENT

In the name of Allah, the Most Gracious, Most Merciful. And all praise to the Almighty, the One who has responded to my prayers in various ways and blessed me with patience, courage, and fortitude throughout this research. I would like to extend my gratitude of acknowledgement and appreciation to my sponsor, Middle Technical University (MTU) in Baghdad and the Ministry of Higher Education for supporting and giving me the opportunity to complete my PhD.

This thesis would not have possibly been undertaken without the support and assistance from many people. First and foremost, I would like to express my earnest gratitude to my supervisors, Dr. Hendrik bin Lamsali and Dr. Siti Norezam Bint Othman, for their continuous support, patience, motivation, enthusiasm, and immense knowledge.

I would also like to convey my deepest appreciation to the Secretary General of the holy shrine of Kadhimiya prof. Dr. Jamal Al-Dabbagh. In addition, I am thankful and indebted to x-dean of Technical College of Management Baghdad Dr. Asaad Kadhim and all colleagues for support, motivate and encourage.

Thank you to the participating Al-Shahid Ghazi Al-Hariri hospital especially Dr. Mudhafar Jamal Ahmed and his staff for the assistance rendered.

Finally, I would like to express my deepest gratitude and affection to my beloved wife Alya Isam Abbas who has spent sleepless nights and has always been my greatest support. A special thank also goes to my daughters, Daniah and Lyan Thank you very much for providing me with your overwhelming patience, endless love. Many thanks to my big family for providing me encouragement, prayers and inspiration that have greatly facilitated the completion of this challenging study.

## TABLE OF CONTENTS

PERMISSION TO USE	i
ABSTRAK	ii
ABSTRACT	iii
ACKNOWLEDMENT	iv
TABLE OF CONTENTS	v
LIST OF TABLES	viii
LIST OF FIGURES	ix
LIST OF ABBREVIATIONS	x
<b>CHAPTER ONE INTRODUCTION</b>	<b>1</b>
1.1 Health Sector in Iraq Overview	1
1.1.1 Brief History	3
1.1.2 Parts of the Health System in Iraq	4
1.1.3 Al-Shahid Ghazi Al-Hariri Hospital Baghdad	9
1.2 Problem Statement	12
1.3 Motivation for the Study	15
1.4 Research Question	15
1.5 Research Objective	16
1.6 Scope of the Study	16
1.7 Significance of the Study	17
1.8 Definition of Terms	18
1.8.1 Scheduling	18
1.8.2 Operating Room Scheduling	18
1.9 Organization and Chapters	18
<b>CHAPTER TWO LITERAATURE REVIEW</b>	<b>20</b>
2.1 Introduction	20
2.2 Concept of Scheduling	20
2.3 Scheduling Objectives	22
2.4 The Strategic Importance of Scheduling	23
2.5 Type of Scheduling	23
2.5.1 Demand Scheduling	23
2.5.2 Workforce Scheduling	25
2.5.3 Operation Scheduling	28
2.6 Assess Scheduling Criteria	28
2.6.1 Performance Criteria	28
2.6.2 Due Date Criteria	30
2.6.3 Cost Based Criteria	30
2.7 Priority Sequencing Rules	31
2.7.1 Static Rules	31
2.7.2 Dynamic Rules	33
2.8 Scheduling in Service Industry	36

2.9	Scheduling in Healthcare Industry	36
2.9.1	Nursing Scheduling	37
2.9.2	Outpatient Clinic Scheduling	38
2.9.3	Emergency Scheduling	39
2.10	Operating Room Scheduling	40
2.11	Operating Room Scheduling and Decision Level	51
2.11.1	Strategic Level	51
2.11.2	Tactical Level	51
2.11.3	Operational Level	51
2.12	Operating Room Scheduling Strategies	54
2.12.1	Open Scheduling Strategy	54
2.12.2	Block Scheduling Strategy	54
2.12.3	Modified Block Scheduling Strategy	55
2.13	Tabu Search	56
2.14	Why Tabu Search	59
2.15	Main Tabu Search Elements	60
2.15.1	Definition of Initial Solution	60
2.15.2	Neighbourhood Generation	60
2.15.3	Short Term Memory: Aspiration Criterion	64
2.15.4	Short Term Memory: Tabu List and Tabu Tenure	64
2.15.5	Stopping Criterion	65
2.15.6	Intensification and Diversification	66
2.16	An Illustrative of Tabu Search	66
2.17	Identification of Research Gap in Operating Room Scheduling	71
2.18	Summary	72
<b>CHAPTER THREE RESEARCH METHODOLOGY</b>		73
3.1	Introduction	73
3.2	Research Design	73
3.3	Data Collection	75
3.4	Initial Model	76
3.5	Model Evaluation	76
3.6	Mixed Integer Linear programming (MILP)	77
3.7	Heuristic Solution Methods (Tabu Search)	78
3.8	Summary	81
<b>CHAPTER FOUR MIXED INTEGER LINEAR PROGRAMMING MODEL</b>		82
4.1	Introduction	82
4.2	Operating Room Scheduling: An Overview of Current Practices (Problem Description)	82
4.3	Model Development	87
4.3.1	Index Set	87
4.3.2	Input Parameters	87
4.4	Decision Variable	89
4.5	Objective Function	89

4.6	Constraints	91
4.7	Computational Experiments	93
4.8	Computational Results with Real Data	95
4.9	Calculate utilization of Operating Room Affected by War-Related Incidents	101
4.10	Computational Experiments for Operating Room Affected by War-Related Incidents Week1	103
4.11	Computational Experiments for Operating Room Affected by War-Related Incidents Week2-4	105
4.12	Summary	109
<b>CHAPTER FIVE A TABU SEARCH ALGORITHM COMPUTATIONAL RESULTS FOR OPERATING ROOM SCHEDULING</b>		110
5.1	Introduction	110
5.2	Tabu Search Algorithm Design	110
5.2.1	Initial Solution	111
5.2.2	Neighbourhood	111
5.2.3	Aspiration Criterion	113
5.3	Computational Results for Tabu Search Algorithm for Elective Surgery	114
5.3.1	Tabu Search Results for Week Number One for Elective Surgery	114
5.3.2	Tabu Search Results for Week Number Two-Four for Elective Surgery	117
5.4	Gap Analysis Between Optimal Solution and Best Solution for Elective Surgery	119
5.5	Computational Results for Tabu Search Algorithm for Operating Room Affected by War-related Incidents	121
5.5.1	Tabu Search for Week Number One for Operating Room Affected by War-related Incidents	121
5.5.2	Tabu Search for Weeks 2-4 for Operating Room Affected by War-related Incidents	123
5.6	Gap Analysis Between Optimal Solution and Best Solution for War-related Incidents	128
5.7	Summary	130
<b>CHAPTER SIX DISCUSSION, CONCLUSION AND FUTURE WORK</b>		131
6.1	Introduction	131
6.1.1	Summary of the Research	131
6.1.2	Revisiting Research Question	135
6.1.3	Key Finding and Managerial Implication	137
6.1.4	Research Implication	140
6.1.5	List of Contributions	141
6.1.6	List of Novelty	142
6.2	Limitation and Direction for Future Research	142
6.3	Conclusion	144
	References	147
	Appendices	



## LIST OF TABLES

Table 1.1	Number of hospitals, public medical clinic and other health institutions	7
Table 1.2	Number of other health institutions by kind and governorate	8
Table 1.3	Number of surgeries in hospitals by the governorate	9
Table 1.4	Number of operations during one month in Al-Shahid Ghazi Al-Hariri hospital	10
Table 2.1	Summarize of the static and dynamic rules to determine the priority	35
Table 2.2	Summarize OR scheduling literature	47
Table 2.3	Near optimal solution	62
Table 2.4	Best solution	62
Table 2.5	Tabu search (example)	66
Table 2.6	Iteration number one	68
Table 2.7	Iteration number two	69
Table 2.8	Iteration number three	70
Table 3.1	Variable size	77
Table 4.1	Computational results for the generated data	93
Table 4.2	Real data collecting from Al-Shahid Ghazi Al-Hariri hospital, Neurosurgery department	95
Table 4.3	Computational results for real data (Week1)	96
Table 4.4	Utilization rate of week (2-4)	98
Table 4.5	Average utilization rate of week (1-4)	100
Table 4.6	Computational results (Utilization for week1)	103
Table 4.7	Computational results (Utilization for week 2-4)	106
Table 4.8	Computational results (utilization for week 1-4)	107
Table 5.1	Results for TS for elective surgery for week1	115
Table 5.2	Results for TS for elective surgery for week 2-4	118
Table 5.3	Week number one for OR affected by war-related incidents	122
Table 5.4	Week number 2-4 for OR affected by war-related incidents	126

## LIST OF FIGURES

Figure 2.1	Flowchart of patient and surgical tasks in hospital	50
Figure 2.2	Classification of problems with OR scheduling in three level	53
Figure 2.3	Flowchart of a simple Tabu search algorithm	58
Figure 2.4	The possible neighborhood generated when the time is less than 80 minutes	63
Figure 2.5	Connected nodes with costs for example	67
Figure 2.6	Optimal solution without considering constraints	67
Figure 2.7	Optimal solution when DE Tabu list	68
Figure 2.8	Optimal solution when DE & BE Tabu list	89
Figure 2.9	Optimal solution when add CD and delete DE	70
Figure 2.10	Final optimal solution by using Tabu search	70
Figure 3.1	Research flows	74
Figure 4.1	Steps in performing a surgical procedure in Al-Shahid Ghazi Al-Hariri hospital	85
Figure 4.2	Relationship between utilization and number of surgeries and days	94
Figure 4.3	Utilization rate week 1	98
Figure 4.4	Utilization ratio week 1-4	101
Figure 4.5	Utilization rate war-related incidents of week 1	104
Figure 4.6	Utilization rate war-related incidents of weeks 2-4	108
Figure 5.1	Aspiration criterion design	113
Figure 5.2	Gaps between optimal solution and best solution for elective surgery of week 1-4	120
Figure 5.3	Utilization operating room for week 2 for mathematical and heuristic method	125
Figure 5.4	Utilization operating room for week 3-4 for mathematical and heuristic method	125
Figure 5.5	Gaps between optimal solution and best solution of week 1-4	129

## LIST OF ABBREVIATIONS

EMR	Electronic Medical Record
SPT	Shortest Processing Time
LBBD	Logic-Based Benders' Decomposition
LPT	Longest Processing Time
PTD	Priority type duration
EDD	Earliest Due Date
FCFS	First Come First Served
CR	Critical Ratio
S/R O	Slack Per Remaining Operation
STR	Slack Time Rule
LWR	Lower Work Remaining
LCFS	Last Come First Served
WINQ	Work In Next Queue
COVERT	Cost Cover Time
MILP	Mixed Integer Linear Programming
ILP	Integer Linear Programming
DP	Dynamic Programming
LP	Linear Programming
OR	Operating Room
AC	Ant Colony
TS	Tabu Search
GA	Genetic Algorithm
MMBJS	Multi-Mode Blocking Job Shop
DESM	Discrete Event Simulation Model
OLAS	Over-Lapping Appointment Scheduling
FJSSP	Flexible Job Shop Scheduling Problem
GDP	Generalized Disjunctive Programming
SOMO	Self-Organizing Map -based Optimization
DSS	Decision Support System
Q-ECTS	Quasi-Experimental Controlled Time-Series
STS	Simulation-based Tabu Search
IPETS	Integer Programming Enhanced Tabu Search
BPETS	Binary Programming Enhanced Tabu Search
GP	Goal programming
PACU	Post Anesthesia Care Unit
ICU	Intensive Care Unit
FMOP	Fuzzy Multi-Objective Optimizing
MSS	Master Surgical Schedules
DEMO	Design and Engineering Methodology for Organization
DS	Duration of Surgery
SCs	Surgeon assigned to surgery
S	Set of surgeries

C	Set of surgeons
R	Set of rooms
D	Set of days
T	Set of periods
ns	Number of elective surgeries
nc	Number of surgeons
nr	Number of rooms
nd	Number of days
nt	Number of periods





## **CHAPTER ONE**

### **INTRODUCTION**

#### **1.1 Health Sector in Iraq Overview**

The healthcare expenditure in Iraq has been rising because of the growing number of diseases, epidemics and accidents. The Iraqi healthcare system uses a hospital-oriented model for capital investment and thereby exhibits limited efficiency. The Ministry of Health is the main provider of therapeutic and preventive healthcare. The private sector provides curative services only to a limited section of the population primarily, those who can pay for the services it provides (Ministry of Iraqi health & world Health Organization, 2009). According to Ministry of Iraqi Health (2014) in the National Health Policy Report 2014-2023, the Iraqi health sector suffers from multiple shortcomings, in spite of a large number of employees (about 237,901). There is a substantial shortage of specialised medical staff since a majority of the staff members are not qualified and hold administrative or support jobs.

The Iraqi healthcare sector faces a shortage of staff with advanced skills and critical specialties like Anaesthetics, Radiology, Oncology, Forensic Medicine and cardiology. There is a lack of highly qualified nurses. The population growth rate in Iraq is 3.4%, which further intensifies the problem. The morbidity and mortality map is also changing rapidly through increased heart diseases, tumours and psychological disorders. Furthermore, the national crisis, threatened security and disasters put severe pressure on the healthcare system. ‘Duplication of work’ whereby public-sector healthcare employees work in more than one place, is also a problem. This in turn leads to reduced

## References

1. Abedini, A., Li, W., & Ye, H. (2017). An Optimization Model for Operating Room Scheduling to Reduce Blocking Across the Perioperative Process. *Procedia Manufacturing*, 10(859), 60–70. <https://doi.org/10.1016/j.promfg.2017.07.022>
2. Abedini, A., Ye, H., & Li, W. (2016). Operating Room Planning under Surgery Type and Priority Constraints. *Procedia Manufacturing*, 5, 15–25. <https://doi.org/10.1016/j.promfg.2016.08.005>
3. Addis, B., Carello, G., Grosso, A., & Tànfani, E. (2016). Operating room scheduling and rescheduling: a rolling horizon approach. *Flexible Services and Manufacturing Journal*, 28(1–2), 206–232. <https://doi.org/10.1007/s10696-015-9213-7>
4. Aickelin, U., & White, P. (2008). Building Better Nurse Scheduling Algorithms. *Annals of Operations Research*, 128(1–4), 159–177. <https://doi.org/10.1023/B:ANOR.0000019103.31340.a6>
5. Al-Refaie, A., Chen, T., & Judeh, M. (2018). Optimal operating room scheduling for normal and unexpected events in a smart hospital. *Operational Research*, 18(3), 579–602. <https://doi.org/10.1007/s12351-016-0244-y>
6. Al-Refaie, A., Judeh, M., & Chen, T. (2017). Optimal multiple-period scheduling and sequencing of operating room and intensive care unit. *Operational Research*, 1–26. <https://doi.org/10.1007/s12351-016-0287-0>
7. *Al-Shahod Ghazi Al-Hariri hospital, monthly report*. (n.d.). Baghdad. Retrieved from [medicalcity.gov.iq/ar](http://medicalcity.gov.iq/ar)
8. Amaral Armentano, V., & Rigão Scrich, C. (2000). Tabu search for minimizing

- total tardiness in a job shop. *International Journal of Production Economics*, 63(2), 131–140. [https://doi.org/10.1016/S0925-5273\(99\)00014-6](https://doi.org/10.1016/S0925-5273(99)00014-6)
9. Anand, S. K., Sundararaghavan, P. S., & Sampath, S. (2004). Dynamic rescheduling using a simulation-based expert system. *Journal of Manufacturing Technology Management*, 15(2), 199–212. <https://doi.org/10.1108/09576060410513779>
  10. Anderson, K., Zheng, B., Yoon, S. W., & Khasawneh, M. T. (2015). An analysis of overlapping appointment scheduling model in an outpatient clinic. *Operations Research for Health Care*, 4, 5–14. <https://doi.org/10.1016/j.orhc.2014.12.001>
  11. Arcidiacono, G., Wang, J., & Yang, K. (2015). Operating room adjusted utilization study. *International Journal of Lean Six Sigma*, 6(2), 111–137. Retrieved from <http://dx.doi.org/10.1108/IJLSS-02-2014-0005>
  12. Aringhieri, R., Landa, P., Soriano, P., Tànfani, E., & Testi, A. (2015). A two level metaheuristic for the operating room scheduling and assignment problem. *Computers & Operations Research*, 54, 21–34. <https://doi.org/10.1016/j.cor.2014.08.014>
  13. Armstrong-Stassen, M., Freeman, M., Cameron, S., & Rajacic, D. (2015). "Nurse managers' role in older nurses' intention to stay". *Journal of Health Organization and Management*, 29(1), 55–74. Retrieved from <http://dx.doi.org/10.1108/JHOM-02-2013-0028>
  14. Attaallah, A. F., Elzamzamy, O. M., Phelps, A. L., Ranganthan, P., & Vallejo, M. C. (2016). Increasing operating room efficiency through electronic medical record analysis. *Journal of Perioperative Practice*, 26(5), 106–113. <https://doi.org/10.1177/175045891602600503>

15. Azadeh, a., Hosseinabadi Farahani, M., Torabzadeh, S., & Baghersad, M. (2014). Scheduling prioritized patients in emergency department laboratories. *Computer Methods and Programs in Biomedicine*, 117(2), 61–70. <https://doi.org/10.1016/j.cmpb.2014.08.006>
16. Azaiez, M. N., & Al Sharif, S. S. (2005). A 0-1 goal programming model for nurse scheduling. *COMPUTERS & OPERATIONS RESEARCH*, 32(3), 491–507. [https://doi.org/10.1016/S0305-0548\(03\)00249-1](https://doi.org/10.1016/S0305-0548(03)00249-1)
17. Baesler, F., Gatica, J., & Correa, R. (2015). Simulation optimisation for operating room scheduling. *International Journal of Simulation Modelling*, 14(2), 215–226. [https://doi.org/10.2507/IJSIMM14\(2\)3.287](https://doi.org/10.2507/IJSIMM14(2)3.287)
18. Ballard, S. M., & Kuhl, M. E. (2006). The use of simulation to determine maximum capacity in the surgical suite operating room. *Proceedings - Winter Simulation Conference*, 433–438. <https://doi.org/10.1109/WSC.2006.323112>
19. Banditori, C., Cappanera, P., & Visintin, F. (2013). A combined optimization-simulation approach to the master surgical scheduling problem. *IMA Journal of Management Mathematics*, 24(2), 155–187. <https://doi.org/10.1093/imaman/dps033>
20. Barbarosoglu, G., & Ozgur, D. (1999). A tabu search algorithm for the vehicle routing problem. *Computers & Operations Research*, 26(3), 255–270. [https://doi.org/10.1016/S0305-0548\(98\)00047-1](https://doi.org/10.1016/S0305-0548(98)00047-1)
21. Beaulieu, H., Ferland, J. a, Gendron, B., & Michelon, P. (2000). A mathematical programming approach for scheduling physicians in the emergency room. *Health Care Management Science*, 3(3), 193–200. <https://doi.org/10.1023/A:1019009928005>
22. Beliën, J., & Demeulemeester, E. (2007). Building cyclic master surgery



- schedules with leveled resulting bed occupancy. *European Journal of Operational Research*, 176(2), 1185–1204.  
<https://doi.org/10.1016/j.ejor.2005.06.063>
23. Beliën, J., & Demeulemeester, E. (2008). A branch-and-price approach for integrating nurse and surgery scheduling. *European Journal of Operational Research*, 189(3), 652–668. <https://doi.org/10.1016/j.ejor.2006.10.060>
  24. Beliën, J., Demeulemeester, E., & Cardoen, B. (2009). A decision support system for cyclic master surgery scheduling with multiple objectives. *Journal of Scheduling*, 12(2), 147–161. <https://doi.org/10.1007/s10951-008-0086-4>
  25. Bellanti, F., Carello, G., Croce, F. Della, & Tadei, R. (2004). A greedy-based neighborhood search approach to a nurse rostering problem, 153, 28–40.  
[https://doi.org/10.1016/S0377-2217\(03\)00096-1](https://doi.org/10.1016/S0377-2217(03)00096-1)
  26. Bellanti, F., Croce, F. Della, & Tadei, R. (2001). A Tabu Search Approach to a Nurse Rostering Problem The Tabu Search algorithm, 165–168.
  27. Ben-Daya, M., & Al-Fawzan, M. (1998). A tabu search approach for the flow shop scheduling problem. *European Journal of Operational Research*, 109(1), 88–95. [https://doi.org/10.1016/S0377-2217\(97\)00136-7](https://doi.org/10.1016/S0377-2217(97)00136-7)
  28. Bhattacharyya, T., Vrahas, M. S., Morrison, S. M., Kim, E., Wiklund, R. a, Smith, R. M., & Rubash, H. E. (2006). The value of the dedicated orthopaedic trauma operating room. *The Journal of Trauma*, 60(6), 1336-40; discussion 1340-1. <https://doi.org/10.1097/01.ta.0000220428.91423.78>
  29. Biskup, D. (1999). Single-machine scheduling with learning considerations. *European Journal of Operational Research*, 115(1), 173–178.  
[https://doi.org/10.1016/S0377-2217\(98\)00246-X](https://doi.org/10.1016/S0377-2217(98)00246-X)
  30. Blum, C., & Roli, A. (2003). Metaheuristics in combinatorial optimization:

- overview and conceptual comparison. *ACM Computing Surveys*, 35(3), 189–213. <https://doi.org/10.1007/s10479-005-3971-7>
31. Bouguerra, A., Sauvey, C., & Sauer, N. (2015). Mathematical model for maximizing operating rooms utilization. *IFAC-PapersOnLine*, 48(3), 118–123. <https://doi.org/10.1016/j.ifacol.2015.06.068>
  32. Burke, E. K., De Causmaecker, P., Berghe, G. Vanden, & Van Landeghem, H. (2004). The state of the art of nurse rostering. *Journal of Scheduling*, 7(6), 441–449. <https://doi.org/10.1023/B:JOSH.0000046076.75950.0b>
  33. Caffrey, J., & Hitchings, G. (1995). “Makespan distributions in flow shop scheduling.” *International Journal of Operations & Production Management*, 15(3), 50–58. Retrieved from <http://dx.doi.org/10.1108/01443579510080553>
  34. Cao, B. Y., Glover, F., & Rego, C. (2015). A tabu search algorithm for cohesive clustering problems. *Journal of Heuristics*, 21(4), 457–477. <https://doi.org/10.1007/s10732-015-9285-2>
  35. Cappanera, P., Visintin, F., & Banditori, C. (2014). Comparing resource balancing criteria in master surgical scheduling: A combined optimisation-simulation approach. *International Journal of Production Economics*, 158, 179–196. <https://doi.org/10.1016/j.ijpe.2014.08.002>
  36. Cappanera, P., Visintin, F., & Banditori, C. (2018). Addressing conflicting stakeholders’ priorities in surgical scheduling by goal programming. *Flexible Services and Manufacturing Journal*, 30(1–2), 252–271. <https://doi.org/10.1007/s10696-016-9255-5>
  37. Cardoen, B., Demeulemeester, E., & Beliën, J. (2010). Operating room planning and scheduling: A literature review. *European Journal of Operational Research*, 201(3), 921–932. <https://doi.org/10.1016/j.ejor.2009.04.011>

38. Carter, M. W., & Lapierre, S. D. (2001). Scheduling emergency room physicians. *Health Care Management Science*, 4(4), 347–360. <https://doi.org/10.1023/A:1011802630656>
39. Castro, P. M., & Marques, I. (2015). Operating room scheduling with Generalized Disjunctive Programming. *Computers & Operations Research*, 64, 262–273. <https://doi.org/10.1016/j.cor.2015.06.002>
40. Central Organization for Statistics and Information Technology with United Nations Development Program (UNDP). (2006). *Unsatisfied basic needs mapping and living standards in Iraq* (Vol. 1). Iraq. Retrieved from <http://www.iq.undp.org/content/iraq/ar/home/countryinfo.html>
41. Chen, M., & Niu, H. (2013). Optimizing schedules of rail train circulations by tabu search algorithm. *Mathematical Problems in Engineering*, 2013(Article ID 102346), 1–8. <https://doi.org/10.1155/2013/102346>
42. Chen, W.-J. (2010). Minimizing completion time with maintenance schedule in a manufacturing system. *Journal of Quality in Maintenance Engineering*, 16(4), 382–394. Retrieved from <http://dx.doi.org/10.1108/13552511011084535>
43. Chong, C. S., Sivakumar, A. I., Low, H., & Gay, K. L. (2007). Using a bee colony algorithm for neighborhood search in job shop scheduling problems. *21st European Conference on Modelling and Simulation*. Retrieved from [http://www.scs-europe.net/conf/ecms2007/ecms2007-cd/ecms2007/ecms2007pdf/meth\\_0062.pdf](http://www.scs-europe.net/conf/ecms2007/ecms2007-cd/ecms2007/ecms2007pdf/meth_0062.pdf)
44. Chow, V. S., Puterman, M. L., Salehirad, N., Huang, W., & Atkins, D. (2011). Reducing surgical ward congestion through improved surgical scheduling and uncapacitated simulation. *Production and Operations Management*, 20(3), 418–430. <https://doi.org/10.1111/j.1937-5956.2011.01226.x>

45. Cordeau, J.-F., & Laporte, G. (2005). A tabu search heuristics for the vehicle routing problem. *Metaheuristic Optimization via Memory and Evolution*, 40, 145–163. [https://doi.org/10.1007/0-387-23667-8\\_6](https://doi.org/10.1007/0-387-23667-8_6)
46. Cordeau, J.-F., Laporte, G., & Mercier, a. (2001). A unified tabu search heuristic for vehicle routing problems with time windows. *Journal of the Operational Research Society*, 52(8), 928–936. <https://doi.org/10.1057/palgrave.jors.2601163>
47. Cordeau, J.-F., & Maischberger, M. (2012). A parallel iterated tabu search heuristic for vehicle routing problems. *Computers & Operations Research*. <https://doi.org/10.1016/j.cor.2011.09.021>
48. Davis, M. M., & Heineke, J. (2005). *Operations Management: Integrating Manufacturing and Services* (5th ed.). Albama: Mc Graw Hill Companies .Inc.
49. de Werra, D., & Hertz, a. (1989). Tabu search techniques. *Operations-Research-Spektrum*, 11(3), 131–141. <https://doi.org/10.1007/BF01720782>
50. Demeester, P., Souffriau, W., De Causmaecker, P., & Vanden Berghe, G. (2010). A hybrid tabu search algorithm for automatically assigning patients to beds. *Artificial Intelligence in Medicine*, 48(1), 61–70. <https://doi.org/10.1016/j.artmed.2009.09.001>
51. Denton, B., Viapiano, J., & Vogl, A. (2007). Optimization of surgery sequencing and scheduling decisions under uncertainty. *Health Care Management Science*, 10(1), 13–24. <https://doi.org/10.1007/s10729-006-9005-4>
52. Dexter, F., Macario, A., & Neill, L. O. '. (2000). Scheduling Surgical Cases into Overflow Block Time— Computer Simulation of the Effects of Scheduling Strategies on Operating Room Labor Costs. *Anseht Analg*, 90, 980–988.



<https://doi.org/10.1213/00000539-200004000-00038>

53. Dexter, F., Macario, A., Traub, R. D., Hopwood, M., & Lubarsky, D. a. (1999). An operating room scheduling strategy to maximize the use of operating room block time: computer simulation of patient scheduling and survey of patients' preferences for surgical waiting time. *Anesth Analg*, 89(1), 7–20.  
<https://doi.org/10.1213/00000539-199907000-00003>
54. Dexter, F., & Traub, R. D. (2002). How to schedule elective surgical cases into specific operating rooms to maximize the efficiency of use of operating room time. *Anesthesia and Analgesia*, 94(4), 933–942.  
<https://doi.org/10.1097/00000539-200204000-00030>
55. Diaz, D. M., Erkoç, M., Asfour, S. S., & Baker, E. K. (2010). “New ways of thinking about nurse scheduling.” *Journal of Advances in Management Research*, 7(1), 76–93.
56. Dios, M., Molina-Pariente, J. M., Fernandez-Viagas, V., Andrade-Pineda, J. L., & Framinan, J. M. (2015). A Decision Support System for Operating Room scheduling. *Computers & Industrial Engineering*, 88, 430–443.  
<https://doi.org/10.1016/j.cie.2015.08.001>
57. Diaz, J., & Fernández, E. (2001). A tabu search heuristic for the generalized assignment problem. *European Journal of Operational Research*, 132, 22–38.  
[https://doi.org/10.1016/S0377-2217\(00\)00108-9](https://doi.org/10.1016/S0377-2217(00)00108-9)
58. Dowsland, K. a. (1998). Nurse scheduling with tabu search and strategic oscillation. *European Journal of Operational Research*, 106(2–3), 393–407.  
[https://doi.org/10.1016/S0377-2217\(97\)00281-6](https://doi.org/10.1016/S0377-2217(97)00281-6)
59. Du, X., Li, Z., & Wang, S. (2011). Integration of PCB assembly process planning and scheduling. *Assembly Automation*, 31, 232–243.

<https://doi.org/10.1108/01445151111150578>

60. Durán, G., Rey, P. A., & Wolff, P. (2017). Solving the operating room scheduling problem with prioritized lists of patients. *Annals of Operations Research*, 258(2), 395–414. <https://doi.org/10.1007/s10479-016-2172-x>
61. Elalouf, A., & Wachtel, G. (2015). An alternative scheduling approach for improving patient-flow in emergency departments. *Operations Research for Health Care*, 7, 94–102. <https://doi.org/10.1016/j.orhc.2015.08.002>
62. Erdem, E., Qu, X., & Shi, J. (2012). Rescheduling of elective patients upon the arrival of emergency patients. *Decision Support Systems*, 54(1), 551–563. <https://doi.org/10.1016/j.dss.2012.08.002>
63. Ernst, A. T., Jiang, H., Krishnamoorthy, M., & Sier, D. (2004). Staff scheduling and rostering: A review of applications, methods and models. *European Journal of Operational Research*, 153(1), 3–27. [https://doi.org/10.1016/S0377-2217\(03\)00095-X](https://doi.org/10.1016/S0377-2217(03)00095-X)
64. Ernst, C., Szczesny, A., Soderstrom, N., Siegmund, F., & Schleppers, A. (2012). Success of commonly used operating room management tools in reducing tardiness of first case of the day starts: evidence from German hospitals. *Anesthesia and Analgesia*, 115(3), 671–677. <https://doi.org/10.1213/ANE.0b013e31825c0486>
65. ESCWA, U. N. (2005). *Millennium Development Goals Report 2005 in arabic country*. New York. Retrieved from <http://www.un.org/ar/millenniumgoals/reports.shtml#mdgreports>
66. Evans, R. . J. (1998). *Production Operations Management*. West Publishing Co.
67. Everett, J. E. (2002). A decision support simulation model for the management of an elective surgery waiting system. *Health Care Management Science*, 5(2),

- 89–95. <https://doi.org/10.1023/a:1014468613635>
68. Fei, H., Meskens, N., & Chu, C. (2010). A planning and scheduling problem for an operating theatre using an open scheduling strategy. *Computers and Industrial Engineering*, 58(2), 221–230. <https://doi.org/10.1016/j.cie.2009.02.012>
69. Ferreira, J., Gomes, C., & Yasin, M. (2011). Improving patients' satisfaction through more effective utilization of operating rooms resources. An informational based perspective. *Clinical Governance: An International Journal*, 16(4), 291–307.
70. Gartner, D., & Kolisch, R. (2014). Scheduling the hospital-wide flow of elective patients. *European Journal of Operational Research*, 233(3), 689–699. <https://doi.org/10.1016/j.ejor.2013.08.026>
71. Gaudreault, J., Frayret, J. M., Rousseau, A., & DAmours, S. (2011). Combined planning and scheduling in a divergent production system with co-production: A case study in the lumber industry. *Computers and Operations Research*, 38(9), 1238–1250. <https://doi.org/10.1016/j.cor.2010.10.013>
72. Gendreau, M., Ferland, J., Gendron, B., Hail, N., Jaumard, B., Lapierre, S., ... Soriano, P. (2007). Physician Scheduling in Emergency Rooms. *Practice and Theory of Automated Timetabling VI*, 53–66. [https://doi.org/10.1007/978-3-540-77345-0\\_4](https://doi.org/10.1007/978-3-540-77345-0_4)
73. Ghazalbash, S., Sepehri, M. M., Shadpour, P., & Atighehchian, A. (2012). Operating room scheduling in teaching hospitals. *Advances in Operations Research*, 2012, Para 1-16. <https://doi.org/10.1155/2012/548493>
74. Glover, F. (1986). Future paths for integer programming and links to artificial intelligence. *Computers and Operations Research*, 13(5), 533–549.

[https://doi.org/10.1016/0305-0548\(86\)90048-1](https://doi.org/10.1016/0305-0548(86)90048-1)

75. Glover, F. (1989). Tabu Search - Part I. *ORSA Journal on Computing*, 2 1(3), 4–32. <https://doi.org/10.1287/ijoc.2.1.4>
76. Glover, F., Kelly, J. P., & Laguna, M. (1995). Genetic algorithms and tabu search: Hybrids for optimization. *Computers and Operations Research*, 22(1), 111–134. [https://doi.org/10.1016/0305-0548\(93\)E0023-M](https://doi.org/10.1016/0305-0548(93)E0023-M)
77. Glover, F., & Laguna, M. (1997a). Tabu search. *Kluwer Academic Publishers, Boston,.*
78. Glover, F., & Laguna, M. (1997b). *Tabu Search*. <https://doi.org/10.1007/978-1-4615-6089-0>
79. Glover, F., Taillard, E., & de Werra, D. (1993). A user's guide to tabu search. *Annals of Operations Research*, 41(1), 1–28. <https://doi.org/10.1007/BF02078647>
80. Goyal, S. K., Mehta, K., Kodali, R., & Deshmukh, S. G. (1995). Simulation for analysis of scheduling rules for a flexible manufacturing system. *Integrated Manufacturing Systems*, 6(5), 21–26.
81. Guerriero, F., & Guido, R. (2011). Operational research in the management of the operating theatre: A survey. *Health Care Management Science*, 14(1), 89–114. <https://doi.org/10.1007/s10729-010-9143-6>
82. Guido, R., & Conforti, D. (2017). A hybrid genetic approach for solving an integrated multi-objective operating room planning and scheduling problem. *Computers and Operations Research*, 87, 270–282. <https://doi.org/10.1016/j.cor.2016.11.009>
83. Guido, R., Groccia, M. C., & Conforti, D. (2018). An efficient matheuristic for offline patient-to-bed assignment problems. *European Journal of Operational*

- Research*, 268(2), 486–503. <https://doi.org/10.1016/j.ejor.2018.02.007>
84. Hachicha, H. K., & Mansour, F. Z. (2018). Two-MILP models for scheduling elective surgeries within a private healthcare facility. *Health Care Management Science*, 21(3), 376–392. <https://doi.org/10.1007/s10729-016-9390-2>
85. Hansen, P., & Jaumard, B. (1990). Algorithms for the maximum satisfiability problem. *Computing*, 44(4), 279–303. <https://doi.org/10.1007/BF02241270>
86. Harper, P. R. (2002). A framework for operational modelling of hospital resources. *Health Care Management Science*, 5(3), 165–173. <https://doi.org/10.1023/A:1019767900627>
87. Heizer, J., & Render, B. (1997). *Operations Management*. Prentice Hall (2nd ed.). New Jersey: prentice Hall Inc.
88. Heizer, J., & Render, B. (2011). *Operations Management* (10th ed.). Pearson.
89. Helm, J. E., Lapp, M., & See, B. D. (2010). Characterizing an effective hospital admissions scheduling and control management system: A genetic algorithm approach. *Winter Simulation Conference (WSC), Proceedings of the 2010*, 2387–2398. <https://doi.org/10.1109/WSC.2010.5678935>
90. Hosseini, N., & Taaffe, K. (2014). EVALUATION OF OPTIMAL SCHEDULING POLICY FOR ACCOMMODATING ELECTIVE AND NON-ELECTIVE SURGERY VIA SIMULATION. In *Proceedings of the 2014 Winter Simulation Conference* (pp. 1377–1386).
91. Huang, Y.-L. (2013). Ancillary service impact on outpatient scheduling. *International Journal of Health Care Quality Assurance*, 26(8), 746–759. <https://doi.org/10.1108/IJHCQA-02-2012-0019>
92. Hussin, N. M. (2005). Tabu search based hyper-heuristic approach to examination timetabling. *School of Computer Science and Information*

*Technology. University of Nottingham.*, (November).

93. Jahangirian, M., & Conroy, G. V. (2000). Intelligent dynamic scheduling system: the application of genetic algorithms. *Integrated Manufacturing Systems*, 11(4), 247–257.
94. Jeang, A., & Chiang, A.-J. (2012). Economic and quality scheduling for effective utilization of operating rooms. *Journal of Medical Systems*, 36(3), 1205–1222. <https://doi.org/10.1007/s10916-010-9582-0>
95. Jebali, A., Hadj Alouane, A. B., & Ladet, P. (2006). Operating rooms scheduling. *International Journal of Production Economics*, 99(1–2), 52–62. <https://doi.org/10.1016/j.ijpe.2004.12.006>
96. Kaandorp, G. C., & Koole, G. (2007). Optimal outpatient appointment scheduling. *Health Care Management Science*, 10(3), 217–229. <https://doi.org/10.1007/s10729-007-9015-x>
97. Karimi-Nasab, M., & Seyedhoseini, S. M. (2013). Multi-level lot sizing and job shop scheduling with compressible process times: A cutting plane approach. *European Journal of Operational Research*, 231(3), 598–616. <https://doi.org/10.1016/j.ejor.2013.06.021>
98. Khowala, K., Fowler, J., Keha, A., & Balasubramanian, H. (2014). Single machine scheduling with interfering job sets. *Computers and Operations Research*, 45, 97–107. <https://doi.org/10.1016/j.cor.2013.10.012>
99. Kiris, S., Yüzügüllü, N., Ergün, N., & Çevik, A. A. (2010). A knowledge-based scheduling system for Emergency Departments. *Knowledge-Based Systems*, 23(8), 890–900. <https://doi.org/10.1016/j.knosys.2010.06.005>
100. Klassen, K. J., & Yoogalingam, R. (2018). Appointment scheduling in multi-stage outpatient clinics. *Health Care Management Science*, (May 2017), 1–16.

<https://doi.org/10.1007/s10729-018-9434-x>

101. Kortbeek, N., Zonderland, M. E., Braaksma, A., Vliegen, I. M. H., Boucherie, R. J., Litvak, N., & Hans, E. W. (2014). Designing cyclic appointment schedules for outpatient clinics with scheduled and unscheduled patient arrivals. *Performance Evaluation*, 80, 5–26. <https://doi.org/10.1016/j.peva.2014.06.003>
102. Krajewski, L. J., & Ritzman, L. P. (2005). *Operations Management: Strategy and Analysis. Operation Management* (7th ed.). California: Addison-Wesley Inc.
103. Krajewski, L. J., Ritzman, L. P., & Malhotra, M. K. (2013). *Operations Management: Processes and Supply Chain. Operations Management* (10th ed.). Pearson.
104. Lamiri, M., Xie, X., Dolgui, A., & Grimaud, F. (2008). A stochastic model for operating room planning with elective and emergency demand for surgery. *European Journal of Operational Research*, 185(3), 1026–1037. <https://doi.org/10.1016/j.ejor.2006.02.057>
105. Latorre-Núñez, G., Lüer-Villagra, A., Marianov, V., Obreque, C., Ramis, F., & Neriz, L. (2016). Scheduling operating rooms with consideration of all resources, post anesthesia beds and emergency surgeries. *Computers and Industrial Engineering*, 97, 248–257. <https://doi.org/10.1016/j.cie.2016.05.016>
106. Lebowitz, P. (2003). Schedule the short procedure first to improve OR efficiency. *AORN Journal*, 78(4), 651–654, 657–659. [https://doi.org/10.1016/S0001-2092\(06\)60671-6](https://doi.org/10.1016/S0001-2092(06)60671-6)
107. Lehtonen, J.-M., Torkki, P., Peltokorpi, A., & Moilanen, T. (2013). Increasing operating room productivity by duration categories and a newsvendor model. *International Journal of Health Care Quality Assurance*, 26(2), 80–92.

Retrieved from <http://dx.doi.org/10.1108/09526861311297307>

108. Levine, W. C., & Dunn, P. F. (2015). Optimizing Operating Room Scheduling. *Anesthesiology Clinics*, 33(4), 697–711.  
<https://doi.org/10.1016/j.anclin.2015.07.006>
109. Li, F., Gupta, D., & Potthoff, S. (2016). Improving operating room schedules. *Health Care Management Science*, 19(3), 261–278.  
<https://doi.org/10.1007/s10729-015-9318-2>
110. Li, J., Burke, E. K., Curtois, T., Petrovic, S., & Qu, R. (2012). The falling tide algorithm: A new multi-objective approach for complex workforce scheduling. *Omega*, 40(3), 283–293. <https://doi.org/10.1016/j.omega.2011.05.004>
111. Li, X., Rafaliya, N., Baki, M. F., & Chaouch, B. A. (2015). Scheduling elective surgeries: the tradeoff among bed capacity, waiting patients and operating room utilization using goal programming. *Health Care Management ....*  
<https://doi.org/10.1007/s10729-015-9334-2>
112. Lin, Y.-C., Tsai, C.-H., Li, R.-K., Chen, C.-P., & Chen, H.-C. (2008). the study of the cycle time improvement by Work-In-Process Statistical process control method for IC foundry Manufacturing. *The Asian Journal on Quality*, 9(3), 71–91. Retrieved from <http://dx.doi.org/10.1108/15982688200828>
113. Liu, Y., Chu, C., & Wang, K. (2011). A new heuristic algorithm for the operating room scheduling problem. *Computers & Industrial Engineering*, 61(3), 865–871. <https://doi.org/10.1016/j.cie.2011.05.020>
114. Logendran, R., & Subur, F. (2004). Unrelated parallel machine scheduling with job splitting. *IIE Transactions*, 36(4), 359–372.  
<https://doi.org/10.1080/07408170490279598>
115. Logvinov, I. I., Dexter, F., Dexter, E. U., & Brull, S. J. (2017). Patient Survey



- of Referral From One Surgeon to Another to Reduce Maximum Waiting Time for Elective Surgery and Hours of Overutilized Operating Room Time. *International Anesthesia Research Society*, 1–8. <https://doi.org/10.1213/ANE.0000000000002273>
116. Lotfi, V., & Torres, E. (2014). Improving an outpatient clinic utilization using decision analysis-based patient scheduling. *Socio-Economic Planning Sciences*, 48(2), 115–126. <https://doi.org/10.1016/j.seps.2014.01.002>
  117. Lu, Y., Cao, B., & Glover, F. (2017). A Tabu Search based clustering algorithm and its parallel implementation on Spark.
  118. M'Hallah, R., & Al-Roomi, a. H. (2014). *The planning and scheduling of operating rooms: A simulation approach. Computers & Industrial Engineering* (Vol. 78). Elsevier Ltd. <https://doi.org/10.1016/j.cie.2014.07.022>
  119. M'Hallah, R., & Alkhabbaz, A. (2013). Scheduling of nurses: A case study of a Kuwaiti health care unit. *Operations Research for Health Care*, 2(1–2), 1–19. <https://doi.org/10.1016/j.orhc.2013.03.003>
  120. Maaroufi, F., Camus, H., & Korbaa, O. (2016). A mixed integer linear programming approach to schedule the operating room, 3882–3887.
  121. Magerlein, J. M., & Martin, J. B. (1978). Surgical demand scheduling: a review. *Health Services Research*, 13(4), 418–433.
  122. Mahdi ValiSiar, M., & Ramezani, R. (2017). Multi-period and multi-resource operating room scheduling and rescheduling using a rolling horizon approach: a case study. *Journal of Industrial and Systems Engineering*, 10, 97–115.
  123. Marcon, E., & Dexter, F. (2006). Impact of surgical sequencing on post anesthesia care unit staffing. *Health Care Management Science*, 9(1), 87–98. <https://doi.org/10.1007/s10729-006-6282-x>

124. Marques, I., & Captivo, M. E. (2015). Bicriteria elective surgery scheduling using an evolutionary algorithm. *Operations Research for Health Care*, 7, 14–26. <https://doi.org/10.1016/j.orhc.2015.07.004>
125. Marques, I., Captivo, M. E., & Pato, M. V. (2012). Exact and heuristic approached for elective surgery scheduling. In *Congreso Latino-Lberoamericano , Simposio Brasileiro de pesquisa operacional* (pp. 1880–1891). Rio de Janeiro, Brazil.
126. Marques, I., Captivo, M. E., & Vaz Pato, M. (2012). An integer programming approach to elective surgery scheduling. *OR Spectrum*, 34(2), 407–427. <https://doi.org/10.1007/s00291-011-0279-7>
127. Marques, I., Captivo, M. E., & Vaz Pato, M. (2014). Scheduling elective surgeries in a Portuguese hospital using a genetic heuristic. *Operations Research for Health Care*, 3(2), 59–72. <https://doi.org/10.1016/j.orhc.2013.12.001>
128. Mateus, C., Marques, I., & Captivo, M. E. (2018). Local search heuristics for a surgical case assignment problem. *Operations Research for Health Care*, 17, 71–81. <https://doi.org/10.1016/j.orhc.2017.04.001>
129. Mauderli, A., & Rippin, D. W. T. (1979). Production planning and scheduling for multi-purpose batch chemical plants. *Computers & Chemical Engineering*, 3(1), 199–206. Retrieved from <http://linkinghub.elsevier.com/retrieve/pii/0098135479800332?showall=true>
130. May, J. H., Spangler, W. E., Strum, D. P., & Vargas, L. G. (2011). The surgical scheduling problem: Current research and future opportunities. *Production and Operations Management*, 20(3), 392–405. <https://doi.org/10.1111/j.1937-5956.2011.01221.x>

131. May, J. H., Strum, D. P., & Vargas, L. G. (2000). Fitting the Lognormal Distribution to Surgical Procedure Times. *Decision Sciences*, 31(1), 129–148.  
<https://doi.org/10.1111/j.1540-5915.2000.tb00927.x>
132. Meredith, J. R., & Shafer, S. M. (2011). *Operations Management* (John Wiley). New York.
133. Meskens, N., Duvivier, D., & Hanset, A. (2013). Multi-objective operating room scheduling considering desiderata of the surgical team. *Decision Support Systems*, 55(2), 650–659. <https://doi.org/10.1016/j.dss.2012.10.019>
134. Metaxiotis, K. S., Psarras, J. E., & Ergazakis, K. a. (2003). Production scheduling in ERP systems: An AI-based approach to face the gap. *Business Process Management Journal*, 9(2), 221–247.  
<https://doi.org/10.1108/14637150310468416>
135. Meyr, H., & Mann, M. (2013). A decomposition approach for the General Lotsizing and Scheduling Problem for Parallel production Lines. *European Journal of Operational Research*, 229(3), 718–731.  
<https://doi.org/10.1016/j.ejor.2013.03.036>
136. Min, D., & Yih, Y. (2010a). An elective surgery scheduling problem considering patient priority. *Computers & Operations Research*, 37(6), 1091–1099. <https://doi.org/10.1016/j.cor.2009.09.016>
137. Min, D., & Yih, Y. (2010b). Scheduling elective surgery under uncertainty and downstream capacity constraints. *European Journal of Operational Research*, 206(3), 642–652. <https://doi.org/10.1016/j.ejor.2010.03.014>
138. Ministry of Iraqi Health. (2011). *E-Iraq Building (E-strategy and action plan of information technology and communications for E-Health sector. Republic Of Iraq*. Istanbul, turkia.

139. Ministry of Iraqi Health. (2014). *National health policy 2012-2023*. Baghdad.
140. Ministry of Iraqi Health. (2017). *National Health Report (2017)*. Baghdad.
141. Ministry of Iraqi health & world Health Organization. (2009). *Bag of Basic Health Services to Iraq*. Baghdad.
142. Molina-Pariente, J. M., Fernandez-Viagas, V., & Framinan, J. M. (2015). Integrated operating room planning and scheduling problem with assistant surgeon dependent surgery durations. *Computers & Industrial Engineering*, 82, 8–20. <https://doi.org/10.1016/j.cie.2015.01.006>
143. Mosheiov, G., & Sidney, J. B. (2003). Scheduling with general job-dependent learning curves. *European Journal of Operational Research*, 147(3), 665–670. [https://doi.org/10.1016/S0377-2217\(02\)00358-2](https://doi.org/10.1016/S0377-2217(02)00358-2)
144. Niu, Q., Peng, Q., & ElMekkawy, T. Y. (2013). Improvement in the operating room efficiency using Tabu search in simulation. *Business Process Management Journal*, 19(5), 799–818. <https://doi.org/http://dx.doi.org/10.1108/BPMJ-Nov-2011-0081>
145. Nonobe, K., & Ibaraki, T. (1998). A Tabu Search Approach to the Constraint Satisfaction Problem as a General Problem Solver. *European Journal of Operational Research*, 106(2–3), 599–623. [https://doi.org/10.1016/S0377-2217\(97\)00294-4](https://doi.org/10.1016/S0377-2217(97)00294-4)
146. Nouaouri, I., Nicolas, J.-C., & Jolly, D. (2009). Scheduling of stabilization surgical cares in case of a disaster. In *The IEEE international conference on industrial engineering and engineering management (IEEM), Hong Kong* (pp. 1974–1978). Hong Kong.
147. Nouaouri, I., Nicolas, J.-C., & Jolly, D. (2011). Operating room scheduling under unexpected events: the case of a disaster. *Journal of Applied Operational*

- Research*, 3(3), 163–176. [https://doi.org/10.1007/978-94-007-1192-1\\_45](https://doi.org/10.1007/978-94-007-1192-1_45)
148. Nowicki, E., & Smutnicki, C. (2005). An advanced tabu search algorithm for the job shop problem. *Journal of Scheduling*, 8(2), 145–159. <https://doi.org/10.1007/s10951-005-6364-5>
149. Osman, I. H., & Laporte, G. (1996). Metaheuristics: A bibliography. *Annals of Operations Research*, 511–623. <https://doi.org/10.1007/BF02125421>
150. Pham, D. N., & Klinkert, A. (2008). Surgical case scheduling as a generalized job shop scheduling problem. *European Journal of Operational Research*, 185(3), 1011–1025. <https://doi.org/10.1016/j.ejor.2006.03.059>
151. Phanden, R. K., Jain, A., & Verma, R. (2012). A genetic algorithm-based approach for job shop scheduling. *Journal of Manufacturing Technology Management*, 23(7), 937–946. <https://doi.org/10.1108/17410381211267682>
152. Pinto, J. M., & Grossmann, I. E. (1995). A Continuous Time Mixed Integer Linear Programming Model for Short Term Scheduling of Multistage Batch Plants. *Industrial & Engineering Chemistry Research*, 34(9), 3037–3051. <https://doi.org/10.1021/ie00048a015>
153. Ponsich, A., & Coello Coello, C. A. (2013). A hybrid Differential Evolution—Tabu Search algorithm for the solution of Job-Shop Scheduling Problems. *Applied Soft Computing*, 13(1), 462–474. <https://doi.org/10.1016/j.asoc.2012.07.034>
154. Pulido, R., Aguirre, A. M., Ortega-Mier, M., García-Sánchez, Á., & Méndez, C. a. (2014). Managing daily surgery schedules in a teaching hospital: a mixed-integer optimization approach. *BMC Health Services Research*, 14(1), 464. <https://doi.org/10.1186/1472-6963-14-464>
155. Rachuba, S., & Werners, B. (2017). A fuzzy multi-criteria approach for robust

- operating room schedules. *Annals of Operations Research*, 251(1–2), 325–350.  
<https://doi.org/10.1007/s10479-015-1926-1>
156. Reid, D. R., & Sanders, N. R. (2002). *Operations Management*. New York: John Wiley and Sons Inc.
  157. Reid, D. R., & Sanders, N. R. (2009). *Operations Management. Operations Management* (4th ed.). New York: John Wiley and Sons Inc.
  158. Republic of Iraq. (2005). *Iraq ' s Constitution of 2005*. Retrieved from [https://www.constituteproject.org/constitution/Iraq\\_2005.pdf?lang=en](https://www.constituteproject.org/constitution/Iraq_2005.pdf?lang=en)
  159. Riise, A., Mannino, C., & Burke, E. K. (2016). Modelling and solving generalised operational surgery scheduling problems. *Computers & Operations Research*, 66, 1–11. <https://doi.org/10.1016/j.cor.2015.07.003>
  160. Rizk, C., & Arnaout, J. P. (2012). Aco for the surgical cases assignment problem. *Journal of Medical Systems*, 36(3), 1891–1899. <https://doi.org/10.1007/s10916-010-9648-z>
  161. Roland, B., Di Martinelly, C., & Riane, F. (2007). Operating theatre optimization: A resource-constrained based solving approach. In *Proceedings - ICSSSM'06: 2006 International Conference on Service Systems and Service Management* (Vol. 1, pp. 443–448). <https://doi.org/10.1109/ICSSSM.2006.320503>
  162. Roshanaei, V., Luong, C., Aleman, D. M., & Urbach, D. (2017a). Propagating logic-based Benders' decomposition approaches for distributed operating room scheduling. *European Journal of Operational Research*, 257(2), 439–455. <https://doi.org/10.1016/j.ejor.2016.08.024>
  163. Roshanaei, V., Luong, C., Aleman, D. M., & Urbach, D. R. (2017b). Collaborative Operating Room Planning and Scheduling. *INFORMS JOURNAL*

ON COMPUTING, 29(3), 558–580. Retrieved from  
<https://doi.org/10.1287/ijoc.2017.0745>

164. Saadouli, H., Jerbi, B., Dammak, A., Masmoudi, L., & Bouaziz, A. (2015). A stochastic optimization and simulation approach for scheduling operating rooms and recovery beds in an orthopedic surgery department. *Computers & Industrial Engineering*, 80, 72–79. <https://doi.org/10.1016/j.cie.2014.11.021>
165. Saadouli, H., Masmoudi, M., Jerbi, B., & Dammak, A. (2014). An optimization and simulation approach for Operating room scheduling under stochastic durations. *2014 International Conference on Control, Decision and Information Technologies (CoDIT)*, 257–262. <https://doi.org/10.1109/CoDIT.2014.6996903>
166. Salegna, G. J., & Park, P. S. (1996). Workload smoothing in a bottleneck job shop. *International Journal of Operations & Production Management*, 16(1), 91–110. <https://doi.org/10.1108/01443579610106382>
167. Samorani, M., & LaGanga, L. R. (2014). Outpatient appointment scheduling given individual day-dependent no-show predictions. *European Journal of Operational Research*, 240(1), 245–257. <https://doi.org/10.1016/j.ejor.2014.06.034>
168. Santibáñez, P., Begen, M., & Atkins, D. (2007). Surgical block scheduling in a system of hospitals: An application to resource and wait list management in a British Columbia health authority. *Health Care Management Science*, 10(3), 269–282. <https://doi.org/10.1007/s10729-007-9019-6>
169. Santos, M. A. F. R. N. dos, & Eriksson, H. K. O. (2014). Insights into physician scheduling: a case study of public hospital departments in Sweden. *International Journal of Health Care Quality Assurance*, 27(2), 76–90.

<https://doi.org/10.1108/IJHCQA-02-2012-0018>

170. Saremi, A., Jula, P., Elmekawy, T., & Wang, G. G. (2013). Appointment scheduling of outpatient surgical services in a multistage operating room department. *International Journal of Production Economics*, 141(2), 646–658. <https://doi.org/10.1016/j.ijpe.2012.10.004>
171. Schmid, V., & Doerner, K. F. (2014). Examination and Operating Room Scheduling Including Optimization of Intrahospital Routing. *Transportation Science*, 48(1), 59–77. <https://doi.org/10.1287/trsc.1120.0452>
172. Schoenmeyr, T., Dunn, P. F., Gamarnik, D., Levi, R., Berger, D. L., Daily, B. J., ... Sandberg, W. S. (2009). A model for understanding the impacts of demand and capacity on waiting time to enter a congested recovery room. *Anesthesiology*, 110(6), 1293–1304. <https://doi.org/10.1097/ALN.0b013e3181a16983>
173. Sciomachen, A., Tanfani, E., & Testi, A. (2005). Simulation models for optimal schedules of operating theatres. *International Journal of Simulation: Systems, Science and Technology*, 6(12–13), 26–34.
174. Shahvari, O., & Logendran, R. (2017). An Enhanced tabu search algorithm to minimize a bi-criteria objective in batching and scheduling problems on unrelated-parallel machines with desired lower bounds on batch sizes. *Computers and Operations Research*, 77, 154–176. <https://doi.org/10.1016/j.cor.2016.07.021>
175. Silva, T. a. O., de Souza, M. C., Saldanha, R. R., & Burke, E. K. (2015). Surgical scheduling with simultaneous employment of specialised human resources. *European Journal of Operational Research*, 245(3), 719–730. <https://doi.org/10.1016/j.ejor.2015.04.008>



176. Slack, N., Chambers, S., & Johnston, R. (2010). *Operations Management*.  
*Operations Management*.
177. Souki, M., & Rebai, A. (2009). Memetic differential evolution algorithm for operating room scheduling. *2009 International Conference on Computers & Industrial Engineering*, 845–850. <https://doi.org/10.1109/ICCIE.2009.5223835>
178. Stoop, P. P. M., & Wiers, V. C. S. (1996). The complexity of scheduling in practice. *International Journal of Operations & Production Management*, 16(10), 37–53. <https://doi.org/10.1108/01443579610130682>
179. Su, M. C., Lai, S. C., Wang, P. C., Hsieh, Y. Z., & Lin, S. C. (2011). A SOMO-based approach to the operating room scheduling problem. *Expert Systems with Applications*, 38(12), 15447–15454. <https://doi.org/10.1016/j.eswa.2011.06.016>
180. Tan, Y. Y., ElMekkawy, T. Y., Peng, Q., & Oppenheimer, L. (2011). Mathematical Programming for the Scheduling of Elective Patients in the Operating Room Department. *Proceedings of the Canadian Engineering Education Association*, 10. Retrieved from <http://library.queensu.ca/ojs/index.php/PCEEA/article/view/3785>
181. Testi, A., Tanfani, E., & Torre, G. (2007). A three-phase approach for operating theatre schedules. *Health Care Management Science*, 10(2), 163–172. <https://doi.org/10.1007/s10729-007-9011-1>
182. Thamilselvan, R., & Balasubramanie, P. (2009). Integrating Genetic Algorithm, Tabu Search Approach for Job Shop Scheduling. *Arxiv Preprint*, 2(1), 6. Retrieved from <http://arxiv.org/abs/0906.5070>
183. Thompson, G. M. (1998). “Optimal scheduling of shifts and breaks using employees having limited time-availability.” *International Journal of Service*

- Industry Management*, 7(1), 56–73. Retrieved from <http://dx.doi.org/10.1108/09564239610109410>
184. Tsai, M. H., Huynh, T. T., Breidenstein, M. W., O'Donnell, S. E., Ehrenfeld, J. M., & Urman, R. D. (2017). A System-Wide Approach to Physician Efficiency and Utilization Rates for Non-Operating Room Anesthesia Sites. *Journal of Medical Systems*, 41(7). <https://doi.org/10.1007/s10916-017-0754-z>
  185. Tyler, D. C., Pasquariello, C. a, & Chen, C.-H. (2003). Determining optimum operating room utilization. *Anesthesia and Analgesia*, 96(4), 1114–1121, table of contents. <https://doi.org/10.1213/01.ANE.0000050561.41552.A6>
  186. Ullrich, C. a. (2013). Integrated machine scheduling and vehicle routing with time windows. *European Journal of Operational Research*, 227(1), 152–165. <https://doi.org/10.1016/j.ejor.2012.11.049>
  187. Utley, M., Jit, M., & Gallivan, S. (2008). Restructuring routine elective services to reduce overall capacity requirements within a local health economy. *Health Care Management Science*, 11(3), 240–247. <https://doi.org/10.1007/s10729-007-9052-5>
  188. Van Huele, C., & Vanhoucke, M. (2014). Analysis of the Integration of the Physician Rostering Problem and the Surgery Scheduling Problem. *Journal of Medical Systems*, 38(6), 43. <https://doi.org/10.1007/s10916-014-0043-z>
  189. Van Oostrum, J. M., Van Houdenhoven, M., Hurink, J. L., Hans, E. W., Wullink, G., & Kazemier, G. (2008). A master surgical scheduling approach for cyclic scheduling in operating room departments. *OR Spectrum*, 30(2), 355–374. <https://doi.org/10.1007/s00291-006-0068-x>
  190. Vancroonenburg, W., Smet, P., & Vanden Berghe, G. (2014). A two phase heuristic approach to multi-day surgical case scheduling considering

- generalized resource constraints and desiderata. *Operational Research Applied to Health Services (ORAH2014) Conference Booklet*.  
<https://doi.org/10.1016/j.orhc.2015.09.010>
191. Veen-Berkx, E. van, Elkhuisen, S. G., Kuijper, B., & Kazemier, G. (2015). Dedicated operating room for emergency surgery generates more utilization, less overtime, and less cancellations. *The American Journal of Surgery*, 1–7.  
<https://doi.org/10.1016/j.amjsurg.2015.06.021>
  192. Vijayakumar, B., Parikh, P. J., Scott, R., Barnes, A., & Gallimore, J. (2013). A dual bin-packing approach to scheduling surgical cases at a publicly-funded hospital. *European Journal of Operational Research*, 224(3), 583–591.  
<https://doi.org/10.1016/j.ejor.2012.09.010>
  193. Vissers, J., Adan, I., & Bekkers, J. (2005). Patient mix optimization in tactical cardiothoracic surgery planning: a case study. *IMA Journal of Management Mathematics*, 281–304. <https://doi.org/10.1093/imaman/dpi023>
  194. Wang, D., Liu, F., Yin, Y., Wang, J., & Wang, Y. (2015). Prioritized surgery scheduling in face of surgeon tiredness and fixed off-duty period. *Journal of Combinatorial Optimization*, 30(4), 967–981. <https://doi.org/10.1007/s10878-015-9846-1>
  195. Wang, D., & Xu, J. (2008). A fuzzy multi-objective optimizing scheduling for operation room in hospital. *2008 IEEE International Conference on Industrial Engineering and Engineering Management, IEEM 2008*, 614–618.  
<https://doi.org/10.1109/IEEM.2008.4737942>
  196. Wang, G., Gong, W., DeRenzi, B., & Kastner, R. (2007). Ant colony optimizations for resource- and timing-constrained operation scheduling. *IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems*,

- 26(6), 1010–1028. <https://doi.org/10.1109/TCAD.2006.885829>
197. Wang, J. B., & Xia, Z. Q. (2006). Flow shop scheduling problems with deteriorating jobs under dominating machines. *Journal of the Operational Research Society*, 57(2), 220–226. <https://doi.org/10.1016/j.fishres.2005.08.011>
  198. Wang, J., & Fung, R. Y. K. (2015). Dynamic appointment scheduling with patient preferences and choices. *Industrial Management & Data Systems*, 115(4), 700–717. Retrieved from <http://dx.doi.org/10.118/IMDS-12-2014-0372>
  199. WHO. (2006). Health System Profile Iraq, 57.
  200. Whyel, G. C. (2001). Method and system for appointment/Reservation scheduling. *U.S Patent Application Publication*, 09/779, 30.
  201. Wright, P. D., Kurt, M. B., & Côté, M. J. (2006). Reexamining the nurse scheduling problem: Staffing ratios and nursing shortages. *Decision Sciences*, 37(1), 39–70. <https://doi.org/10.1111/j.1540-5414.2006.00109.x>
  202. Wright, P. D., & Mahar, S. (2013). Centralized nurse scheduling to simultaneously improve schedule cost and nurse satisfaction. *Omega*, 41(6), 1042–1052. <https://doi.org/10.1016/j.omega.2012.08.004>
  203. Wullink, G., Van Houdenhoven, M., Hans, E. W., Van Oostrum, J. M., Van Der Lans, M., & Kazemier, G. (2007). Closing emergency operating rooms improves efficiency. *Journal of Medical Systems*, 31(6), 543–546. <https://doi.org/10.1007/s10916-007-9096-6>
  204. [www.medicalcity.gov.iq](http://www.medicalcity.gov.iq). (n.d.). Baghdad. Retrieved from [https://www.medicalcity.gov.iq/ar/page/ghazi\\_hariri\\_specialized\\_surgery\\_hospital](https://www.medicalcity.gov.iq/ar/page/ghazi_hariri_specialized_surgery_hospital)
  205. Xiang, W. (2017). A multi-objective ACO for operating room scheduling

- optimization. *Natural Computing*, 16(4), 607–617.  
<https://doi.org/10.1007/s11047-016-9607-9>
206. Xiang, W., Yin, J., & Lim, G. (2015). An ant colony optimization approach for solving an operating room surgery scheduling problem. *Computers & Industrial Engineering*, 85, 335–345. <https://doi.org/10.1016/j.cie.2015.04.010>
207. Xiao, G., van Jaarsveld, W., Dong, M., & van de Klundert, J. (2018). Models, algorithms and performance analysis for adaptive operating room scheduling. *International Journal of Production Research*, 56(4), 1389–1413.  
<https://doi.org/10.1080/00207543.2017.1328140>
208. Xiong, F., Xing, K., & Wang, F. (2015). Scheduling a hybrid assembly-differentiation flowshop to minimize total flow time. *European Journal of Operational Research*, 240(2), 338–354.  
<https://doi.org/10.1016/j.ejor.2014.07.004>
209. Xu, L., Yanpeng, L., & Xuan, J. (2013). Based on Tabu Search and Particle Swarm Optimization algorithms solving Job shop Scheduling optimization problems, 1–3. <https://doi.org/10.1109/ICDMA.2013.78>
210. Yahia, Z., Iijima, J., Harraz, N. A., & Eltawil, A. B. (2017). A Design and Engineering Methodology for Organization-based simulation model for operating room scheduling problems. *Simulation*, 93(5), 363–378.  
<https://doi.org/10.1177/0037549716687376>
211. Zakaria, Y. A., Harraz, N., & Eltawil, A. (2013). A Proposed Solution Framework for the Operating Room Scheduling Problems. *Proceeding of the World Cogress on Engineering and Computer Schine, II*, Para 1-9.
212. Zhao, C., Hsu, C.-J., Cheng, S.-R., Yin, Y., & Wu, C.-C. (2014). Due date assignment and single machine scheduling with deteriorating jobs to minimize

- the weighted number of tardy jobs. *Applied Mathematics and Computation*, 248, 503–510. <https://doi.org/10.1016/j.amc.2014.09.095>
213. Zhao, Z., & Li, X. (2013). Scheduling elective surgeries with sequence-dependent setup times to multiple operating rooms using constraint programming. *Operations Research for Health Care*, 3(3), 160–167. <https://doi.org/10.1016/j.orhc.2014.05.003>
214. Zhu, S., Fan, W., Yang, S., Pei, J., & Pardalos, P. M. (2018). Operating room planning and surgical case scheduling: a review of literature. *Journal of Combinatorial Optimization*, 1–49. <https://doi.org/10.1007/s10878-018-0322-6>
215. Zhu, Y., Zhang, Y., Jiao, Z., & Li, D. (2015). Surgical scheduling under patients' uncertain anesthesia recovery time. In *2015 12th International Conference on Service Systems and Service Management, ICSSSM 2015*. <https://doi.org/10.1109/ICSSSM.2015.7170236>
216. Zhu, Z. (2011). A two-stage scheduling approach of operation rooms considering uncertain operation time. *International Conference on Information Science and Technology*, 1225–1228. <https://doi.org/10.1109/ICIST.2011.5765192>

## APPENDICES

### APPENDIX 1

#### RANDOM DATA GENERATED RESULTS

This Result Has been Registered on:12/15/2017 5:42:07 PM

#####

Day #1

#####

#####

Room (1) MAXz is: 0.439

Room (1) MAXz is: 0.679

Room (2) MAXz is: 0.58

Room (1) MAXz is: 0.573

Room (3) MAXz is: 0.804

Room (2) MAXz is: 0.988

Room (2) MAXz is: 0.913

Room (3) MAXz is: 0.48

Room (3) MAXz is: 0.925

Room (3) MAXz is: 0.92

Room (1) MAXz is: 0.98

Room (1) MAXz is: 0.677

Room (2) MAXz is: 0.638

Room (2) MAXz is: 0.717

Room (2) MAXz is: 0.385

Room (1) MAXz is: 0.92

Room (3) MAXz is: 0.438

Room (1) MAXz is: 0.923

Room (1) MAXz is: 0.433

Room (2) MAXz is: 0.46

Room (2) MAXz is: 0.669

Room (3) MAXz is: 0.271

Room (2) MAXz is: 0.538

Room (1) MAXz is: 0.888

Room (3) MAXz is: 0.488

Room (1) MAXz is: 0.904

Room (1) MAXz is: 0.415

Room (2) MAXz is: 0.454

Room (2) MAXz is: 0.998

Room (3) MAXz is: 0.448

Room (2) MAXz is: 0.585

Room (1) MAXz is: 0.713

Room (3) MAXz is: 0.496

Room (2) MAXz is: 0.61

Room (3) MAXz is: 0.535

Room (1) MAXz is: 0.85

Room (1) MAXz is: 0.319

Room (2) MAXz is: 0.604

Room (3) MAXz is: 0.869

Room (1) MAXz is: 0.58

Room (3) MAXz is: 0.731

Room (3) MAXz is: 0.623

Room (1) MAXz is: 0.63

Room (2) MAXz is: 0.64

Room (2) MAXz is: 0.52

Room (1) MAXz is: 0.725

Room (3) MAXz is: 0.727

Room (1) MAXz is: 0.723

Room (2) MAXz is: 0.908

Room (2) MAXz is: 0.669

Room (2) MAXz is: 0.919

Room (3) MAXz is: 0.6

Room (3) MAXz is: 0.925

Room (1) MAXz is: 0.573

Room (2) MAXz is: 0.604

Room (3) MAXz is: 0.825

Room (3) MAXz is: 0.902

Room (3) MAXz is: 0.785

Room (1) MAXz is: 0.788

Room (2) MAXz is: 0.71

The Average of MAXz for day (1) is: 0.738

The Execution Time is: (453) sec

#####

Day #2

#####

#####

Room (1) MAXz is: 0.933

Room (2) MAXz is: 0.938

Room (3) MAXz is: 1.238

Room (1) MAXz is: 0.85

Room (2) MAXz is: 0.156

Room (3) MAXz is: 0.731

Room (1) MAXz is: 0.71

Room (3) MAXz is: 0.108

Room (1) MAXz is: 0.604

Room (2) MAXz is: 0.981

Room (1) MAXz is: 0.429

Room (2) MAXz is: 0.785

Room (2) MAXz is: 0.308

Room (3) MAXz is: 0.902

Room (3) MAXz is: 0.815

Room (1) MAXz is: 0.444

Room (2) MAXz is: 0.156

Room (3) MAXz is: 0.152



Room (3) MAXz is: 0.952  
Room (1) MAXz is: 0.623  
Room (1) MAXz is: 0.85  
Room (2) MAXz is: 0.219  
Room (3) MAXz is: 0.438  
Room (1) MAXz is: 0.358  
Room (2) MAXz is: 0.546  
Room (2) MAXz is: 0.67  
Room (3) MAXz is: 0.44  
Room (1) MAXz is: 0.954  
Room (2) MAXz is: 0.252  
Room (1) MAXz is: 0.27  
Room (2) MAXz is: 0.638  
Room (3) MAXz is: 0.988  
Room (1) MAXz is: 0.877  
Room (2) MAXz is: 0.929  
Room (3) MAXz is: 0.794  
Room (1) MAXz is: 0.579  
Room (3) MAXz is: 0.769  
Room (1) MAXz is: 0.502  
Room (2) MAXz is: 0.585  
Room (2) MAXz is: 0.915  
Room (2) MAXz is: 0.89  
Room (3) MAXz is: 0.815  
Room (3) MAXz is: 0.679  
Room (1) MAXz is: 0.998  
Room (2) MAXz is: 0.781

Room (3) MAXz is: 0.52  
Room (1) MAXz is: 0.067  
Room (2) MAXz is: 0.681  
Room (2) MAXz is: 0.463  
Room (3) MAXz is: 0.179  
Room (1) MAXz is: 0.729  
Room (3) MAXz is: 0.915  
Room (1) MAXz is: 0.631  
Room (2) MAXz is: 0.308  
Room (3) MAXz is: 0.983  
Room (1) MAXz is: 0.77  
Room (2) MAXz is: 0.141  
Room (3) MAXz is: 0.356  
Room (1) MAXz is: 0.544  
Room (1) MAXz is: 0.733  
Room (1) MAXz is: 0.598  
Room (3) MAXz is: 0.629  
Room (1) MAXz is: 0.856  
Room (2) MAXz is: 0.652  
Room (2) MAXz is: 0.525  
Room (2) MAXz is: 0.6  
Room (3) MAXz is: 0.81  
Room (1) MAXz is: 0.69  
Room (2) MAXz is: 0.352  
Room (3) MAXz is: 0.606  
Room (1) MAXz is: 0.717  
Room (3) MAXz is: 0.72

Room (1) MAXz is: 0.979

Room (2) MAXz is: 0.881

Room (3) MAXz is: 0.673

Room (1) MAXz is: 0.229

Room (2) MAXz is: 0.452

Room (3) MAXz is: 0.54

Room (1) MAXz is: 0.615

Room (3) MAXz is: 0.281

The Average of MAXz for day (2) is: 0.752

The Execution Time is: (952) sec

#####

Day #3

#####

#####

Room (1) MAXz is: 0.825

Room (2) MAXz is: 0.885

Room (3) MAXz is: 0.917

Room (1) MAXz is: 0.631

Room (2) MAXz is: 0.754

Room (3) MAXz is: 0.519

Room (3) MAXz is: 1.015

Room (1) MAXz is: 0.594

Room (2) MAXz is: 1.352

Room (1) MAXz is: 0.523

Room (1) MAXz is: 0.869

Room (3) MAXz is: 0.698

Room (1) MAXz is: 1.296

Room (2) MAXz is: 1.175

Room (3) MAXz is: 0.698

Room (3) MAXz is: 1.098

Room (1) MAXz is: 0.681

Room (2) MAXz is: 0.515

Room (2) MAXz is: 0.454

Room (3) MAXz is: 0.746

Room (1) MAXz is: 1.215

Room (2) MAXz is: 0.721

Room (2) MAXz is: 0.658

Room (2) MAXz is: 0.904

Room (3) MAXz is: 0.679

Room (3) MAXz is: 0.765

Room (1) MAXz is: 0.469

Room (1) MAXz is: 0.906

Room (2) MAXz is: 0.629

Room (3) MAXz is: 1.288

Room (1) MAXz is: 1.013

Room (2) MAXz is: 1.179

Room (3) MAXz is: 1.352

Room (1) MAXz is: 0.754

Room (2) MAXz is: 0.967

Room (1) MAXz is: 0.504

Room (1) MAXz is: 1.058  
Room (2) MAXz is: 0.833  
Room (2) MAXz is: 1.385  
Room (3) MAXz is: 0.54  
Room (3) MAXz is: 1.348  
Room (1) MAXz is: 1.044  
Room (3) MAXz is: 0.771  
Room (1) MAXz is: 0.573  
Room (1) MAXz is: 0.904  
Room (2) MAXz is: 0.644  
Room (2) MAXz is: 1.417  
Room (3) MAXz is: 0.554  
Room (3) MAXz is: 0.452  
Room (3) MAXz is: 0.769  
Room (1) MAXz is: 0.971  
Room (3) MAXz is: 1.348  
Room (1) MAXz is: 0.963  
Room (2) MAXz is: 0.831  
Room (1) MAXz is: 1.271  
Room (2) MAXz is: 1.25  
Room (3) MAXz is: 1.096  
Room (3) MAXz is: 1.146  
Room (1) MAXz is: 1.421  
Room (2) MAXz is: 0.765  
Room (2) MAXz is: 0.919  
Room (3) MAXz is: 0.838  
Room (1) MAXz is: 1.119

Room (2) MAXz is: 0.602  
Room (2) MAXz is: 0.848  
Room (3) MAXz is: 0.967  
Room (3) MAXz is: 1.24  
Room (1) MAXz is: 0.965  
Room (2) MAXz is: 0.852  
Room (2) MAXz is: 0.933  
Room (1) MAXz is: 0.652  
Room (3) MAXz is: 1.044  
Room (1) MAXz is: 0.915  
Room (2) MAXz is: 1.104  
Room (1) MAXz is: 1.31  
Room (2) MAXz is: 0.794  
Room (2) MAXz is: 0.727  
Room (3) MAXz is: 0.717  
Room (3) MAXz is: 0.575  
Room (3) MAXz is: 0.954  
Room (1) MAXz is: 0.648  
Room (1) MAXz is: 1.008  
Room (2) MAXz is: 0.788  
Room (2) MAXz is: 1.3  
Room (3) MAXz is: 0.902  
Room (3) MAXz is: 0.615  
Room (1) MAXz is: 1.108  
Room (2) MAXz is: 1.171  
Room (3) MAXz is: 1.038  
Room (1) MAXz is: 1.206

Room (2) MAXz is: 0.585

Room (3) MAXz is: 1.231

Room (1) MAXz is: 0.627

Room (2) MAXz is: 1.381

Room (3) MAXz is: 0.49

Room (1) MAXz is: 0.485

Room (3) MAXz is: 1.217

Room (1) MAXz is: 0.804

Room (1) MAXz is: 0.888

Room (2) MAXz is: 0.544

The Average of MAXz for day (3) is: 0.797

The Execution Time is: (1172) sec

#####

Day #4

#####

#####

Room (1) MAXz is: 0.44

Room (2) MAXz is: 0.498

Room (3) MAXz is: 0.373

Room (3) MAXz is: 1.04

Room (1) MAXz is: 0.856

Room (2) MAXz is: 0.885

Room (1) MAXz is: 0.542

Room (2) MAXz is: 0.792

Room (3) MAXz is: 1.071

Room (1) MAXz is: 1.077

Room (2) MAXz is: 0.723

Room (2) MAXz is: 1.227

Room (3) MAXz is: 1.071

Room (1) MAXz is: 0.413

Room (1) MAXz is: 0.958

Room (3) MAXz is: 1.038

Room (1) MAXz is: 0.34

Room (2) MAXz is: 0.754

Room (1) MAXz is: 0.725

Room (2) MAXz is: 0.6

Room (3) MAXz is: 1.308

Room (1) MAXz is: 1.127

Room (2) MAXz is: 1.021

Room (1) MAXz is: 0.742

Room (2) MAXz is: 1.058

Room (3) MAXz is: 0.602

Room (3) MAXz is: 0.681

Room (1) MAXz is: 0.758

Room (2) MAXz is: 1.269

Room (3) MAXz is: 0.446

Room (1) MAXz is: 0.971

Room (3) MAXz is: 0.671

Room (3) MAXz is: 0.429

Room (3) MAXz is: 0.508

Room (1) MAXz is: 0.402  
Room (1) MAXz is: 0.756  
Room (2) MAXz is: 1.283  
Room (3) MAXz is: 0.867  
Room (1) MAXz is: 0.819  
Room (2) MAXz is: 1.298  
Room (3) MAXz is: 0.542  
Room (3) MAXz is: 0.702  
Room (1) MAXz is: 0.721  
Room (3) MAXz is: 0.606  
Room (1) MAXz is: 0.827  
Room (2) MAXz is: 0.463  
Room (3) MAXz is: 0.842  
Room (1) MAXz is: 1.29  
Room (2) MAXz is: 0.881  
Room (2) MAXz is: 1.233  
Room (3) MAXz is: 0.981  
Room (1) MAXz is: 0.765  
Room (3) MAXz is: 1.017  
Room (1) MAXz is: 0.388  
Room (1) MAXz is: 1.079  
Room (2) MAXz is: 1.025  
Room (3) MAXz is: 0.821  
Room (3) MAXz is: 0.479  
Room (1) MAXz is: 0.548  
Room (2) MAXz is: 0.65  
Room (3) MAXz is: 1.108

Room (1) MAXz is: 0.375  
Room (2) MAXz is: 0.842  
Room (1) MAXz is: 1.081  
Room (2) MAXz is: 1.125  
Room (3) MAXz is: 0.65  
Room (1) MAXz is: 1.296  
Room (2) MAXz is: 1.129  
Room (3) MAXz is: 0.998  
Room (3) MAXz is: 1.229  
Room (1) MAXz is: 1.2  
Room (2) MAXz is: 0.74  
Room (3) MAXz is: 0.448  
Room (1) MAXz is: 1.277  
Room (2) MAXz is: 1.121  
Room (2) MAXz is: 1.021  
Room (3) MAXz is: 0.725  
Room (3) MAXz is: 0.34  
Room (3) MAXz is: 0.492  
Room (3) MAXz is: 0.488  
Room (1) MAXz is: 0.833  
Room (3) MAXz is: 0.729  
Room (1) MAXz is: 0.429  
Room (2) MAXz is: 0.6  
Room (3) MAXz is: 0.967  
Room (1) MAXz is: 1.173  
Room (2) MAXz is: 0.823  
Room (2) MAXz is: 0.513

Room (3) MAXz is: 1.221  
Room (1) MAXz is: 0.696  
Room (2) MAXz is: 0.648  
Room (1) MAXz is: 1.094  
Room (2) MAXz is: 0.542  
Room (2) MAXz is: 0.771  
Room (3) MAXz is: 0.56  
Room (3) MAXz is: 1.202  
Room (1) MAXz is: 0.935  
Room (2) MAXz is: 0.698  
Room (2) MAXz is: 0.713  
Room (3) MAXz is: 1.185  
Room (1) MAXz is: 0.91  
Room (2) MAXz is: 1.256  
Room (1) MAXz is: 0.842  
Room (3) MAXz is: 0.654  
Room (1) MAXz is: 1.192  
Room (2) MAXz is: 0.583  
Room (2) MAXz is: 0.583  
Room (2) MAXz is: 0.502  
Room (3) MAXz is: 0.671  
Room (3) MAXz is: 0.327  
Room (3) MAXz is: 1.067  
Room (1) MAXz is: 1.165  
Room (2) MAXz is: 0.602  
Room (2) MAXz is: 1.027  
Room (3) MAXz is: 0.729

Room (1) MAXz is: 1.135  
Room (2) MAXz is: 1.067  
Room (3) MAXz is: 0.763  
Room (3) MAXz is: 0.402  
Room (3) MAXz is: 0.735  
Room (1) MAXz is: 0.663  
Room (2) MAXz is: 1.035  
Room (3) MAXz is: 0.635  
Room (1) MAXz is: 1.123  
Room (2) MAXz is: 0.475  
Room (3) MAXz is: 0.917  
Room (1) MAXz is: 1.279  
Room (2) MAXz is: 0.567  
Room (2) MAXz is: 1.265  
Room (3) MAXz is: 0.438  
Room (3) MAXz is: 1.308  
Room (1) MAXz is: 0.956  
Room (2) MAXz is: 0.923  
Room (3) MAXz is: 1.227  
Room (1) MAXz is: 0.898  
Room (2) MAXz is: 0.569  
Room (1) MAXz is: 1.183  
Room (2) MAXz is: 0.398  
Room (2) MAXz is: 0.763  
Room (2) MAXz is: 1.083  
Room (3) MAXz is: 0.569  
Room (3) MAXz is: 0.702

Room (3) MAXz is: 0.721

Room (2) MAXz is: 0.402

Room (1) MAXz is: 0.85

Room (2) MAXz is: 1.219

Room (3) MAXz is: 0.594

Room (3) MAXz is: 0.435

Room (1) MAXz is: 0.904

The Average of MAXz for day (4) is: 0.841

Room (2) MAXz is: 0.533

The Execution Time is: (2036) sec

#####

Day #5

#####

#####

Room (1) MAXz is: 0.877

Room (1) MAXz is: 0.729

Room (2) MAXz is: 1.125

Room (2) MAXz is: 0.406

Room (3) MAXz is: 0.456

Room (2) MAXz is: 1.215

Room (3) MAXz is: 1.173

Room (3) MAXz is: 0.696

Room (1) MAXz is: 1.071

Room (1) MAXz is: 0.227

Room (2) MAXz is: 0.665

Room (1) MAXz is: 0.65

Room (2) MAXz is: 0.717

Room (3) MAXz is: 0.513

Room (3) MAXz is: 0.994

Room (1) MAXz is: 0.977

Room (1) MAXz is: 1.058

Room (2) MAXz is: 1.115

Room (2) MAXz is: 0.606

Room (3) MAXz is: 1.046

Room (3) MAXz is: 0.419

Room (1) MAXz is: 0.49

Room (3) MAXz is: 0.55

Room (1) MAXz is: 0.333

Room (1) MAXz is: 0.638

Room (2) MAXz is: 0.233

Room (2) MAXz is: 0.377

Room (3) MAXz is: 0.375

Room (2) MAXz is: 0.844

Room (1) MAXz is: 0.602

Room (3) MAXz is: 0.323

Room (2) MAXz is: 0.413

Room (1) MAXz is: 0.429

Room (2) MAXz is: 1.204

Room (3) MAXz is: 0.917

Room (3) MAXz is: 1.096

Room (1) MAXz is: 0.806  
Room (3) MAXz is: 0.954  
Room (1) MAXz is: 0.369  
Room (2) MAXz is: 0.481  
Room (1) MAXz is: 0.252  
Room (1) MAXz is: 1.052  
Room (2) MAXz is: 1.008  
Room (3) MAXz is: 1.015  
Room (1) MAXz is: 0.556  
Room (2) MAXz is: 0.675  
Room (3) MAXz is: 0.779  
Room (1) MAXz is: 1.027  
Room (2) MAXz is: 0.788  
Room (3) MAXz is: 0.427  
Room (3) MAXz is: 0.431  
Room (1) MAXz is: 0.59  
Room (2) MAXz is: 0.798  
Room (3) MAXz is: 0.569  
Room (1) MAXz is: 0.752  
Room (2) MAXz is: 0.65  
Room (3) MAXz is: 0.798  
Room (1) MAXz is: 0.275  
Room (2) MAXz is: 0.771  
Room (1) MAXz is: 0.431  
Room (3) MAXz is: 1.188  
Room (1) MAXz is: 1.156  
Room (2) MAXz is: 1.217

Room (3) MAXz is: 1.065  
Room (1) MAXz is: 0.633  
Room (2) MAXz is: 1.029  
Room (1) MAXz is: 1.213  
Room (2) MAXz is: 0.483  
Room (3) MAXz is: 0.398  
Room (3) MAXz is: 0.919  
Room (1) MAXz is: 0.242  
Room (2) MAXz is: 0.563  
Room (1) MAXz is: 0.917  
Room (2) MAXz is: 0.333  
Room (2) MAXz is: 0.333  
Room (2) MAXz is: 0.515  
Room (3) MAXz is: 0.623  
Room (3) MAXz is: 0.783  
Room (1) MAXz is: 0.535  
Room (2) MAXz is: 0.519  
Room (1) MAXz is: 1.031  
Room (2) MAXz is: 0.533  
Room (2) MAXz is: 0.6  
Room (3) MAXz is: 0.625  
Room (3) MAXz is: 1.065  
Room (1) MAXz is: 0.633  
Room (2) MAXz is: 0.948  
Room (1) MAXz is: 0.883  
Room (2) MAXz is: 0.631  
Room (3) MAXz is: 1.175



Room (1) MAXz is: 0.869  
Room (2) MAXz is: 0.74  
Room (3) MAXz is: 0.48  
Room (3) MAXz is: 0.806  
Room (1) MAXz is: 0.973  
Room (2) MAXz is: 0.681  
Room (3) MAXz is: 1.129  
Room (1) MAXz is: 0.506  
Room (2) MAXz is: 0.892  
Room (1) MAXz is: 1.115  
Room (2) MAXz is: 0.506  
Room (2) MAXz is: 0.592  
Room (3) MAXz is: 0.38  
Room (3) MAXz is: 0.519  
Room (3) MAXz is: 1.208  
Room (1) MAXz is: 0.985  
Room (2) MAXz is: 0.804  
Room (1) MAXz is: 0.829  
Room (2) MAXz is: 0.492  
Room (2) MAXz is: 0.731  
Room (3) MAXz is: 1.017  
Room (1) MAXz is: 1.081  
Room (2) MAXz is: 0.317  
Room (2) MAXz is: 0.767  
Room (3) MAXz is: 0.64  
Room (3) MAXz is: 0.298  
Room (1) MAXz is: 0.675

Room (2) MAXz is: 0.923  
Room (3) MAXz is: 0.723  
Room (1) MAXz is: 0.631  
Room (3) MAXz is: 1.169  
Room (1) MAXz is: 1.08  
Room (2) MAXz is: 0.815  
Room (2) MAXz is: 0.756  
Room (3) MAXz is: 0.84  
Room (1) MAXz is: 0.313  
Room (1) MAXz is: 0.408  
Room (2) MAXz is: 0.508  
Room (3) MAXz is: 0.44  
Room (3) MAXz is: 0.77  
Room (1) MAXz is: 0.644  
Room (2) MAXz is: 0.773  
Room (3) MAXz is: 0.783  
Room (1) MAXz is: 1.004  
Room (2) MAXz is: 0.67  
Room (2) MAXz is: 0.629  
Room (3) MAXz is: 0.83  
Room (3) MAXz is: 0.535  
Room (1) MAXz is: 0.827  
Room (2) MAXz is: 0.742  
Room (3) MAXz is: 0.821  
Room (1) MAXz is: 0.554  
Room (2) MAXz is: 1.133  
Room (3) MAXz is: 0.994

Room (1) MAXz is: 0.8  
Room (2) MAXz is: 0.656  
Room (3) MAXz is: 0.956  
Room (1) MAXz is: 0.88  
Room (1) MAXz is: 0.83  
Room (2) MAXz is: 0.67  
Room (1) MAXz is: 0.983  
Room (2) MAXz is: 1.175  
Room (3) MAXz is: 0.69  
Room (3) MAXz is: 0.908  
Room (1) MAXz is: 1.015  
Room (2) MAXz is: 0.6  
Room (2) MAXz is: 1.019  
Room (3) MAXz is: 0.708  
Room (1) MAXz is: 0.431  
Room (3) MAXz is: 0.827  
Room (1) MAXz is: 1.133  
Room (2) MAXz is: 1.169  
Room (3) MAXz is: 0.877  
Room (1) MAXz is: 0.38  
Room (1) MAXz is: 0.885  
Room (2) MAXz is: 1.19  
Room (3) MAXz is: 0.233  
Room (3) MAXz is: 1.177  
Room (1) MAXz is: 0.298  
Room (1) MAXz is: 0.517  
Room (1) MAXz is: 0.473

Room (2) MAXz is: 0.806  
Room (1) MAXz is: 1.031  
Room (2) MAXz is: 0.65  
Room (2) MAXz is: 0.279  
Room (3) MAXz is: 0.788  
Room (3) MAXz is: 0.54  
Room (1) MAXz is: 0.635  
Room (2) MAXz is: 0.733  
Room (3) MAXz is: 0.958  
Room (1) MAXz is: 0.675  
Room (2) MAXz is: 0.546  
Room (1) MAXz is: 0.98  
Room (2) MAXz is: 0.633  
Room (3) MAXz is: 0.798  
Room (1) MAXz is: 0.988  
Room (2) MAXz is: 0.894  
Room (3) MAXz is: 0.875  
Room (1) MAXz is: 1.031  
Room (2) MAXz is: 0.642  
Room (2) MAXz is: 1.021  
Room (3) MAXz is: 0.946  
Room (1) MAXz is: 0.917  
Room (2) MAXz is: 0.954  
Room (3) MAXz is: 1.047  
Room (3) MAXz is: 0.998  
Room (1) MAXz is: 1.094

Room (1) MAXz is: 1.175

Room (2) MAXz is: 1.044

Room (3) MAXz is: 0.444

The Average of MAXz for day (5) is: 0.902

The Execution Time is: (1753) ms

#####

The elapset time for day (1) is: 453 sec

The elapset time for day (2) is: 952 sec

The elapset time for day (3) is: 1172 sec

The elapset time for day (4) is: 2036 sec

The elapset time for day (5) is: 1753 sec

The Total elapset time is: 6366 sec



## APPENDIX 2

### MILP RESULTS FOR ELECTIVE SURGERY

#### WEEK NUMBER 1

Hussien Ali System (MILP)

#####

This Result Has been Registered on:12/28/2017 6:50:07 AM

Day #1

#####

Room (1) MAXz is: 0.875

Room (2) MAXz is: 0.813

Room (3) MAXz is: 0.917

Room (3) MAXz is: 0.938

Room (1) MAXz is: 0.853

Room (2) MAXz is: 0.917

The Average of MAXz for day (1) is: 0.877

The Execution Time is: (160) sec

#####

Day #2

#####

Room (1) MAXz is: 0.868

Room (2) MAXz is: 0.826

Room (3) MAXz is: 0.785

Room (2) MAXz is: 0.848

Room (3) MAXz is: 0.795

Room (1) MAXz is: 0.879

The Average of MAXz for day (2) is: 0.825

The Execution Time is: (359) sec

#####

Day #3

#####

Room (1) MAXz is: 0.758

Room (2) MAXz is: 0.65

Room (3) MAXz is: 0.695

Room (2) MAXz is: 0.8

Room (3) MAXz is: 0.706

Room (1) MAXz is: 0.738

The Average of MAXz for day (3) is: 0.723

The Execution Time is: (843) sec

#####

Day #4

#####

Room (1) MAXz is: 0.658

Room (2) MAXz is: 0.658

Room (3) MAXz is: 0.606

Room (3) MAXz is: 0.658

Room (1) MAXz is: 0.648

Room (2) MAXz is: 0.627

The Average of MAXz for day (4) is: 0.639

The Execution Time is: (219) sec

#####

Day #5

#####

Room (1) MAXz is: 0.617

Room (2) MAXz is: 0.608

Room (3) MAXz is: 0.586

Room (3) MAXz is: 0.627

Room (1) MAXz is: 0.59

Room (2) MAXz is: 0.638

The Average of MAXz for day (5) is: 0.61

The Execution Time is: (452) sec

#####

## WEEK NUMBER 2

Hussien Ali System (MILP)

#####

This Result Has been Registered on:12/28/2017 6:54:07 AM

#####

#####

Day #1

#####

Room (1) MAXz is: 0.917

Room (2) MAXz is: 0.896

Room (3) MAXz is: 0.905

Room (2) MAXz is: 0.938

Room (3) MAXz is: 0.979

Room (1) MAXz is: 1.063

The Average of MAXz for day (1) is: 0.925

The Execution Time is: (582) sec

#####

Day #2

#####

Room (1) MAXz is: 0.952

Room (2) MAXz is: 0.829

Room (3) MAXz is: 0.848

Room (2) MAXz is: 0.806

Room (3) MAXz is: 0.775

Room (1) MAXz is: 0.848

The Average of MAXz for day (2) is: 0.841

The Execution Time is: (145) sec

#####

Day #3

#####

Room (1) MAXz is: 0.758

Room (2) MAXz is: 0.779

Room (3) MAXz is: 0.748

Room (3) MAXz is: 0.717

Room (1) MAXz is: 0.768

Room (2) MAXz is: 0.696

The Average of MAXz for day (3) is: 0.753

The Execution Time is: (629) sec

#####

Day #4

#####

Room (1) MAXz is: 0.533

Room (2) MAXz is: 0.595

Room (3) MAXz is: 0.69

Room (1) MAXz is: 0.565

Room (2) MAXz is: 0.596

Room (3) MAXz is: 0.648

The Average of MAXz for day (4) is: 0.61

The Execution Time is: (254) sec

#####

Day #5

#####

Room (1) MAXz is: 0.558

Room (2) MAXz is: 0.6

Room (3) MAXz is: 0.516

Room (3) MAXz is: 0.506

Room (1) MAXz is: 0.558

Room (2) MAXz is: 0.579

The Average of MAXz for day (5) is: 0.548

The Execution Time is: (580) sec

#####

### WEEK NUMBER 3

Hussien Ali System (MILP)

#####

This Result Has been Registered on:12/28/2017 6:59:07 AM

#####

Day #1

#####

Room (1) MAXz is: 0.906

Room (2) MAXz is: 0.938

Room (3) MAXz is: 0.948

Room (1) MAXz is: 1

Room (3) MAXz is: 0.917

Room (2) MAXz is: 0.927

The Average of MAXz for day (1) is: 0.938

The Execution Time is: (687) sec



#####

Day #2

#####

Room (1) MAXz is: 0.838

Room (2) MAXz is: 0.91

Room (3) MAXz is: 0.817

Room (3) MAXz is: 0.838

Room (1) MAXz is: 0.858

Room (2) MAXz is: 0.796

The Average of MAXz for day (2) is: 0.841

The Execution Time is: (250) sec

#####

Day #3

#####

Room (1) MAXz is: 0.706

Room (2) MAXz is: 0.738

Room (3) MAXz is: 0.79

Room (1) MAXz is: 0.748

Room (2) MAXz is: 0.738

Room (3) MAXz is: 0.706

The Average of MAXz for day (3) is: 0.738

The Execution Time is: (875) sec

#####

Day #4

#####

Room (1) MAXz is: 0.7

Room (2) MAXz is: 0.648

Room (3) MAXz is: 0.596

Room (2) MAXz is: 0.616

Room (3) MAXz is: 0.648

Room (1) MAXz is: 0.658

The Average of MAXz for day (4) is: 0.643

The Execution Time is: (531) sec

#####

Day #5

#####

Room (1) MAXz is: 0.61

Room (2) MAXz is: 0.538

Room (3) MAXz is: 0.548

Room (2) MAXz is: 0.527

Room (3) MAXz is: 0.485

Room (1) MAXz is: 0.569

The Average of MAXz for day (5) is: 0.541

The Execution Time is: (141) sec

#####

#### WEEK NUMBER 4

Hussien Ali System (MILP)

#####

This Result Has been Registered on:12/28/2017 7:10:07 AM

#####

Day #1

#####

Room (1) MAXz is: 0.968

Room (2) MAXz is: 0.948

Room (3) MAXz is: 0.939

Room (1) MAXz is: 0.98

Room (2) MAXz is: 0.906

Room (3) MAXz is: 1.01

The Average of MAXz for day (1) is: 0.956

The Execution Time is: (515) sec

#####

Day #2

#####

Room (1) MAXz is: 0.775

Room (2) MAXz is: 0.865

Room (3) MAXz is: 0.848

Room (2) MAXz is: 0.838

Room (1) MAXz is: 0.89

Room (3) MAXz is: 0.826

The Average of MAXz for day (2) is: 0.84

The Execution Time is: (110) sec

#####

Day #3

#####

Room (1) MAXz is: 0.717

Room (2) MAXz is: 0.748

Room (3) MAXz is: 0.738

Room (1) MAXz is: 0.696

Room (2) MAXz is: 0.737

Room (3) MAXz is: 0.78

The Average of MAXz for day (3) is: 0.727

The Execution Time is: (265) sec

#####

Day #4

#####

Room (1) MAXz is: 0.595

Room (2) MAXz is: 0.617

Room (3) MAXz is: 0.596

Room (1) MAXz is: 0.606

Room (2) MAXz is: 0.7

Room (3) MAXz is: 0.648

The Average of MAXz for day (4) is: 0.625

The Execution Time is: (578) sec

#####

Day #5

#####

Room (1) MAXz is: 0.505

Room (2) MAXz is: 0.496

Room (3) MAXz is: 0.58

Room (1) MAXz is: 0.538

Room (2) MAXz is: 0.516

Room (3) MAXz is: 0.558

The Average of MAXz for day (5) is: 0.522

The Execution Time is: (204) sec

#####

## APPENDIX 3

### MILP RESULTS FOR WAR RELATED INCIDENTS

#### Week number 1

Hussien Ali System (MILP)

#####

This Result Has been Registered on:1/30/2018 4:22:07 PM

#####

Day #1

#####

Room (1) MAXz is: 0.987

Room (2) MAXz is: 0.983

Room (3) MAXz is: 1.01

Room (2) MAXz is: .985

Room (1) MAXz is: .983

Room (3) MAXz is: 1.097

The Average of MAXz for day (1) is: 1.00

The Execution Time is: (160) sec

#####

Day #2

#####

Room (1) MAXz i: 0.958

Room (2) MAXz s: 0.906

Room (3) MAXzis: 0.95

Room (2) MAX is: 0.986

Room (3) MAz is: 0.875

Room (1) MAXz is: 1.05

The Average of MAXz for day (2) is: 0.95

The Execution Time is: (359) sec

#####

Day #3

#####

Room (1) MAXz is: 0.758

Room (2) MAXz is: 0.96

Room (3) MAXz is: 0.875

Room (2) MAXz is: 0.98

Room (3) MAXz is: 0.86

Room (1) MAXz is: 0.83

The Average of MAXz for day (3) is: 0.882

The Execution Time is: (843) sec

#####

Day #4

#####

Room (1) MAXz is: 0.758

Room (2) MAXz is: 0.758

Room (3) MAXz is: 0.706

Room (3) MAXz is: 0.68

Room (1) MAXz is: 0.748

Room (2) MAXz is: 0.827

The Average of MAXz for day (4) is: 0.75

The Execution Time is: (219) sec

#####

Day #5

#####

Room (1) MAXz is: 0.617

Room (2) MAXz is: 0.638

Room (3) MAXz is: 0.606

Room (3) MAXz is: 0.627

Room (1) MAXz is: 0.658

Room (2) MAXz is: 0.628

The Average of MAXz for day (5) is: 0.631

The Execution Time is: (452) sec

#####

## Week number 2

Hussien Ali System (MILP)

#####

This Result Has been Registered on:1/30/2018 4:26:14 PM

#####

Day #1

#####

Room (1) MAXz is: 1.065

Room (2) MAXz is: 1.023

Room (3) MAXz is: 1.027

Room (3) MAXz is: 1.15

Room (1) MAXz is: 1.153

Room (2) MAXz is: 1.07

The Average of MAXz for day (1) is: 1.067

The Execution Time is: (582) sec

#####

Day #2

#####

Room (1) MAXz is: 1.09

Room (2) MAXz is: 0.93

Room (3) MAXz is: 0.891

Room (2) MAXz is: 0.848

Room (3) MAXz is: 0.93

Room (1) MAXz is: 0.98

The Average of MAXz for day (2) is: 0.97

The Execution Time is: (145) sec

#####

Day #3

#####

Room (1) MAXz is: 0.87

Room (2) MAXz is: 0.90

Room (3) MAXz is: 0.86

Room (2) MAXz is: 0.812

Room (3) MAXz is: 0.826

Room (1) MAXz is: 0.832

The Average of MAXz for day (3) is: 0.86

The Execution Time is: (629) sec

#####

Day #4

#####

Room (1) MAXz is: 0.612

Room (2) MAXz is: 0.68

Room (3) MAXz is: 0.806

Room (3) MAXz is: 0.74

Room (1) MAXz is: 0.658

Room (2) MAXz is: 0.687

The Average of MAXz for day (4) is: 0.70

The Execution Time is: (254) sec

#####

Day #5

#####



Room (1) MAXz is: 0.651  
Room (2) MAXz is: 0.69  
Room (3) MAXz is: 0.576  
Room (3) MAXz is: 0.592  
Room (1) MAXz is: 0.628  
Room (2) MAXz is: 0.668  
The Average of MAXz for day (5) is: 0.63  
The Execution Time is: (580) sec  
#####

### Week number 3

Hussien Ali System (MILP)

#####

This Result Has been Registered on:1/30/2018 4:38:27 PM

#####

#### Day #1

#####

Room (1) MAXz is: 1.05  
Room (2) MAXz is: 1.081  
Room (3) MAXz is: 1.09  
Room (2) MAXz is: 1.06  
Room (1) MAXz is: 1.15  
Room (3) MAXz is: 1.057  
The Average of MAXz for day (1) is: 1.08  
The Execution Time is: (687) sec  
#####

#### Day #2

#####

Room (1) MAXz is: 0.968

Room (2) MAXz is: 1.046

Room (3) MAXz is: 0.94

Room (2) MAXz is: 0.916

Room (3) MAXz is: 0.972

Room (1) MAXz is: 0.98

The Average of MAXz for day (2) is: 0.97

The Execution Time is: (250) sec

#####

Day #3

#####

Room (1) MAXz is: 0.82

Room (2) MAXz is: 0.846

Room (3) MAXz is: 0.905

Room (2) MAXz is: 0.85

Room (3) MAXz is: 0.82

Room (1) MAXz is: 0.863

The Average of MAXz for day (3) is: 0.852

The Execution Time is: (875) sec

#####

Day #4

#####

Room (1) MAXz is: 0.81

Room (2) MAXz is: 0.754

Room (3) MAXz is: 0.69

Room (3) MAXz is: 0.75

Room (1) MAXz is: 0.76

Room (2) MAXz is: 0.687

The Average of MAXz for day (4) is: 0.74

The Execution Time is: (531) sec

#####

Day #5

#####

Room (1) MAXz is: 0.701

Room (2) MAXz is: 0.618

Room (3) MAXz is: 0.626

Room (3) MAXz is: 0.547

Room (1) MAXz is: 0.658

Room (2) MAXz is: 0.60

The Average of MAXz for day (5) is: 0.621

The Execution Time is: (141) sec

#####



**Week number 4**

Hussien Ali System (MILP)

#####

This Result Has been Registered on:1/30/2018 4:46:35 PM

#####

Day #1

#####

Room (1) MAXz is: 1.08

Room (2) MAXz is: 1.091

Room (3) MAXz is: 1.13

Room (2) MAXz is: 1.05

Room (1) MAXz is: 1.15

Room (3) MAXz is: 1.15

The Average of MAXz for day (1) is: 1.08

The Execution Time is: (515) sec

#####

Day #2

#####

Room (1) MAXz is: 0.868

Room (2) MAXz is: 0.886

Room (3) MAXz is: 0.98

Room (2) MAXz is: 0.956

Room (3) MAXz is: 0.927

Room (1) MAXz is: 1.04

The Average of MAXz for day (2) is: 0.97

The Execution Time is: (110) sec

Day #3

#####

Room (1) MAXz is: 0.83

Room (2) MAXz is: 0.86

Room (3) MAXz is: 0.855

Room (2) MAXz is: 0.83

Room (3) MAXz is: 0.69

Room (1) MAXz is: 0.813

The Average of MAXz for day (3) is: 0.84

The Execution Time is: (265) sec

#####

Day #4

#####

Room (1) MAXz is: 0.68

Room (2) MAXz is: 0.714

Room (3) MAXz is: 0.69

Room (3) MAXz is: 0.75

Room (1) MAXz is: 0.70

Room (2) MAXz is: 0.807

The Average of MAXz for day (4) is: 0.724

The Execution Time is: (578) sec

#####

Day #5

#####

Room (1) MAXz is: 0.561

Room (2) MAXz is: 0.85

Room (3) MAXz is: 0.626

Room (3) MAXz is: 0.642

Room (1) MAXz is: 0.618


Room (2) MAXz is: 0.59

The Average of MAXz for day (5) is: 0.61

The Execution Time is: (240) sec

---

---



## APPENDIX 4

### TABU SEARCH RESULTS FOR ELECTIVE SURGERY

#### Week number 1

Hussien Ali System (TS)

#####

Room (1) MAXz is: 0.858

Room (2) MAXz is: 0.875

Room (3) MAXz is: 0.813

Next surgery will start at: 11:00:00, In Room: 1

Room (1) MAXz is: 0.81

Next surgery will start at: 10:30:00, In Room: 2

Room (2) MAXz is: 0.948

Next surgery will start at: 11:40:00, In Room: 0

Room (0) MAXz is: 0.906

Room (1) MAXz is: 0.952

Room (2) MAXz is: 0.858

Room (3) MAXz is: 0.806

Next surgery will start at: 11:40:00, In Room: 1

Room (1) MAXz is: 0.931

Next surgery will start at: 11:15:00, In Room: 2

Room (2) MAXz is: 0.733

Next surgery will start at: 12:25:00, In Room: 0

Room (0) MAXz is: 0.817

Room (1) MAXz is: 0.685

Room (2) MAXz is: 0.863

Room (3) MAXz is: 0.748

Next surgery will start at: 11:05:00, In Room: 0

Room (0) MAXz is: 0.675

Next surgery will start at: 12:30:00, In Room: 1

Room (1) MAXz is: 0.831

Next surgery will start at: 11:35:00, In Room: 2

Room (2) MAXz is: 0.758

Room (1) MAXz is: 0.596

Room (2) MAXz is: 0.658

Room (3) MAXz is: 0.606

Next surgery will start at: 11:10:00, In Room: 0

Room (0) MAXz is: 0.71

Next surgery will start at: 11:40:00, In Room: 1

Room (1) MAXz is: 0.69

Next surgery will start at: 11:15:00, In Room: 2

Room (2) MAXz is: 0.627

Room (1) MAXz is: 0.517

Room (2) MAXz is: 0.548

Room (3) MAXz is: 0.506

Next surgery will start at: 11:15:00, In Room: 2

Room (2) MAXz is: 0.558

Next surgery will start at: 11:20:00, In Room: 0

Room (0) MAXz is: 0.6

Next surgery will start at: 11:35:00, In Room: 1

Room (1) MAXz is: 0.538

The Average of MAXz for day (1) is: 0.88

The Execution Time is: (66) sec

The Best Solution is: (0.813)

The Average of MAXz for day (2) is: 0.83

The Execution Time is: (52) sec

The Best Solution is: (0.733)

The Average of MAXz for day (3) is: 0.72

The Execution Time is: (24) sec

The Best Solution is: (0.675)

The Average of MAXz for day (4) is: 0.648


The Execution Time is: (31) sec

The Best Solution is: (0.596)

The Average of MAXz for day (5) is: 0.61

The Execution Time is: (26) sec

The Best Solution is: (0.506)



### Week number 2 RESULTS

Hussien Ali System (TS)

#####

Room (1) MAXz is: 0.917

Room (2) MAXz is: 0.896

Room (3) MAXz is: 0.875

Next surgery will start at: 11:10:00, In Room: 1

Room (1) MAXz is: 0.938

Next surgery will start at: 11:00:00, In Room: 2

Room (2) MAXz is: 0.979

Next surgery will start at: 11:20:00, In Room: 0

Room (0) MAXz is: 1.063

Room (1) MAXz is: 0.952



Room (2) MAXz is: 0.879

Room (3) MAXz is: 0.848

Next surgery will start at: 11:50:00, In Room: 1

Room (1) MAXz is: 0.806

Next surgery will start at: 11:35:00, In Room: 2

Room (2) MAXz is: 0.775

Next surgery will start at: 12:25:00, In Room: 0

Room (0) MAXz is: 0.848

Room (1) MAXz is: 0.758

Room (2) MAXz is: 0.779

Room (3) MAXz is: 0.748

Next surgery will start at: 11:35:00, In Room: 2

Room (2) MAXz is: 0.717

Next surgery will start at: 11:40:00, In Room: 0

Room (0) MAXz is: 0.758

Next surgery will start at: 11:50:00, In Room: 1

Room (1) MAXz is: 0.696

Room (1) MAXz is: 0.533

Room (2) MAXz is: 0.585

Room (3) MAXz is: 0.69

Next surgery will start at: 10:40:00, In Room: 0

Room (0) MAXz is: 0.565

Next surgery will start at: 11:05:00, In Room: 1

Room (1) MAXz is: 0.596

Next surgery will start at: 11:55:00, In Room: 2

Room (2) MAXz is: 0.638

Room (1) MAXz is: 0.558

Room (2) MAXz is: 0.6

Room (3) MAXz is: 0.496

Next surgery will start at: 11:10:00, In Room: 2

Room (2) MAXz is: 0.506

Next surgery will start at: 11:40:00, In Room: 0

Room (0) MAXz is: 0.548

Next surgery will start at: 12:00:00, In Room: 1

Room (1) MAXz is: 0.579

The Average of MAXz for day (1) is: 0.932

The Execution Time is: (34) sec

The Best Solution is: (0.854)

The Average of MAXz for day (2) is: 0.841

The Execution Time is: (30) sec

The Best Solution is: (0.77)

The Average of MAXz for day (3) is: 0.747

The Execution Time is: (26) sec

The Best Solution is: (0.606)

The Average of MAXz for day (4) is: 0.61

The Execution Time is: (28) sec

The Best Solution is: (0.538)

The Average of MAXz for day (5) is: 0.548

The Execution Time is: (22) sec

The Best Solution is: (0.53)

### Week number 3 RESULTS

Hussien Ali System (TS)

#####

Room (1) MAXz is: 0.906

Room (2) MAXz is: 0.938

Room (3) MAXz is: 0.948

Next surgery will start at: 11:15:00, In Room: 0

Room (0) MAXz is: 1

Next surgery will start at: 11:30:00, In Room: 1

Room (1) MAXz is: 0.917

Next surgery will start at: 14:50:00, In Room: 1

Room (1) MAXz is: 0.917

Room (1) MAXz is: 0.838

Room (2) MAXz is: 0.91

Room (3) MAXz is: 0.817

Next surgery will start at: 11:20:00, In Room: 2

Room (2) MAXz is: 0.838

Next surgery will start at: 11:30:00, In Room: 0

Room (0) MAXz is: 0.848

Next surgery will start at: 12:05:00, In Room: 1

Room (1) MAXz is: 0.796

Room (1) MAXz is: 0.706

Room (2) MAXz is: 0.738

Room (3) MAXz is: 0.79

Next surgery will start at: 11:15:00, In Room: 0

Room (0) MAXz is: 0.748

Next surgery will start at: 11:30:00, In Room: 1

Room (1) MAXz is: 0.738

Next surgery will start at: 11:55:00, In Room: 2

Room (2) MAXz is: 0.706

Room (1) MAXz is: 0.7

Room (2) MAXz is: 0.648

Room (3) MAXz is: 0.596

Next surgery will start at: 11:35:00, In Room: 1

Room (1) MAXz is: 0.606

Next surgery will start at: 11:10:00, In Room: 2

Room (2) MAXz is: 0.648

Next surgery will start at: 12:00:00, In Room: 0

Room (0) MAXz is: 0.658

Room (1) MAXz is: 0.61

Room (2) MAXz is: 0.538

Room (3) MAXz is: 0.548

Next surgery will start at: 11:30:00, In Room: 1

Room (1) MAXz is: 0.517

Next surgery will start at: 11:35:00, In Room: 2

Room (2) MAXz is: 0.465

Next surgery will start at: 12:05:00, In Room: 0

Room (0) MAXz is: 0.569


The Average of MAXz for day (1) is: 0.938

The Execution Time is: (44) sec

The Best Solution is: (0.906)

The Average of MAXz for day (2) is: 0.841

The Execution Time is: (30) sec  
 The Best Solution is: (0.796)  
 The Average of MAXz for day (3) is: 0.738  
 The Execution Time is: (22) sec  
 The Best Solution is: (0.706)  
 The Average of MAXz for day (4) is: 0.643  
 The Execution Time is: (34) sec  
 The Best Solution is: (0.596)  
 The Average of MAXz for day (5) is: 0.541  
 The Execution Time is: (42) sec  
 The Best Solution is: (0.517)



Room (1) MAXz is: 0.938  
 Room (2) MAXz is: 0.948  
 Room (3) MAXz is: 0.979  
 Next surgery will start at: 11:30:00, In Room: 0  
 Room (0) MAXz is: 0.938  
  
 Next surgery will start at: 11:35:00, In Room: 1  
 Room (1) MAXz is: 0.906  
 Next surgery will start at: 14:50:00, In Room: 1  
 Room (1) MAXz is: 1.01  
 Room (1) MAXz is: 0.775

Room (2) MAXz is: 0.765

Room (3) MAXz is: 0.848

Next surgery will start at: 10:55:00, In Room: 1

Room (1) MAXz is: 0.838

Next surgery will start at: 11:00:00, In Room: 0

Room (0) MAXz is: 0.89

Next surgery will start at: 14:25:00, In Room: 1

Room (1) MAXz is: 0.806

Room (1) MAXz is: 0.717

Room (2) MAXz is: 0.748

Room (3) MAXz is: 0.738

Next surgery will start at: 11:20:00, In Room: 0

Room (0) MAXz is: 0.696

Next surgery will start at: 11:35:00, In Room: 1

Room (1) MAXz is: 0.717

Next surgery will start at: 11:30:00, In Room: 2

Room (2) MAXz is: 0.748

Room (1) MAXz is: 0.585

Room (2) MAXz is: 0.617

Room (3) MAXz is: 0.596

Next surgery will start at: 11:05:00, In Room: 0

Room (0) MAXz is: 0.606

Next surgery will start at: 11:20:00, In Room: 1

Room (1) MAXz is: 0.7

Next surgery will start at: 11:10:00, In Room: 2

Room (2) MAXz is: 0.648

Room (1) MAXz is: 0.485

Room (2) MAXz is: 0.496

Room (3) MAXz is: 0.548

Next surgery will start at: 11:05:00, In Room: 0

Room (0) MAXz is: 0.538

Next surgery will start at: 11:10:00, In Room: 1

Room (1) MAXz is: 0.506

Next surgery will start at: 14:25:00, In Room: 1

Room (1) MAXz is: 0.558

The Average of MAXz for day (1) is: 0.957

The Execution Time is: (36) sec

The Best Solution is: (0.906)

The Average of MAXz for day (2) is: 0.84

The Execution Time is: (34) sec

The Best Solution is: (0.765)

The Average of MAXz for day (3) is: 0.727

The Execution Time is: (21) sec

The Best Solution is: (0.696)

The Average of MAXz for day (4) is: 0.625

The Execution Time is: (35) sec

The Best Solution is: (0.585)

The Average of MAXz for day (5) is: 0.522

The Execution Time is: (40) sec

The Best Solution is: (0.506)

## APPENDIX 5

### TABU SEARCH RESULTS FOR WAR-RELATED INCIDENTS

#### Week number 1

Hussien Ali System (TS)

#####

Room (1) MAXz is: 1.006

Room (2) MAXz is: 0.934

Room (3) MAXz is: 1.054

Next surgery will start at: 10:30:00, In Room: 1

Room (1) MAXz is: 0.985

Next surgery will start at: 11:00:00, In Room: 0

Room (0) MAXz is: 0.983

Next surgery will start at: 13:35:00, In Room: 2

Room (1) MAXz is: 0.97

Room (1) MAXz is: 0.987

Room (2) MAXz is: 0.927

Room (3) MAXz is: 0.903

Next surgery will start at: 11:15:00, In Room: 1

Room (1) MAXz is: 0.848

Next surgery will start at: 11:05:00, In Room: 2

Room (2) MAXz is: 0.875

Next surgery will start at: 11:40:00, In Room: 0

Room (0) MAXz is: 0.939

Room (1) MAXz is: 0.872

Room (2) MAXz is: 0.8

Room (3) MAXz is: 0.764



Next surgery will start at: 11:10:00, In Room: 1

Room (1) MAXz is: 0.8

Next surgery will start at: 10:55:00, In Room: 2

Room (2) MAXz is: 0.706

Next surgery will start at: 11:40:00, In Room: 0

Room (0) MAXz is: 0.738

Room (1) MAXz is: 0.757

Room (2) MAXz is: 0.757

Room (3) MAXz is: 0.697

Next surgery will start at: 11:40:00, In Room: 1

Room (1) MAXz is: 0.638

Next surgery will start at: 11:15:00, In Room: 2

Room (2) MAXz is: 0.648

Next surgery will start at: 11:40:00, In Room: 0

Room (0) MAXz is: 0.627

Room (1) MAXz is: 0.694

Room (2) MAXz is: 0.63

Room (3) MAXz is: 0.582

Next surgery will start at: 11:15:00, In Room: 2

Room (2) MAXz is: 0.627

Next surgery will start at: 11:20:00, In Room: 0

Room (0) MAXz is: 0.648


Next surgery will start at: 11:35:00, In Room: 1

Room (1) MAXz is: 0.58

The Average of MAXz for day (1) is: 1.00

The Execution Time is: (94) sec

The Best Solution is: (0.933)  
The Average of MAXz for day (2) is: 0.947  
The Execution Time is: (55) sec  
The Best Solution is: (0.892)  
The Average of MAXz for day (3) is: 0.877  
The Execution Time is: (24) sec  
The Best Solution is: (0.77)  
The Average of MAXz for day (4) is: 0.748  
The Execution Time is: (10) sec  
The Best Solution is: (0.707)  
The Average of MAXz for day (5) is: 0.632  
The Execution Time is: (10) sec  
The Best Solution is: (0.587)



Room (1) MAXz is: 1.09  
Room (2) MAXz is: 1.04  
Room (3) MAXz is: 0.99  
Next surgery will start at: 11:10:00, In Room: 1  
Room (1) MAXz is: 1.09

Next surgery will start at: 11:00:00, In Room: 2  
Room (2) MAXz is: 1.06  
Next surgery will start at: 11:20:00, In Room: 0  
Room (0) MAXz is: 1.04

Room (1) MAXz is: 0.93

Room (2) MAXz is: 0.96

Room (3) MAXz is: 0.99

Next surgery will start at: 11:15:00, In Room: 1

Room (1) MAXz is: 0.948

Next surgery will start at: 11:00:00, In Room: 2

Room (2) MAXz is: 0.943

Next surgery will start at: 11:50:00, In Room: 0

Room (0) MAXz is: 0.976

Room (1) MAXz is: 0.872

Room (2) MAXz is: 0.83

Room (3) MAXz is: 0.81

Next surgery will start at: 11:05:00, In Room: 1

Room (1) MAXz is: 0.878

Next surgery will start at: 10:55:00, In Room: 2

Room (2) MAXz is: 0.888

Next surgery will start at: 11:25:00, In Room: 0

Room (0) MAXz is: 0.869

Room (1) MAXz is: 0.78

Room (2) MAXz is: 0.747

Room (3) MAXz is: 0.615

Next surgery will start at: 11:20:00, In Room: 1

Room (1) MAXz is: 0.658

Next surgery will start at: 11:05:00, In Room: 2

Room (2) MAXz is: 0.696

Next surgery will start at: 11:35:00, In Room: 0

Room (0) MAXz is: 0.738

Room (1) MAXz is: 0.623

Room (2) MAXz is: 0.632

Room (3) MAXz is: 0.621

Next surgery will start at: 11:20:00, In Room: 1

Room (1) MAXz is: 0.648

Next surgery will start at: 11:15:00, In Room: 2

Room (2) MAXz is: 0.67

Next surgery will start at: 11:25:00, In Room: 0

Room (0) MAXz is: 0.627

The Average of MAXz for day (1) is: 1.07

The Execution Time is: (109) sec

The Best Solution is: (1.04)

The Average of MAXz for day (2) is: 0.972

The Execution Time is: (93) sec

The Best Solution is: (0.833)

The Average of MAXz for day (3) is: 0.864

The Execution Time is: (92) sec

The Best Solution is: (0.811)

The Average of MAXz for day (4) is: 0.70

The Execution Time is: (35) sec

The Best Solution is: (0.697)

The Average of MAXz for day (5) is: 0.632

The Execution Time is: (17) sec

The Best Solution is: (0.597)

### Week number 3

Hussien Ali System (TS)

#####

Room (1) MAXz is: 0.981

Room (2) MAXz is: 1.083

Room (3) MAXz is: 1.093

Next surgery will start at: 11:15:00, In Room: 0

Room (0) MAXz is: 1

Next surgery will start at: 11:30:00, In Room: 1

Room (1) MAXz is: 1.097

Next surgery will start at: 14:50:00, In Room: 1

Room (1) MAXz is: 1.087

Room (1) MAXz is: 0.898

Room (2) MAXz is: 0.97

Room (3) MAXz is: 0.977

Next surgery will start at: 11:20:00, In Room: 2

Room (2) MAXz is: 0.938

Next surgery will start at: 11:30:00, In Room: 0

Room (0) MAXz is: 0.98

Next surgery will start at: 12:05:00, In Room: 1

Room (1) MAXz is: 0.996

Room (1) MAXz is: 0.851

Room (2) MAXz is: 0.783

Room (3) MAXz is: 0.835

Next surgery will start at: 11:15:00, In Room: 0

Room (0) MAXz is: 0.848

Next surgery will start at: 11:30:00, In Room: 1

Room (1) MAXz is: 0.87

Next surgery will start at: 11:55:00, In Room: 2

Room (2) MAXz is: 0.866

Room (1) MAXz is: 0.73

Room (2) MAXz is: 0.78

Room (3) MAXz is: 0.726

Next surgery will start at: 11:35:00, In Room: 1

Room (1) MAXz is: 0.696

Next surgery will start at: 11:10:00, In Room: 2

Room (2) MAXz is: 0.68

Next surgery will start at: 12:00:00, In Room: 0

Room (0) MAXz is: 0.758

Room (1) MAXz is: 0.625

Room (2) MAXz is: 0.553

Room (3) MAXz is: 0.63

Next surgery will start at: 11:30:00, In Room: 1

Room (1) MAXz is: 0.617

Next surgery will start at: 11:35:00, In Room: 2

Room (2) MAXz is: 0.565

Next surgery will start at: 12:05:00, In Room: 0

Room (0) MAXz is: 0.59

The Average of MAXz for day (1) is: 1.075

The Execution Time is: (94) sec

The Best Solution is: (1.052)

The Average of MAXz for day (2) is: 0.971

The Execution Time is: (78) sec

The Best Solution is: (0.916)  
The Average of MAXz for day (3) is: 0.85  
The Execution Time is: (109) sec  
The Best Solution is: (0.806)  
The Average of MAXz for day (4) is: 0.738  
The Execution Time is: (86) sec  
The Best Solution is: (0.706)  
The Average of MAXz for day (5) is: 0.619  
The Execution Time is: (34) sec  
The Best Solution is: (0.60)

#### Week number 4

Hussien Ali System (TS)

#####

Room (1) MAXz is: 1.13  
Room (2) MAXz is: 1.093  
Room (3) MAXz is: 1.054  
Next surgery will start at: 11:30:00, In Room: 0  
Room (0) MAXz is: 1.098  
Next surgery will start at: 11:35:00, In Room: 1  
Room (1) MAXz is: 1.06  
Next surgery will start at: 14:50:00, In Room: 1  
Room (1) MAXz is: 1.101  
Room (1) MAXz is: 0.935  
Room (2) MAXz is: 0.925  
Room (3) MAXz is: 0.998  
Next surgery will start at: 10:55:00, In Room: 1  
Room (1) MAXz is: 0.98

Next surgery will start at: 11:00:00, In Room: 0

Room (0) MAXz is: 0.93

Next surgery will start at: 14:25:00, In Room: 1

Room (1) MAXz is: 0.906

Room (1) MAXz is: 0.862

Room (2) MAXz is: 0.893

Room (3) MAXz is: 0.783

Next surgery will start at: 11:20:00, In Room: 0

Room (0) MAXz is: 0.86

Next surgery will start at: 11:35:00, In Room: 1

Room (1) MAXz is: 0.717

Next surgery will start at: 11:30:00, In Room: 2

Room (2) MAXz is: 0.848

Room (1) MAXz is: 0.715

Room (2) MAXz is: 0.747

Room (3) MAXz is: 0.726

Next surgery will start at: 11:05:00, In Room: 0

Room (0) MAXz is: 0.706

Next surgery will start at: 11:20:00, In Room: 1

Room (1) MAXz is: 0.7

Next surgery will start at: 11:10:00, In Room: 2

Room (2) MAXz is: 0.748

Room (1) MAXz is: 0.60

Room (2) MAXz is: 0.611

Room (3) MAXz is: 0.63

Next surgery will start at: 11:05:00, In Room: 0

Room (0) MAXz is: 0.618



Next surgery will start at: 11:10:00, In Room: 1

Room (1) MAXz is: 0.61

Next surgery will start at: 14:25:00, In Room: 1

Room (1) MAXz is: 0.58

#####

The Average of MAXz for day (1) is: 1.099

The Execution Time is: (93) sec

The Best Solution is: (1.05)

The Average of MAXz for day (2) is: 0.965

The Execution Time is: (86) sec

The Best Solution is: (0.934)

The Average of MAXz for day (3) is: 0.838

The Execution Time is: (109) sec

The Best Solution is: (0.806)

The Average of MAXz for day (4) is: 0.723

The Execution Time is: (37) sec

The Best Solution is: (0.701)

The Average of MAXz for day (5) is: 0.612

The Execution Time is: (48) sec

The Best Solution is: (0.594)