

Index

A

- Abduction, 9–10, 14
- Absorption, 8, 126, 147, 155, 160–161, 170, 202, 211, 222
- Acceleration, 5, 9, 40, 47–48, 67, 69–71, 98–100, 102, 104, 110, 116, 120–122
- Acclimatization, 213, 215–216, 220–223, 227, 229
- Actin, 15, 19, 27–28, 31–37, 46–47, 49, 52, 67, 69, 72, 87, 92, 98, 103, 141, 144, 152, 165–167, 192–193, 203, 218–219
- Action
 - potential, 39, 85–87
 - signals, 75, 80, 190
- Adaptation, 80, 92, 227
- Adduction, 5, 10, 13–14
- Adenosine diphosphate (ADP), 36, 151, 155, 164–166, 168, 170
- Adenosine triphosphate (ATP), 31, 36, 38, 151, 153, 155, 160–162, 164–170, 181, 189
- Aerobic metabolism, 36, 161, 166, 189
- Aerobic work, 167–168
- Aesthetic appeal, 317, 320
- Afferent, 53, 69, 75, 86, 89, 91–92
- Afferent signals, 78
- Age, 2, 4, 9, 20, 55, 129–130, 134, 163, 181, 227, 238, 243, 253, 281–283, 287–290, 301
- Aging, 4, 19–20, 274, 287, 321
- Agonist, 28–29, 69, 72, 120, 122, 138
- Air
 - humidity, 210, 217, 229–230
 - movement, 128, 210–211, 217, 219, 223, 225–226, 229–231
- Alveolus, 126–127, 129–130
- Ambient temperature, 181, 210, 212, 219, 224–225
- Amino acid, 135, 160, 161, 162, 164, 167, 170, 242
- Anabolism, 155, 170
- Anaerobic metabolism, 161–162, 189
- Anaerobic work, 167, 168
- Anatomical landmark, 267, 269–270
- Anatomy, 97, 105
- Ancestry, 290–291
- Anemometer, 210
- Antagonist, 28–29, 69, 72, 104, 117, 120, 122, 138, 165, 235
- Anthromechanics, 53, 69, 97–122
- Anthropometer, 267, 272–273
- Anthropometric data, 98, 105, 119, 274–279, 281, 283–292, 308, 310, 313–316, 321
- Anthropometric measures, 105, 266, 271
- Anthropometric survey, 285, 292, 295–305, 320
- Anthropometry, 97, 105, 124, 265–326
- Arterial system, 138
- Artery, 37, 69, 137, 147–149, 160, 177
- Articular disk, 8
- Articulation, 1–2, 5, 7–9, 11–12, 14–15, 17, 19–20, 22–23, 27–28, 41, 71, 78, 97–99, 105, 107, 121, 311, 321, 323
- Artificial joint, 11–12, 104
- Assimilation, 152, 157, 160–161, 169–170, 174
- Atrium, 133, 137–138, 145
- Autonomous nervous system, 76, 94–95
- Average, 55, 109, 111–112, 129, 136, 143, 157, 163, 176–177, 180, 187, 193–194, 206, 209, 215, 221, 228, 236, 238, 241, 243, 246, 248, 252, 265, 276–277, 279, 283–286, 290–293, 305–310, 313
- Average person, 305, 321
- Axon, 35, 39, 71, 82, 84–86, 91–92, 94

B**Back**

curvature, 23

pain, 5, 20–21

rest, 311–312

Balance, 14, 47, 92, 98–100, 104, 111, 122, 151, 153, 168, 174, 180, 184, 200, 206, 208, 213, 235, 237, 260

Basal ganglia, 77, 86

Basal metabolism, 180–181, 185, 192, 196

Bell-shaped distribution, 57, 275

Biceps muscle, 120

Bicycle test, 103

Bicycling, 178–179, 186

Bilateral contraction, 29

Biological clock, 257

Biomechanics, 266

Birth rate, 289

Blood

distribution in cold environments, 223

distribution in hot environments, 212–213

flow, 37–38, 76, 134, 136–138, 140, 142–145, 147, 189, 206, 212–213, 215–216, 220–221, 223, 229

group, 135, 185

pressure, 135, 138–140, 142–145, 147–148, 160, 189, 213, 215, 223, 233–234, 236, 259

supply, 19, 139–140, 144–146, 189, 216, 222

vessel, 2, 4, 8, 28, 37, 43, 69, 90, 134, 136–138, 140, 143, 144, 148–149, 177, 189, 216–217, 221

Body

core, 128, 199, 206, 216, 218–219, 226, 229, 236

fluids, 114, 143

heat content, 207, 220

link, 108

mass index BMI, 175, 191, 288–289

models, 305–306

proportions, 275, 279–283, 306, 321

segment, 9, 18, 20, 23–24, 27–28, 39–40, 42–43, 46, 48, 50–53, 56, 59, 61, 64, 68, 71, 82, 90, 94, 97–98, 107, 110–113, 115–116, 119, 121, 209, 265, 267, 319, 323–325

shell, 229

size data, 293

strength, 27, 42, 51, 56–57, 60–61, 68, 72, 95, 122

typology, 274–275

weight, 62, 111–112, 114–115, 134, 163, 168–169, 179–180, 184, 186, 212–213, 222, 276, 284, 288

Body size, *see* Anthropometric data

Bone, 1–2, 4–5, 8, 11–12, 15, 20, 22–25, 40–41, 81, 102, 106–111, 114, 124, 135, 140, 206, 256, 272, 283, 322–327

Borelli, 28, 97

Borg scale, 196

Brain, 2, 75, 77–78, 81–82, 86, 90, 92, 140, 145, 199, 207–209, 214, 217, 220, 222, 235, 238–243

Brain stem, 77–78, 81

Breathing, 128–131, 135, 155, 180, 189, 193, 197, 241

Byproducts of metabolism, 133

C

Caldwell regimen, 54, 67

Caloric

value of drink, 158–159

value of food, 158–159

value of oxygen, 176

Calorie, 70, 93, 120, 153, 174

Calorimetry, 145, 171, 174–176, 193–194, 197, 208

Capability, 9, 35, 38, 119, 140, 174, 189, 221–222, 224

Capacity, 39, 56, 70, 93, 120, 129–130, 143, 173–175, 177, 179, 182–183, 190, 194, 197, 213, 217, 221–222, 224, 235, 242, 258

Capillary bed, 37, 69, 137, 140–142, 189

Carbohydrate, 23, 154, 156–157, 159–162, 164, 170, 176, 193

Carbon dioxide, 37, 125–128, 130–131, 133, 135, 137, 147, 153, 157, 161–162, 169, 176, 193, 197

Carbon monoxide, 87, 135

Cardiac muscle, 28

Cardiac output, 139–140, 144–145, 147–148, 181–182, 189, 192, 213, 215, 221, 223–224

Carpal tunnel, 43–45

Carpal tunnel syndrome, 90–93

Carrying, 4, 42, 69–70, 86, 92–93, 133, 180, 185

Cartilage, 1–2, 4–5, 8–9, 11, 14, 20, 22, 24

Catabolism, 133, 146, 148, 155, 161–162, 164, 170

Cell, 2, 31, 71–72, 82, 85, 87, 94–95, 134–135, 140, 147–148, 160, 162, 170, 200

Cellular respiration, 128, 131, 170

- Cellulose, 157, 159
 Center of mass, 105, 108, 114–115, 119
 Central nervous system, 9, 41, 49, 51–52, 68, 75, 77–78, 80, 89, 91–94, 137, 145, 162, 190, 225, 235, 242
 Cerebellum, 75, 77, 86, 92
 Cerebral cortex, 82, 86, 145
 Cerebrum, 75, 77, 92, 240, 243
 Chain model, 115–119
 Chair, 311–312
 Circadian rhythm, 200, 206, 233–238, 242, 245, 251–252, 254–255, 257–262
 Circulation, 37, 125, 133–146, 177, 182, 188, 203, 217, 230
 Circulatory system, 126, 133, 136–137, 140–141, 146–147, 167, 179, 190, 214
 Circumference, 131, 148, 175, 197, 265, 268, 274, 279, 281–283, 287–288, 291, 304–307, 311, 315, 322
 Climate, 129, 146, 193, 199, 207, 210–211, 215–216, 221, 223–224, 227–230, 254
 Climate factors, 210–211, 215
 Clothing, 9, 80, 199, 203, 206, 208–209, 211–214, 216, 219–220, 223–229
 Clo unit, 226
 Co-contraction, 28–29, 69, 120
 Cold
 environment, 129, 205–206, 216–220, 223, 228–229
 sensation, 80, 219, 224, 228
 strain, 219–220
 stress, 219, 221
 Combustion engine, 151
 Comfort, 317, 320
 Composite population, 309–310
 Compressed workweek, 246, 251
 Compression, 3, 17–19, 22, 25, 45, 149, 189, 237, 322, 326
 Concentric, 34–35, 41, 46–47, 49, 56, 69, 120
 Condensation, 204, 225
 Conduction, 86, 91, 137, 176, 199, 201, 203–205, 208, 212, 220, 228–230
 Contractile microstructure, 34, 36–37, 39, 41, 102, 155
 Control of muscle, 38, 50, 79, 86
 Convection, 176, 199, 201, 203–205, 208, 212, 217, 224, 228–231
 Coordinate system, 105
 Core temperature, 128, 199–200, 208–209, 213–216, 220–221, 223–226, 228, 234, 236
 Correlation, 106, 109, 111, 178, 195, 277, 279–282, 306–309, 315, 319
 Creatine phosphate, 164, 166, 189
 Crossbridge, 35
 Cross-section, 2, 4, 17, 41, 44, 72–73, 95, 107, 109, 140, 142, 148
- D**
 3-D anthropometry, 274
 Da Vinci, 28, 97, 274
 Day work, 238, 246, 256, 260
 Debt, oxygen, 167, 182, 192
 Deformation, 1–2, 4–5, 18, 20, 34, 54, 99, 177
 Degrees of freedom, 5, 8, 14, 105, 311
 Dehydration, 213–214, 222, 224–225, 230
 Dendrite, 82, 84, 86, 91, 93
 Density, 2, 22, 26, 41, 111–112, 322
 Dependent variable, 48, 69, 70, 121, 251–252
 Depth, 283, 299–300, 323
 Dermatome, 93
 Design
 for body movement, 48, 77, 114
 for body strength, 56–61
 of chairs, 311–312
 for comfort, 225–227
 of controls, 27–29, 38, 57, 61
 to fit the body, 313–315
 the thermal environment, 225–227
 for vision, 51, 77, 79, 88
 of workplaces, 190, 246, 257
 Dexterity, 219, 225, 315
 Diastole, 137–139, 144
 Diet, 160, 169, 174–176, 193, 213
 Diffusion, 125, 140
 Digestion, 76, 145, 155–157, 159–161, 238
 Digit, 14, 43–44
 Direct calorimetry, 174–176, 208
 Disk, 4–5, 8, 14, 18–21, 32, 82, 86
 Dissipation, 133, 215, 222, 226
 Distress, 99
 Diurnal rhythm, 238
 Dry bulb temperature, 210–211
 Dynamic exertion of strength, 43, 46–49, 56
 Dynamics, 28, 47, 99
 Dynamic strength, 47–49, 56
- E**
 Ear-eye line, 267, 271, 311
 Eccentric, 33–35, 41, 46–47, 49, 56
 Effector, 78–80, 89, 91
 Efferent, 35, 49, 52–53, 75, 78, 80, 86–87, 89
 Efferent signals, 87

- Effort, 5, 27–29, 33–34, 36–39, 46–52, 54–56, 60, 62, 87, 104, 116–117, 129–130, 146, 164–168, 173, 178, 180, 182, 184, 187–190, 194, 200, 218, 223–224, 235, 251, 311, 315
- Elbow extension, 29
- Elbow flexion, 10, 29, 59, 102
- Electrocardiogram, 138
- Electroencephalogram (EEG), 52, 239–241
- Elektrokardiogram (EKG), 138
- Electromyogram (EMG), 53, 67, 87, 91
- Electro-oculogram (EOG), 240
- Elongation, 34
- Emission coefficient, 202–203
- Endocrine system, 75
- Endurance, 28, 38, 41, 56, 221–222, 224–225, 275
- Energy
 - balance, 153, 174, 200, 206
 - content, 153, 157–160, 169, 174
 - input, 151–155, 168–169, 174, 200
 - liberation, 152, 154–155, 159, 167–169, 182
 - output, 167–168, 174
 - requirement, 180–189
 - storage, 153–154, 160, 163–164, 168–169, 174, 180–181, 200
- Equilibrium, 46, 75, 99–104, 118, 153, 182, 194, 205
- Ergometer bicycle, 178–179
- Ergonomics, 28, 48, 190–196, 275, 295, 315, 320
- Evaporation, 176, 199, 201, 204–206, 208, 210, 212–213, 223–224
- Evening work, 248–249, 252–254, 256–258
- Exercise, 51, 128–129, 138–139, 145, 153, 160, 169, 173–196, 207, 209, 213, 221, 224, 242, 245
- Exertion, 28, 33–34, 38–39, 43, 46–51, 53, 55, 56–57, 59, 61, 98, 178, 180, 191, 195, 222
- Exhaled air, 130, 193, 224
- External respiration, 128
- Exteroceptors, 51, 53, 78
- Extrinsic muscle, 43
- F**
- Facet joint, 14–15, 18, 20
- Fat, 29, 31, 111, 114, 134–135, 154, 157, 159–164, 167–170, 174, 176, 193, 206, 215, 221, 227, 288, 321, 323
- Fatigue, 18, 36–39, 52, 54, 86, 162, 182, 189–190, 214, 222, 224, 238–239, 249–251, 259–260
- Feedback, 9, 49, 51–53, 78–79, 86, 88–89, 91, 98
- Feedforward, 49–53, 75, 80, 86, 89, 93
- Fiber, 1–2, 4–5, 9, 12, 19, 23–24, 29–32, 35–39, 41, 53, 67, 70–73, 78, 82, 86, 92–94, 122, 137, 141, 144–145, 151, 165–166, 189
- Fibril, 29, 31–32, 34, 70, 72, 82, 87, 91
- Filament, 31–33, 35, 41, 49, 53, 67, 69–72, 78, 82, 87, 92, 94, 120, 165
- Finger, 5, 11–14, 21–25, 41, 43, 59–60, 76, 79, 90–91, 105, 144, 148, 157, 177, 197, 209, 216–218, 225–226, 266–268, 281–282, 297–299, 322–326
- Fitting the human, 38
- Flexibility, 9, 15, 23, 323
- Flextime, 249–250, 256
- Food, 114, 152, 154–157, 159, 169, 170, 174, 213, 222, 238, 242
- Foodstuff, 153, 157, 160, 163, 169
- Foot strength, 61–66
- Foramen, 14–15, 23, 81, 89, 93
- Force, 5, 16–19, 27, 32–34, 39–43, 46–57, 59–62, 64–67, 87, 89, 97–104, 110, 114–118, 129, 145–146, 204, 210, 287–288
- Frankfurt plane, 267, 271, 318, 323
- Free body diagram, 104, 117–118
- G**
- Gas exchange, 125–126, 129–130
- Gaussian distribution, 275, 284, 313
- Globe temperature, 211, 231
- Glucose, 29, 36, 76, 137, 151, 154–155, 159–162, 164, 166–168, 170, 182, 238
- Glycogen, 29, 31, 36, 137, 151, 154–155, 159–162, 164, 166–168, 170, 182, 187–188, 221–222
- Golgi organ, 78, 87
- Goose bumps, 217
- Grasp, 43, 59, 114
- Grip, 59, 298–299
- Group, 9, 14, 28–29, 60, 98, 104, 112, 117, 135, 139, 148, 164, 181, 243, 254, 282–283, 290–292, 295, 306, 309–310, 319, 321
- Growth, 2, 4, 11, 20, 152, 157, 242
- H**
- Hand control, 43
- Handedness, 288
- Handle, 42, 48, 56–58, 296, 311, 313
- Hand-object couplings, 58–59
- Hand strength, 42–46, 57–60

- Health, effects of shift work on, 252, 254
- Heart muscle, 137
- Heart rate, 76, 130, 137–139, 144–148, 177–184, 187–190, 192–193, 195–196, 213, 215, 221, 223–224, 233, 236, 238, 241, 259
- Heat
 - balance, 205, 208
 - exchange, 153, 199, 201–206, 208, 211, 216, 230–231
 - gain, 201, 206–207, 220, 223, 229
 - loss, 129, 201, 204–205, 207, 217, 219–220, 223–224, 229–230
 - strain, 213–214
 - stress, 214
- Heaviness of work, 187
- Height, 20, 49, 66, 86, 106, 116, 143, 181, 265–267, 270, 273, 276, 279–284, 286–289, 292–293, 296–298, 302–303, 305–308, 311–314, 316–317, 321, 324, 326
- Hemodynamics, 98, 143–144
- Herniated disk, 82
- Homeostasis, 75, 93, 153, 174, 207–208, 235
- Hormonal system, 147
- Hot environment, 146, 206, 211–216, 222–223, 226
- Hours of work, 246–247, 249
- Human-centered engineering, 315–316
- Human energy machine, 151
- Human engineering, 190–191, 279
- Human factors engineering, 18, 87
- Humidity, 53, 204, 207, 210–211, 217, 219, 223, 225–226, 229–231
- I**
- Immigration, 289–290
- Independent variable, 48, 69–70, 121, 251
- Indirect calorimetry, 145, 174, 176–178, 193–194, 197
- Inertial properties of body, 106, 110–113
- Ingestion, 114, 155, 165, 238
- Inhaled air, 125, 129, 176, 225
- Injury, 1, 16, 18–20, 52, 82, 89, 93, 221, 224–225, 253, 256, 311
- Inspiratory muscle, 127
- Insulation of clothing, 203, 206, 220, 224–225
- Intensity of work, 196, 212, 227
- Internal
 - clock, 234, 237, 239, 251–252, 255
 - respiration, 128
 - transmission, 39–43, 50, 52–53
- Interoceptors, 51, 53, 78–79, 94
- Intestine, 154, 156–157, 160, 222
- Intra-abdominal pressure, 17
- Intrinsic muscle, 43
- Isoinertial, 48, 71, 121
- Isokinematic, 48, 56, 71, 121
- Isokinetic, 48, 71, 121
- Isometric, 28, 33–34, 38, 41, 46–49, 54, 56, 59–60, 69, 71, 92, 120–121, 139, 142, 146, 189, 221–222, 224–225
- Isotonic, 28, 48, 71, 121
- J**
- Jet lag, 237
- Joint, 1–2, 4–5, 8–15, 18, 20, 22–25, 27–28, 40–41, 44, 50–51, 59, 66, 78, 94, 97–98, 100, 102–108, 110, 115–117, 151, 225, 237, 272, 286, 296, 311–312, 315, 321, 323–324, 326
- Joint center, 105, 107–108
- Joint excursion, see Mobility
- Joule, 70, 93, 120, 153, 174, 180, 200
- K**
- Kinematics, 47–48, 56, 71, 99, 115–118, 121
- Kinetics, 28, 47–48, 71, 94, 99, 121, 151, 155
- Krebs cycle, 162–163, 167–168
- Kyphosis, 14, 20, 23, 324
- L**
- Lean body mass, 114, 174, 215, 221, 227
- Lever arm, 1–2, 24, 27, 40–42, 48, 50, 53, 71, 73, 98–102, 121–122, 146, 325
- Life expectancy, 289
- Lifting, 16, 20, 42, 48–49, 51–52, 104
- Ligament, 1–2, 4–5, 8–9, 14–15, 20, 23–24, 43, 90–91, 102, 325
- Line of sight, 79
- Link, 1, 11–12, 28, 37, 40–42, 60, 86, 97, 105–106, 108–109, 115–117, 283, 288, 322
- Loading, 2, 5, 15, 18, 196, 214
- Lordosis, 20, 23, 324
- Low back pain, 20
- Lowering, 48, 52, 103, 216
- Lumbar spine, 82
- Lung, 2, 77, 82, 92, 125–129, 131, 133, 137, 140, 176, 199, 204–205, 208, 219, 224, 230
- Lymph, 135–136, 143, 154, 157, 160
- Lymphatic system, 133–134, 136, 160
- M**
- Manipulation, 14, 43, 53, 57, 98, 237, 301
- Manual dexterity, 219, 225

- Maximal value, 265
 Maximal voluntary exertion, 51–52
 Mean, 108, 113, 185, 277, 296–301, 304–305
 Measuring units, 153, 174
 Mechanical advantage, 48, 53, 71, 99, 116, 121
 Mechanics, 22, 28, 47, 70–72, 93–95, 97–99, 115, 120–122, 294
 Mechanoreceptor, 79
 Menstrual cycle, 233, 235–236
 Metabolism, 36–37, 125, 131, 151–171, 176, 180–181, 184–185, 189, 196–197, 220–221, 224
 Microclimate, 226–227, 230
 Minimal value, 57, 104, 181, 265
 Minute volume, 129–130, 139, 148, 189
 Mitochondrion, 31, 41, 71, 155, 161, 164, 167
 Mobility, 1, 5, 8–11, 15, 20, 23–24, 265, 290, 311–312, 315–316, 323, 325
 Model, 1, 27, 75, 97, 125, 133, 151, 173, 199, 233, 265
 Moment, 22, 24–25, 54, 71, 73, 99–100, 104, 110, 115
 Moment of inertia, 104, 115, 122
 Motivation, 37, 49, 51–52, 54, 174, 182, 188, 190, 222, 238, 242, 244–245
 Motor nerve, 52, 86, 219
 Motor unit, 35–36, 39, 41, 49–50, 71–72, 80, 86–87, 89, 94–95, 217–218
 Muscle
 - contraction, 32–33, 35, 38, 49–50, 71, 94, 146, 153, 164, 189, 208, 224
 - effort, 38, 46, 49–50, 69–70, 93, 120
 - length, 33–35, 46–48, 71, 94
 - strength, 28, 40–43, 49, 51–54, 72, 95, 122, 174, 222, 276, 284
 - tension, 34, 39–41, 48–49, 51, 69, 71–72, 92, 120–122, 311
 - twitch, 36, 165–166
 Myofiber, 4, 29–32, 35–37, 39, 41, 78, 141, 144, 151, 165–166, 189
 Myofibril, 29, 31–32
N
 Nap, 245
 Nerve
 - ending, 9, 79
 - impulse, 37, 86, 93, 145
 - root, 81–83, 94–95
 Nervous pathways, 49, 81–87, 89
 Nervous system, 9, 35, 37, 41, 49, 51–53, 75–80, 86, 89, 92–95, 137–138, 141, 145, 162, 190, 206, 216, 225, 235, 242
 Neuron, 36, 39, 41, 70, 72, 75, 77, 82–86, 94–95, 165–166
 Neurotransmitter, 85
 Newton, 28, 46–48, 56, 59–60, 70, 93, 98–100, 104, 110, 121–122, 203
 Night work, 251–254
 Non-REM, 240–241, 243
 Normal distribution, 276, 278, 284, 302
 Normality, 193, 275–276, 284
 Normality of data, 276
 Nutrient, 125, 134, 136, 142, 144, 151, 154, 157–160, 174, 176–177
O
 Obesity, 286, 288
 Oscillator, 237, 241, 261
 Osteoporosis, 20, 24
 Overexertion, 1, 20, 37
 Overload, 18, 45, 208, 214, 243
 Oxygen
 - consumption, 130, 145, 176–180, 189, 224
 - content, 176
 - deficit, 181–182, 184, 188, 197
 - intake, 145, 176, 181, 184
 - uptake, 128, 161, 176–178, 181–182, 184, 188–189, 223**P**
 Pacemaker, 137, 149, 234, 237, 261
 Parasympathetic system, 94–95, 137–138
 Pedal, 42, 48, 56–57, 62, 64–66, 301
 Percentile, 10, 57, 60, 69, 277–279, 284, 304–306, 310, 313–315
 Performance, 20, 34, 52–53, 56, 88, 167, 180, 188, 191, 200, 222, 225, 227, 233–238, 242–245, 247, 249–251, 253–254, 275, 317
 Peripheral nervous system, 35, 76, 78–80, 94
 Permeability of clothing, 208
 Personal microclimate, 227
 Phonogram, 138
 Physics, 46–47, 71, 94, 97, 121–122, 143, 197
 Plasma, 134–135, 143, 148, 160, 213–215
 Plethysmograph, 130–131, 144, 148, 177, 197
 Population, 9, 54, 61, 105, 109, 265–266, 275, 278–279, 283, 285–286, 288–292, 295–301, 304–307, 309–310, 316–317
 Posture, 15, 28, 53, 56, 59, 61, 66, 86, 92, 105, 116, 266–267, 302, 310–313, 315
 Power, 31, 39, 52–53, 62, 72, 88, 94, 97, 122, 145, 153, 174, 221, 237
 Proportion, 39, 41, 105, 122, 195, 203, 209–210, 212, 222, 265, 275, 279–280, 287, 306, 310, 313, 317
 Proprioceptor, 51, 78, 94

- Protein, 1, 22–23, 29, 31–33, 72, 86, 94, 134–136, 143, 148, 154, 156–157, 159–162, 164, 167, 176, 181, 200, 242
- Psychophysics, 52, 196
- Psychrometer, 210, 230
- Pulmonary function, 130
- Pulmonary system, 137, 148
- Pulse, 135, 146, 148
- R**
- Radiation rapid eye movement sleep, *see* REM
- Rate coding, 72, 95, 217
- Rating of perceived exertion, RPE, 178, 195
- Reach, 9, 51, 57, 129–130, 139, 280–282, 298–300, 310–311, 315, 325
- Receptor, 9, 51, 76, 78–80, 82, 86, 93–94, 219, 225
- Recovery, 36, 38, 165–166, 181, 184, 190, 239, 243, 245
- Recruitment coding, 39, 72, 95, 217
- Reflex, 9, 37, 39, 51, 78, 86, 95, 189, 216
- REM, 240–243
- Repetitive work, 251, 259
- Respiration, 107, 114, 125–131, 152, 188–189
- Respiratory exchange quotient, 176, 193
- Respiratory volume, 129–130
- Rest break, 223
- Resting metabolism, 181, 197
- Rhesus factor, 135
- S**
- Salt, 29, 135, 155, 157, 160, 213–214, 216, 222
- Sarcomere, 31–33, 69, 87, 92, 120
- Segment mass, 111–112, 115
- Segment strength, 40, 42–43, 53, 56, 69
- Sensation of temperature, 206–208
- Sensor, 51, 54, 75, 77–78, 81, 83, 87–90, 92–94, 193, 206, 210–211, 219, 229, 243, 310
- Shift rotation, 248–249
- Shift work, 233, 237, 239, 243, 245–247, 251–254, 257
- Shivering, 208, 217–218, 223–224
- Sitting posture, 302, 311–312
- Skeletal muscle, 27–29, 31, 36, 41, 48, 71, 76–77, 86, 94, 136–138, 145, 153, 166, 206, 208, 214, 240
- Skeleton, 22, 97, 105, 115
- Skewness, 276–277
- Skin, 79–80, 82, 87, 89, 93, 114, 125, 133, 140, 145, 199, 201–209, 211–217, 219–221, 223–227, 229–231, 236, 272, 274
- Skin temperature, 204, 206, 209, 212, 215–216, 219–221, 223–227, 236
- Sleep
loss, 242–244, 256, 260
requirements, 243
- Sliding filament theory, 67
- Slow-wave sleep, 240–241
- Smooth muscle, 28, 75–76, 141, 144–145
- Social interactions, 252–254
- Soma, 76, 78, 82, 84, 92–93, 95, 275, 325
- Specific density, 111
- Specific heat, 134, 149, 209
- Sphincter, 141, 145, 208
- Spinal
column, 1, 5, 8, 14–20, 22, 25, 82, 95, 105, 322, 326
cord, 15, 51, 75, 77–78, 81–82, 89, 92, 94–95
disk, 5, 18–20
nerve, 19, 77–78, 82–83, 93, 95
- Spine, 9, 14–25, 82, 98, 322–327
- Standard deviation, 57, 62, 108, 243, 276–279, 284, 292–293, 304, 306, 308–309, 313–314
- Standing posture, 302, 311–312
- Static versus dynamic exertion, 27, 46–49, 56
- Statics, 28, 47, 72, 95, 98–99, 122
- Static strength, 46–47
- Statistical formulas in anthropometry, 277–278
- Statistical procedures, 276, 292, 306
- Statistical use of data, 57
- Statistics, 253, 266, 276, 278, 284, 292
- Stature, 106, 113, 175, 266, 270, 276, 279, 281–288, 290, 293–296, 305–308, 310, 313, 326
- Steady state, 181–184, 188, 208, 235
- Step test, 178–179
- Stimulus, 36, 78, 80, 86, 88, 93–95, 165–166, 178, 194, 261
- Stomach, 154–157, 160, 209, 222
- Strain, 1, 4, 8, 12, 16–17, 19–20, 22, 25, 34, 38–39, 54, 78, 90, 95, 98–99, 102, 104, 130, 139, 146, 174, 178–184, 213–214, 219, 221, 322, 326
- Strength, 1–3, 12, 20, 25, 27–28, 38–66, 69, 72, 78, 86, 88, 95, 98, 122, 137–138, 174, 188, 222, 224, 235, 275–276, 284, 298–299, 301
- Strength test, 51, 54–57
- Stress, 2, 24–25, 95, 98–99, 178–179, 214–215, 219, 221, 229, 244, 251, 325–326

- Stretch, 1, 4, 25, 27, 32, 34–35, 46, 49, 78, 87, 136, 144, 157, 266, 268, 285, 311–312, 315, 325–326
- Striated muscle, 142, 144
- Stroke volume, 139, 148–149, 189, 215, 223
- Subjective rating, 174, 178–179
- Sudomotor system, 206, 212, 220
- Sweat, 89, 152, 204–207, 212–215, 220, 223–225, 227
- Swimming, 186, 204, 220
- Sympathetic system, 94–95, 137–138
- Synapse, 82, 84–86, 95
- Synovia, 5, 8–9, 14, 45
- Systemic system, 137, 142, 149
- Systole, 137–139, 149
- T**
- Task demand, 191
- Temperature, 53, 79, 128–129, 145, 181–182, 192, 199–228, 233–234, 236–239, 243–244, 258
- Temperature scale, 202–203, 211
- Tendon, 4–5, 25, 29, 32, 38, 40–41, 43–46, 49, 51, 53, 78, 90, 94, 98
- Tension, 8, 22, 25, 33–36, 39–41, 48–51, 69–73, 78, 92–93, 95, 120–122, 165, 311, 322, 326
- Test protocol, 54–56
- Thermal comfort, 226–227
- Thermal environment, 174, 199–231
- Thermodynamics, 152, 199
- Thermoregulation, 128, 199–200, 206–208
- Thumb, 13–14, 22, 24, 43, 59, 90, 188, 323, 325
- Tidal volume, 129–130, 189
- Tiredness, 242–243, 255
- Tissue, 1–2, 4, 12, 14, 19–25, 27, 29, 32, 34, 37, 41, 44–46, 49, 70, 72, 82, 90–91, 95, 98, 110–112, 127, 133–137, 140–144, 154, 159, 177, 180, 182, 208, 212, 216–221, 224–225, 242, 274, 323
- Torque, 1, 18–19, 24, 39–43, 48–50, 52–54, 56–57, 59–60, 69, 71, 73, 89, 97, 99–100, 102–104, 116–118, 121–122, 325
- Transmission, 19, 39–43, 50, 52–53, 56, 60, 66, 75, 80, 82, 85–86, 97, 211
- Treadmill test, 178–179, 190
- Triceps muscle, 29, 104
- Twitch, 34–36, 39, 165–166
- Typology, 274–275
- U**
- Underload, 12
- V**
- Variability of data, 276–279, 283–292, 306, 310, 320
- Variometric, 46–47, 56
- Vasoconstriction, 145, 209, 216–217, 219, 223
- Vasodilation, 144–145, 216
- Vein, 37, 125–126, 133, 136–137, 140, 143–145, 160, 208, 212, 216
- Venous system, 134, 142, 144
- Ventilation, 127, 129–130, 182, 189, 192, 205, 223
- Ventricle, 137–139, 142, 144
- Vertebra, 4–5, 8, 14–15, 17–21, 78, 81–82, 89, 107–108, 287
- Vestibulum, 78–79
- Viscosity, 143, 145
- Vital capacity, 129
- W**
- Wakefulness, 239–240, 242–244, 255, 257
- Water in body, 29, 107, 134, 169, 180, 204–205, 213
- Water loss, 222–224
- Water in surrounds, 134
- Watt, 153, 174, 200, 212
- Weight, 12, 29, 49, 55, 62, 67, 98–100, 110–112, 114–115, 134, 163–164, 168–169, 174–175, 179–181, 184, 186, 209, 212–213, 222, 228, 268, 276, 279, 281–284, 286–289, 292–296, 301, 307, 310, 319
- Well-being, 233–234, 237, 252–253
- Wet bulb globe temperature (WBGT), 211–212, 222, 225–228
- Wet bulb temperature, 211
- Width, 300
- Wind chill, 204, 211, 217–218
- Work
- in cold, 221–225
 - demand, 184, 253
 - in heat, 221–225
 - load, 134, 189
 - metabolism, 181–184
 - schedule, 253
- Workday, 246–250, 252
- Working hours, 238, 249, 254
- Workweek, 246, 249–251, 256
- Wrist, 5, 9–10, 13, 43–45, 50, 90, 108, 177, 267, 280–282, 290, 304–305, 308–309, 311–312, 315
- Z**
- Zeitgeber, 235–237, 252, 254
- Z-line, 32–33