

#### University of Tennessee, Knoxville TRACE: Tennessee Research and Creative Exchange

Graduate Publications and Other Selected Works - Doctor of Nursing Practice (DNP)

Nursing

May 2022

#### Improving Patient Outcomes One Warm Patient at a Time

Lindsey King University of Tennessee, Knoxville, Iking52@vols.utk.edu

Marcus Austin Robison University of Tennessee, Knoxville, mrobiso5@vols.utk.edu

Julie Bonom DNP University of Tennessee, Knoxville, JBonom@utmck.edu

Michael Godbold MD University Of Tennessee Medical Center, Knoxville, mgodbold@utmck.edu

Follow this and additional works at: https://trace.tennessee.edu/dnp

Part of the Anesthesia and Analgesia Commons, Perioperative, Operating Room and Surgical Nursing Commons, Quality Improvement Commons, and the Surgical Procedures, Operative Commons

#### **Recommended Citation**

King, Lindsey; Robison, Marcus Austin; Bonom, Julie DNP; and Godbold, Michael MD, "Improving Patient Outcomes One Warm Patient at a Time" (2022). *Graduate Publications and Other Selected Works - Doctor of Nursing Practice (DNP)*. https://trace.tennessee.edu/dnp/24

This Presentation is brought to you for free and open access by the Nursing at TRACE: Tennessee Research and Creative Exchange. It has been accepted for inclusion in Graduate Publications and Other Selected Works - Doctor of Nursing Practice (DNP) by an authorized administrator of TRACE: Tennessee Research and Creative Exchange. For more information, please contact trace@utk.edu.

# IMPROVING PATIENT OUTCOMES ONE WARM PATIENT AT A TIME

Lindsey King &

Austin Robison

# **INTRODUCTION & BACKGROUND**

### BACKGROUND: HYPOTHERMIA IN SURGICAL PATIENTS

- Defined as: core body temp < 36°C</li>
- Occurs in up to 90% of patients

Causes

- Medications-vasodilation
- Retribution of heat to the environment
- Physiologic factors: cold IV fluids, cold surface to skin contact, cold OR temps and increased time under general anesthesia.
- Negative effects of hypothermia
  - Increased morbidity, decreased wound healing, increased surgical site infection (SSI), decreased platelet activity, as well as prolonged drug metabolism.

(Brodshaug et al., 2019; Madrid et al., 2016; Nicholson, 2013)



- The Problem: increased incidence of hypothermia in colorectal surgical patients at The University of Tennessee Medical Center (UTMC).
- Initially the facility is 76% compliant with maintaining a median core temp of >36°C intraoperatively.
- Incidence of SSI
  - UTMC: 16.7%
  - State (Tennessee Surgery Quality Collaborative): 14.3%
  - National (National Surgical Quality Improvement Program): 13.2%
- SSI's are considered the most expensive of all hospital-acquired infections in the USA
  - Estimated additional \$10 billion in healthcare costs.
  - Increased cost of single patient admission by \$20,000.

(Hien & Daley, n.d.; UTMC Bowel Surgery Committee, 2019)





#### GUIDING FRAMEWORK: PROCESS

#### Model for Improvement



*Note:* This figure demonstrates the framework of The Model for Improvement and PDSA cycles (Institute for Healthcare Improvement, n.d.). Reprinted with permission.





#### PICOT QUESTION #1

"In the Colorectal Surgery Patient, how do prewarming strategies compare to not prewarming affect intraoperative hypothermia rates over three months?"

# PICOT QUESTION #2

 "In colorectal surgery patients how does increased compliance with the standardized hypothermia prevention protocol compared to current practice affect surgical hypothermia compliance rates over 3 months?"

# EVIDENCE





# CRITICAL APPRAISAL OF LITERATURE



- Critical Appraisal via the Johns Hopkins Nursing Evidence-Based Practice (JHNEBP) critical appraisal tool
  - All Quantitative Studies
  - All articles Level of evidence II or above
  - All articles received a quality letter grade of an A or B
    - High or good quality of evidence

- Synthesis of evidence pertinent to PICOT questions 1 & 2 is listed in tables 3 & 4, respectively.
- PICOT Question 1: Evidence suggests that prewarming unanimously decreases the incidence of perioperative hypothermia.
- PICOT Question 2: Intraoperative active body surface warming ABSW, using the forced air method (FAW) had a statistically significant effect on decreasing the incidence of hypothermia.

# SYNTHESIS OF THE EVIDENCE

#### PATIENT PREFERENCES & VALUES

 "Improving patient operative outcomes is the foundation for this project. Increasing health literacy will be a large portion of the implementation phase. Educating patients on the benefits of maintaining normothermia and the reasons for inadvertent hypothermia will greatly aid the patient in making decisions and involve them in their care".

#### RECOMMENDATION FOR PRACTICE CHANGE

- Based on the JHNEBP level of evidence and quality ratings a "strong" level of evidence was found to support the practice change; increasing compliance with hypothermia prevention protocols and methods via use of FAW devices.
- PICOT One
  - It is **recommended** that all colorectal surgery patients should be prewarmed using a forced air warming device at least 30 minutes prior to anesthesia induction.
- PICOT Two
  - It is recommended that all colorectal surgical patients maintain a core body temperature ≥36 C through increased compliance with current hypothermia prevention protocols and methods via application of FAW devices.

(Dang & Dearholt, 2018)



- ≥80% of colorectal surgery patients to maintain a median core temperature > 36°C.
  - Implementation Date: August 2021

# IMPLEMENTATION



- Setting
  - The University of Tennessee Medical Center
    - 685 Beds
    - Level one trauma, stroke center, and heart hospital, with magnet designated status.
    - Approximately 40 regularly scheduled operating suites.
    - Admits 24,000 patients annually and performs 8,500 inpatient surgeries.
    - Regulatory Guidance: NSQIP, TSQC, & MPOG.
  - Participants
    - Colorectal surgery patient (≥ 18 years old) during the preoperative and intraoperative timeframe.
      - Colorectal surgery patient: any patient receiving open, laparoscopic or otherwise robotic assisted surgery on the colon, anus, or rectum that results in the anastomosis of the bowel.

#### STAKEHOLDERS & PROJECT TEAM

- Key project site team members
  - DNP Students I & 2
  - Anesthesia Project Chair
  - Anesthesia Quality Improvement Department Chair

- Stakeholders not on Project Team
  - Colorectal Surgical Patients
  - NSQIP
  - TSQC
  - ASPIRE

- Additional Team Members
  - Staff Management
  - Site Providers and Staff
  - UTK Statistician
  - Bowel Surgery Committee

# BARRIERS & FACILITATORS

- Barriers
  - Lack of Knowledge & Skills
  - Beliefs-Culture
  - Attitudes-Resistance to Change
  - Organizational Influences
  - Lack of Resources
  - Departmental Turnover
  - Pandemic

- Facilitators
  - Adequate Knowledge & Skills
  - Positive Culture & Beliefs
  - Attitudes-Welcome Change and Opportunity
  - Organizational Influences-Strong leadership
  - Resources-Adequate Monetary
     Resource Distribution

# SWOT ANALYSIS

INTERNAL FACTORS						
STRENGTHS (+)	WEAKNESSES (-)					
<ul> <li>Institutional Support for project development and implementation</li> </ul>	• Lack of patient and staff education in regard to hypothermia as a risk factor for increased SSI					
<ul> <li>UTMC working with the TSCQ to meet evidence- based core measures</li> </ul>	<ul> <li>Lack of compliance with current colorectal surgery protocol</li> </ul>					
<ul> <li>The presence of an actively involved, anesthesia specific, quality improvement coordinator</li> </ul>	<ul> <li>Lack of standardized hypothermia intervention implementation methods</li> </ul>					
<ul> <li>One of the region's top medical centers</li> <li>As a top referral center, magnet recognized, level one trauma center and teaching hospital resources are in place to optimize quality of care and implement change initiatives and projects</li> </ul>	<ul> <li>Lack of access to a physical hypothermia prevention protocol</li> <li>Provider bias in their own way of combatting hypothermia</li> </ul>					

#### EXTERNAL FACTORS

OPPORTUNITIES (+)	THREATS (-)
Quarterly meetings of the Multicenter Perioperative Outcomes Group (MPOG), to analyze multi center data to improve perioperative patient outcomes	<ul> <li>High staff turnover rates</li> <li>Staff resistance to and decreased interest in education</li> </ul>
Quarterly meetings of the Bowel Surgery Committee to assess and improve current bowel surgery outcomes Provider education regarding most effective hypothermia prevention techniques Perioperative nurse hypothermia, and prevention technique education Warming patients preoperatively, to improve normothermia compliance	<ul> <li>Provider resistance to change</li> <li>Provider fatigue and burnout</li> <li>Large provider and nurse population to educate</li> <li>Competition from medical residents in pursuing a quality improvement project</li> </ul>

# IMPLEMENTATION TIMELINE

0101

5

- March 2021: Final adjustments and schedule proposal defense.
- April 2021: Proposal Defense
- July 2021 Submit IRB application
- August-October 2021: PDSA cycles and education implementation.
- December 2021: Data analysis, Project Defense & Dissemination of Findings

# IMPLEMENTATION PROCESS



#### **PDSA Cycles**

Research current protocol/practice adherence Develop educational materials



#### Implement

Distribute Educational Handout



#### **Evaluate & Disseminate**

Evaluate post-implementation data collected by the Bowel Surgery Committee

Compare Pre implementation and post implementation bowel surgery committee data

Disseminate findings to team members and stakeholders

# EDUCATION



ANY patient undergoing surgery resulting in anastomosis of their bowel



WHAT? Bair Hugger

Maintain Core Body Temperature > 36°C



#### WHEN?

Prewarming: ≥ 30 minutes prior to anesthesia induction

Intraoperatively: ASAP maximizing body surface covered



#### WHERE?

Ambulatory Surgery Unit Preoperative Unit Operating Room TIME OUT



#### WHY?

Improve Patient Outcomes

**Decrease SSI** 

Improved Patient Satisfaction

#### **GREEN SHEET**

#### **Bowel Surgery Protocol Checklist**

Does this surgery result in the anastomosis of the bowel?
 If yes, follow this checklist.

□ Patient pre-warmed using forced air warming for ≥ 30 minutes before anesthesia induction?

#### Use of Bowel Protocol mentioned during timeout?

- Maintain Temperature > 36 (Intraop and Postop).
- Maintain FiO2 >80% for all portions of the case.
- Maintain Glucose <200.
- Ensure timely redosing of Antibiotics.

#### □ Intraoperative use of forced air warming?

- Timely application
- Maximize body surface area covered.

# EVALUATION

# MEASUREMENT OF SUCCESS

- Outcome
  - The primary outcome measures of this project is for ≥80% of colorectal surgery patients to maintain a median core target temperature above 36 degrees Celsius.
- Process
  - Provider/ Staff adherence to the existing facility bowel protocol.

# DATA EVALUATION

- Data Collection
  - Retrospective data collection and evaluation.
  - Data collection during implementation x 3 months.
- Data Variables
  - Colorectal Surgical Patient.
  - FAW received or not received.
  - Month of implementation process.
  - Timeframe of data collection (pre-implementation or postimplementation)
  - Compliant with maintain core temperature >36°C or not compliant.

# 

# DATA ANALYSIS & SECURITY

#### DATA ANALYSIS

- Descriptive variables were statistically analyzed in the SPSS software.
- Chi-square test were performed to compare pre- and postimplementation data.
- A Chi squared test was performed to measure the overall success of the project and generate a P value.

#### DATA SECURITY

- HIPAA training completed by all parties with access to data.
- Data spreadsheet is contained within the facilities password-protected, HIPPA compliant, OneDrive account.



• Chi-square Test = 3.747, df=1, p=0.065

- Statistical Significance
  - Marginal
- Clinical Significance
  - MET
- Strengths & Weaknesses'

#### % Compliance Across Time: Crosstabulation

			<u>Temperature</u> <u>Compliance</u>		
			.00	1.00	Total
<u>Time</u>	2020	Cases	56	173	229
		%	24.5%	<mark>75.5%</mark>	100.0%
	2021	Cases	39	189	228
		%	17.1%	<mark>82.9%</mark>	100.0%
<u>Total</u>		Cases	95	362	457
		% within time	20.8%	<b>79</b> .2%	100.0%

# SIGNIFICANCE & IMPLICATION OF THE PROJECT

- Hypothermia increases risk of poor surgical outcomes such as SSI. Leading to precipitating patient factors such as increased cost and length of stay. The main aim of this project is focused on improving these patient outcomes.
  - SSI most expensive HAI
    - Increased single patient admission cost up to \$20,000
  - Increased LOS

(Ban et al. 2017)

# SUSTAINABILITY AND DISSEMINATION

#### **SUSTAINABILITY**

- Cost...Minimal
  - Will use existing infrastructure for current protocol guidance and data collection.
- Possibility of passing this project down to another DNP group incorporating other aspects.
  - Continued data tracking
- Lewins Change Theory
  - Adopt change to make practice a new normal.

#### DISSEMINATION

- Initially: Presentation to stakeholders within the project.
- Project results will be shared with the facility and all departments involved:
  - Anesthesia, Perioperative Nursing, the Bowel Surgery Committee and the Colorectal Surgical Team

#### DISCUSSION

Maintaining normothermia has been proven to improve surgical outcomes in colorectal patients.

By increasing compliance with existing bowel protocol via the education card mentioned previously patient outcomes can be improved.

Utilizing the Model for Improvement and PDSA cycles, along with Lewin's Change Theory, sustained improvement to current practices and protocol can be achieved

This project aligns with the value the practice site places on quality improvement, quality care, and the best patient outcomes.

#### CONCLUSION



# REFERENCES

 PLEASE REFER TO REFERENCE PAGES OF THE PROPOSAL DOCUMENT.