

PAPER • OPEN ACCESS

Atomic and molecular suite of R-matrix codes for ultrafast dynamics in strong laser fields and electron/positron scattering

To cite this article: J Wragg *et al* 2020 *J. Phys.: Conf. Ser.* **1412** 072017

View the [article online](#) for updates and enhancements.

You may also like

- [Benchmark calculations of electron impact electronic excitation of the hydrogen molecule](#)
T Meltzer, J Tennyson, Z Mašin *et al.*
- [Electron collisions with molecular hydrogen from electronically excited states using the R-matrix method](#)
T Meltzer and J Tennyson
- [Recent progress in the description of positron scattering from atoms using the convergent close-coupling theory](#)
A S Kadyrov and I Bray



The Electrochemical Society
Advancing solid state & electrochemical science & technology

241st ECS Meeting

May 29 – June 2, 2022 Vancouver • BC • Canada

Abstract submission deadline: Dec 3, 2021

Connect. Engage. Champion. Empower. Accelerate.
We move science forward



Submit your abstract



Atomic and molecular suite of R-matrix codes for ultrafast dynamics in strong laser fields and electron/positron scattering

J Wragg^{3*}, J Benda¹, Z Mašín^{2,†}, G S J Armstrong³, D D A Clarke³, A C Brown³
C Ballance³, A G Harvey⁴, K Houfek², A Sunderland⁵, M Plummer⁵, J D Gorfinkiel¹
and H van der Hart³

¹School of Physical Sciences, The Open University, Walton Hall, MK7 6AA Milton Keynes, UK

²Institute of Theoretical Physics, Faculty of Mathematics and Physics, Charles University, V Holešovičkách 2, 180 00 Prague 8, Czech Republic

³Centre for Theoretical Atomic, Molecular and Optical Physics, School of Mathematics and Physics, Queen's University Belfast, Belfast BT7 1NN, United Kingdom

⁴Max-Born-Institut, Max-Born-Str. 2A, 12489 Berlin

⁵Scientific Computing Department, STFC Daresbury Laboratory, Sci-tech Daresbury, Cheshire WA4 4AD, United Kingdom

Synopsis We describe and illustrate a number of recent developments of the atomic and molecular ab initio R-matrix suites for both time-dependent calculations of ultrafast laser-induced dynamics and time-independent calculations of photoionization and electron scattering.

The field of attosecond science has presented computational physics with a set of new challenges to describe the dynamics of matter in strong femtosecond lasers. The recent move to study complex multielectron systems makes the need for a matching ab initio theoretical description even more pressing. In the more mature field of electron-molecule collisions, the need to study more complex targets has also required software improvements. Our R-matrix suites of codes [?, ?] have recently undergone a major upgrade and been made available to the community.

A set of atomic and the molecular time-independent codes form their core. On the atomic side these are the well-established RMATRXI and RMATRXII codes: both use a B-spline representation of the continuum; RMATRXI allows the inclusion of relativistic (Breit-Pauli) corrections. On the molecular side, a major development has led to the release of UKRmol+, based on code originally developed for electron/positron - molecule scattering. This suite has been extended to enable photoionization calculations and to include B-splines in the representation of the continuum via the new GBTOlib integral library. Significant improve-

ments in performance of the molecular codes have been achieved developing a new parallel Hamiltonian build algorithm and a parallelized version of the R-matrix propagator.

The second layer of the R-matrix suite comprises R-matrix with time (RMT) [?] codes which can now be used to propagate in time both the atomic and molecular (in the fixed-nuclei approximation) wavefunctions. Recent developments allow the use of arbitrary polarized light and interfacing with the atomic RMATRXI suite thus enabling studies of spin-orbit dynamics in ultrafast laser fields.

The recent developments will be described, including illustrations of the results on generation of electron vortices from argon atoms, relativistic effects in the vicinity of the giant resonance in Xenon and validation tests of molecular RMT on photoionization of water. The benefits for the electron-molecule scattering community will be illustrated with the results for inelastic electron scattering from thiophene.

References

- [1] <https://gitlab.com/Uk-amor/RMT/rmt>
- [2] <https://gitlab.com/Uk-amor/UKRMol>
- [3] Moore L R *et al* 2011 *J. Mod. Optics* **58** 1132

*E-mail: jack.wragg@qub.ac.uk

†E-mail: zdenek.masin@utf.mff.cuni.cz

