

GSI Scientific Report 2013

GSI Report 2014-1

<<http://www.gsi.de/library/GSI-Report-2014-1/>>

DOI:10.15120/GR-2014-1

ISSN: 0174-0814
and GSI Report 2014-1

Publisher: GSI Helmholtzzentrum für Schwerionenforschung GmbH,
Planckstr. 1, 64291 Darmstadt, Germany, <<http://www.gsi.de>>
GSI is a member of the Helmholtz association of national research
centres <<http://www.helmholtz.de>>.
E-only-edition: <<http://www.gsi.de/library/GSI-Report-2014-1/>>
DOI:10.15120/GR-2014-1

Editor: Katrin Große,
Contact: gsilibrary@gsi.de, phone: +496159 712610, fax: +496159
713049.
Cover design: B. Schäusten.
Publication date: October 2014

Copyright © 2014 by GSI Darmstadt, all rights reserved.

For the production of this report templates and scripts of the
JACoW collaboration (Joint Accelerator Conferences on Web
<<http://www.jacow.org>>) were used.

Foreword

The year 2013 has been exceptional - in two extreme ways.

On one hand, we witnessed important progress in the technological developments for the accelerator and detector components for FAIR, the Facility for Antiproton and Ion Research, the future project of GSI and the international science community in the fields of hadron and nuclear sciences as well as for many applications in atomic and biophysics and material research. Several Technical Design reports have been concluded in 2013 (i.e. CBM Silicon Tracking Stations). From the Manne-Siegbahn-Laboratory in Stockholm the CRYRING storage ring has been delivered to the future FAIR accelerator facility. This storage ring will be assembled first at the existing GSI facility to conduct experiments and machine tests. Elaborate alterations of GSI's large ring accelerator SIS18 have been concluded end of 2013 after one year of work which included in particular the installation of a new accelerator cavity.

On the other hand, the necessary focussing of GSI on the FAIR project came with a price: no beam time at GSI and financial support in the research department at the bare minimum. Despite these less than optimal conditions, my colleagues in the research department have reached many scientific firsts, based on experiments performed in earlier years or outside of GSI and very often supported by collaborations with the Helmholtz Institutes in Jena and Mainz or within the HIC4FAIR excellence initiative and the Helmholtz Alliance 'Cosmic Matter in the Laboratory'. This report summarizes the achieved scientific highlights and the path taken by the research department towards FAIR.

I am grateful to my colleagues for not having lost the motivation accepting the severe cuts in the ongoing research activities and maintaining their drive for our joint goal in 2020: to open up an unprecedented science program at the international FAIR facility in Darmstadt.

Karlheinz Langanke

Contents

| | |
|---|-----------|
| Foreword | iii |
| Contents | v |
| Division CBM / NQM (Nuclear and Quark Gluon Matter) | 1 |
| Department HADES | 1 |
| NQM-HADES-01 – Investigations on two-particle correlations in $p + {}^{93}\text{Nb}$ collisions at $E_{kin} = 3.5$ GeV | 1 |
| NQM-HADES-02 – Kaon in-medium potential probed in proton-nucleus reactions | 2 |
| NQM-HADES-03 – Search for a “ ppK^- ” bound state in p+p collisions | 3 |
| NQM-HADES-04 – A new upper limit on the rare decay $\eta \rightarrow e^+e^-$ | 4 |
| NQM-HADES-05 – Searching a Dark Photon with HADES | 5 |
| NQM-HADES-06 – Hunting for K^{*+} in pp and pNb reactions | 6 |
| NQM-HADES-07 – Electron identification in Au+Au collisions at 1.23 GeV/u in HADES using multivariate analysis | 7 |
| NQM-HADES-08 – π^0 reconstruction via conversion method in Au+Au at 1.23AGeV with HADES | 8 |
| NQM-HADES-09 – The HADES alignment strategy | 9 |
| NQM-HADES-10 – Integration of the Pion-Beam Tracker into the HADES DAQ | 10 |
| NQM-HADES-11 – Diamond detector preparation for high intensity beam monitoring and high precision T0 determination | 11 |
| NQM-HADES-12 – Test of the HADES Electromagnetic Calorimeter modules on photon beam | 12 |
| NQM-HADES-13 – A Precise Multi-Channel QDC FEE utilizing FPGAs as Discriminators and Delay Elements Based on the TRB3 as TDC and Readout Platform | 13 |
| Department CBM | 15 |
| NQM-CBM-01 – Status of the Compressed Baryonic Matter (CBM) experiment at FAIR | 15 |
| NQM-CBM-02 – Quench calculation for the CBM Dipole magnet | 17 |
| NQM-CBM-03 – Quench detection and protection system for the CBM dipole magnet | 18 |
| NQM-CBM-04 – Quality assessment of ultra-thin CMOS sensors for the Micro Vertex Detector of the CBM experiment at FAIR | 19 |
| NQM-CBM-05 – The next generation of CBM MVD read-out electronics | 20 |
| NQM-CBM-06 – The layout of the CBM Silicon Tracking System | 21 |
| NQM-CBM-07 – Silicon strip sensor layout for the CBM Silicon Tracking System | 22 |
| NQM-CBM-08 – Performance of neutron irradiated prototype sensors for the CBM Silicon Tracking System | 23 |
| NQM-CBM-09 – Measurement of coupling and interstrip capacitances in silicon microstrip sensors for the CBM experiment at FAIR | 24 |
| NQM-CBM-10 – In-beam test of prototype modules for the CBM Silicon Tracking System | 25 |
| NQM-CBM-11 – Full-size prototype microstrip sensors for the CBM Silicon Tracking System | 26 |
| NQM-CBM-12 – First mock-up of the CBM STS module based on a new assembly concept | 27 |
| NQM-CBM-13 – Low and high voltage power supply for STS detector electronics | 28 |
| NQM-CBM-14 – Calibration of a laser scanning system for quality assurance of CBM prototype silicon microstrip sensors | 29 |
| NQM-CBM-15 – Automated quality assurance of sensors for the CBM Silicon Tracking System | 30 |
| NQM-CBM-16 – Application of the CBM Silicon Tracking System CAD model for integration studies | 31 |
| NQM-CBM-17 – An improved detector response simulation for the Silicon Tracking System | 33 |

| | |
|--|----|
| NQM-CBM-18 – A front-end electronics board to test the assembly procedure of modules for the CBM Silicon Tracking System | 34 |
| NQM-CBM-19 – A mechanical model of an STS station for the study of cable routing | 35 |
| NQM-CBM-20 – A setup for adjustment of process parameters for CBM module production | 36 |
| NQM-CBM-21 – Development of a CO_2 cooling prototype for the CBM Silicon Tracking System | 37 |
| NQM-CBM-22 – Cherenkov photon detection with WLS coated MAPMTs | 38 |
| NQM-CBM-23 – Ronchi test for measurements for the mirror surface of the CBM-RICH detector | 39 |
| NQM-CBM-24 – Characterization of the GET4 v1.0 TDC ASIC with detector signals | 40 |
| NQM-CBM-25 – Event based unpacker and digitizer for the CBM TOF in CBMROOT | 41 |
| NQM-CBM-26 – High counting rate test of the basic structure for the inner zone of the CBM RPC-TOF | 42 |
| NQM-CBM-27 – 100 Ohm transmission line multi-strip multi-gap high counting rate RPC prototype | 43 |
| NQM-CBM-28 – RPC prototype test with cosmic irradiation | 44 |
| NQM-CBM-29 – CBM TRD radiator simulation in CbmRoot | 45 |
| NQM-CBM-30 – Construction and first performance studies of a CBM TRD prototype with alternating wires developed in Frankfurt | 46 |
| NQM-CBM-31 – Development of an online feature extraction pre-processing stage for TRD based on SPADIC 1.0 | 47 |
| NQM-CBM-32 – e/π Discrimination and position resolution of a real size CBM-TRD prototype | 48 |
| NQM-CBM-33 – Design of new SPADIC front-end boards for TRD readout | 49 |
| NQM-CBM-34 – Commissioning of the SPADIC 1.0 Amplifier / Digitizer Chip | 50 |
| NQM-CBM-35 – Testing of $31\text{cm} \times 31\text{cm}$ GEM Chamber at COSY | 51 |
| NQM-CBM-36 – CBM First-level Event Selector Data Management Developments | 52 |
| NQM-CBM-37 – Status of the CBMnet based FEE DAQ readout | 53 |
| NQM-CBM-38 – A Monte Carlo feasibility study of the CBM event reconstruction at high interaction rates based on time information | 54 |
| NQM-CBM-39 – Employing the CBM Micro Vertex Detector for Background Rejection in Dilepton Analyses | 55 |
| NQM-CBM-40 – Production of hyperons at FAIR energies | 56 |
| NQM-CBM-41 – Reaction plane reconstruction in the CBM experiment | 57 |
| NQM-CBM-42 – The di-muon measurements with CBM at SIS100 | 58 |
| Department FOPI | 59 |
| NQM-FOPI-01 – Constraining the nuclear matter equation of state around twice saturation density | 59 |
| NQM-FOPI-02 – Differences in population of the phase space for K^\pm -mesons produced in π -induced reactions with heavy and light targets | 60 |
| NQM-FOPI-03 – Status of the $p\kappa\Lambda$ Analysis in pp Collisions with the FOPI Spectrometer | 61 |
| NQM-FOPI-04 – Cluster Error of the FOPI TPC | 62 |
| NQM-FOPI-05 – Discharge probability studies with GEM detectors | 63 |
| NQM-FOPI-06 – Ion backflow studies with a triple GEM detector | 64 |
| Department ALICE | 65 |
| NQM-ALICE-01 – Performance of the ALICE Experiment during the LHC Run 1 | 65 |
| NQM-ALICE-02 – Multiplicity dependence of the average transverse momentum in pp, p-Pb, and Pb-Pb collisions at the LHC | 66 |
| NQM-ALICE-03 – Nuclear Modification Factor and Centrality Determination in p-Pb Collisions at ALICE | 67 |
| NQM-ALICE-04 – Measurement of charged jets in p-Pb collisions with ALICE | 68 |
| NQM-ALICE-05 – Measurement of electrons from charm and beauty-hadron decays in p-Pb collisions at $\sqrt{s_{NN}} = 5.02\text{TeV}$ with ALICE at the LHC | 69 |
| NQM-ALICE-06 – J/ψ production in p-Pb collisions measured with ALICE at the LHC | 70 |
| NQM-ALICE-07 – J/ψ production in Pb-Pb collisions measured with ALICE | 71 |
| NQM-ALICE-08 – Azimuthal correlation measurements with ALICE at the LHC | 72 |
| NQM-ALICE-09 – Deuteron production in Pb-Pb collisions measured with ALICE at the LHC | 73 |
| NQM-ALICE-10 – Validation of Bayesian PID in ALICE, for the channel $D^0 \rightarrow K^-\pi^+$ in pp at $\sqrt{s} = 7\text{ TeV}$ | 74 |
| NQM-ALICE-11 – Study of Higher Order Net-Particle Fluctuations at LHC Energies | 75 |

| | |
|--|------------|
| Division PANDA / HSD (Hadron Structure and Dynamics) | 77 |
| Departments Hadron Physis I and Hadron Physics II | 77 |
| HSD-01 – Collaboration report PANDA progress in 2013 | 77 |
| HSD-02 – Invariant mass reconstruction of $^3_{\Lambda}H$ and $^4_{\Lambda}H$ | 78 |
| HSD-03 – Breakthrough in the Lifetime of Microchannel Plate PMTs | 79 |
| HSD-04 – In-Beam Tests of Double-Sided Silicon Microstrip Sensors Employing Flex-PCB Read-out for the \bar{P} ANDA MVD | 80 |
| HSD-05 – Quality assurance for large-scale GEM-foils | 81 |
| HSD-06 – The PANDA GEM-Tracker Prototype 'GEM2D', Simulations and Pad-Plane design | 82 |
| HSD-07 – Time-based reconstruction in the GEM Tracker | 83 |
| HSD-08 – Comparison of Radiation Damage Effects in PWO Under Proton Irradiation at 150 MeV and 24 GeV Energy | 84 |
| HSD-09 – Quality of $PbWO_4$ Crystals Manufactured at SICCAS | 86 |
| HSD-10 – Dark count measurements of SiPM detectors | 88 |
| HSD-11 – Further Development of Lattice-FPGA based TDC and Its Implementation on different Platforms | 89 |
| HSD-12 – Study of PANDA Barrel DIRC design options | 90 |
| HSD-13 – Study of a PANDA Barrel DIRC design based on radiator plates | 91 |
| HSD-14 – Study of the timing resolution of a PANDA Barrel DIRC prototype | 93 |
| Division NuSTAR / ENNA (Nuclear Structure, Astrophysics and Reactions) | 95 |
| Department FRS / SFRS | 95 |
| NUSTAR-FRS-01 – Collaboration report NUSTAR progress in 2013 | 95 |
| NUSTAR-FRS-02 – Progress on the Super-FRS Experimental Program | 98 |
| NUSTAR-FRS-03 – Spectroscopy of η' -mesic nuclei at FRS and Super-FRS | 100 |
| NUSTAR-FRS-04 – Experimental Setup for hypernuclear study at the Super-FRS | 101 |
| NUSTAR-FRS-05 – Measurement of β -delayed neutrons around the third r-process peak | 102 |
| NUSTAR-FRS-06 – A Cherenkov detector as a possible TOF detector for the Super-FRS | 103 |
| NUSTAR-FRS-07 – Performance of the Prototype Cryogenic Stopping Cell for the Low-Energy Branch of the Super-FRS | 104 |
| NUSTAR-FRS-08 – Recent Technical Improvements for the Multiple-Reflection A Laser Ablation Carbon Cluster Ion Source and an RFQ-based Switchyard for the FRS Ion Catcher | 105 |
| NUSTAR-FRS-09 – Conceptual Design of A Next-Generation Cryogenic Stopping Cell for the Low-Energy Branch of the Super-FRS | 106 |
| NUSTAR-FRS-10 – Recent Technical Improvements for the Multiple-Reflection Time-of-Flight Mass Spectrometer at the FRS Ion Catcher | 107 |
| NUSTAR-FRS-11 – Experimental Investigations and Technical Design for The Time-OF-Flight Detectors in the CR at FAIR | 108 |
| NUSTAR-FRS-12 – Efficiency calibration of the neutron detector BELEN-48 with (p,n) and (α ,n) reactions at the PTB Braunschweig | 109 |
| NUSTAR-FRS-13 – Tests of scintillation Fibers for the compact neutron Detector NeuRad | 110 |
| NUSTAR-FRS-14 – Atomic Mass Compilations | 111 |
| Department Gamma Spectroscopy | 113 |
| NUSTAR-GS-01 – Status of PreSPEC Commissionning Data Analysis | 113 |
| NUSTAR-GS-02 – Automatic Self-consistent Gain-Matching of DSSD Detector Channels | 115 |
| NUSTAR-GS-03 – Development and test of a segmented Time-of-Flight plastic detector | 117 |
| NUSTAR-GS-04 – In-beam γ -ray spectroscopy with AGATA@PreSPEC: Development of new experimental tools for HISPEC@FAIR | 119 |
| NUSTAR-GS-05 – Simulations for DEGAS detectors at FAIR | 121 |
| NUSTAR-GS-06 – Simulations for position-sensitive tracking of γ rays in scintillators Approach for source reconstruction | 123 |
| Departements SHE Physics and SHE Chemistry | 125 |
| NUSTAR-SHE-01 – Study of the $^{48}Ca + ^{249}Bk$ fusion reaction leading to element Z = 117: long-lived α -decaying ^{270}Db and discovery of ^{266}Lr | 125 |
| NUSTAR-SHE-02 – Element 115 studied with TASISpec | 126 |
| NUSTAR-SHE-03 – Neutron Shell Strengths at N = 152 and towards N = 162 | 127 |
| NUSTAR-SHE-04 – Decay of $^{201-203}Ra$ | 128 |

| | |
|---|-----|
| NUSTAR-SHE-05 – Decay of $^{200,201}Fr$ | 129 |
| NUSTAR-SHE-06 – Compound nucleus spin distribution for $^{64}Ni + ^{100}Mo$ | 130 |
| NUSTAR-SHE-07 – Diamond dE-E-ToF-telescope for heavy ion reactions at the Coulomb barrier | 131 |
| NUSTAR-SHE-08 – Electronic Structure, Properties and Volatility of Chlorides and Oxychlorides of Group-4 Elements Zr, Hf, and Element 104, Rf | 132 |
| NUSTAR-SHE-09 – Relativistic coupled cluster study of the MAu and M_2 dimers of Hg, Cn, and Fl | 133 |
| Department Nuclear Reaktions | 135 |
| NUSTAR-KR-01 – Measurement of the Dipole Polarizability of ^{68}Ni | 135 |
| NUSTAR-KR-02 – Observation of Unbound States in $^{16}Ne/^{15}Ne$ via 1n- / 2n-Knockout on ^{17}Ne . . | 136 |
| NUSTAR-KR-03 – Study of the ^{14}Be Continuum | 137 |
| NUSTAR-KR-04 – Coulomb Dissociation of ^{17}Ne | 138 |
| NUSTAR-KR-05 – Coulomb Dissociation of ^{27}P | 139 |
| NUSTAR-KR-06 – Fewbody theoretical studies of Quasi Free Scattering reactions | 140 |
| NUSTAR-KR-07 – Total Fission Cross Sections for Proton-Induced Fission of ^{208}Pb | 142 |
| NUSTAR-KR-08 – Identification and Reconstruction of Fission Fragments for Proton-Induced Fission of ^{208}Pb at 500 MeV in Inverse Kinematics | 143 |
| NUSTAR-KR-09 – Progress report of the CALIFA/ R^3B calorimeter | 144 |
| NUSTAR-KR-10 – Heavy-ion tracking detectors for the R^3B setup | 147 |
| NUSTAR-KR-11 – Tests of timing silicon photomultipliers for NeuLAND | 150 |
| NUSTAR-KR-12 – Application of Calorimetric Low Temperature Detectors (CLTD's) for Precise Stopping Power Measurements of Heavy Ions in Matter | 151 |
| NUSTAR-KR-13 – Efficiency calibration of the neutron detector BELEN-48 with (p,n) and (α ,n) reactions at the PTB Braunschweig | 152 |
| NUSTAR-KR-14 – SOFIARoot: Simulation of the SOFIA/ANDES Setup | 153 |
| NUSTAR-KR-15 – GGLAND - command line simulations | 154 |
| Division APPA / PNI (Atomic, Plasma Physics and Applications) | 155 |
| Department Atomic Physics | 155 |
| PNI-AP-01 – FOCAL - precision x-ray spectroscopy for extreme fields in high-z ions | 155 |
| PNI-AP-02 – Forward-angle electron spectroscopy in ion-atom collisions studied at the ESR . . | 157 |
| PNI-AP-03 – The Effect of the Breit-Interaction Studied for the Emission Characteristics of $1s2s^22p_{1/2}$ Decay in Be-like Uranium | 158 |
| PNI-AP-04 – Innovative Concepts for Collision Studies at GSI's and FAIR's Storage Rings | 160 |
| PNI-AP-05 – High-resolution measurement of the time-modulated orbital electron-capture and of the β^+ decay of hydrogen-like $^{142}Pm^{60+}$ ions | 161 |
| PNI-AP-06 – Further insight into Bayesian and Akaike information criteria of the EC-decay rate oscillations | 163 |
| PNI-AP-07 – Increased lifetime of hydrogen-like ^{192m}Os observed in the ESR | 164 |
| PNI-AP-08 – Odd-Even Staggering in Fragment Yields from $^{78}Kr + Be$ Reactions | 165 |
| PNI-AP-09 – A study of Coulomb displacement energies for nuclides with A around 67 | 166 |
| PNI-AP-10 – Angular differential measurement of linear polarization of elastically scattered hard x-rays | 167 |
| PNI-AP-11 – Demonstrator: Electronic Readout for a Si(Li) - Compton - Polarimeter | 168 |
| PNI-AP-12 – Dominant secondary nuclear photoexcitation with the XFEL | 169 |
| PNI-AP-13 – The HILITE Penning trap and first tests at the HILITE setup | 170 |
| PNI-AP-14 – Highly charged ions at SpecTrap | 171 |
| PNI-AP-15 – In-trap production of highly charged ions at ARTEMIS | 172 |
| PNI-AP-16 – New approach for the induced charge calculation for cylindrical electrodes | 173 |
| PNI-AP-17 – Polarization transfer in elastic Rayleigh scattering | 174 |
| PNI-AP-18 – Development of the HITRAP experimental facility | 175 |
| PNI-AP-19 – SPARC at Storage Rings of FAIR | 176 |
| Department Materials Research | 177 |
| PNI-MF-01 – Swift heavy ion induced radiation damage in $EuPO_4$ | 177 |
| PNI-MF-02 – New approach to investigate irradiated calcite crystals - UV Raman and Photolu- miniscence with UV excitation | 178 |
| PNI-MF-03 – Spectroscopic study on ion irradiated calcites and gypsum | 179 |

| | |
|--|------------|
| PNI-MF-04 – High Aspect Ratio Nanotubes fabricated by Ion-Track Technology and Atomic Layer Deposition | 180 |
| Department Plasma Physics / PHELIX | 181 |
| PNI-PP-01 – Generation of Physical Conditions Similar to Interior of Superearth Extrasolar Planets by Imploding Solid Iron in LAPLAS Experiments at FAIR | 181 |
| PNI-PP-02 – Operation and Improvements of PHELIX | 182 |
| PNI-PP-03 – Upgrade of the PHELIX Target Area | 184 |
| PNI-PP-04 – Preplasma characterization at PHELIX | 185 |
| PNI-PP-05 – Energy loss measurements of heavy ions in dense weakly coupled plasma generated by volumetric heating with hohlraum generated x-rays | 186 |
| PNI-PP-06 – Theoretical investigation of the charge transfer processes of heavy ions at intermediate energies interacting with a plasma | 187 |
| PNI-PP-07 – Radiation-hydrodynamic simulations of foils heated by hohlraum radiation | 188 |
| PNI-PP-08 – Ion energy loss at maximum stopping power in a laser-generated plasma | 189 |
| PNI-PP-09 – A laser-driven proton beamline at GSI | 190 |
| PNI-PP-10 – Laser-driven ion acceleration with a hollow beam at PHELIX | 191 |
| PNI-PP-11 – Laser-driven Ion Acceleration with Cryogenic Hydrogen Targets | 192 |
| PNI-PP-12 – Coloration quenching of radiochromic films irradiated with proton energies close to maximum energy loss | 193 |
| PNI-PP-13 – Electron beam based space charge measurement of intense ion beams | 194 |
| PNI-PP-14 – Target development for Warm Dense Matter research | 195 |
| PNI-PP-15 – Simulations of a conical target for Warm Dense Matter-experiments | 196 |
| PNI-PP-16 – Experimental Studies and Theoretical Interpretation of Hydrodynamic Tunneling of SPS Protons in Solid Targets | 197 |
| PNI-PP-17 – Numerical Simulations of Hydrodynamic Tunneling Experiments Performed at HiRadMat Facility Using SPS Proton Beam | 198 |
| PNI-PP-18 – Laser acceleration of small projectiles for hypervelocity impact experiments | 199 |
| PNI-PP-19 – Radiation protection related x-ray spectrometry at PHELIX | 200 |
| Division Biophysics | 201 |
| BIOPHYSICS-01 – Report of the biophysics department | 201 |
| BIOPHYSICS-02 – Species conserved response at heterochromatic DNA damage | 204 |
| BIOPHYSICS-03 – Visualization of DNA double-strand breaks induced by high LET particles and X-rays in murine bones and soft tissues | 205 |
| BIOPHYSICS-04 – Formation of 5hmC following exposure to Ionizing Radiation | 206 |
| BIOPHYSICS-05 – A discontinuous detection of phospho-histone H2AX in endothelial cells following low-dose irradiation is mediated by reactive oxygen species (ROS) | 207 |
| BIOPHYSICS-06 – X-rays advance osteoblast differentiation probably involving the cholinergic system in vitro | 208 |
| BIOPHYSICS-07 – The radiation-induced G2 cell cycle delay is comparable in human hematopoietic stem- and progenitor cells and mature lymphocytes | 209 |
| BIOPHYSICS-08 – Response of bone marrow progenitor cells to ionizing irradiation | 210 |
| BIOPHYSICS-09 – Purified cultures of mouse embryonic stem cell-derived cardiomyocytes for electrophysiological studies with ionising radiation | 211 |
| BIOPHYSICS-10 – Interaction of endothelial cells and lymphocytes after X-ray exposure | 212 |
| BIOPHYSICS-11 – Inflammatory cytokine release by vascular cells after X-irradiation | 213 |
| BIOPHYSICS-12 – Inflammation-related response to irradiation in different human skin culture systems | 214 |
| BIOPHYSICS-13 – Immune system activation through Carbon ion irradiation (Ab-scopal effect) | 215 |
| BIOPHYSICS-14 – Image segmentation of alveolar macrophages reveals chronic inflammation in carbon ion irradiated rat lungs | 216 |
| BIOPHYSICS-15 – Human embryonic stem cells: an ideal model for the risk assessment of ionizing radiation during early embryo development | 217 |
| BIOPHYSICS-16 – Electrophysiological Effects of Ionising Radiation on Cortical Rat Neurons in vitro | 218 |
| BIOPHYSICS-17 – Effects of X-rays and titanium ions on cardiomyocyte cultures | 219 |

| | |
|--|-----|
| BIOPHYSICS-18 – Effects of X-rays and carbon ions on pluripotency maintenance and differentiation capacity of mouse embryonic stem cells | 220 |
| BIOPHYSICS-19 – Effect of hypoxia on the growth of glioma-initiating cells | 221 |
| BIOPHYSICS-20 – Cellular radiation response of mouse embryonic stem cell derived cardiomyocytes | 222 |
| BIOPHYSICS-21 – Carbon ion induced vascular damage in the rat lung | 223 |
| BIOPHYSICS-22 – Time course of radiation induced chromosome aberrations in mouse bone marrow cells | 224 |
| BIOPHYSICS-23 – Radioresistant subpopulation in a culture of glioma-initiating cells | 225 |
| BIOPHYSICS-24 – Preparatory experiments to investigate the radiosensitivity of human embryonic stem cells | 226 |
| BIOPHYSICS-25 – Adaptive cell killing for ion beam treatment planning of hypoxic tumors | 227 |
| BIOPHYSICS-26 – An in silico Trial of X-rays vs Carbon Ions in Lung Cancer Radiosurgery | 228 |
| BIOPHYSICS-27 – Auger electrons emitted from metallic nanoparticles under proton irradiation | 229 |
| BIOPHYSICS-28 – Application of a LEM based DNA DSB kinetic rejoicing model to the analysis of dose dependence after photon irradiation | 230 |
| BIOPHYSICS-29 – Comparison between different dose calculation algorithms available in TRIP98 and between the beam model of HIT and GSI | 231 |
| BIOPHYSICS-30 – Comparison of the beam mixing models proposed by Lam and Zaider & Rossi and a derived Dt extension for the Zaider & Rossi model | 232 |
| BIOPHYSICS-31 – Fast 4D dose calculation with TRIP4D | 233 |
| BIOPHYSICS-32 – Influence of the distal fall-off on the biological effective proton range | 234 |
| BIOPHYSICS-33 – Oxygen enhancement ratio of heavy ions in partial hypoxic conditions | 235 |
| BIOPHYSICS-34 – Irradiation with α -particles causes rapid activation of K^+ channels in A549 cells | 236 |
| BIOPHYSICS-35 – Purified cultures of mouse embryonic stem cell-derived cardiomyocytes for A sensitivity analysis of the Giant LOop Binary LEsion model | 237 |
| BIOPHYSICS-36 – Robust 4D-optimized treatment plans in scanned carbon ion beam therapy for intrafractionally moving lung cancer | 238 |
| BIOPHYSICS-37 – Studying inter- and intrafraction motion mitigation with sequential 4DCTs of NSCLC patients | 239 |
| BIOPHYSICS-38 – Towards helium ions for radiotherapy | 240 |
| BIOPHYSICS-39 – TLD Efficiency calculation for heavy ions: a new approach | 241 |
| BIOPHYSICS-40 – Construction of a X-Ray Cabinet for Live Cell Experiments | 242 |
| BIOPHYSICS-41 – Construction of an alpha-irradiation-setup for cells | 243 |
| BIOPHYSICS-42 – Detector setup for Heavy Ion Computed Tomography | 244 |
| BIOPHYSICS-43 – Development of an automatic counting system for cell spheroids in suspension | 245 |
| BIOPHYSICS-44 – Prototype of a raster scan control system for BIOMAT@FAIR | 246 |
| BIOPHYSICS-45 – Radon exposure setup for cells and small animals | 247 |
| BIOPHYSICS-46 – The ROSSINI project at GSI | 248 |
| BIOPHYSICS-47 – Heart beat modelling in a water and anthropomorphic phantom | 249 |
| BIOPHYSICS-48 – Heavy Ion Beam Irradiation of a Langendorff Heart | 250 |
| BIOPHYSICS-49 – Influence of cardiac motion on porcine AV node for the non-invasive treatment of atrial fibrillation with a scanned carbon ion beam | 251 |
| BIOPHYSICS-50 – Online Bragg Peak monitoring for radiotherapy with ions using pixel sensors | 252 |
| Department Theory | 253 |
| THEORY-01 – A phase-space representation of nucleon-nucleon potentials | 253 |
| THEORY-02 – The ^{12}C continuum in a microscopic coupled channel calculation | 254 |
| THEORY-03 – Theory of Nuclear Excitation and their Astrophysical Relevance | 255 |
| THEORY-04 – Charged-current interactions for muon neutrinos in supernova | 256 |
| THEORY-05 – Finite temperature pasta matter with the TDHF approximation | 257 |
| THEORY-06 – Symmetry energy of nuclear matter with liquid-gas phase transition and cluster formation | 258 |
| THEORY-07 – The chiral condensate in neutron matter | 259 |
| THEORY-08 – A low-energy effective model for quantum chromodynamics | 260 |
| THEORY-09 – Probing deconfinement with Polyakov loop susceptibilities | 261 |
| THEORY-10 – QCD phase structure and conserved charge fluctuations in a chiral effective model | 262 |

| | |
|--|-----|
| THEORY-11 – The role of fluctuations in the phase diagram of two color QCD | 263 |
| THEORY-12 – Higher order quark-mesonic scattering processes and the phase structure of QCD | 264 |
| THEORY-13 – Inhomogeneous condensation in nuclear matter | 265 |
| THEORY-14 – Pions in a strong magnetic background | 266 |
| THEORY-15 – Investigating the Transition Between Hydrodynamics and Transport | 267 |
| THEORY-16 – Collision Energy Evolution of Elliptic and Triangular Flow in a Hybrid Model . | 268 |
| THEORY-17 – Initial conditions, hadronization and transport coefficients in heavy-ion collisions | 269 |
| THEORY-18 – On- and off-shell heavy quark transport properties in the quark-gluon plasma . | 270 |
| THEORY-19 – Studies of jet quenching within a partonic transport model | 271 |
| THEORY-20 – Strange and heavy mesons in hot and dense nuclear matter: hadronic models and transport simulations for a road to FAIR | 272 |
| THEORY-21 – Heavy Quarks in Strongly Coupled Plasmas with Chemical Potential | 273 |
| THEORY-22 – Off-equilibrium photon production in heavy-ion collisions | 274 |
| THEORY-23 – On finite volume effects in the chiral extrapolation of baryon masses | 275 |
| THEORY-24 – The scalar-isovector sector in the extended Linear Sigma Model | 276 |
| THEORY-25 – In-Medium strangeness dynamics at PANDA | 277 |
| THEORY-26 – Charmonium production in $\bar{p}A$ reactions at threshold | 278 |
| Departments | |
| High Performance Computing, Experiment Systems and Base IT | 279 |
| IT-01 – Lustre in WAN Environment and Development | 279 |
| IT-02 – Improving the logging infrastructure of HPC and Linux services | 280 |
| IT-03 – Status of the FairRoot framework | 281 |
| IT-04 – ALFA: A new Framework for ALICE and FAIR experiments | 282 |
| IT-05 – Streaming data processing with FairMQ | 283 |
| IT-06 – DDS: A new Dynamic Distribution System | 284 |
| IT-07 – Event building in FairRoot | 285 |
| IT-08 – New software for the R^3B calorimeter CALIFA within FairRoot | 286 |
| IT-09 – Remote Event Client Implementation in FairRoot Framework | 287 |
| IT-10 – FairDB: The FairRoot Virtual Database | 288 |
| IT-11 – Time Based Version Management with FairDB | 289 |
| IT-12 – FairDB SQL Persistency Scheme | 290 |
| IT-13 – E-Science Activities at GSI | 291 |
| IT-14 – High-Level Data Flow Description of FPGA Firmware Components for Online Data Preprocessing | 292 |
| IT-15 – gStore - the GSI Archive Storage for Experiment Data | 293 |
| Division FAIR@GSI | 295 |
| General | 295 |
| FG-GENERAL-01 – FAIR@GSI progress in 2013 | 295 |
| Machine UNILAC | 297 |
| FG-UNILAC-01 – UNILAC Status Report | 297 |
| FG-UNILAC-02 – Status of the Compact LEBT Project | 298 |
| FG-UNILAC-03 – Investigation of the Compact LEBT Design Prerequisites | 299 |
| FG-UNILAC-04 – Investigation of beam brilliance of high current Ta-beam on HOSTI in the frame of compact-LEBT project | 300 |
| FG-UNILAC-05 – Collimation and decoupling of ECR source beams for brilliance optimization . | 301 |
| FG-UNILAC-06 – Research and Development on ECR Ion Sources | 302 |
| FG-UNILAC-07 – Status of the EMittance Transfer EXperiment EMTEX | 303 |
| FG-UNILAC-08 – Upgrade preparation for the 1.4 MeV/u gas stripper system for FAIR | 304 |
| FG-UNILAC-09 – Thermal Simulations of Thin Solid Carbon Foils for Charge Stripping of High Current Uranium Ion Beams at New GSI Heavy-Ion Linac | 305 |
| FG-UNILAC-10 – The Status of the High-Energy Linac Project at GSI | 306 |
| FG-UNILAC-11 – CUPID: New System for Scintillating Screen based Diagnostics | 307 |
| FG-UNILAC-12 – REMBRANDT - The REMote Beam instRumentation And Network Diagnosis Tool | 308 |
| FG-UNILAC-13 – Retrofitting of a non-invasive Bunch Shape Monitor for GSI LINACs | 309 |
| FG-UNILAC-14 – Direct measurement of mechanical vibrations of the 4-rod RFQ at the HLI . . | 310 |

| | |
|---|-----|
| FG-UNILAC-15 – Calculation of the quadrupole moment $\sigma_x^2 - \sigma_y^2$ for an asymmetrical Pick-up | 311 |
| FG-UNILAC-16 – Progress of the 325 MHz sc CH Cavity | 312 |
| Machine SIS18 | 313 |
| FG-SIS18-01 – Controlled beam loss experiment at SIS18 | 313 |
| FG-SIS18-02 – Beam Phase Feedback for Dual-Harmonic Operation of RF Cavity Systems | 314 |
| FG-SIS18-03 – Measurement of the magnetic properties of the Ferroxcube 8C12m material | 315 |
| FG-SIS18-04 – Status and Results of the TFS for SIS18/SIS100 | 316 |
| FG-SIS18-05 – Observation and simulation of transverse BTFs of high energy bunched beams | 317 |
| Machine P-LINAC | 319 |
| FG-P-LINAC-01 – Ion source and 4-grid analyzer for the proton injector for FAIR | 319 |
| FG-P-LINAC-02 – Mechanical Design for the p-LINAC BPMs Inter-tank Section | 320 |
| Machine HEBT | 321 |
| FG-HEBT-01 – FAIR HEBT System - Status Report | 321 |
| FG-HEBT-02 – Interdisciplinary development of a support structure for components in building H0705A - A challenge for systematic requirements engineering | 322 |
| Machine SIS100 | 323 |
| FG-SIS100-01 – Status of the Superconducting Magnets for FAIR | 323 |
| FG-SIS100-02 – Cryogenics for SIS100 Accelerator | 325 |
| FG-SIS100-03 – Cryogenic Tests of Ceramic Feedthroughs for SIS100 BPM | 326 |
| FG-SIS100-04 – Design of a Mutual Inductance Based Quench Detector for the Corrector Magnets of the SIS100 | 327 |
| FG-SIS100-05 – Estimation of beam induced heat load in SIS100 kicker magnets | 328 |
| FG-SIS100-06 – Halo collimation of fully-stripped light and heavy ions in the SIS100 | 329 |
| FG-SIS100-07 – Measurement of the behaviour of residual gas particles on cryogenic surfaces to improve the simulation of dynamic vacuum effects | 330 |
| FG-SIS100-08 – FPGA Based Tunable Digital Filtering for Closed Loop RF Control in Synchrotrons | 331 |
| Machine Super-FRS | 333 |
| FG-S-FRS-01 – Development of a tool for CBM STS module assembly | 333 |
| FG-S-FRS-02 – Setup for adjustment of process parameters for CBM module production | 334 |
| FG-S-FRS-03 – Silicon strip sensor layout for CBM STS | 335 |
| FG-S-FRS-04 – A new Time-of-flight wall for R^3B | 336 |
| FG-S-FRS-05 – High precision multi-hit time-of-flight measurements at R^3B | 338 |
| FG-S-FRS-06 – New time-of-flight system for the R^3B set-up | 340 |
| FG-S-FRS-07 – Development of Heteroepitaxial DoI Plates for Diamond Detectors | 342 |
| FG-S-FRS-08 – Laser Lithography for Production of Diamond Detectors | 343 |
| FG-S-FRS-09 – Optimizing the manufacturing method of detector parts | 344 |
| FG-S-FRS-10 – Characterizing the SOFIA/ANDES TwinMUSIC | 345 |
| FG-S-FRS-11 – NeuLAND - from prototypes to double-planes | 346 |
| FG-S-FRS-12 – Simulations of the GEM-TPC response | 351 |
| FG-S-FRS-13 – Threshold calibration of the n-XYTER readout ASIC | 352 |
| FG-S-FRS-14 – Time and trigger distribution for NUSTAR DAQ systems | 353 |
| FG-S-FRS-15 – TRLO II - friendly FPGA trigger control | 354 |
| Machine P-BAR | 355 |
| FG-P-BAR-01 – A 400 kA Pulsed Power Supply for Magnetic Horn at the pbar Separator | 355 |
| Machine ESR | 357 |
| FG-ESR-01 – Ion Optics of the High Energy Storage Ring for Operation With Heavy Ions | 357 |
| Machine CR | 359 |
| FG-CR-01 – Progress report on the Collector Ring (CR) | 359 |
| FG-CR-02 – Developments for the CR Stochastic Cooling System | 362 |
| FG-CR-03 – Software development for stochastic cooling study in the time domain | 363 |
| FG-CR-04 – Progress in development of resonant Schottky pickups with transverse sensitivity for the CR | 364 |
| FG-CR-05 – The status of the CRYRING@ESR project | 365 |
| Machine CRYRING | 367 |
| FG-CRYRING-01 – Beam Instrumentation for CRYRING@ESR | 367 |
| Machine CW-LINAC | 369 |
| Common Systems CS | 369 |

| | |
|--|------------|
| FG-CW-LINAC-01 – Status of the sc cw-linac demonstrator installation | 369 |
| FG-CS-01 – Accelerator Shutdown Report | 371 |
| FG-CS-02 – Development of a FPGA based PCI-express to optical link interface card, KINPEX | 372 |
| FG-CS-03 – Features of the new MBS Production Version 6.2 | 373 |
| FG-CS-04 – FPGA Hit Finder and Energy Filter for the FEBEX Pipelining ADC | 374 |
| FG-CS-05 – Status of the software development for the FAIR accelerator control system | 375 |
| FG-CS-06 – Project status of the new setting generation system for GSI and FAIR | 376 |
| FG-CS-07 – SCU system goes productive | 377 |
| FG-CS-08 – Paving the Way for the FAIR General Machine Timing System | 378 |
| FG-CS-09 – White Rabbit Applications for FAIR Experiments | 380 |
| FG-CS-10 – The credit-card sized, general purpose controls platform: HadCon2 | 381 |
| FG-CS-11 – The GSI Event Driven TDC ASIC GET4 V1.23 | 382 |
| FG-CS-12 – Web interface in DABC | 383 |
| FG-CS-13 – POLAND - Low Current Profile Measurement Readout System | 385 |
| FG-CS-14 – Status of the Coating Activities at the Magnetron Sputtering Facility | 386 |
| FG-CS-15 – Status of the SuperFRS Cryogenics | 387 |
| Annex | 389 |
| ANNEX-01 – JCR publications to the programme physics of hadrons and nuclei published in 2013 | 389 |
| ANNEX-02 – Further publications to the programme physics of hadrons and nuclei published in 2013 | 413 |
| ANNEX-03 – JCR publications to the programme large-scale facilities for research with photons, neutrons and ions published in 2013 | 415 |
| ANNEX-04 – Further publications to the programme large-scale facilities for research with photons, neutrons and ions published in 2013 | 427 |
| ANNEX-05 – JCR publications to the programme health published in 2013 | 431 |
| ANNEX-06 – Further publications to the programme health published in 2013 | 435 |
| ANNEX-07 – Doctoral theses 2013 supported by GSI | 436 |
| ANNEX-08 – Organigram | 438 |
| List of Authors | 439 |

