

LOAC (Light Optical Particle Counter): a new small aerosol counter with particle characterization capabilities for surface and airborne measurements

Jean-Baptiste Renard, Gwenaël Berthet, Fabrice Jégou, Matthieu Jeannot, Line Jourdain, François Dulac, Marc Mallet, Jean-Charles Dupont, Claire Thaury, Thierry Tonnelier, et al.

▶ To cite this version:

Jean-Baptiste Renard, Gwenaël Berthet, Fabrice Jégou, Matthieu Jeannot, Line Jourdain, et al.. LOAC (Light Optical Particle Counter): a new small aerosol counter with particle characterization capabilities for surface and airborne measurements. EGU. European Geosciences Union General Assembly 2013, Apr 2013, Vienne, Austria. EGU, 15, pp.EGU2013-2824, 2013, Geophysical Research Abstracts. <isu01142994>

HAL Id: insu-01142994 https://hal-insu.archives-ouvertes.fr/insu-01142994

Submitted on 16 Apr 2015 $\,$

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



LOAC (Light Optical Particle Counter): a new small aerosol counter with particle characterization capabilities for surface and airborne measurements

Jean-Baptiste Renard (1), Gwenael Berthet (1), Fabrice Jégou (1), Matthieu Jeannot (1), Line Jourdain (1), François Dulac (2), Marc Mallet (3), Jean-Charles Dupont (4), Claire Thaury (5), Thierry Tonnelier (5), Nicolas Verdier (6), and Patrick Charpentier (7)

(1) LPC2E-CNRS, Orléans cedex 2, France (jbrenard@cnrs-orleans.fr), (2) LSCE, CEA-CNRS-UVSQ, IPSL, CEA Saclay 701, 91191 Gif-sur-Yvette, France, (3) LA - Université paul Sabatier, 14 avenue Edouard Belin, F-31400 Toulouse, France, (4) SIRTA-IPSL, Ecole Polytechnique, Route de Saclay, 91128 Palaiseau Cedex, France, (5) Environnement SA, 111 Boulevard Robespierre, BP 4513, 78304 Poissy cedex, France, (6) CNES, 18 avenue Edouard Belin, 31000 Toulouse, France, (7) MeteoModem, rue de Bessonville, 77760 Ury, France

The determination of the size distribution of tropospheric and stratospheric aerosols with conventional optical counters is difficult when different natures of particles are present (droplets, soot, mineral dust, secondary organic or mineral particles...). Also, a light and cheap aerosol counter that can be used at ground, onboard drones or launched under all kinds of atmospheric balloons can be very useful during specific events as volcanic plumes, desert dust transport or local pollution episodes.

These goals can be achieved thanks to a new generation of aerosol counter, called LOAC (Light Optical Aerosol Counter). The instrument was developed in the frame of a cooperation between French scientific laboratories (CNRS), the Environnement-SA and MeteoModem companies and the French Space Agency (CNES). LOAC is a small optical particle counter/sizer of ~250 grams, having a low electrical power consumption. The measurements are conducted at two scattering angles. The first one, at 12° , is used to determine the aerosol particle concentrations in 19 size classes within a diameter range of 0.3-100 micrometerers. At such an angle close to forward scattering, the signal is much more intense and the measurements are the least sensitive to the particle nature. The second angle is at 60° , where the scattered light is strongly dependent on the particle refractive index and thus on the nature of the aerosols. The ratio of the measurements at the two angles is used to discriminate between the different types of particles dominating the nature of the aerosol particles of the sensor particularly discriminates wet or liquid particles, soil dust and soot.

Since 2011, we have operated LOAC in various environments (Arctic, Mediterranean, urban and peri-urban...) under different kinds of balloons including zero pressure stratospheric, tethered, drifting tropospheric, and meteorological sounding balloons. For the last case, the total weight of the gondola including the PTU sonde, transmission and batteries is below 1 kg.

The results obtained during these flights and related campaigns such as the ground-based winter campaign Paris-Fog in Ile de France (fog life circle) and the Pre-ChArMEx/TRAQA summer campaign on the French Mediterranean coast will be presented, as well as future campaigns in which LOAC is involved, especially ChArMEx, (flights in the lower troposphere above the Mediterranean Sea), and Strateole (long duration flights in the tropical stratosphere). Balloon operation of LOAC will tentatively been shown during EGU.