



Controlling chaotic transport in a Hamiltonian model of interest to magnetized plasmas

Guido Ciraolo, Cristel Chandre, Ricardo Lima, Michel Vittot, Marco Pettini, Charles Figarella, Philippe Ghendrih

► To cite this version:

Guido Ciraolo, Cristel Chandre, Ricardo Lima, Michel Vittot, Marco Pettini, et al.. Controlling chaotic transport in a Hamiltonian model of interest to magnetized plasmas. *Journal of Physics A: Mathematical and Theoretical*, IOP Publishing, 2004, 37, pp.3589. <10.1088/0305-4470/37/11/004>. <hal-00001193>

HAL Id: hal-00001193

<https://hal.archives-ouvertes.fr/hal-00001193>

Submitted on 25 Feb 2004

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Controlling chaotic transport in a Hamiltonian model of interest to magnetized plasmas

G. Ciruolo

Facoltà di Ingegneria, Università di Firenze, via S. Marta, I-50129 Firenze, Italy, and
I.N.F.M. UdR Firenze

C. Chandre, R. Lima, M. Vittot

CPT-CNRS, Luminy Case 907, F-13288 Marseille Cedex 9, France

M. Pettini

Istituto Nazionale di Astrofisica, Osservatorio Astrofisico di Arcetri, Largo Enrico
Fermi 5, I-50125 Firenze, Italy, I.N.F.M. UdR Firenze and I.N.F.N Sezione di Firenze

C. Figarella, P. Ghendrih

Association Euratom-CEA, DRFC/DSM/CEA, CEA Cadarache, F-13108 St.
Paul-lez-Durance Cedex, France

E-mail: ciraolo@arcetri.astro.it, chandre@cpt.univ-mrs.fr,
lima@cpt.univ-mrs.fr, vittot@cpt.univ-mrs.fr, pettini@arcetri.astro.it,
charles.figarella@cea.fr, philippe.ghendrih@cea.fr

Abstract. We present a technique to control chaos in Hamiltonian systems which are close to integrable. By adding a small and simple *control term* to the perturbation, the system becomes more regular than the original one. We apply this technique to a model that reproduces turbulent $\mathbf{E} \times \mathbf{B}$ drift and show numerically that the control is able to drastically reduce chaotic transport.

Submitted to: *J. Phys. A: Math. Gen.*

1. Introduction

In this article, the problem we address is how to control chaos in Hamiltonian systems which are close to integrable. We consider the class of Hamiltonian systems that can be written in the form $H = H_0 + \epsilon V$ that is an integrable Hamiltonian H_0 (with action-angle variables) plus a small perturbation ϵV .

The problem of control in Hamiltonian systems is the following one: For the perturbed Hamiltonian $H_0 + \epsilon V$, the aim is to devise a control term f such that the dynamics of the controlled Hamiltonian $H_0 + \epsilon V + f$ has more regular trajectories (e.g. on invariant tori) or less diffusion than the uncontrolled one. In practice, we do not require that the controlled Hamiltonian is integrable, but only that it has a more regular behavior than the original system. This allows us to tailor the control term following specific requirements.

Obviously $f = -\epsilon V$ is a solution since the resulting Hamiltonian is integrable. However, it is a useless solution since the control is of the same order as the perturbation.

For practical purposes, the desired control term should be small (with respect to the perturbation ϵV), localized in phase space (meaning that the subset of phase space where f is non-zero is finite or small enough), or f should be of a specific shape (e.g. a sum of given Fourier modes, or with a certain regularity). Moreover, the control should be as simple as possible in order to be implemented in experiments. Therefore, the control appears to be a trade-off between the requirement on the reduction of chaos and the requirement on the specific shape of the control.

In this article, we apply the method of control based on Ref. [8] and developed in Refs. [1, 2]. We implement numerically an algorithm for finding a control term f of order $O(\epsilon^2)$ such that $H = H_0 + \epsilon V + f$ is integrable. This control term is expressed as a series whose terms can be explicitly and easily computed by recursion. This approach of control is “dual” with respect to KAM theory : KAM theory is looking at coordinates making the system integrable. In this method of control, we slightly modify the Hamiltonian such that the resulting controlled system is integrable. It is shown on an example of particles in a turbulent $\mathbf{E} \times \mathbf{B}$ field that truncations of this control term f provide effective control terms that significantly reduce chaotic transport. We show that with an electric potential with several frequencies, the partial control potential is time-dependent (contrary to the one used in Refs. [1, 2] and that it is able to drastically reduce the diffusion of test particle trajectories.

2. Control theory of Hamiltonian systems.

In this section, we follow the exposition of control theory developed in Ref. [8]. Let \mathcal{A} be the Lie algebra of real functions of class C^∞ defined on phase space. For $H \in \mathcal{A}$, let

$\{H\}$ be the linear operator acting on \mathcal{A} such that

$$\{H\}H' = \{H, H'\},$$

for any $H' \in \mathcal{A}$, where $\{\cdot, \cdot\}$ is the Poisson bracket. The time-evolution of a function $V \in \mathcal{A}$ following the flow of H is given by

$$\frac{dV}{dt} = \{H\}V,$$

which is formally solved as

$$V(t) = e^{t\{H\}}V(0),$$

if H is time independent, and where

$$e^{t\{H\}} = \sum_{n=0}^{\infty} \frac{t^n}{n!} \{H\}^n.$$

Any element $V \in \mathcal{A}$ such that $\{H\}V = 0$, is constant under the flow of H , i.e.

$$\forall t \in \mathbb{R}, \quad e^{t\{H\}}V = V.$$

Let us now fix a Hamiltonian $H_0 \in \mathcal{A}$. The vector space $\text{Ker}\{H_0\}$ is the set of constants of motion and it is a sub-Lie algebra of \mathcal{A} . The operator $\{H_0\}$ is not invertible since a derivation has always a non-trivial kernel. For instance $\{H_0\}(H_0^\alpha) = 0$ for any α such that $H_0^\alpha \in \mathcal{A}$. Hence we consider a pseudo-inverse of $\{H_0\}$. We define a linear operator Γ on \mathcal{A} such that

$$\{H_0\}^2 \Gamma = \{H_0\}, \tag{1}$$

i.e.

$$\forall V \in \mathcal{A}, \quad \{H_0, \{H_0, \Gamma V\}\} = \{H_0, V\}.$$

If the operator Γ exists, it is not unique in general. Any other choice Γ' satisfies that the range $\text{Rg}(\Gamma' - \Gamma)$ is included into the kernel $\text{Ker}(\{H_0\}^2)$.

We define the *non-resonant* operator \mathcal{N} and the *resonant* operator \mathcal{R} as

$$\begin{aligned} \mathcal{N} &= \{H_0\}\Gamma, \\ \mathcal{R} &= 1 - \mathcal{N}, \end{aligned}$$

where the operator 1 is the identity in the algebra of linear operators acting on \mathcal{A} . We notice that Eq. (1) becomes

$$\{H_0\}\mathcal{R} = 0,$$

which means that $\text{Rg}\mathcal{R}$ is included into $\text{Ker}\{H_0\}$. A consequence is that any element $\mathcal{R}V$ is constant under the flow of H_0 , i.e. $e^{t\{H_0\}}\mathcal{R}V = \mathcal{R}V$. We notice that when $\{H_0\}$ and Γ commute, \mathcal{R} and \mathcal{N} are projectors, i.e. $\mathcal{R}^2 = \mathcal{R}$ and $\mathcal{N}^2 = \mathcal{N}$. Moreover, in this case we have $\text{Rg}\mathcal{R} = \text{Ker}\{H_0\}$, i.e. the constants of motion are the elements $\mathcal{R}V$ where $V \in \mathcal{A}$.

Let us now assume that H_0 is integrable with action-angle variables $(\mathbf{A}, \boldsymbol{\varphi}) \in B \times \mathbb{T}^n$ where B is an open set of \mathbb{R}^n and \mathbb{T}^n is the n -dimensional torus, so that $H_0 = H_0(\mathbf{A})$ and the Poisson bracket $\{H, H'\}$ between two Hamiltonians is

$$\{H, H'\} = \frac{\partial H}{\partial \mathbf{A}} \cdot \frac{\partial H'}{\partial \boldsymbol{\varphi}} - \frac{\partial H}{\partial \boldsymbol{\varphi}} \cdot \frac{\partial H'}{\partial \mathbf{A}}.$$

The operator $\{H_0\}$ acts on V given by

$$V = \sum_{\mathbf{k} \in \mathbb{Z}^n} V_{\mathbf{k}}(\mathbf{A}) e^{i\mathbf{k} \cdot \boldsymbol{\varphi}},$$

as

$$\{H_0\}V(\mathbf{A}, \boldsymbol{\varphi}) = \sum_{\mathbf{k}} i\boldsymbol{\omega}(\mathbf{A}) \cdot \mathbf{k} V_{\mathbf{k}}(\mathbf{A}) e^{i\mathbf{k} \cdot \boldsymbol{\varphi}},$$

where the frequency vector is given by

$$\boldsymbol{\omega}(\mathbf{A}) = \frac{\partial H_0}{\partial \mathbf{A}}.$$

A possible choice of Γ is

$$\Gamma V(\mathbf{A}, \boldsymbol{\varphi}) = \sum_{\substack{\mathbf{k} \in \mathbb{Z}^n \\ \boldsymbol{\omega}(\mathbf{A}) \cdot \mathbf{k} \neq 0}} \frac{V_{\mathbf{k}}(\mathbf{A})}{i\boldsymbol{\omega}(\mathbf{A}) \cdot \mathbf{k}} e^{i\mathbf{k} \cdot \boldsymbol{\varphi}}.$$

We notice that this choice of Γ commutes with $\{H_0\}$.

For a given $V \in \mathcal{A}$, $\mathcal{R}V$ is the resonant part of V and $\mathcal{N}V$ is the non-resonant part:

$$\mathcal{R}V = \sum_{\mathbf{k}} V_{\mathbf{k}}(\mathbf{A}) \chi(\boldsymbol{\omega}(\mathbf{A}) \cdot \mathbf{k} = 0) e^{i\mathbf{k} \cdot \boldsymbol{\varphi}}, \quad (2)$$

$$\mathcal{N}V = \sum_{\mathbf{k}} V_{\mathbf{k}}(\mathbf{A}) \chi(\boldsymbol{\omega}(\mathbf{A}) \cdot \mathbf{k} \neq 0) e^{i\mathbf{k} \cdot \boldsymbol{\varphi}}, \quad (3)$$

where $\chi(\alpha)$ vanishes when α is wrong and it is equal to 1 when α is true.

From these operators defined for the integrable part H_0 , we construct a control term for the perturbed Hamiltonian $H_0 + V$ where $V \in \mathcal{A}$, i.e. we construct f such that $H_0 + V + f$ is canonically conjugate to $H_0 + \mathcal{R}V$.

Proposition 1: For $V \in \mathcal{A}$ and Γ constructed from H_0 , we have the following equation

$$e^{\{\Gamma V\}}(H_0 + V + f) = H_0 + \mathcal{R}V, \quad (4)$$

where

$$f(V) = e^{-\{\Gamma V\}} \mathcal{R}V + \frac{1 - e^{-\{\Gamma V\}}}{\{\Gamma V\}} \mathcal{N}V - V. \quad (5)$$

We notice that the operator $(1 - e^{-\{\Gamma V\}})/\{\Gamma V\}$ is well defined by the expansion

$$\frac{1 - e^{-\{\Gamma V\}}}{\{\Gamma V\}} = \sum_{n=0}^{\infty} \frac{(-1)^n}{(n+1)!} \{\Gamma V\}^n.$$

We can expand the control term in power series as

$$f(V) = \sum_{n=1}^{\infty} \frac{(-1)^n}{(n+1)!} \{\Gamma V\}^n (n\mathcal{R} + 1)V. \quad (6)$$

We notice that if V is of order ϵ , $f(V)$ is of order ϵ^2 .

Proof: Since $e^{\{\Gamma V\}}$ is invertible, Eq. (4) gives

$$f(V) = (e^{-\{\Gamma V\}} - 1)H_0 + e^{-\{\Gamma V\}}\mathcal{R}V - V.$$

We notice that the operator $e^{-\{\Gamma V\}} - 1$ can be divided by $\{\Gamma V\}$

$$f(V) = \frac{e^{-\{\Gamma V\}} - 1}{\{\Gamma V\}} \{\Gamma V\}H_0 + e^{-\{\Gamma V\}}\mathcal{R}V - V.$$

By using the relations

$$\{\Gamma V\}H_0 = \{\Gamma V, H_0\} = -\{H_0\}\Gamma V,$$

and

$$\{H_0\}\Gamma = \mathcal{N},$$

we have

$$f(V) = e^{-\{\Gamma V\}}\mathcal{R}V + \frac{1 - e^{-\{\Gamma V\}}}{\{\Gamma V\}}\mathcal{N}V - V. \quad \square$$

This result can also be obtained by using a perturbation series.

Proposition 1 tells that the addition of a well chosen small control term f makes the Hamiltonian canonically conjugate to $H_0 + \mathcal{R}V$.

Proposition 2 : The flow of $H_0 + V + f$ is conjugate to the flow of $H_0 + \mathcal{R}V$:

$$\forall t \in \mathbb{R}, \quad e^{t\{H_0+V+f\}} = e^{-\{\Gamma V\}} e^{t\{H_0\}} e^{t\{\mathcal{R}V\}} e^{\{\Gamma V\}}.$$

The remarkable fact is that the flow of $\mathcal{R}V$ commutes with the one of H_0 , since $\{H_0\}\mathcal{R} = 0$. This allows the splitting of the flow of $H_0 + \mathcal{R}V$ into a product.

We recall that H_0 is *non-resonant* iff

$$\forall \mathbf{A} \in B, \quad \chi(\omega(\mathbf{A}) \cdot \mathbf{k} = 0) = \chi(\mathbf{k} = \mathbf{0}).$$

If H_0 is non-resonant then with the addition of a control term f , the Hamiltonian $H_0 + V + f$ is canonically conjugate to the integrable Hamiltonian $H_0 + \mathcal{R}V$ since $\mathcal{R}V$ is only a function of the actions [see Eq. (2)].

If H_0 is resonant and $\mathcal{R}V = 0$, the controlled Hamiltonian $H = H_0 + V + f$ is conjugate to H_0 .

In the case $\mathcal{R}V = 0$, the series (6) which gives the expansion of the control term f , can be written as

$$f(V) = \sum_{s=2}^{\infty} f_s, \quad (7)$$

where f_s is of order ϵ^s and given by the recursion formula

$$f_s = -\frac{1}{s}\{\Gamma V, f_{s-1}\}, \quad (8)$$

where $f_1 = V$.

Remark : A similar approach of control has been developed by G. Gallavotti in Refs. [3, 4, 5]. The idea is to find a control term (named *counter term*) only depending on the actions, i.e. to find N such that

$$H(\mathbf{A}, \boldsymbol{\varphi}) = H_0(\mathbf{A}) + V(\mathbf{A}, \boldsymbol{\varphi}) - N(\mathbf{A}),$$

is integrable. For isochronous systems, that is

$$H_0(\mathbf{A}) = \boldsymbol{\omega} \cdot \mathbf{A},$$

or any function $h(\boldsymbol{\omega} \cdot \mathbf{A})$, it is shown that if the frequency vector satisfies a Diophantine condition and if the perturbation is sufficiently small and smooth, such a control term exists, and that an algorithm to compute it by recursion is provided by the proof. We notice that the resulting control term N is of the same order as the perturbation, and has the following expansion

$$N(\mathbf{A}) = \mathcal{R}V + \frac{1}{2}\mathcal{R}\{\Gamma V\}V + O(\epsilon^3),$$

where we have seen from Eq. (2) that $\mathcal{R}V$ is only a function of the actions in the non-resonant case where $\boldsymbol{\omega}$ is non-resonant which is a crucial hypothesis in Gallavotti's renormalization approach. Otherwise, a counter-term which only depends on the actions \mathbf{A} cannot be found. In what follows, we will see that the integrable part of the Hamiltonian is always resonant for the cases we consider, namely for the $\mathbf{E} \times \mathbf{B}$ drift motion in the guiding center approximation.

3. Application to a model of $\mathbf{E} \times \mathbf{B}$ drift motion

In the guiding center approximation, the equations of motion of a charged particle in presence of a strong toroidal magnetic field and of a nonstationary electric field are [6]

$$\dot{\mathbf{x}} = \frac{d}{dt} \begin{pmatrix} x \\ y \end{pmatrix} = \frac{c}{B^2} \mathbf{E}(\mathbf{x}, t) \times \mathbf{B} = \frac{c}{B} \begin{pmatrix} -\partial_y V(x, y, t) \\ \partial_x V(x, y, t) \end{pmatrix}, \quad (9)$$

where V is the electric potential, $\mathbf{E} = -\nabla V$, and $\mathbf{B} = B\mathbf{e}_z$. The spatial coordinates x and y where $(x, y) \in \mathbb{R}^2$ play the role of the canonically conjugate variables and the electric potential $V(x, y, t)$ is the Hamiltonian of the problem. To define a model we choose

$$V(\mathbf{x}, t) = \sum_{\mathbf{n} \in \mathbb{Z}^2} V_{\mathbf{n}} \sin \left[\frac{2\pi}{L} \mathbf{n} \cdot \mathbf{x} + \varphi_{\mathbf{n}} - \omega(\mathbf{n})t \right], \quad (10)$$

where $\varphi_{\mathbf{n}}$ are random phases and $V_{\mathbf{n}}$ decrease as a given function of $|\mathbf{n}|$, in agreement with experimental data [9]. In principle, one should use for $\omega(\mathbf{n})$ the dispersion relation

for electrostatic drift waves (which are thought to be responsible for the observed turbulence) with a frequency broadening for each \mathbf{n} in order to model the experimentally observed spectrum [9] $S(\mathbf{n}, \omega)$.

By rescaling space and time, we can always assume that $L = 2\pi$. In this article, we use a simplified potential. We keep the random phases in order to model a turbulent electric potential and we use a simplified broadening of the spectrum for each \mathbf{n} . We consider the following electric potential :

$$V(x, y, t) = \sum_{k=1}^K \sum_{m,n=1}^N \frac{a_k}{(n^2 + m^2)^{3/2}} \sin(nx + my + \varphi_{kmn} - \omega_k t), \quad (11)$$

where φ_{kmn} are random phases. Here we consider a quasiperiodic approximation of the turbulent electric potential with a finite number K of frequencies. We assume that $\omega_k \neq 0$ (see remark below).

First we map this Hamiltonian system with $1+K/2$ degrees of freedom to an autonomous Hamiltonian with $1+K$ degrees of freedom by considering that $\theta_k = \omega_k t \bmod 2\pi$ are angles. We denote E_k the action conjugate to θ_k . This autonomous Hamiltonian is

$$H(x, y, \boldsymbol{\theta}, \mathbf{E}) = \boldsymbol{\omega} \cdot \mathbf{E} + \sum_{k,m,n} \frac{a_k}{(n^2 + m^2)^{3/2}} \sin(nx + my + \varphi_{kmn} - \theta_k). \quad (12)$$

The integrable part of the Hamiltonian from which the operators Γ , \mathcal{R} and \mathcal{N} are constructed is isochronous

$$H_0 = \boldsymbol{\omega} \cdot \mathbf{E}.$$

We notice that H_0 is resonant (since it does not depend on the action variable x). Also, we notice that the frequency vector $\boldsymbol{\omega}$ is in general resonant since the potential contains also harmonics of the main frequencies.

The action of Γ , \mathcal{R} and \mathcal{N} on functions W of the form

$$W(x, y, \boldsymbol{\theta}) = \sum_{\boldsymbol{\nu}} W_{\boldsymbol{\nu}}(x, y) e^{i\boldsymbol{\nu} \cdot \boldsymbol{\theta}},$$

is

$$\begin{aligned} \Gamma W &= \sum_{\boldsymbol{\nu}} \frac{W_{\boldsymbol{\nu}}(x, y)}{i\boldsymbol{\omega} \cdot \boldsymbol{\nu}} \chi(\boldsymbol{\omega} \cdot \boldsymbol{\nu} \neq 0) e^{i\boldsymbol{\nu} \cdot \boldsymbol{\theta}}, \\ \mathcal{R} W &= \sum_{\boldsymbol{\nu}} W_{\boldsymbol{\nu}}(x, y) \chi(\boldsymbol{\omega} \cdot \boldsymbol{\nu} = 0) e^{i\boldsymbol{\nu} \cdot \boldsymbol{\theta}}, \\ \mathcal{N} W &= \sum_{\boldsymbol{\nu}} W_{\boldsymbol{\nu}}(x, y) \chi(\boldsymbol{\omega} \cdot \boldsymbol{\nu} \neq 0) e^{i\boldsymbol{\nu} \cdot \boldsymbol{\theta}}. \end{aligned}$$

The action of Γ and \mathcal{R} on the potential V given by Eq. (11) is

$$\begin{aligned} \Gamma V &= \sum_{k,m,n} \frac{a_k}{\omega_k (n^2 + m^2)^{3/2}} \cos(nx + my + \varphi_{kmn} - \theta_k), \\ \mathcal{R} V &= 0. \end{aligned}$$

From the action of these operators, we compute the control term using Eqs. (7) and (8). For instance, the expression of f_2 is

$$f_2(x, y, t) = \frac{1}{4} \sum_{\substack{k, m, n \\ k', n', m'}} \frac{a_k a_{k'} (n'm - nm')}{\omega_k (n^2 + m^2)^{3/2} (n'^2 + m'^2)^{3/2}} \times \\ (\sin[(n + n')x + (m + m')y + \varphi_{kmn} + \varphi_{k'm'n'} - (\omega_k + \omega_{k'})t] \\ + \sin[(n - n')x + (m - m')y + \varphi_{kmn} - \varphi_{k'm'n'} - (\omega_k - \omega_{k'})t]). \quad (13)$$

Remark: Similar calculations can be done in the case where there is a zero frequency, e.g., $\omega_0 = 0$ and $\omega_k \neq 0$ for $k \neq 0$. The first term of the control term is

$$f_2 = -\frac{1}{2} \{\Gamma V, (\mathcal{R} + 1)V\},$$

where

$$\mathcal{R}V = \sum_{m, n} \frac{a_0}{(n^2 + m^2)^{3/2}} \sin(nx + my + \varphi_{0mn}).$$

We implement numerically the control term by computing test particle trajectories in the original electric potential and the controlled potential obtained by adding f_2 to V . Even if Proposition 1 tells that the addition of the control term f makes the dynamics integrable, the numerical simulations are used to test the efficiency of some truncations of this control term which provide more tractable control potentials.

In Refs. [1, 2], the electric potential was chosen with only one frequency. It was shown that truncations of the control term are able to drastically reduce chaotic transport of charged test particles in this potential. It was also shown that approximations of this control term are still able to reduce chaos and provide simpler control potentials. In particular, it is possible to reduce the amplitude of the control term f_2 which means that one can inject less energy and still get sufficient control. Also it is possible to truncate the Fourier series of the control term and keeping only the main Fourier components of the control in order to get sufficient stabilization. We perform numerical experiments for an electric potential that contains two frequencies. For instance, we use two frequencies $\omega_1 = 1$ and $\omega_2 = \sqrt{2}$ and $a_1 = a$ and $a_2 = a/2$ where a ranges from 0.5 to 1. With the aid of numerical simulations (see Ref. [7] for more details on the numerics), we check the effectiveness of the control by comparing the diffusion properties of particle trajectories obtained from Hamiltonian (11) and from the same Hamiltonian with the control term (13). Figures 1 and 2 show the Poincaré surfaces of section of two typical trajectories (issued from the same initial conditions) computed without and with the control term respectively. Similar pictures are obtained for many other randomly chosen initial conditions. A clear evidence is found for a relevant reduction of the diffusion in presence of the control term (13).

In order to study the diffusion properties of the system, we have considered a set of \mathcal{M} particles (of order 100) uniformly distributed at random in the domain $0 \leq x, y \leq 1$




Figure 1. Poincaré surface of section of a trajectory obtained for Hamiltonian (11) assuming $a = 0.8$.




Figure 2. Poincaré surface of section of a trajectory obtained for the same initial condition as in Fig. 1 and adding the control term (13) to Hamiltonian (11).

at $t = 0$. We have computed the mean square displacement $\langle r^2(t) \rangle$ as a function of time

$$\langle r^2(t) \rangle = \frac{1}{\mathcal{M}} \sum_{i=1}^{\mathcal{M}} |\mathbf{x}_i(t) - \mathbf{x}_i(0)|^2$$

where $\mathbf{x}_i(t)$, $i = 1, \dots, \mathcal{M}$ is the position of the i -th particle at time t obtained by integrating Hamilton's equations with initial conditions $\mathbf{x}_i(0)$. Figure 3 shows $\langle r^2(t) \rangle$ for three different values of a . For the range of parameters we consider, the behavior of $\langle r^2(t) \rangle$ is always found to be linear in time for t large enough. The corresponding diffusion coefficient is defined as

$$D = \lim_{t \rightarrow \infty} \frac{\langle r^2(t) \rangle}{t} .$$

Figure 4 shows the values of D as a function of a with and without control term. It clearly shows a significant decrease of the diffusion coefficient when the control term is

added. As expected, the action of the control term gets weaker as a is increased towards the strongly chaotic phase. Moreover, we notice that for $a > 1.3$ the diffusion is larger with control than without.




Figure 3. Mean square displacement $\langle r^2(t) \rangle$ versus time t obtained for Hamiltonian (11) with the control term (13) for three different values of $a = 0.7$ (dotted line), $a = 0.8$ (dashed line), $a = 0.9$ (continuous line).




Figure 4. Diffusion coefficient D versus a obtained for Hamiltonian (11) (open squares) and Hamiltonian (11) plus control term (13) (full circles).

Acknowledgments

This work is part of an ongoing collaboration between the University of Florence, the Arcetri Astrophysical Observatory (INAF), the Center for Theoretical Physics (Marseille) and the Department of Research on the Controlled Fusion (CEA Cadarache). We acknowledge the financial support from the Association Euratom/CEA (contract V 3382.001). We are grateful to G. Gallavotti and J. Laskar for fruitful discussions.

References

- [1] G. Ciraolo, C. Chandre, R. Lima, M. Vittot, M. Pettini, C. Figarella and Ph. Ghendrih, *Control of chaotic transport in Hamiltonian systems*, archived in [arXiv.org/nlin.CD/0304040](https://arxiv.org/abs/nlin.CD/0304040).
- [2] G. Ciraolo, F. Briolle, C. Chandre, E. Floriani, R. Lima, M. Vittot, M. Pettini, C. Figarella and Ph. Ghendrih, *Control of Hamiltonian chaos as a possible tool to control anomalous transport in fusion plasmas*, archived in [arXiv.org/nlin.CD/0312037](https://arxiv.org/abs/nlin.CD/0312037).
- [3] G. Gallavotti, *A criterion of integrability for perturbed nonresonant harmonic oscillators. "Wick ordering" of the perturbations in classical mechanics and invariance of the frequency spectrum*, Commun. Math. Phys. **87** (1982), 365.
- [4] G. Gallavotti, *Classical mechanics and renormalization-group*, in *Regular and Chaotic Motions in Dynamical Systems*, edited by G. Velo and A.S. Wightman (Plenum, New York, 1985).
- [5] G. Gentile and V. Mastropietro, *Methods for the analysis of the Lindstedt series for KAM tori and renormalizability in classical mechanics*, Rev. Math. Phys. **8** (1996), 393.
- [6] T.P. Northrop, *The guiding center approximation to charged particle motion*, Annals of Physics **15**, 79 (1961).
- [7] M. Pettini, A. Vulpiani, J.H. Misguich, M. De Leener, J. Orban and R. Balescu, *Chaotic diffusion across a magnetic field in a model of electrostatic turbulent plasma*, Phys. Rev. A **38**, 344 (1988).
- [8] M. Vittot, *Perturbation Theory and Control in Classical or Quantum Mechanics by an Inversion Formula*, submitted and archived in [arXiv.org/math-ph/0303051](https://arxiv.org/abs/math-ph/0303051)
- [9] A.J. Wootton, B.A. Carreras, H. Matsumoto, K. McGuire, W.A. Peebles, C.P. Ritz, P.W. Terry and S.J. Zweben, *Fluctuations and anomalous transport in tokamaks*, Phys. Fluids **B2**, 2879 (1990).