

World Journal of *Hepatology*

World J Hepatol 2022 May 27; 14(5): 866-1052



REVIEW

- 866 Role of hepatitis B virus in development of hepatocellular carcinoma: Focus on covalently closed circular DNA
Bianca C, Sidhartha E, Tiribelli C, El-Khobar KE, Sukowati CHC
- 885 Emerging curative-intent minimally-invasive therapies for hepatocellular carcinoma
Zane KE, Nagib PB, Jalil S, Mumtaz K, Makary MS

MINIREVIEWS

- 896 Saving time and effort: Best practice for adapting existing patient-reported outcome measures in hepatology
Alrubaiy L, Hutchings HA, Hughes SE, Dobbs T
- 911 Loco-regional treatment of hepatocellular carcinoma: Role of contrast-enhanced ultrasonography
Inzerillo A, Meloni MF, Taibbi A, Bartolotta TV
- 923 Benign focal liver lesions: The role of magnetic resonance imaging
Gatti M, Maino C, Tore D, Carisio A, Darvizeh F, Tricarico E, Inchingolo R, Ippolito D, Faletti R
- 944 Pediatric acute viral hepatitis with atypical variants: Clinical dilemmas and natural history
Sarma MS, Ravindranath A

ORIGINAL ARTICLE**Basic Study**

- 956 Functions of three ubiquitin-conjugating enzyme 2 genes in hepatocellular carcinoma diagnosis and prognosis
Zhang CY, Yang M

Case Control Study

- 972 Innovations in education: A prospective study of storytelling narratives to enhance hepatitis C virus knowledge among substance users
Talal AH, Ding YX, Markatou M

Retrospective Study

- 984 Impact of utilization of hepatitis C positive organs in liver transplant: Analysis of united network for organ sharing database
Dhaliwal A, Dhindsa B, Ramai D, Sayles H, Chandan S, Rangray R

- 992 Angle of covered self-expandable metallic stents after placement is a risk factor for recurrent biliary obstruction

Tanoue K, Maruyama H, Ishikawa-Kakiya Y, Kinoshita Y, Hayashi K, Yamamura M, Ominami M, Nadatani Y, Fukunaga S, Otani K, Hosomi S, Tanaka F, Kamata N, Nagami Y, Taira K, Watanabe T, Fujiwara Y

Observational Study

- 1006 Dietary phytochemical consumption is inversely associated with liver alkaline phosphatase in Middle Eastern adults

Darabi Z, Webb RJ, Mozaffari-Khosravi H, Mirzaei M, Davies IG, Khayyat-zadeh SS, Mazidi M

Prospective Study

- 1016 Prospective validation to prevent symptomatic portal vein thrombosis after liver resection

Yoshida N, Yamazaki S, Masamichi M, Okamura Y, Takayama T

SYSTEMATIC REVIEWS

- 1025 Prognostic non-invasive biomarkers for all-cause mortality in non-alcoholic fatty liver disease: A systematic review and meta-analysis

Cianci N, Subhani M, Hill T, Khanna A, Zheng D, Sheth A, Crooks C, Aithal GP

CASE REPORT

- 1038 Biliary obstruction following transjugular intrahepatic portosystemic shunt placement in a patient after liver transplantation: A case report

Macinga P, Gogova D, Raupach J, Jarosova J, Janousek L, Honsova E, Taimr P, Spicak J, Novotny J, Peregrin J, Hucl T

LETTER TO THE EDITOR

- 1047 Reply to "Six-minute walking test performance is associated with survival in cirrhotic patients" to the editor

Malaguti C, Mourão-Junior CA, Chebli JM

- 1050 Role of biliary complications in chronic graft rejection after living donor liver transplantation

Obed A, Bashir A, Jarrad A, Fuzesi L

ABOUT COVER

Editorial Board Member of *World Journal of Hepatology*, Francesco Bellanti, MD, PhD, Doctor, Associate Professor, Department of Medical and Surgical Sciences, University of Foggia, Foggia 71122, Italy. francesco.bellanti@unifg.it

AIMS AND SCOPE

The primary aim of *World Journal of Hepatology (WJH, World J Hepatol)* is to provide scholars and readers from various fields of hepatology with a platform to publish high-quality basic and clinical research articles and communicate their research findings online.

WJH mainly publishes articles reporting research results and findings obtained in the field of hepatology and covering a wide range of topics including chronic cholestatic liver diseases, cirrhosis and its complications, clinical alcoholic liver disease, drug induced liver disease autoimmune, fatty liver disease, genetic and pediatric liver diseases, hepatocellular carcinoma, hepatic stellate cells and fibrosis, liver immunology, liver regeneration, hepatic surgery, liver transplantation, biliary tract pathophysiology, non-invasive markers of liver fibrosis, viral hepatitis.

INDEXING/ABSTRACTING

The *WJH* is now abstracted and indexed in PubMed, PubMed Central, Emerging Sources Citation Index (Web of Science), Scopus, Reference Citation Analysis, China National Knowledge Infrastructure, China Science and Technology Journal Database, and Superstar Journals Database. The 2021 edition of Journal Citation Reports® cites the 2020 Journal Citation Indicator (JCI) for *WJH* as 0.61. The *WJH*'s CiteScore for 2020 is 5.6 and Scopus CiteScore rank 2020: Hepatology is 24/62.

RESPONSIBLE EDITORS FOR THIS ISSUE

Production Editor: *Yi-Xuan Cai*, Production Department Director: *Xiang Li*, Editorial Office Director: *Xiang Li*.

NAME OF JOURNAL

World Journal of Hepatology

ISSN

ISSN 1948-5182 (online)

LAUNCH DATE

October 31, 2009

FREQUENCY

Monthly

EDITORS-IN-CHIEF

Nikolaos Pylsopoulos, Ke-Qin Hu, Koo Jeong Kang

EDITORIAL BOARD MEMBERS

<https://www.wjgnet.com/1948-5182/editorialboard.htm>

PUBLICATION DATE

May 27, 2022

COPYRIGHT

© 2022 Baishideng Publishing Group Inc

INSTRUCTIONS TO AUTHORS

<https://www.wjgnet.com/bpg/gerinfo/204>

GUIDELINES FOR ETHICS DOCUMENTS

<https://www.wjgnet.com/bpg/GerInfo/287>

GUIDELINES FOR NON-NATIVE SPEAKERS OF ENGLISH

<https://www.wjgnet.com/bpg/gerinfo/240>

PUBLICATION ETHICS

<https://www.wjgnet.com/bpg/GerInfo/288>

PUBLICATION MISCONDUCT

<https://www.wjgnet.com/bpg/gerinfo/208>

ARTICLE PROCESSING CHARGE

<https://www.wjgnet.com/bpg/gerinfo/242>

STEPS FOR SUBMITTING MANUSCRIPTS

<https://www.wjgnet.com/bpg/GerInfo/239>

ONLINE SUBMISSION

<https://www.f6publishing.com>

Role of biliary complications in chronic graft rejection after living donor liver transplantation

Aiman Obed, Abdalla Bashir, Anwar Jarrad, Laszlo Fuzesi

Specialty type: Gastroenterology and hepatology

Provenance and peer review: Unsolicited article; Externally peer reviewed.

Peer-review model: Single blind

Peer-review report's scientific quality classification

Grade A (Excellent): 0

Grade B (Very good): 0

Grade C (Good): C

Grade D (Fair): D

Grade E (Poor): 0

P-Reviewer: Li HL, China; Tuysuz U, Turkey

Received: January 8, 2022

Peer-review started: January 8, 2022

First decision: February 8, 2022

Revised: February 14, 2022

Accepted: April 28, 2022

Article in press: April 28, 2022

Published online: May 27, 2022



Aiman Obed, Hepatobiliary and Liver Transplant Unit, Jordan Hospital, Amman 52112, Jordan

Abdalla Bashir, Department of General Surgery, Jordan Hospital, Amman 52112, Jordan

Anwar Jarrad, Department of Hepatology, Jordan Hospital, Amman 52112, Jordan

Laszlo Fuzesi, Department of Pathology, Faculty of Medicine, University Augsburg, Augsburg 86156, Germany

Corresponding author: Aiman Obed, FACS, FEBS, MD, Associate Professor, Doctor, Surgeon, Surgical Oncologist, Hepatobiliary and Liver Transplant Unit, Jordan Hospital, Queen Noor Street, Amman 52112, Jordan. aimanobed@hotmail.com

Abstract

Postoperative biliary complications remain a substantial challenge after living donor liver transplantation, especially due to its heterogeneous clinical presentation.

Key Words: Chronic graft rejection; Biliary complications; Living donor liver transplantation; Graft survival; Cholangiopathy

©The Author(s) 2022. Published by Baishideng Publishing Group Inc. All rights reserved.

Core Tip: In clinical practice, post-transplant cholangiopathy is a multifactorial process, including not only biliary complications like biliary leakage, biliary infection and biliary stricture, idiopathic post-transplant chronic hepatitis, fibrosing cholestatic hepatitis, and viral infections like cytomegalovirus but also chronic graft rejection. The post-transplant cholangiopathy substantially influences graft, as well as patient outcome and survival. Therefore, it is of outmost importance to distinguish the underlying etiology while simultaneously appreciating the heterogeneous nature of post-transplant cholangiopathy. A better understanding of clinical and histopathological features can result in an improved therapy strategy.

Citation: Obed A, Bashir A, Jarrad A, Fuzesi L. Role of biliary complications in chronic graft rejection after living donor liver transplantation. *World J Hepatol* 2022; 14(5): 1050-1052

URL: <https://www.wjgnet.com/1948-5182/full/v14/i5/1050.htm>

DOI: <https://dx.doi.org/10.4254/wjh.v14.i5.1050>

TO THE EDITOR

With great interest, we read the article by Guirguis *et al*[1] entitled “Biliary complications in recipients of living donor liver transplantation: A single-center study”. The study presents the findings on 169 recipients of right-lobe living-donor liver transplantation, which were followed for at least 1 year, or until graft or patient loss occurred. Based on their data on biliary leakage, biliary infection, and biliary stricture, as well as the presence of chronic graft rejection (CGR) and failure, the authors conclude that biliary infection/complications are an independent risk factor for CGR and graft failure in their study population.

While we congratulate the team on its attempt to unravel the impact of biliary complications on graft survival and mortality, we believe that some conclusions drawn in the article must be critically addressed.

First, the authors reference a study on a pediatric study population and deduce that biliary infection is a risk factor for CGR. However, in the mentioned study by Tannuri *et al*[2], the authors merely conclude that the occurrence of ductopenia is linked to a poor prognosis in pediatric patients with CGR. Furthermore, the authors outline main pathological changes that indicate CGR, such as vanishing bile duct syndrome and obliterative arteriopathy. Hence, Tannuri *et al* interpret ductopenia as the result of CGR, not its cause.

On that note, we want to turn the attention to well-defined classifications of CGR, especially in liver grafts for children and adults, respectively. In the updated *International Banff Schema for Liver Allograft Rejection*, Demetris *et al*[3] describe the features of CGR in accordance to histopathological findings of explanted liver tissue. Hereby, leading indicators of advanced CGR are outlined. These include, amongst others, loss of bile ducts (BD) of more than half of portal tracts, as well as the discovery of a foam cell obliterative arteriopathy in rejected tissue. Meanwhile, the loss of BD in less than 50% of portal tracts, BD degeneration, perisinusoidal fibrosis, and inflammation are considered preliminary findings for CGR after liver transplantation.

Second, in their retrospective multivariate analysis, Horster *et al*[4] reported on their 12-year experience with 352 liver transplant recipients. They identified HCV serostatus and high peri-transplantation viral serum loads as independent risk factors for postoperative anastomotic strictures. While non-anastomotic strictures, the presence of bile leaks, and subsequent treatment interventions worsened graft outcome in all patients, no increase of CGR was detected. Notably, biliary complications and HCV serum positivity exerted additive effects, although individually they did not alter the risk for graft loss. However, HCV-positive patients with BCs displayed significantly worse graft outcomes. The authors did not conclude that biliary infections would lead to CGR.

Although we understand that distinguishing between CGR and other causes of post-transplant cholangiopathy (PTC) might be histologically challenging and clinically difficult, it is of great significance to characterize the underlying etiology in order to provide our patients with the best available treatment and procedures. Thus, we appreciate CGR as one possible cause of the post-transplant cholangiopathy.

Leading to increased patient morbidity and mortality after liver transplantation, these entities require highly experienced physicians for a clear distinction and prompt intervention. The term PTC encompasses a wide range of histological donor bile duct aberrations, including biliary stricture, cast formation to full thickness and, even, bile duct necrosis with intrahepatic biloma development. As per definition, the presence of thrombosis, severe stenosis of the hepatic artery, or underlying chronic autoimmune disease (*i.e.*, primary sclerosing cholangitis) is excluded from the definition of PTC[5]. We conclude that other causes of PTC can be mistaken for suspected chronic graft failure with assumed biliary etiology. Thus, additional measures should be taken to prevent misdiagnosis in this highly susceptible patient collectives.

In essence, we are delighted to see the efforts at Ain Shams University, Egypt to better understand clinical observations on biliary complications after right lobe living donor liver transplantation, in order to sustainably achieve better patient outcomes. Nevertheless, the cases of biliary-based CGR should be validated by carefully distinguishing this uncommon condition from multifocal biliary pathologies of other etiologies. Adequately powered, prospective study designs with larger study populations could effectively contribute to a better understanding and improved therapy options.

FOOTNOTES

Author contributions: Obed A designed the research; Obed A, Füzési L, and Jarrad A performed research and revised the letter; Bashir A and Obed A analyzed the data; Obed A and Bashir A wrote the letter.

Conflict-of-interest statement: The authors declare no funding or conflicts of interest for this article.

Open-Access: This article is an open-access article that was selected by an in-house editor and fully peer-reviewed by external reviewers. It is distributed in accordance with the Creative Commons Attribution NonCommercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited and the use is non-commercial. See: <https://creativecommons.org/licenses/by-nc/4.0/>

Country/Territory of origin: United States

ORCID number: Aiman Obed 0000-0001-7519-9868; Abdalla Bashir 0000-0001-7128-1979; Anwar Jarrad 0000-0001-8749-8160; Laszlo Fuzesi 0000-0002-9943-636X.

S-Editor: Wang LL

L-Editor: Wang TQ

P-Editor: Wang LL

REFERENCES

- 1 **Guirguis RN**, Nashaat EH, Yassin AE, Ibrahim WA, Saleh SA, Bahaa M, El-Meteini M, Fathy M, Dabbous HM, Montasser IF, Salah M, Mohamed GA. Biliary complications in recipients of living donor liver transplantation: A single-centre study. *World J Hepatol* 2021; **13**: 2081-2103 [PMID: 35070010 DOI: 10.4254/wjh.v13.i12.2081]
- 2 **Tannuri AC**, Lima F, Mello ES, Tanigawa RY, Tannuri U. Prognostic factors for the evolution and reversibility of chronic rejection in pediatric liver transplantation. *Clinics (Sao Paulo)* 2016; **71**: 216-220 [DOI: 10.6061/clinics/2016(04)07]
- 3 **Demetris A**, Adams D, Bellamy C, Blakolmer K, Clouston A, Dhillon AP, Fung J, Gouw A, Gustafsson B, Haga H, Harrison D, Hart J, Hubscher S, Jaffe R, Khettry U, Lassman C, Lewin K, Martinez O, Nakazawa Y, Neil D, Pappo O, Parizhskaya M, Randhawa P, Rasoul-Rockenschaub S, Reinholt F, Reynes M, Robert M, Tsamandas A, Wanless I, Wiesner R, Wernerson A, Wrba F, Wyatt J, Yamabe H. Update of the International Banff Schema for Liver Allograft Rejection: working recommendations for the histopathologic staging and reporting of chronic rejection. An International Panel. *Hepatology* 2000; **31**: 792-799 [PMID: 10706577 DOI: 10.1002/hep.510310337]
- 4 **Horster S**, Bäuerlein FJ, Mandel P, Raziorrouh B, Hopf C, Stemmler HJ, Guba M, Angele M, Stangl M, Rentsch M, Frey L, Kaspar M, Kaczmarek I, Eberle J, Nickel T, Gruener N, Zchoval R, Diepolder H. Influence of hepatitis C virus infection and high virus serum load on biliary complications in liver transplantation. *Transpl Infect Dis* 2013; **15**: 306-313 [PMID: 23489913 DOI: 10.1111/tid.12069]
- 5 **de Vries Y**, von Meijenfildt FA, Porte RJ. Post-transplant cholangiopathy: Classification, pathogenesis, and preventive strategies. *Biochim Biophys Acta Mol Basis Dis* 2018; **1864**: 1507-1515 [PMID: 28645651 DOI: 10.1016/j.bbadis.2017.06.013]



Published by **Baishideng Publishing Group Inc**
7041 Koll Center Parkway, Suite 160, Pleasanton, CA 94566, USA
Telephone: +1-925-3991568
E-mail: bpgoffice@wjgnet.com
Help Desk: <https://www.f6publishing.com/helpdesk>
<https://www.wjgnet.com>

