



**Calhoun: The NPS Institutional Archive** 

**DSpace Repository** 

Faculty and Researchers

Faculty and Researchers' Publications

1999-09

# The Optical Properties of the Maritime Aerosol and their Correlation to the Electrical Conductivity of the Marine Atmosphere

Jonsson, Haflidi H.

http://hdl.handle.net/10945/68960

This publication is a work of the U.S. Government as defined in Title 17, United States Code, Section 101. Copyright protection is not available for this work in the United States.

Downloaded from NPS Archive: Calhoun



Calhoun is the Naval Postgraduate School's public access digital repository for research materials and institutional publications created by the NPS community. Calhoun is named for Professor of Mathematics Guy K. Calhoun, NPS's first appointed -- and published -- scholarly author.

> Dudley Knox Library / Naval Postgraduate School 411 Dyer Road / 1 University Circle Monterey, California USA 93943

http://www.nps.edu/library

maintaining the data needed, and coincluding suggestions for reducing	ection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu ald be aware that notwithstanding and OMB control number.	tion of information. Send comment parters Services, Directorate for Inf	s regarding this burden estimate ormation Operations and Reports	or any other aspect of the s, 1215 Jefferson Davis	his collection of information, Highway, Suite 1204, Arlington
1. REPORT DATE 30 SEP 1999		2. REPORT TYPE		3. DATES COVE <b>00-00-199</b> 9	ered <b>9 to 00-00-1999</b>
4. TITLE AND SUBTITLE  The Optical Properties of the Maritime Aerosol and their Correlation to the Electrical Conductivity of the Marine Atmosphere				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  Naval Postgraduate School, CIRPAS, 3240 Imjin Road, Hangar 510, Marina, CA, 93933				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAIL Approved for publ		ion unlimited			
13. SUPPLEMENTARY NO	TES				
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFIC	ATION OF:		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE unclassified	Same as Report (SAR)	2	RESI ONSIDEE I ERSON

**Report Documentation Page** 

Form Approved OMB No. 0704-0188

# The Optical Properties of the Maritime Aerosol and their Correlation to the Electrical Conductivity of the Marine Atmosphere

Haflidi H Jonsson
Naval Postgraduate School/CIRPAS
3240 Imjin Road, Hangar 510
Marina, CA 93933
phone (831) 384-2776 fax (831) 384-3277 email <a href="mailto:hjonsson@nps.navy.mil">hjonsson@nps.navy.mil</a>
Award Number: N0001499AF00002

http://nps.navy.mil

#### LONG-TERM GOAL

The long term goal is to have a capability of simultaneously measuring aerosol properties, optical properties, and electrical properties from an aircraft in the marine boundary layer. This involves integration of CN counters, particle spectrometers, nephelometers, Gerdien condenser, and radon detector onto the CIRPAS Twin Otter airplane, along with a suitable data acquisition system.

#### **OBJECTIVES**

The Scientific or Technical Objectives of this effort are to empirically seek a relationship between the electrical conductivity of the marine atmosphere and its optical properties, such as extinction at various wavelengths. As a result a technique may evolve for estimating optical extinction on bases of a conductivity measurement.

### **APPROACH**

The approach is to synchronously measure extinction at three wavelengths using TSI Nephelometer, and electrical conductivity using Gerdien condenser, and correlate the data. Measurements of particle size and concentration are to be measured simultaneously for calculation of extinction using Mie code for validation of the Nephelometer measurements and to support extrapolation to other wavelengths. Simultaneous measurements of ionization rates by means of the radon detector will be used to constrain the conductivity measurements in coastal areas where continental air containing radioactive agents may be present to varying degrees.

# WORK COMPLETED

Aerosol spectrometers, PCASP, FSSP-100, and CAPS, were integrated onto the CIRPAS Twin Otter this summer, along with TSI CN and Ultrafine particle counters. Software was developed to both log and reduce data and calculate optical properties. A three color TSI Nephelometer was also integrated onto the Twin Otter. Software was developed to log its measurements, but data reduction routines are still to be developed. The Gerdien condenser is under development and a Radon detection system has been ordered. The Aerosol instruments and the Nephelometer were flown this summer during the DECS experiment yielding much data that are presently being analyzed and processed.

# RESULTS

It is too early to draw any conclusions from the work thus far. As preliminary results from the DECS mission, however, it is clear that both the aerosol measurements and the nephelometer measurements are well enough along to warrant integration of the electrical component. Size distributions based on frequent calibration appear fairly consistent between the spectrometers, and cover the optically active size range (Dp> 0.1 m). Preliminary viewing of the Nephelometer data similarly indicates that a good data set was obtained. Data reduction, however, is in progress, and analyses have not started yet.

# IMPACT/APPLICATIONS

Depending on the results of this research, an alternative technique may result for evaluating optical properties of the marine boundary layer. If a tight correlation may be established between conductivity and extinction, then the simple, and robust measurement of conductivity may yield quantitative information on extinction.

#### **TRANSITIONS**

As the results still are preliminary, and the electrical component of the payload still has not been implemented, at this point the primary results sought are not available. However, collaborators during the DECS experiment are using the particle and optical measurements for validation of satellite sensors, for validation of radar observations, for study of aerosol source strength in the marine boundary layer, for study of roles of aerosol particles in cloud dynamics, and for study of formation and perpetuation of rifts in stratus decks.

#### RELATED PROJECTS

The measurements obtained in this project are also valuable in projects such as those outlined in the last item. Also, however, the results will enhance the value of a century long record of conductivity measurements that exists.