EXPERIMENTS WITH TWO-STAGE ITERATIVE SOLVERS AND PRECONDITIONED KRYLOV SUBSPACE METHODS ON NEARLY COMPLETELY DECOMPOSABLE MARKOV CHAINS

A THESIS

SUBMITTED TO THE DEPARTMENT OF COMPUTER
ENGINEERING AND INFORMATION SCIENCE
AND THE INSTITUTE OF ENGINEERING AND SCIENCE
OF BILKENT UNIVERSITY
IN PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF
MASTER OF SCIENCE

By Wail Guealeb June, 1997

EXPERIMENTS WITH TWO-STAGE ITERATIVE SOLVERS AND PRECONDITIONED KRYLOV SUBSPACE METHODS ON NEARLY COMPLETELY DECOMPOSABLE MARKOV CHAINS

A THESIS

SUBMITTED TO THE DEPARTMENT OF COMPUTER
ENGINEERING AND INFORMATION SCIENCE
AND THE INSTITUTE OF ENGINEERING AND SCIENCE
OF BILKENT UNIVERSITY
IN PARTIAL FULFILLMENT OF THE REQUIREMENTS
FOR THE DEGREE OF
MASTER OF SCIENCE

By Wail Gueaieb June, 1997

Eurofencia. J. flanmostes

274.7 . G84 1997

B037967

I certify that I have read this thesis and that in my opinion it is fully adequate, in scope and in quality, as a thesis for the degree of Master of Science.

Asst. Prof. Dr. Tuğrul Dayar(Principal Advisor)

I certify that I have read this thesis and that in my opinion it is fully adequate, in scope and in quality, as a thesis for the degree of Master of Science.

Assoc. Prof. Dr. Cevdet Aykanat

I certify that I have read this thesis and that in my opinion it is fully adequate, in scope and in quality, as a thesis for the degree of Master of Science.

Asst. Prof. Pr. Mustafa Ç. Pınar

Approved for the Institute of Engineering and Science:

Prof. Dr. Mehmet Baray, Director of Institute of Engineering and Science

ABSTRACT

EXPERIMENTS WITH TWO-STAGE ITERATIVE SOLVERS AND PRECONDITIONED KRYLOV SUBSPACE METHODS ON NEARLY COMPLETELY DECOMPOSABLE MARKOV CHAINS

Wail Gueaieb

M.S. in Computer Engineering and Information Science Supervisor: Assistant Professor Dr. Tuğrul Dayar June, 1997

Preconditioned Krylov subspace methods are state-of-the-art iterative solvers developed mostly in the last fifteen years that may be used, among other things, to solve for the stationary distribution of Markov chains. Assuming Markov chains of interest are irreducible, the problem amounts to computing a positive solution vector to a homogeneous system of linear algebraic equations with a singular coefficient matrix under a normalization constraint. That is, the $(n \times 1)$ unknown stationary vector x in

$$Ax = 0, \ \|x\|_1 = 1 \tag{0.1}$$

is sought. Here $A = I - P^T$, an $n \times n$ singular M-matrix, and P is the one-step stochastic transition probability matrix.

Albeit the recent advances, practicing performance analysts still widely prefer iterative methods based on splittings when they want to compare the performance of newly devised algorithms against existing ones, or when they need candidate solvers to evaluate the performance of a system model at hand. In fact, experimental results with Krylov subspace methods on Markov chains, especially the ill-conditioned nearly completely decomposable (NCD) ones, are few. We believe there is room for research in this area specifically to help us understand the effect of the degree of coupling of NCD Markov chains and their nonzero structure on the convergence characteristics and space requirements of preconditioned Krylov subspace methods.

The work of several researchers have raised important and interesting questions that led to research in another, yet related direction. These questions are the following: "How must one go about partitioning the global coefficient matrix A in equation (0.1) into blocks if the system is NCD and a two-stage iterative solver (such as block successive overrelaxation—SOR) is to be employed? Are block partitionings dictated by the NCD normal form of P necessarily superior to others? Is it worth investing alternative partitionings? Better yet, for a fixed labelling and partitioning of the states, how does the performance of block SOR (or even that of point SOR) compare to the performance of the iterative aggregation-disaggregation (IAD) algorithm? Finally, is there any merit in using two-stage iterative solvers when preconditioned Krylov subspace methods are available?"

Experimental results show that in most of the test cases two-stage iterative solvers are superior to Krylov subspace methods with the chosen preconditioners, on NCD Markov chains. For two-stage iterative solvers, there are cases in which a straightforward partitioning of the coefficient matrix gives a faster solution than can be obtained using the NCD normal form.

Key words: Markov chains, near complete decomposability, stationary iterative methods, projection methods, block iterative methods, preconditioning, ill-conditioning.

ÖZET

İKİ SEVİYELİ DOLAYLI ÇÖZÜCÜLER VE İYİLEŞTİRİLMİŞ KRYLOV ALTUZAY YÖNTEMLERİ İLE NEREDEYSE BÖLÜNEBİLİR MARKOV ZİNCİRLERİ ÜZERİNDE DENEYLER

> Wail Gueaieb Bilgisayar ve Enformatik Mühendisliği, Yüksek Lisans Tez Yöneticisi: Yrd. Doç. Dr. Tuğrul Dayar Haziran, 1997

İyileştirilmiş Krylov altuzay yöntemleri çoğunlukla son onbeş yılda geliştirilmiş, başka şeyler yanında, Markov zincirlerinin durağan dağılımlarını elde etmede kullanınan en son dolaylı çözücülerdir. İlgilenilen Markov zincirlerinin indirgenemez olduğu varsayılırsa, problem tekil bir katsayı matrisine sahip bir türdeş lineer cebirsel denklemler takımına bir normalleştirme şartı altında pozitif bir çözüm vektörü hesaplamaktan ibarettir. Yani,

$$Ax = 0, \ \|x\|_1 = 1 \tag{0.1}$$

deki $(n \times 1)$ 'lik bilinmeyen durağan vektör x aranmaktadır. Burada $A = I - P^T$ $n \times n$ tekil bir M-matrisi ve P bir-adımlık rassal geçis olasılık matrisidir.

Son gelişmelere rağmen, mesleklerini icra eden başarım çözümleyicileri, yeni tasarlanmış algoritmaların başarımını var olanlarla kıyaslamak istediklerinde, veya eldeki bir sistem modelinin başarımını değerlendirmek için aday çözücülere gerek duyduklarında, hala çoğunlukla bölmeye dayanan dolaylı yöntemleri tercih etmektedirler. Esasında, Markov zincirleri, özellikle de hastalıklı neredeyse bölünebilir olanları üzerinde Krylov altuzay yöntemleri ile deneysel sonuçlar pek azdır. Biz bu alanda, özellikle de neredeyse bölünebilir Markov zincirlerinin bağlanma derecelerinin ve sıfırdan farklı yapılarının iyileştirilmiş Krylov altuzay yöntemlerinin yakınsama özellikleri ve yer gerekleri üzerindeki etkilerini anlamamıza yardım edecek araştırmalar için yer olduğuna inanıyoruz.

Bazı araştırmacıların çalışmaları başka fakat ilintili yönde araştırmaları neden olan önemli ve ilginç sorular ortaya çıkardı. Bu sorular şunlardır: "Eğer

sistem neredeyse bölünebilirse ve (blok ardarda üst yumuşatma—SOR gibi) iki seviyeli bir dolaylı çözücü kullanılacaksa, (0.1) denklemindeki global katsayı matrisi A'yı nasıl parçalara ayırmalı? P'nin neredeyse bölünebilir normal yapısının zorunlu kıldığı blok ayrıştırmalar diğerlerine oranla mutlaka daha mı üstündür? Alternatif ayrıştırmalara yatırım yapmaya değer mi? Hatta, durumlar sabit adlandırılıp ayrıştırıldığında blok ardarda üst yumuşatmanın (hatta nokta ardarda üst yumuşatmanın) başarımı dolaylı birleştirme-ayrıştırma algoritmasının başarımı ile nasıl kıyaslar? Son olarak, iyileştirilmiş Krylov altuzay yöntemleri varken iki seviyeli dolaylı çözücüleri kullanmanın bir değeri var mıdır?"

Deneysel sonuçlar pek çok test vakasında iki seviyeli dolaylı çözücülerin seçilmiş iyileştiriciler için Krylov altuzay yöntemlerine göre neredeyse bölünebilir Markov zincirlerinden daha üstün olduklarını göstermektedir. İki seviyeli dolaylı çözücüler için, katsayı matrisinin basit bir ayrıştırılmasının neredeyse bölünebilir yapısının kullanılarak bulunacak bir taneden daha hızlı çözüm verdiği vakalar vardır.

Anahtar kelimeler: Markov zincirleri, neredeyse bölünebilirlik, durağan dolaylı yöntemler, projeksiyon yöntemleri, blok dolaylı yöntemler, iyileştirme, hastalıklılık. To my parents, brothers, and sister

ACKNOWLEDGMENTS

I would like to thank Dr. Tuğrul Dayar for his invaluable help, time, persistent encouragement, advice, ideas and suggestions throughout this study. He was the one to introduce me to the area, and he not only has been a role model but also more than a friend. Without his continuing support and supervision, this work would not have been possible. Special thanks are due to Dr. Aykanat and Dr. Pınar for the time they provided to read and review this thesis and for their keen acceptance to be in my committee. I also would like to extend my gratitude to the professors I have taken courses with and I have got to know during the past six years. I especially would like to acknowledge Dr. Ulusoy, Dr. Flenner, Dr. Güvenir, Dr. Kerimov and Dr. Dikovsky from whom I have learned a lot. They will greatly influence my future work.

I am grateful to the graduate administration of the Department of Computer Engineering and Information Science for the financial support provided throughout my graduate studies at Bilkent University and to the faculty and staff of the same department for creating a pleasant environment for learning and research.

I also would like to thank all my friends here for their friendship and continuous support.

Lastly, I am forever grateful to my parents, brothers and sister for their unwavering support throughout my student life.

Contents

1	Int	oduction and Overview		
	1.1	Markov Chains	1	
		1.1.1 Definitions	1	
		1.1.2 Discrete and Continuous Time Markov Chains	2	
		1.1.3 Probability Distributions	5	
		1.1.4 Numerical Properties	7	
	1.2	State Classification	9	
		1.2.1 Definitions	10	
		1.2.2 Following Properties	11	
	1.3 Decomposable Probability Matrices			
	1.4	NCD Markov Chains	16	
2	Numerical Solution Methods		18	
	2.1	Direct Methods	19	
	2.2	Iterative Methods	21	
		2.2.1 SOR: A Stationary Iterative Method	22	

CONTENTS

		2.2.2	Block Iterative Methods	. 26
		2.2.3	Projection Methods	. 34
		2.2.4	Stopping Criteria	. 47
		2.2.5	Preconditioners	. 49
	2.3	Imple	mentation Considerations	53
3	Mo	dels U	\mathbf{sed}	57
	3.1 Complete Buffer Sharing With Pushout Thresholds in ATM Networks			. 57
	3.2	A Two	o-Dimensional Markov Chain Model	61
	3.3	An No	CD Queueing Network of the Central Server Type	. 62
	3.4	A Tele	ecommunication Model	. 66
	3.5	A Que	cueing Network with Blocking and Priority Service Model	69
	3.6	A Mul	tiplexing Model of a Leaky Bucket in Tandem	. 71
	3.7	Mutex	—A Resource Sharing Model	. 72
4	Nur	nerical	Results	76
	4.1	The E	ffect of Ill-Conditioning	. 82
	4.2	The E	ffect of Reordering	84
5	Con	clusior	n and Future Work	86
A	Tables of Results			88
В	The	Nonze	ero Structures of the Matrices	116

List of Figures

3.1	A Two-Dimensional Markov Chain Model Model	62
3.2	An NCD Queueing Network of the Central Server Type Model	64
3.3	Telecommunication Model	67
3.4	An ATM Queueing Network Model	70
3.5	A Resource Sharing Model (Mutex).	74

List of Tables

2.1	Summary of Operations and Storage Requirements for SOR	25
2.2	Summary of Operations and Storage Requirements for Block SOR at iteration k	29
2.3	Summary of Operations and Storage Requirements for IAD at iteration k .	33
2.4	Summary of Operations and Storage Requirements for $GMRES(m)$ at iteration i	38
2.5	Summary of Operations and Storage Requirements for BCG at iteration i . " a/b " means " a " operations with the matrix and " b " with its transpose.	41
2.6	Summary of Operations and Storage Requirements for CGS at iteration i	43
2.7	Summary of Operations and Storage Requirements for BCGStab at iteration i	43
2.8	Preconditioners used in the QMR versions	45
2.9	Summary of Operations and Storage Requirements for QMR at iteration i	45
3.1	Characteristics of the Pushout Threshold Problem.	60
3.2	Partitioning Results for the easy Test Case.	60

LIST OF TABLES xiii

3.3	Partitioning Results for the medium Test Case.	60
3.4	Partitioning Results for the hard Test Case.	61
3.5	Lower and Higher Bandwidths of the Pushout Threshold Test Matrices	61
3.6	Characteristics of the Two-Dimensional Markov Chain Problem.	62
3.7	Partitioning Results for the Two-Dimensional Markov Chain Problem	63
3.8	Lower and Higher Bandwidths of the Two-Dimensional Markov Chain Test Matrices	63
3.9	Characteristics of the NCD Queueing Network Problem.	65
3.10	Partitioning Results for the ncd Test Case	65
3.11	Partitioning Results for the ncd_alt1 Test Case.	66
3.12	Partitioning Results for the ncd_alt2 Test Case.	66
3.13	Lower and Higher Bandwidths of the NCD Queueing Network Test Matrices	67
3.14	Characteristics of the telecom Problem	68
3.15	Partitioning Results for the telecom Problem.	69
3.16	Lower and Higher Bandwidths of the Telecom Test Matrices	69
3.17	Characteristics of the ATM Queueing Network Problem.	71
3.18	Partitioning Results for the ATM Queueing Network Problem	71
3.19	Lower and Higher Bandwidths of the ATM Queueing Network Test Matrices	71
3.20	Characteristics of the Leaky-Bucket Problem.	72

OF TABLES	xiv
	OF TABLES

3.21	Partitioning Results for the Leaky-Bucket Problem	73
3.22	Lower and Higher Bandwidths of the leaky Test Matrix	73
3.23	Characteristics of the Mutex Problem.	74
3.24	Partitioning Results for the <i>mutex</i> Test Matrix	75
3.25	Partitioning Results for the mutex_alt1 Test Matrix	75
3.26	Partitioning Results for the mutex_alt2 Test Matrix	75
3.27	Lower and Higher Bandwidths of the Mutex Problem Test Matrices.	75
4.1	Notation Used in the Tables of Results	77

Chapter 1

Introduction and Overview

1.1 Markov Chains

1.1.1 Definitions

Understanding the behavior of physical systems is often achieved by modeling the system as a set of states which it can occupy and determining how it moves from one state to another in time. If the future evolution of the system does not depend on the past history but only on the current state, the system may be represented by a *stochastic process*. Stochastic processes arise extensively throughout queueing network analysis, computer systems performance evaluation, large scale economic modeling, biological, physical, and social sciences, engineering, and other areas.

A stochastic process is a family of random variables $\{X(t), t \in T\}$ defined on a given probability space and indexed by the parameter t, where t varies over some index set (parameter space) T [36]. T is a subset of $(-\infty, +\infty)$ and is usually thought of as the time parameter set. X(t) denotes the observation at time t. If the index set is discrete, e.g., $T = \{0, 1, \ldots\}$, then we have a discrete(-time) stochastic process; otherwise, if T is continuous, e.g., $T = \{t : 0 \le t \le +\infty\}$, we call the process a continuous (-time) stochastic process. The values assumed by the random variable X(t) are called states. The set of all

possible states represent the state space S of the process. This state space may be discrete or continuous.

A Markov process is a stochastic process whose next state depends on the current state only, and not on the previous states. By this, it is said to satisfy the "Markov property." When the transitions out of state X(t) depend on the time t, the Markov process is said to be nonhomogeneous. However, if the state transitions are independent of time, the Markov process is said to be homogeneous. If the state space of a Markov process is discrete, the Markov process is referred to as a Markov chain. Throughout this work, we concentrate on discrete-time Markov chains (DTMCs) and continuous-time Markov chains (CTMCs) with finite state space.

To satisfy the Markov property, the time spent in a state of a Markov chain must satisfy the *memoryless* property: At any time t, the remaining time the chain will spend in its current state must be independent of the time already spent in that state. This means that this time must be exponentially distributed for CTMCs and geometrically distributed for DTMCs. These are the only distributions that possess the memoryless property.

1.1.2 Discrete and Continuous Time Markov Chains

In this section, we will provide formal definitions of DTMCs and CTMCs.

For a DTMC, X(t) is usually represented by X_n (n = 0, 1, ...) as we observe the system at a discrete set of times. $\{X_n, n = 0, 1, ...\}$ is called a *stochastic sequence*. A DTMC satisfies the following relationship for all natural numbers n and all states x_n .

$$Prob\{X_{n+1} = x_{n+1} | X_0 = x_0, X_1 = x_1, \dots, X_n = x_n\}$$

$$= Prob\{X_{n+1} = x_{n+1} | X_n = x_n\}, \quad n \ge 0.$$
(1.1)

The conditional probabilities $Prob\{X_{n+1} = x_{n+1} | X_n = x_n\}$ are called the single-step transition probabilities, or just the transition probabilities, of the Markov chain.

For a time homogeneous DTMC, transition probabilities are independent of n, and hence may be written as

$$p_{ij} = Prob\{X_{n+1} = j | X_n = i\}, \quad \forall n = 0, 1, \dots, \text{ and } i, j \in \mathcal{S}.$$
 (1.2)

The matrix P whose ijth element is given by p_{ij} , for all i and j, is called the transition probability matrix, or the chain matrix [36]. P is a stochastic matrix, i.e., its elements p_{ij} satisfy the following two properties

$$0 \le p_{ij} \le 1, \quad \forall i, j \in \mathcal{S}, \tag{1.3}$$

$$\sum_{j} p_{ij} = 1, \quad \forall i \in \mathcal{S}. \tag{1.4}$$

Let $\pi_j(n) = Prob\{X_n = j\}$, $\forall j \in \mathcal{S}$. Note that $\sum_{j \in \mathcal{S}} \pi_j(n) = 1$. Then $\pi(n) = (\pi_1(n), \pi_2(n), \dots, \pi_i(n), \dots)$ denotes the state probability vector at step n. Note that we shall adopt the convention that all probability vectors are row vectors. All other vectors will be considered to be column vectors unless specifically stated otherwise. The probability of being at a particular state j just after the nth transition may be expressed as

$$\pi_j(n) = \sum_{i \in S} \pi_i(n-1) \, p_{ij}, \quad n \ge 1.$$
 (1.5)

Equation (1.5) can be rewritten in matrix form as

$$\pi(n) = \pi(n-1) P, \quad n \ge 1. \tag{1.6}$$

Analogously, a CTMC may be described as

$$Prob\{X(t_{n+1}) = x_{n+1} | X(t_0) = x_0, X(t_1) = x_1, \dots, X(t_n) = x_n\}$$

$$= Prob\{X(t_{n+1}) = x_{n+1} | X(t_n) = x_n\}, \quad n \ge 0.$$
(1.7)

For the transition probabilities, we write

$$p_{ij}(s,t) = Prob\{X(t) = j | X(s) = i\}, \quad t, s \ge 0, \quad i, j \in \mathcal{S}.$$
 (1.8)

When the CTMC is homogeneous—and that is what we are interested in—these transition probabilities depend only on the difference $\Delta t = t - s$, and not on s and t. So we can rewrite equation (1.8) as

$$p_{ij}(\Delta t) = Prob\{X(s + \Delta t) = j | X(s) = i\}, \quad s, \Delta t \ge 0, \quad i, j \in \mathcal{S}.$$

For a better understanding of the relationship between CTMCs and DTMCs, consider the time axis as a sequence of mutually disjoint sufficiently small intervals so that there is at most one transition in each subinterval. At the end of each Δt time interval, there is exactly one transition, and hence the system behaves like a DTMC.

Let $\pi_j(t + \Delta t) = Prob\{X(t + \Delta t) = j\}$, $\forall j \in \mathcal{S}$. Note that $\sum_{j \in \mathcal{S}} \pi_j(t + \Delta t) = 1$. Then $\pi(t + \Delta t)$ denotes the state probability vector at time $t + \Delta t$.

We determine the probability of being in state j at time $t + \Delta t$ by

$$\pi_j(t + \Delta t) = \sum_{i \in \mathcal{S}} \pi_i(t) \, p_{ij}(\Delta t), \quad t, \Delta t \ge 0, \quad \forall j \in \mathcal{S}.$$

This can be written in matrix form as

$$\pi(t + \Delta t) = \pi(t) P(\Delta t), \quad t, \Delta t \ge 0.$$

Here $P(\Delta t)$ is the one-step transition probability matrix for the interval Δt whose ijth entry is given by $p_{ij}(\Delta t)$.

Let $q_{ij}(t)$ be the rate at which transitions occur from state i to state j at time t. The transition rate is an *instantaneous* quantity that denotes the number of transitions that occur per unit time.

$$q_{ij}(t) = \lim_{\Delta t \to 0} \left\{ \frac{p_{ij}(t + \Delta t)}{\Delta t} \right\}$$
 for $i \neq j$.

This leads to the following transition probability

$$p_{ij}(t + \Delta t) = q_{ij}(t)\Delta t + o(\Delta t), \quad \text{for } i \neq j,$$

where $o(\Delta t)$ is the "little oh" notation such that $o(\Delta t)$ tends to 0 faster than Δt .

$$\lim_{\Delta t \to 0} \frac{o(\Delta t)}{\Delta t} = 0.$$

Starting from the concept of probability conservation, we can write

$$1 - p_{ii}(t, t + \Delta t) = \sum_{j \neq i} p_{ij}(t, t + \Delta t)$$
$$= \sum_{j \neq i} [q_{ij}(t)\Delta t + o(\Delta t)]$$

Dividing by Δt and taking the limit as $\Delta t \to 0$, we obtain

$$q_{ii}(t) \equiv \lim_{\Delta t \to 0} \left\{ \frac{p_{ii}(t, t + \Delta t) - 1}{\Delta t} \right\} = \lim_{\Delta t \to 0} \left\{ \frac{-\sum_{j \neq i} [q_{ij}(t) \Delta t + o(\Delta t)]}{\Delta t} \right\}.$$
 Hence,

$$q_{ii}(t) = -\sum_{j \neq i} q_{ij}(t).$$
 (1.9)

The matrix Q(t) whose ijth element is $q_{ij}(t)$ is called the infinitesimal generator matrix, or transition rate matrix, for the CTMC. In matrix form, it is

$$Q(t) = \lim_{t \to 0} \left\{ \frac{P(t, t + \Delta t) - I}{\Delta t} \right\},\,$$

where $P(t, t + \Delta t)$ is the transition probability matrix whose ijth element is $p_{ij}(t, t + \Delta t)$ and I is the identity matrix. When the CTMC is homogeneous, the transition rates q_{ij} are independent of time, and the transition matrix is simply written as Q.

The matrix Q has row sums of 0 as each of its diagonal elements is the negated sum of the corresponding off-diagonal elements (of that row). From equation (1.9) we get

$$q_{ii} = -\sum_{j \neq i} q_{ij}. \tag{1.10}$$

1.1.3 Probability Distributions

Determining the stationary distribution of a Markov chain is the core of this study. As defined in the previous section, for a DTMC, $\pi_i(n)$ denotes the probability that a Markov chain is in state i at step n, i.e.,

$$\pi_i(n) = Prob\{X_n = i\}, \quad n \ge 0, \quad i \in \mathcal{S}.$$

Definition 1.1 (Stationary distribution) [36] Let P be the transition probability matrix of a DTMC, and let the vector z whose elements z_j denote the probability of being in state j be a probability distribution; i.e.,

$$z_j \in \mathbb{R}, \quad 0 \le z_j \le 1, \quad and \quad \sum_j z_j = 1.$$

Then z is said to be a stationary distribution if and only if zP = z.

Definition 1.2 (Limiting distribution) [36] Given an initial probability distribution $\pi(0)$, if the limit

$$\lim_{n\to\infty}\pi(n),$$

exists, then the limit is called the limiting distribution, and we write

$$\pi = \lim_{n \to \infty} \pi(n).$$

The limiting distribution is also known as the *steady-state*, or *equilibrium*, distribution. Informally speaking, the steady-state distribution is the probability distribution which, if it exists, the process will reach after sufficiently many transitions, independently of the initial probability distribution, and will remain in that distribution for all further transition steps. We will come back to this in later sections.

Now, taking the limit as $n \to \infty$ of both sides of equation (1.6), we obtain

$$\pi = \pi P, \qquad \sum_{i \in \mathcal{S}} \pi_i = \|\pi\|_1 = 1.$$
 (1.11)

Analogously to DTMCs, a stationary probability vector for a CTMC can be defined as any vector z such that zQ=0, $||z||_1=1$. The steady-state distribution of a CTMC, if it exists, is written as

$$\pi = \lim_{t \to \infty} \pi(t)$$

and is independent of the initial probability distribution $\pi(0)$. Recall that $\pi_i(t)$ is the probability that a CTMC is in state i at time t, i.e.,

$$\pi_i(t) = Prob\{X(t) = i\}, \ \forall i \in \mathcal{S}.$$

Then,

$$\pi_i(t + \Delta t) = \pi_i(t) \left(1 - \sum_{j \neq i} q_{ij}(t) \Delta t \right) + \left(\sum_{k \neq i} q_{ki}(t) \pi_k(t) \right) \Delta t + o(\Delta t).$$

Since $q_{ii}(t) = -\sum_{j \neq i} q_{ij}(t)$, we have

$$\pi_i(t + \Delta t) = \pi_i(t) + \left(\sum_{k} q_{ki}(t)\pi_k(t)\right)\Delta t + o(\Delta t),$$

and

$$\lim_{\Delta t \to 0} \left(\frac{\pi_i(t + \Delta t) - \pi_i(t)}{\Delta t} \right) = \lim_{\Delta t \to 0} \left(\sum_k q_{ki}(t) \pi_k(t) + \frac{o(\Delta t)}{\Delta t} \right),$$

i.e.,

$$\frac{d\pi_i(t)}{dt} = \sum_k q_{ki}(t)\pi_k(t).$$

In matrix notation, this gives

$$\frac{d\pi(t)}{dt} = \pi(t)Q(t).$$

When the Markov chain is homogeneous, we may drop the time parameter t from the transition matrix Q and simply write

$$\frac{d\pi(t)}{dt} = \pi(t)Q.$$

If the limiting distribution π exists, then after sufficiently long time t, $\pi(t)$ will converge to π and $d\pi(t)/dt$ will be equal to 0. Hence, for a homogeneous CTMC,

$$\pi Q = 0, \qquad \sum_{i \in \mathcal{S}} \pi_i = ||\pi||_1 = 1.$$
 (1.12)

1.1.4 Numerical Properties

As we discussed in section (1.1.2), the transition matrix P is a stochastic matrix (see equations (1.3) and (1.4)). Besides, P is singular, and its order is equal to the cardinality of S. Note that equation (1.11) is an eigensystem in which the unit left-hand eigenvector of P, corresponding to the unit eigenvalue (= 1), is sought.

To proceed further, we need to introduce the definitions of the spectrum and the spectral radius of a matrix.

The spectrum of a matrix A is the set of all eigenvalues of A, and it is denoted by $\sigma(A)$. In mathematical notation,

$$\sigma(A) = \{\lambda | A\vartheta = \lambda\vartheta, \quad \vartheta \neq 0\}.$$

It is worth mentioning that the spectrum of a matrix A is equal to the spectrum of the transpose of A. In other words, $\sigma(A) = \sigma(A^T)$.

The spectral radius of a matrix A is the largest eigenvalue of A, in magnitude, and it is denoted by $\rho(A)$. In mathematical notation,

$$\rho(A) = \max\{|\lambda|, \lambda \in \sigma(A)\}.$$

One way of solving equation (1.11) is to transform it to a homogeneous linear system

$$\pi(P-I)=0, \quad ||\pi||_1=1,$$

where π is the unknown vector.

Unlike P, the infinitesimal generator matrix Q has row sums of 0 (see equation (1.10)). Equation (1.12) represents a homogeneous system of linear equations with Q as the coefficient matrix and π as the unknown vector.

Definition 1.3 (M-matrix) [10] An M-matrix A is any finite square matrix with nonpositive off-diagonal elements and nonnegative diagonal elements which may be written in the form

$$A = rI - G$$
, $G \ge 0$, $r \ge \rho(G)$,

where r is a real scalar $(r \in \mathbb{R})$, G is a square matrix, and I is the identity matrix.

The matrix -Q has nonpositive off-diagonal elements. Let's illustrate how -Q can be written in the form -Q = rI - G. Let G = rI + Q, where $r = \max_{i \in \mathcal{S}} |q_{ii}| > 0$. The matrix (1/r)G is a stochastic matrix, hence $\rho(G) \leq r$. So all the conditions are satisfied and -Q is verified to be an M-matrix.

For determining the stationary distribution vector of a Markov chain, a DTMC formulation may be transformed to a CTMC formulation and vice versa.

$$DTMC \iff CTMC$$

 $DTMC \Longrightarrow CTMC: \quad \pi = \pi P \Longrightarrow 0 = \pi Q, \text{ where } Q = P - I,$ $CTMC \Longrightarrow DTMC: \quad 0 = \pi Q \Longrightarrow \pi = \pi P, \text{ where } P = (1/\mu)Q + I \text{ and }$ $\mu = \max_{i \in \mathcal{S}} \{|q_{ii}|\}.$

1.2 State Classification

In order to be able to classify the states of a Markov chain, we need to introduce some new definitions. Without loss of generality, the following definitions will be valid for DTMCs only. However, it is easy to figure out the corresponding homogeneous CTMC definitions since we remarked the relationship between the two types.

Let $p_{ij}^{(n)}$ be the probability of going from state i to state j in n steps. Then $p_{ij}^{(n)} = Prob\{X_{m+n} = j \mid X_m = i\}, \quad m, n = 0, 1, 2, \dots, i, j \in \mathcal{S}.$

We define

$$p_{ij}^{(0)} = \begin{cases} 1, & \text{if } i = j \\ 0, & \text{if } i \neq j \end{cases}.$$

Now we are ready to introduce the *Chapman-Kolmogorov* equation for Markov chains:

$$p_{ij}^{(n)} = \sum_{k \in S} p_{ik}^{(l)} p_{kj}^{(n-l)}$$
 for $0 < l < n$.

In matrix notation, it may be written as

$$P^{(n)} = P^{(l)}P^{(n-l)},$$

where $P^{(n)}$ is the matrix of *n*-step transition probabilities with entries $p_{ij}^{(n)}$ for all $i, j \in \mathcal{S}$. $P^{(n)}$ is obtained by raising P to the *n*th power. In other words, $P^{(n)} = P^n$.

If the steady-state distribution π of a DTMC exists, then

$$\lim_{n\to\infty} P^{(n)} = \lim_{n\to\infty} P^n = \begin{pmatrix} \pi \\ \pi \\ \vdots \\ \pi \end{pmatrix},$$

and hence

$$\lim_{n\to\infty} p_{ij}^{(n)} = \pi_j, \quad \forall i, j \in \mathcal{S}.$$

1.2.1 Definitions

Classifying states of Markov chains requires some definitions to be made, and we mainly follow [10] in that respect.

- State j is said to be accessible from state i if $\exists n \geq 0$ for which $p_{ij}^{(n)} > 0$.
 - \triangleright two states i and j are said to communicate if state i is accessible from state j and state j is accessible from state i.
 - \triangleright A nonempty set $\mathcal{C} \subset \mathcal{S}$ is said to be *closed* if and only if $\forall i \in \mathcal{C}$ and $\forall j \notin \mathcal{C}$, j is not accessible from i.
 - ▶ A Markov chain is said to be *irreducible* if all states communicate with each other.
- ◆ A state is said to be recurrent if the process, once in that state, returns to that state with probability 1. If the probability of returning to that state is strictly less than 1, then the state is said to be transient. Mathematically speaking, we can write

$$\sum_{n=1}^{\infty} p_{ii}^{(n)} = \infty \iff i \text{ is recurrent,}$$

$$\sum_{n=1}^{\infty} p_{ii}^{(n)} < \infty \iff i \text{ is transient.}$$

- \triangleright A recurrent state i for which $p_{ii} = 1$ is said to be an absorbing state.
- ▶ If the mean time to return to a state is finite, the state is said to be positive recurrent, or recurrent nonnull. Otherwise, if the mean time to return to a state is infinite, given that the state is recurrent, then the state is said to be null recurrent.
- ▶ If all states of a Markov chain are positive recurrent, null recurrent, or transient, then we respectively have a positive recurrent, null recurrent, or transient Markov chain.

- The period of state i, written d(i), is the greatest common divisor of all integers $n \geq 1$ for which $p_{ii}^{(n)} > 0$. If $p_{ii}^{(n)} = 0$ for all $n \geq 1$, then we define d(i) = 0.
 - ▶ A Markov chain in which each state has period 1 is said to be aperiodic, or acyclic; whereas, a Markov chain in which each state has the same periodicity and this period is greater than 1, is said to be periodic, or cyclic.
- A positive recurrent, aperiodic state is said to be ergodic.
 - ▶ If a Markov chain is irreducible, positive recurrent, and aperiodic, then it is said to be an ergodic Markov chain.
- \triangleright A Markov chain with a finite state space S is said to be regular if

$$\lim_{n\to\infty}P^n>0.$$

Hence, a steady-state distribution exists for a regular Markov chain.

A Markov chain with a finite state space is said to be doubly stochastic if

$$\sum_{k \in \mathcal{S}} p_{ik} = \sum_{k \in \mathcal{S}} p_{kj} = 1, \quad \forall i, j \in \mathcal{S}.$$

1.2.2 Following Properties

In this section we will derive some important properties as a consequence of the definitions provided in the previous section.

- If two states communicate, then they are of the same type. That is, they are both either positive recurrent, null recurrent, or transient.
- States that communicate have the same periodicity.
- If the state space S is finite, then at least one of the states is positive recurrent.
- If the state space S is finite and the Markov chain is irreducible, then every state in S is positive recurrent.

- No state of a Markov chain with a finite state space can be null recurrent.
- If π is the stationary distribution for a Markov chain, then $\pi_j = 0$ if state j is transient or null recurrent.
- If a Markov chain does not have any positive recurrent states, then the Markov chain does not have any stationary distribution. Besides, the state space of such a chain has to be infinite.
- Suppose π and π' are two different stationary distribution vectors for a Markov chain. Then there exists infinitely many stationary distribution vectors for the chain. In essence, any convex combination of π and π' is also a stationary distribution for the Markov chain.
- Let \mathcal{C} be any irreducible closed set of positive recurrent states in a Markov chain. Then there exists a unique stationary distribution π for the chain that is concentrated on \mathcal{C} . Stationary distribution probabilities for states outside \mathcal{C} are all 0.
- Let $S = S_t \cup S_{nr} \cup S_{pr}$, be the state space of a Markov chain, where S_t is the set of transient states, S_{nr} is the set of null recurrent states, and S_{pr} is the set of positive recurrent states. The following is a summary regarding the stationary distributions of the chain:
 - ▷ If $S_{pr} = \emptyset$, then there is no stationary distribution.
 - ▶ If $S_{pr} \neq \emptyset$, then there is at least one stationary distribution.
 - ▷ If $S_{pr} \neq \emptyset$, and S_{pr} is irreducible and closed, then there is a unique stationary distribution concentrated on S_{pr} .
 - ▶ If $S_{pr} = \bigcup_i C_i$ and $C_i \cap C_j = \emptyset$ for all i, j, then there is a unique stationary distribution vector π_i concentrated on C_i for all i. Furthermore,

$$\pi = \sum_{i} \alpha_i \pi_i,$$

where $\alpha_i \geq 0$ for all i and $\sum_i \alpha_i = 1$, is also a stationary distribution vector.

• Any irreducible, positive recurrent Markov chain has a unique stationary distribution.

- If π is a steady-state distribution for a Markov chain, then π is the only stationary distribution.
- A regular Markov chain is irreducible, positive recurrent, and aperiodic.
- A steady-state distribution exists for an ergodic Markov chain.

One of the most important theorems in the domain of Markov chains is the Perron-Frobenius theorem. This theorem is very helpful because of its strong application to stochastic matrices (see [36, 17]).

Theorem 1.4 (Perron-Frobenius) [36] Let $A \ge 0$ be an irreducible square matrix of order n. Then,

- 1. A has a positive real eigenvalue, λ_1 , such that $\lambda_1 = \rho(A)$.
 - To $\rho(A)$ there corresponds an eigenvector x > 0, i.e.,

$$Ax = \lambda_1 x$$
 and $x > 0$.

- $\rho(A)$ increases when any entry of A increases.
- $\rho(A)$ is a simple eigenvalue of A, i.e., λ_1 is a simple root of

$$det(\lambda I - A) = 0.$$

2. Let S be a matrix of complexed-valued elements and S^* obtained from S by replacing each element by its modulus. If $S^* \leq A$, then any eigenvalue μ of S satisfies

$$|\mu| < \lambda_1$$
.

Furthermore, if for some μ , $|\mu| = \lambda_1$, then $S^* = A$. More precisely, if $\mu = \lambda_1 e^{i\theta}$, then

$$S = e^{i\theta} DAD^{-1},$$

where $D^* = I$.

3. if A has exactly p eigenvalues equal in modulus to λ_1 , then these numbers are all different and are the roots of the equation

$$\lambda^p - \lambda_1^p = 0.$$

When plotted as points in the complex plane, this set of eigenvalues is invariant under a rotation of the plane through the angle $2\pi/p$ but not through smaller angles. When p > 1 then A can be symmetrically permuted to the following cyclic form

$$A = \begin{pmatrix} 0 & A_{12} & 0 & & 0 \\ 0 & 0 & A_{23} & & 0 \\ \vdots & \vdots & \vdots & & \vdots \\ 0 & 0 & 0 & \cdots & A_{p-1,p} \\ A_{p1} & 0 & 0 & & 0 \end{pmatrix},$$

in which the diagonal submatrices A_{ii} are square and the only nonzero submatrices are $A_{12}, A_{23}, \ldots, A_{p-1,p}, A_{p1}$.

1.3 Decomposable Probability Matrices

A special case of particular interest in Markov chains is when the chain is reducible. In such a case, the probability matrix may be transformed to a particular nonzero structure and is said to be decomposable [36].

Definition 1.5 (Decomposable Matrix) A square matrix A is said to be decomposable if it can be brought by symmetric permutations of its rows and columns to the form

$$A = \begin{pmatrix} U & 0 \\ W & V \end{pmatrix}, \tag{1.13}$$

where U and V are square nonzero matrices and W is, in general, rectangular.

If a Markov chain is reducible then there exists at least one ordering of the state space such that the probability matrix is in the form of (1.13). If U and

V are of orders n_1 and n_2 , respectively, where $n (= n_1 + n_2)$ is the total number of states, then the state space may be decomposed to two disjoint sets

$$\mathcal{B}_1 = \{s_1, s_2, \dots, s_{n_1}\}, \text{ and}$$

 $\mathcal{B}_2 = \{s_{n_1+1}, \dots, s_n\},$

where s_i 's (i = 1, 2, ..., n) are the states of the Markov chain. For the time being, let's suppose that $W \neq 0$, i.e., there exists at least one nonzero entry in W. Observing the nonzero structure in (1.13), we can see that once the process is in one of the states of \mathcal{B}_1 , it can never pass to a state in \mathcal{B}_2 . Consequently, \mathcal{B}_1 is known to be an *isolated*, or an *essential* set. On the other hand, being in one of the states of the set \mathcal{B}_2 guarantees staying in that set until the first transition to one of the states of \mathcal{B}_1 . Then set \mathcal{B}_2 is said to be transient, or nonessential. In the particular case where W = 0, the matrix is said to be completely decomposable. In this case, both \mathcal{B}_1 and \mathcal{B}_2 are isolated.

The matrix U may be decomposable, and hence can be permuted to the form in (1.13). If we continue in this pattern, the matrix A may be brought to a special form called the *normal form* of a decomposable nonnegative matrix, given by

$$A = \begin{pmatrix} A_{11} & 0 & 0 & 0 & 0 & 0 \\ 0 & A_{22} & 0 & 0 & 0 & 0 \\ \vdots & \vdots & \vdots & \vdots & \vdots & \vdots \\ 0 & 0 & 0 & A_{kk} & 0 & 0 \\ A_{k+1,1} & A_{k+1,2} & \cdots & \cdots & A_{k+1,k} & A_{k+1,k+1} & 0 \\ \vdots & \vdots & & \vdots & \vdots & \vdots \\ A_{m,1} & A_{m,2} & A_{m,k} & A_{m,k+1} & A_{m,m} \end{pmatrix} . \quad (1.14)$$

The diagonal blocks A_{ii} (i = 1, ..., m) are square nondecomposable matrices. All the blocks to the left of the first k diagonal blocks (i.e., A_{ii} for i = 1, 2, ..., k), and to the right of all diagonal blocks, are 0. For the submatrices to the left of the last m - k diagonal blocks (i.e., A_{ij} for i = k + 1, ..., m, j = 1, ..., i - 1), there exits at least one nonzero submatrix per row of blocks. Therefore, the diagonal blocks possess the following characteristics:

• A_{ii} , i = 1, ..., k: isolated and nondecomposable,

• A_{ii} , i = k + 1, ..., m: transient, and again, nondecomposable.

This is quite logical and easy to figure out bearing in mind the nonzero structure of (1.14).

A probability matrix having the form in (1.14) according to the Perron-Frobenius theorem has a unique eigenvalue of multiplicity k. Besides, there exist k linearly independent left-hand eigenvectors corresponding to this unit eigenvalue. The last m-k entries of all these eigenvectors are all 0's as they correspond to transient states. Further details and proofs may be found in [36].

1.4 NCD Markov Chains

Consider a probability matrix having the form in (1.14). If we introduce "small" perturbations on some of the zero off-diagonal blocks to make them nonzeros (still conserving its stochastic properties (1.3) and (1.4)), the matrix is no longer decomposable and the Markov chain becomes irreducible. However, since the perturbations are small, meaning that the introduced nonzero entries have small values compared to those within the diagonal blocks, the matrix is said to be nearly decomposable. If, now, the nonzero elements in all the off-diagonal submatrices are small in magnitude compared with those in the diagonal blocks, then the matrix is said to be nearly completely decomposable (NCD). In NCD Markov chains, the interactions between the blocks is weak, whereas interactions among the states of each block are strong.

For an example, consider the following simple completely decomposable probability matrix:

$$P = \left(\begin{array}{cc} 1.0 & 0.0 \\ 0.0 & 1.0 \end{array}\right).$$

If we introduce small perturbations to the elements of P giving it the form

$$P = \begin{pmatrix} 1.0 - \epsilon_1 & \epsilon_1 \\ \epsilon_2 & 1.0 - \epsilon_2 \end{pmatrix},$$

such that $1.0 - \epsilon_1 \gg \epsilon_1$ and $1.0 - \epsilon_2 \gg \epsilon_2$, then the system becomes nearly completely decomposable.

Interestingly, NCD Markov chains arise frequently in many applications. It was noticed that a small perturbation in the matrix leads to a larger perturbation in the stationary distribution causing the computation of the stationary vector to be usually not as accurate as it is for ordinary irreducible Markov chains. Hence, NCD Markov chains are known to be ill-conditioned. Throughout this work, we are mainly concerned with NCD systems. We will come back to this in later chapters where we present different iterative solution techniques and compare and contrast their competitivity in computing the stationary probability vector of finite NCD Markov chains.

Chapter 2

Numerical Solution Methods

Many advanced scientific problems are practically impossible to solve analytically. As an alternative, numerical methods were introduced and they showed to be very efficient in solving a wide range of problems. We are interested in using numerical techniques to compute the stationary distribution vector of a finite irreducible Markov chain [23, 18, 9, 27, 21]. Our aim is to solve the homogeneous system of linear algebraic equations

$$Ax = 0, ||x||_1 = 1, (2.1)$$

where A is a $(n \times n)$ singular, irreducible M-matrix [7] and x is the unknown $(n \times 1)$ positive vector to be determined. Since our problems stem from Markov chain applications, the coefficient matrix A is taken as $A = I - P^T$ in case the one-step transition probability matrix is provided, or as $A = -Q^T$ if we are supplied with the infinitesimal generator matrix. The solution vector x corresponds to π^T (the transpose of the stationary distribution vector of the Markov chain). This explains the normalization constraint in equation (2.1) which also guarantees the uniqueness of the solution. The Perron-Frobenious theorem guarantees the existence of the solution since A is an M-matrix [7]. In the rest of this chapter we discuss the numerical techniques used to solve equation (2.1).

2.1 Direct Methods

Numerical methods that compute solutions of mathematical problems in a fixed number of floating-point operations are known as direct methods. The classical Gaussian elimination (GE) is a typical example of direct methods and it is suitable for irreducible Markov chains [36]. For a full $(n \times n)$ system of linear equations, the total number of operations required by GE is $O(n^3)$. The space complexity is $O(n^2)$. As it can be seen, these complexities grow rapidly with the problem size making GE (and direct methods in general) not suitable for large sparse matrices. Another problem with direct-solving methods is that the elimination of nonzero elements of the matrix during the reduction phase often results in the creation of several nonzero elements in positions that previously contained zero. This is called fill-in, and in addition to making the organization of a compact storage scheme more difficult (since provision must be made for the deletion and insertion of elements), the amount of fill-in can often be so extensive that available memory is quickly exhausted. Moreover, altering the form of the matrix may cause buildup of rounding errors [10].

It is known that if the coefficient matrix A is irreducible, there exist [24] lower and upper triangular matrices L and U such that

$$A = LU$$
.

This LU decomposition is not unique. It is called the *Doolittle* decomposition if the diagonal elements of L are set to 1, and the *Crout* decomposition if the diagonal elements of U are set to 1. Usually, Gaussian elimination refers to the Doolittle decomposition.

Once an LU decomposition has been determined, a forward substitution step followed by a backward substitution is usually sufficient to determine the solution of the linear system. For example, suppose that we are required to solve Ax = b where A is nonsingular, $b \neq 0$, and the decomposition of A = LU is available so that LUx = b. The idea is to set Ux = z, then the vector z may be obtained by forward substitution on Lz = b. Note that both L and b are known. The solution x may subsequently be obtained from Ux = z by backward substitution since by this time both U and z are known.

However, for homogeneous system of equations (i.e., b = 0) with a singular coefficient matrix, the last row of U (supposing that the Doolittle decomposition is performed) is equal to zero. Proceeding as indicated above for the nonhomogeneous case, we get

$$Ax = LUx = 0.$$

If now we set Ux=z and attempt to solve Lz=0, we end-up finding that z=0 since L is nonsingular $(\det(L)=1)$. Proceeding to the backward substitution on Ux=z=0 when $u_{nn}=0$, we find that it is evident that x_n may assume any nonzero value, say $x_n=\eta$. Hence, the remaining elements of x can be determined in terms of η . The solution vector is then normalized if required. Note that for homogeneous linear systems the elimination is only needed to be carried out for the first n-1 steps.

In the Doolittle decomposition L^{-1} exists and is called the *multiplier matrix*. L^{-1} is lower triangular and its *i*th column is composed of the multipliers that reduce the *i*th column below the main diagonal of A to zero to form the matrix U [36]. This phase is called the *reduction phase*.

Assume that U and L overwrite the upper triangular (including the diagonal) and the strictly lower triangular (excluding the diagonal) parts of A. Let $A^{(k)}$ represent the altered coefficient matrix at the kth step of the forward elimination. Then

$$a_{ij}^{(k)} = \begin{cases} a_{ij}^{(k-1)}, & i \leq k, \ \forall j \\ a_{ij}^{(k-1)} + \mu_{ik} \ a_{kj}^{(k-1)}, & i > k, \ \forall j \end{cases},$$

where the multipliers are given by

$$\mu_{ik} = -a_{ik}^{(k-1)}/a_{kk}^{(k-1)}.$$

The elements $a_{kk}^{(k)}$ are called the *pivots* and must be nonzero if the reduction is to terminate satisfactorily. For purposes of stability, it is generally necessary to interchange the rows of the matrix so that the pivotal element is the largest in modulus in its column in the unreduced portion of the matrix (called *partial pivoting*). This ensures that the absolute values of the multipliers do not exceed 1. For some cases, it is necessary to interchange both rows and columns so that the pivotal element is the largest among all elements in the unreduced part of

the matrix (full pivoting). However, for irreducible Markov chains no pivoting is necessary.

2.2 Iterative Methods

The term iterative methods refers to a wide range of techniques that use successive approximations to obtain more accurate solutions to a linear system at each step. Iterative methods of one type or another are the most commonly used methods for obtaining the stationary probability from either the stochastic transition probability matrix or from the infinitesimal generator. This choice is due to several reasons. First, in iterative methods, the only operations in which the matrices are involved are multiplications with one or more vectors. These operations conserve the form of the matrix. This may lead to considerable savings in memory required to solve the system especially when dealing with large sparse matrices. Besides, an iterative process may be terminated once a prespecified tolerance criterion has been satisfied, and this may be relatively lax. For instance, it may be wasteful to compute the solution of a mathematical model correct to full machine precision when the model itself contains error. However, a direct method is obligated to continue until the final operation has been carried out.

In this chapter we discuss three types of iterative methods: stationary iterative methods, block iterative methods, and projection methods. Throughout our work we experimented with the (point) successive overrelaxation (SOR) method [36, 4] as a stationary technique. Two types of block iterative methods were considered: block SOR and iterative aggregation-disaggregation (IAD) [22, 33, 12]. As for projection techniques, we chose to implement and experiment with the methods of Generalized Minimum Residual (GMRES) [25, 30, 31], Biconjugate Gradient (BCG) [15, 4], Conjugate Gradient Squared (CGS) [32, 37], Biconjugate Gradient Stabilized (BCGStab) [37], and Quasi-Minimal Residual (QMR) [13, 14]. SOR and the two block iterative methods we used are part of the Markov Chain Analyzer (MARCA) [35] software package version 3.0.

2.2.1 SOR: A Stationary Iterative Method

Stationary iterative methods are iterative methods that can be expressed in the simple form [4]

$$x^{(k+1)} = T x^{(k)} + c, \qquad k = 0, 1, \dots$$
 (2.2)

where neither T nor c depend upon the iteration count k. Equation (2.1) can be written in the form above by splitting the coefficient matrix A. Given a splitting

$$A = M - N$$

with nonsingular M, we have

$$(M-N)x=0,$$

or

$$Mx = Nx$$
,

which leads to the iterative procedure

$$x^{(k+1)} = M^{-1} N x^{(k)} = T x^{(k)}, \qquad k = 0, 1, \dots,$$
 (2.3)

where $x^{(0)}$ is the initial guess. Note that in our case the vector c appearing in equation (2.2) is just the zero vector. The matrix $T = M^{-1}N$ is called the iteration matrix.

For convergence of equation (2.3) it is required that $\lim_{k\to\infty} T^k$ exists (since $x^{(k)} = T^k x^{(0)}$). A necessary, but not sufficient, condition for this to be satisfied is that all the eigenvalues of T must be less than or equal to 1 in modulus, i.e., $\rho(T) \leq 1$, where $\rho(T)$ is the spectral radius of T. When $\rho(T) = 1$, the unit eigenvalue of T must be the only eigenvalue with modulus 1 for convergence.

In order to have a better understanding of the convergence properties¹ of stationary iterative methods, we adopt the following definitions and theorems (from [36], pp. 169–173).

Definition 2.1 (Semiconvergent Matrices) A matrix T is said to be semiconvergent whenever $\lim_{k\to\infty} T^k$ exists. This limit need not be zero.

¹Readers interested in learning more about the convergence behavior of stationary iterative methods are advised to see [36].

Definition 2.2 (Regular and Weak Regular Splittings) A splitting A = M - N is called a regular splitting, if $M^{-1} \ge 0$ and $N \ge 0$. It is called a weak regular splitting if $M^{-1} \ge 0$ and $M^{-1}N \ge 0$.

Definition 2.3 (Convergent Iterative Methods) An iterative method is said to converge to the solution of a given linear system if the iteration

$$x^{(k+1)} = T x^{(k)} + c$$

associated with that method converges to the solution for every starting vector $x^{(0)}$.

Let $\gamma(A)$ denotes the maximum magnitude over all elements in $\sigma(A)\setminus\{1\}$, where $\sigma(A)$ stands for the set of eigenvalues of A, i.e.,

$$\gamma(A) = max\{|\lambda|, \ \lambda \in \sigma(A), \ \lambda \neq 1\}.$$

Note that $\gamma(A) = \rho(A)$ iff $1 \notin \sigma(A)$.

Theorem 2.4 T is semiconvergent iff all of the following conditions hold

- 1. $\rho(T) \le 1$.
- 2. If $\rho(T) = 1$, then all the elementary divisors associated with the unit eigenvalue of T are linear.
- 3. If $\rho(T) = 1$, then $\lambda \in \sigma(T)$ with $|\lambda| = 1$ implies that $\lambda = 1$.

In general, stationary iterative methods differ in the way the coefficient matrix is split. This splitting uniquely defines the iteration matrix and hence determines the convergence rate of the method. For the SOR method with relaxation parameter ω , the splitting is

$$A = \left(\frac{1}{\omega}D - L\right) - \left(\frac{1 - \omega}{\omega}D + U\right),\tag{2.4}$$

where $D, -L, -U^2$ represent respectively diagonal, strictly lower triangular, strictly upper triangular parts of A. The method is said to be one of overrelaxation if $\omega > 1$, and one of underrelaxation if $\omega < 1$. For $\omega = 1$, the method

 $^{^2}L$ and U should not be confused with the lower and the upper triangular matrices of the LU decomposition.

reduces to another stationary iterative method called Gauss-Seidel (discussed in [11]). In our case, it is clear that $(\frac{1}{\omega}D-L)$ is nonsingular. Since A is an M-matrix, $(\frac{1}{\omega}D-L)^{-1} \geq 0$ regardless of the value of ω . However, $(\frac{1-\omega}{\omega}D+U) \geq 0$ is true only for $0 < \omega < 1$ which makes (2.4) a regular splitting. The iteration matrix for (forward) SOR is then given by

$$T_{SOR} = (\frac{1}{\omega}D - L)^{-1}(\frac{1 - \omega}{\omega}D + U).$$

The iteration may be expressed as

$$x_i^{(k+1)} = (1-\omega)x_i^{(k)} + \omega \left\{ \frac{1}{d_{ii}} \left(\sum_{j=1}^{i-1} l_{ij} x_j^{(k+1)} + \sum_{j=i+1}^n u_{ij} x_j^{(k)} \right) \right\}, \quad i = 1, 2, \dots, n,$$

or in matrix form as

$$x^{(k+1)} = (1 - \omega)x^{(k)} + \omega \left\{ D^{-1}(Lx^{(k+1)} + Ux^{(k)}) \right\}.$$
 (2.5)

A backward SOR relaxation may also be obtained by rewriting equation (2.5) as

$$x^{(k+1)} = (D - \omega L)^{-1} [(1 - \omega)D + \omega U] x^{(k)}. \tag{2.6}$$

The pseudocode for the SOR algorithm is given below. The algorithm below is for any linear system of the form Ax = b.

It can be verified for equation (2.6) that the solution vector x (which is the transpose of the stationary probability vector) is the eigenvector corresponding to a unit eigenvalue of the SOR iteration matrix. It is worth stressing that for the SOR method, it is not necessarily true that the unit eigenvalue is the dominant eigenvalue, because the magnitude of the subdominant eigenvalue depends on the choice of the relaxation parameter ω (see [36] p. 131).

The SOR method converges only if $0 < \omega < 2$. The optimal value of ω is that which maximizes the difference between the unit eigenvalue and the subdominant eigenvalue of T_{SOR} . Therefore, the convergence rate of SOR is highly dependent on ω . In general, it is not possible to compute in advance the optimal value of ω . Even when this is possible, the cost of such computation is usually prohibitive.

Table 2.1 shows a summary of the operations per iteration and the storage requirement for the SOR method. Only the space required to store the matrices

Algorithm: SOR

```
1. Choose an initial guess x^{(0)} to the solution x.
2. for k = 1, 2, ...
3.
          for i = 1, 2, ..., n
               \sigma = 0
4.
               for j = 1, 2, \dots, i - 1
5.
                    \sigma = \sigma + a_{ij} x_i^{(k)}
6.
7.
               for j = i + 1, ..., n

\sigma = \sigma + a_{ij}x_j^{(k-1)}
8.
9.
               end
10.

\sigma = (b_i - \sigma)/a_{ii} 

x_i^{(k)} = x_i^{(k-1)} + \omega(\sigma - x_i^{(k-1)})

11.
12.
13.
          check convergence; continue if necessary
14.
15. end
```

		-	Matrix-		
	Inner		Vector	Precond	Storage
Method	Product	SAXPY	Product	Solve	Requirement
SOR	0	1	1 a	0	matrix+n

Table 2.1: Summary of Operations and Storage Requirements for SOR.

and vectors that appear in the outermost loop of the algorithm is considered. The SAXPY column gives the number of vector operations (excluding inner products) per iteration. n denotes the order of the coefficient matrix. Step 12 of the algorithm contains 1 vector addition. Steps 6, 9, and 12 compute together one component of the corresponding matrix vector product.

^aThe method performs no real matrix-vector product or preconditioner solve, but the number of operations is equivalent to a matrix-vector multiply.

2.2.2 Block Iterative Methods

The second type of iterative methods we experimented with is block iterative methods. Block iterative methods follow a decompositional approach to solving systems of linear equations. If the model is too large or complex to analyze as an entity, it is divided into subsystems, each of which is analyzed separately, and a global solution is then constructed from the partial solutions. Ideally, the problem is broken into subproblems that can be solved independently, and the global solution is obtained by concatenating the subproblem solutions. When applied to NCD Markov chains, the state space may be ordered and partitioned so that the stochastic matrix of transition probabilities has the form

$$P_{n \times n} = \begin{pmatrix} n_1 & n_2 & n_N \\ P_{11} & P_{12} & P_{1N} \\ P_{21} & P_{22} & P_{2N} \\ \vdots & \vdots & \vdots \\ P_{N1} & P_{N2} & \cdots & P_{NN} \end{pmatrix} \quad n_1$$

$$(2.7)$$

in which the nonzero elements of the off-diagonal blocks are small compared to those of the diagonal blocks. The subblocks P_{ii} are square and of order n_i , for $i=1,2,\ldots,N$ and $n=\sum_{i=1}^N n_i$. Let $P=\operatorname{diag}(P_{11},P_{22},\ldots,P_{NN})+E$. The quantity $||E||_{\infty}$ is called the degree of coupling and it is taken to be the measure of the decomposability of the matrix [12]. Obviously a zero degree of coupling (i.e., $||E||_{\infty}=0$) implies a completely decomposable matrix. We can also partition the coefficient matrix A (whether it is taken as $-Q^T$ or $I-P^T$) to have a form as in (2.7).

Let the coefficient matrix A be partitioned as

$$\begin{pmatrix}
A_{11} & A_{12} & A_{1N} \\
A_{21} & A_{22} & A_{2N} \\
\vdots & \vdots & \vdots \\
A_{N1} & A_{N2} & \cdots & A_{NN}
\end{pmatrix} (2.8)$$

To study the convergence of block iterative methods consider the splitting A = M - N, where A has the form in (2.8) and M is a nonsingular block diagonal matrix such that

$$M = diag(A_{11}, A_{22}, \dots, A_{NN}). \tag{2.9}$$

Theorem 2.5 [22] Let B be a transition matrix of a finite homogeneous Markov chain. Consider $A = I - B^T$ partitioned as in (2.8) and the splitting A = M - N defined in (2.9). If each matrix A_{ll} , $1 \le l \le N$, is either strictly or irreducibly column diagonally dominant, then $\rho(M^{-1}N) = 1$.

In nearly completely decomposable systems there are eigenvalues close to 1. The poor separation of the unit eigenvalue results in slow rate of convergence for standard matrix iterative methods. Block iterative methods in general do not suffer from this limitation which makes them suitable for such systems. In general block iterative methods require more computation per iteration than stationary iterative methods, but this is usually offset by a faster rate of convergence. In the following subsection we will discuss the two block iterative methods we experimented with: block SOR and iterative aggregation-disaggregation (IAD).

Block SOR

Let us partition the defining homogeneous system of equations Ax = 0 as

$$\begin{pmatrix} A_{11} & A_{12} & & A_{1N} \\ A_{21} & A_{22} & & A_{2N} \\ \vdots & \vdots & & \vdots \\ A_{N1} & A_{N2} & & A_{NN} \end{pmatrix} \begin{pmatrix} x_1 \\ x_2 \\ \vdots \\ x_N \end{pmatrix} = 0.$$

We now introduce the block splitting:

$$A = D_N - (L_N + U_N),$$

where D_N is a block diagonal matrix and L_N and U_N are respectively strictly lower and upper block triangular matrices. We then have

$$D_N = \begin{pmatrix} D_{11} & 0 & & 0 \\ 0 & D_{22} & \cdots & 0 \\ \vdots & \vdots & & \vdots \\ 0 & 0 & \cdots & D_{NN} \end{pmatrix},$$

$$L_{N} = \begin{pmatrix} 0 & 0 & \cdots & 0 \\ L_{21} & 0 & \cdots & 0 \\ \vdots & \vdots & & \vdots \\ L_{N1} & L_{N2} & \cdots & 0 \end{pmatrix}, \quad U_{N} = \begin{pmatrix} 0 & U_{12} & U_{1N} \\ 0 & 0 & \cdots & U_{2N} \\ \vdots & \vdots & & \vdots \\ 0 & 0 & & 0 \end{pmatrix}.$$

In analogy with equation (2.5), the block SOR method is given by

$$x^{(k+1)} = (1 - \omega)x^{(k)} + \omega \left\{ D_N^{-1} (L_N x^{(k+1)} + U_N x^{(k)}) \right\}.$$

If we write this out in full, we get

$$x_i^{(k+1)} = (1-\omega)x_i^{(k)} + \omega \left\{ D_{ii}^{-1} \left(\sum_{j=1}^{i-1} L_{ij} x_j^{(k+1)} + \sum_{j=i+1}^{N} U_{ij} x_j^{(k)} \right) \right\},$$

where the subvectors x_i are partitioned conformally with D_{ii} for i = 1, 2, ..., N. This implies that at each iteration we must solve N systems of linear equations

$$D_{ii}x_i^{(k+1)} = z_i, \quad i = 1, 2, \dots, N,$$
 (2.10)

where

$$z_i = (1 - \omega) D_{ii} x_i^{(k)} + \omega \left(\sum_{j=1}^{i-1} L_{ij} x_j^{(k+1)} + \sum_{j=i+1}^{N} U_{ij} x_j^{(k)} \right), \quad i = 1, 2, \dots, N.$$

The right-hand side z_i may always be computed before the *i*th system has to be solved.

The pseudocode of block SOR is given by the following algorithm. Table 2.2 provides the number of operations per iteration in addition to the storage requirement of the method. Operations in steps 6, 9, and 11 are equivalent to $1 \ SAXPY$ and $1 \ matrix$ vector multiplication, where each of the vector length and matrix order is n. Step 12 solves a preconditioned system and is considered as $1 \ Precond \ Solve$. The two vectors that we need to store are x and z.

If the matrix A is irreducible (which is the case in our experiments) then it is clear from (2.10) that at each iteration we are going to solve N nonhomogeneous systems of equations with nonsingular coefficient matrices. This can be achieved by employing either direct or iterative methods. Different criteria may affect the choice of the method to be used for solving a diagonal block as there is no requirement to stick to the same method to solve all diagonal

Algorithm: Block SOR

```
1. Choose an initial guess x^{(0)} to the solution x.
2. for k = 1, 2, \ldots
         for i = 1, 2, ..., N
3.
              z_i = 0
4.
             for j = 1, 2, \dots, i - 1
5.
                  z_i = z_i - A_{ij} x_i^{(k)}
6.
7.
             for j = i + 1, \dots, N
8.
                  z_i = z_i - A_{ij} x_i^{(k-1)}
9.
10.
             z_i = \omega z_i + (1 - \omega) A_{ii} x_i^{(k-1)}
solve D_{ii} x_i^{(k)} = z_i
11.
12.
13.
14.
        check convergence; continue if necessary
15. end
```

blocks; we will come to the implementation details later in this chapter. In general, for a given coefficient matrix A, the larger the block sizes (and hence the smaller the number of blocks), the fewer the (outer) iterations needed to achieve convergence [36]. The reduction in the number of iterations is usually offset to a certain degree by an increase in the number of operations that are to be performed at each iteration. However, this is not always true as it is highly dependent on the matrix structure.

			Matrix-		
	Inner		Vector	Precond	Storage
Method	Product	SAXPY	Product	Solve	Requirement
Block SOR	0	1	1	N^a	matrix+2n

Table 2.2: Summary of Operations and Storage Requirements for Block SOR at iteration k.

^aSince blocks in the partition are not necessarily of the same size, the size of the operands in the given counts are most likely different.

Iterative Aggregation-Disaggregation (IAD)

Suppose we have an NCD Markov chain characterized by a probability matrix P having a block structure as in (2.7), and let the stationary distribution of P, π (i.e., $\pi P = \pi$, $\|\pi\|_1 = 1$), be partitioned conformally with P such that $\pi = (\pi_1, \pi_2, \dots, \pi_N)$.

For each diagonal block P_{ii} , in the transition probability matrix P, there exists a stochastic complement S_{ii} [21, 36] given by

$$S_{ii} = P_{ii} + P_{i*}(I - P_i)^{-1}P_{*i}$$

where

 P_{i*} : $n_i \times (n - n_i)$ matrix is composed of the *i*th row of blocks of P with P_{ii} removed,

 P_{*i} : $(n-n_i) \times n_i$ matrix is composed of the *i*th column of blocks of P with P_{ii} removed,

 P_i : $(n - n_i) \times (n - n_i)$ is the principal submatrix of P with ith row and ith column of blocks removed.

The stochastic complement reflects the behavior of the system within the corresponding block of states. Each stochastic complement is, itself, a stochastic transition probability matrix of an irreducible Markov chain whose state space is composed of the states of the block. The probability that the system is in a certain state of block i given that the process is in one of the states of that block, can be determined from the conditional stationary probability vector of the ith block, $\pi_i/\|\pi_i\|_1$. This can be computed by solving $(\pi_i/\|\pi_i\|_1)S_{ii} = \pi_i/\|\pi_i\|_1$. As can be inferred, a stochastic complement may be too expensive to compute as it has an embedded matrix inversion. One way to overcome this problem is to approximate S_{ii} by accumulating the off-diagonal mass P_{i*} into the diagonal block P_{ii} on a row-by-row basis. This can be achieved in various ways. An approximation to the conditional stationary vector of the corresponding block can then be found by solving the linear system as described before.

It is possible to compute the probability of being in a given block of states if we have an $N \times N$ stochastic matrix whose ijth element denotes the probability of transitioning from block i to block j. This matrix is called the coupling matrix and it characterizes the interactions among blocks. To construct this matrix, we need to shrink each block P_{ij} of P down to a single element. This is accomplished by first replacing each row of each block by the sum of its elements. Mathematically, the operation performed for each block is P_{ij} e. In what follows, e is a column vector of 1's whose length is determined by the context in which it is used. The sum of elements of row k of block P_{ij} gives the probability of leaving state k of block i and entering one of the states of block j. To determine the total probability of leaving (any state of) block i to enter (any state of) block j, we need to sum the elements of P_{ij} e after each of these elements has been weighed by the probability that the system is in (one of the states of) block i. These weighing factors may be obtained from the elements of the stationary probability vector; they are the components of $\pi_i/\|\pi_i\|_1$. Hence the ijth element of the coupling matrix is given by $c_{ij} = (\pi_i/\|\pi_i\|_1)P_{ij}e$. The stationary vector of the coupling matrix gives the stationary probability of being in each block of states. More precisely, the multiplicative constants mentioned before, form the elements of the stationary vector of the coupling matrix. However, forming the coupling matrix requires computing the stationary vector. This can be achieved by approximating the coupling matrix by starting with an approximate stationary vector and improving the approximate solution iteratively [12, 33, 36].

The following is an IAD algorithm in which point SOR is used to solve diagonal blocks.

In the IAD algorithm, steps 2 and 3 form the aggregation step. Step 4(b), which is nothing but a block SOR iteration, forms the disaggregation step. Diagonal blocks in step 4(b) are solved using either Gaussian elimination or point SOR, depending on the memory available. An approximation to the stationary distribution of the stochastic complement of P_{ii} is computed in step 2 as $\pi_i^{(k-1)}/\|\pi_i^{(k-1)}\|_1$. In step 3, $\xi^{(k-1)}$ approximates the weighing factors $(\|\pi_1\|_1, \|\pi_2\|_1, \dots, \|\pi_N\|_1)$. In the IAD algorithm, the residual error (i.e., $\|\pi(I-P)\|$) decreases by a factor of $\|E\|$ at each iteration [12].

Algorithm: IAD

- 1. Choose an initial guess $\pi^{(0)} = (\pi_1^{(0)}, \pi_2^{(0)}, \dots, \pi_N^{(0)})$ to the solution π . for k = 1, 2, ...
 - 2. Construct the coupling matrix $C_{ij}^{(k-1)}$ such that

$$c_{ij}^{(k-1)} = \frac{\pi_i^{(k-1)}}{\|\pi_i^{(k-1)}\|_1} P_{ij}e.$$

3. Solve the eigenvector problem

$$\xi^{(k-1)} C^{(k-1)} = \xi^{(k-1)}, \quad \|\xi^{(k-1)}\|_1 = 1$$
 for $\xi^{(k-1)} = (\xi_1^{(k-1)}, \xi_2^{(k-1)}, \dots, \xi_N^{(k-1)}).$

4. (a) Compute the row vector

$$z^{(k)} = \left(\xi_1^{(k-1)} \frac{\pi_1^{(k-1)}}{\|\pi_1^{(k-1)}\|_1}, \dots, \xi_N^{(k-1)} \frac{\pi_N^{(k-1)}}{\|\pi_N^{(k-1)}\|_1}\right)$$

(b) Compute the N systems of equations

$$\pi_i^{(k)} = \pi_i^{(k)} P_{ii} + (1 - \omega) z_i^{(k)} (I - P_{ii}) + \omega \left(\sum_{j < i} \pi_j^{(k)} P_{ji} + \sum_{j > i} z_j^{(k)} P_{ji} \right)$$

for
$$\pi_i^{(k)}$$
, $i = 1, 2, ..., N$

for $\pi_i^{(k)}$, i = 1, 2, ..., N. 5. Check for convergence; continue if necessary end

One of the crucial steps in the IAD algorithm is solving equation $\xi^{(k)} C^{(k)} =$ $\xi^{(k)}$ subject to $\|\xi^{(k)}\|_1 = 1$ (step 3 of the IAD algorithm). The coupling matrix is a singular irreducible stochastic matrix of order N whose states form a single communicating class. Consequently $C^{(k)}$ has a unique unit eigenvalue and (N-1) other eigenvalues close to 1. The smaller the degree of coupling the closer these other eigenvalues to 1. A careful inspection leads us to notice that the whole problem boils down to solving the system of linear equations

$$(I - C^{(k)})^T (\xi^{(k)})^T = 0, \quad \|\xi^{(k)}\|_1 = 1,$$
 (2.11)

which is similar to the original problem (i.e., $(I - P)^T \pi^T = 0$, subject to the normalization constraint $||\pi||_1 = 1$).

			Matrix-		
	Inner		Vector	Precond	Storage
Method	Product	SAXPY	Product	Solve	Requirement
IAD	1	2	2	$(N+1)^a$	2 matrices $^b+N+2n$

Table 2.3: Summary of Operations and Storage Requirements for IAD at iteration k.

Table 2.3 shows the number of computations and the storage required by IAD for the outer loop. The matrix vector products required for building the coupling matrix in step 2 are equivalent to 1 order n matrix vector product. The same argument is valid for the matrix vector products in step 4(b). There is roughly 1 inner product of length n, which comes from step 2. The 2 order n SAXPY operations come from step 4(b). Step 3 consists of solving a linear system of order N and is 1 $Precond\ Solve$. Step 4(b) solves N linear systems of order n_i each, rising the total number of $Precond\ Solve$ to N+1. To perform these operations, the coupling matrix and the transition matrix, and vectors ξ , z, and π are needed to be stored.

There is no requirement to solve equation (2.11) with the same method used to solve the original problem. We choose to use Gaussian elimination (GE) for several reasons. $(I - C^{(k)})^T$ is a singular M-matrix with 0 column sums. For such a matrix, GE preserves column diagonal dominance throughout its computation so that the multiplier element at each step is bounded by 1 thereby avoiding the need of pivoting. This follows from the fact that at each step the pivot has the largest magnitude among all elements lying in the unreduced part of its respective column. Besides, iterative methods tend to converge slowly as all the nonunit eigenvalues of $C^{(k)}$ are close to 1. On the other hand, (ordinary) GE suffers from unstability in the presence of rounding errors on such coupling matrices [12, 10].

^aSince the number of blocks and the order of diagonal blocks in the partition are not necessarily of the same size, the size of the operands in the given counts are most likely different.

^bTwo square matrices of orders n and N.

Partitioning Techniques

Three block partitioning techniques are considered. The first one, near-complete decomposability test (ncd test), determines the strongly connected components of the transition probability matrix by ignoring the elements that are less than a prespecified decomposability parameter γ . If the matrix is not already in the form (2.7), then symmetric permutations are applied to put it into the form in which the diagonal blocks form the strongly connected aggregates. These strongly connected aggregates are determined using Tarjan's algorithm. The parameter γ is taken as an approximation of the degree of coupling.

The two other partitioning techniques are based on straightforward algorithms. The equal partitioning has \sqrt{n} equal sized blocks of order \sqrt{n} if n is a perfect square. If $n \neq \lfloor \sqrt{n} \rfloor^2$, there is an extra block of order $n - \lfloor \sqrt{n} \rfloor^2$. The second straightforward partitioning, other, has nb blocks of orders respectively $1, 2, \ldots, nb$ if $n = \sum_{i=1}^{nb} i$ (and possibly an extra block of order $n - \sum_{i=1}^{nb} i$ if the difference is positive). This last partitioning ensures that there are about $\sqrt{2n}$ blocks and the largest block solved is of order roughly $\sqrt{2n}$. All three partitionings are part of MARCA [34].

2.2.3 Projection Methods

Projection methods differ from stationary and block iterative methods in that successive approximations are computed from small dimension subspaces. Projection methods, themselves, differ from each other in the way subspaces are selected and solution approximations are extracted from them. A projection step is defined formally with two objects: a subspace \mathcal{K} of dimension m from which the approximation is to be selected and another subspace \mathcal{L} (of the same size m) that is used to set the constraints necessary to extract the new approximated solution vector from \mathcal{K} [24, 28]. Consider the linear system

$$Ax = b. (2.12)$$

Throughout this section we will base our discussion on equation (2.12) though it does not exactly correspond to our real problem (see equation (2.1)). To

make it so, we just have to set the right-hand side vector b to 0 and satisfy the normalization constraint for the computed approximation.

Let $V = [v_1, v_2, \ldots, v_m]$ and $W = [\omega_1, \omega_2, \ldots, \omega_m]$ be respectively the bases of \mathcal{K} and \mathcal{L} . Then we can write the approximate solution as $\tilde{x} = Vy$, where y is now a vector of \mathbb{R}^m . This gives us m degrees of freedom, and in order to extract a unique y we require that the residual vector $b - A\tilde{x}$ be orthogonal to \mathcal{L} . i.e.,

$$b - AVy \perp \omega_i, \quad i = 1, 2, \dots, m.$$

In matrix form this can be written as

$$W^T(b - AVy) = 0,$$

which yields,

$$y = [W^T A V]^{-1} W^T b.$$

Thus the minimum assumption that must be made in order for those projection processes to be feasible is that W^TAV be nonsingular. If we start with $x^{(0)}$ as an initial approximate solution to the system, then $x^{(0)}$ may be adjusted by a vector δ such that $x^{(0)} + \delta$ is a solution, i.e., $A(x^{(0)} + \delta) = b$. If we set $r_0 \equiv b - Ax^{(0)}$, then

$$A(x^{(0)} + \delta) = b \Rightarrow Ax^{(0)} + A\delta = b \Rightarrow A\delta = b - Ax^{(0)} = r_0,$$

and hence the projection step is applied to the system $A\delta = r_0$ to compute the unknown vector δ . It follows that a general projection algorithm is as follows:

Algorithm: Prototype Projection Method

Until Convergence Do:

- 1. Select a pair of subspaces K and L, and an initial guess \tilde{x} .
- 2. Choose bases $V = [v_1, v_2, \dots, v_m]$ and $W = [\omega_1, \omega_2, \dots, \omega_m]$ for \mathcal{K} and \mathcal{L} .
- 3. Compute

$$r \leftarrow b - A\tilde{x},$$

$$y \leftarrow [W^T A V]^{-1} W^T r,$$

$$\tilde{x} \leftarrow \tilde{x} + A y.$$

Let (x, y) denote the inner product of vectors x and y. For a matrix A we will denote by $||x||_A$ the A-norm of vector x, defined by $||x||_A \equiv (Ax, x)^{1/2}$.

Projection methods are classified in two main groups [24, 28]. The first is when the Krylov subspace K is taken as $K = \mathcal{L} = span\{r_0, Ar_0, \ldots, A^{m-1}r_0\}$ and V = W is an orthogonal basis of K. This represents the class of Galerkin projection methods (also known as orthogonal projection methods). In this type of methods, each iteration minimizes $||x - \tilde{x}||_A$ in the direction of the residual vector $r = b - A\tilde{x}$. The second type of projection methods is when $\mathcal{L} = AK = span\{Ar_0, A^2r_0, \ldots, A^mr_0\}$ (and hence W = AV). Each iteration of this kind of methods minimizes the 2-norm of the residual vector, i.e., $||b - A\tilde{x}||_2 = \min_{z \in K} ||b - Az||_2$. This explains why these methods are referred to as the minimal residual methods.

It is well known that orthogonal projection methods generally converge faster than minimal residual methods for symmetric positive definite matrices [24]. This is not the case for nonsymmetric problems as the A-norm may be degenerate if the coefficient matrix is not positive definite.

Suppose we are going to use a projection method to solve the eigensystem $Ax = \lambda_i x$, where λ_i is the *i*th largest eigenvalue of A in modulus. Let m be the dimension of the Krylov subspace. Then the rate of convergence [36] of the method will be $|\lambda_{m+1}/\lambda_i|$. When the eigenvector corresponding to the dominant eigenvalue is required, this convergence factor is given by $|\lambda_{m+1}/\lambda_1|$. Recall that our goal is to solve an eigensystem of a stochastic matrix for an eigenvector of unit 1-norm corresponding to the dominant eigenvalue. Since the dominant eigenvalue of a stochastic matrix is 1, the convergence factor is simply $|\lambda_{m+1}|$.

Generalized Minimal Residual (GMRES)

The Generalized Minimal Residual method lies in the class of minimal residual methods and is designed to solve unsymmetric linear systems. The GMRES version [4] discussed in this section is based on the Arnoldi method which is a modified Gram-Schmidt orthogonalization procedure applied to the Krylov

subspace $span\{r_0, Ar_0, \ldots, A^{m-1}r_0\}$ to form the basis of the subspace and store it in a Hessenberg matrix.

The GMRES iterates are constructed as

$$x^{(i)} = x^{(0)} + y_1 v^{(1)} + \dots + y_i v^{(i)}$$

where y_k are the coefficients that minimize the residual 2-norm $||b - Ax^{(i)}||_2$. The GMRES algorithm has the property that this residual norm can be determined before computing the iterate. This enables us to postpone the expensive operation of forming the iterate until the residual norm is deemed small enough. To control the storage requirements, restarts are used, i.e., the iterate is formed after each m iterations. At each restart a new basis of the Krylov subspace is formed. The crucial element for successful application of GMRES(m) resolves around the decision of when to restart, that is the choice of m. Obviously if no restarts are used (i.e., m = n), GMRES, and all orthogonalizing Krylov subspace methods, converge in n steps. However, because of storage limitation this may not be feasible for a large n.

We are providing the pseudocode [4] for the restarted GMRES(m) algorithm with preconditioner M. The main idea behind preconditioning is to retransform the linear system so that the difference between the dominant and the subdominant eigenvalues of the preconditioned coefficient matrix is larger than what it used to be in the original system. We will come back to preconditioning techniques later in this chapter.

Table 2.4 shows the number of operations and storage requirement for GM-RES at iteration i. In the table we do not consider steps 14 through 16 as they depend on the way the algorithm is coded. In our code, for instance, we do not store matrices J_1, \ldots, J_i explicitly and the Jacobi rotations are performed on the nonzero elements which are the only values we store. The i+1 inner products, reported in the table, come from steps 9 and 12. Computing the new approximation in step 17 (or 19) requires i SAXPY. The other i SAXPY operations come from step 10. One matrix vector product and one Precond Solve come from step 7. To perform these operations we need to store matrices A and M, the first i+1 vectors of the Krylov subspace basis, the first i vectors of H, and vectors \tilde{s} , ω , \tilde{x} , and $x^{(0)}$. As can be seen from Table 2.4,

the amount of computation and storage required by GMRES in one iteration increases linearly with the (inner) iteration count *i*. This is regarded as the major drawback of the method.

Method	Inner Product	SAXPY		Precond Solve	Storage Requirement
$\overline{\mathrm{GMRES}(m)}$	i+1	2i	1	1	$\frac{2 \text{ matrices+}}{(n+m)i+5n}$

Table 2.4: Summary of Operations and Storage Requirements for GMRES(m) at iteration i.

BiConjugate Gradient (BCG)

The BiConjugate Gradient method is an orthogonal projection method and it takes an advantage over GMRES by reducing the storage demand [4]. This is achieved by replacing the orthogonal sequence of residuals (formed by GM-RES to build the basis of the Krylov subspace) by two mutually orthogonal sequences of residual vectors

$$r^{(i)} = r^{(i-1)} - \alpha_i A p^{(i)}, \quad \tilde{r}^{(i)} = \tilde{r}^{(i-1)} - \alpha_i A^T \tilde{p}^{(i)}.$$

The two sequences of search directions are

$$p^{(i)} = r^{(i-1)} + \beta_{i-1}p^{(i-1)}, \quad \tilde{p}^{(i)} = \tilde{r}^{(i-1)} + \beta_{i-1}\tilde{p}^{(i-1)}.$$

To ensure the bi-orthogonality relation

$$\tilde{r}^{(i)^T} r^{(j)} = \tilde{p}^{(i)^T} A p^{(j)} = 0$$
 for $i \neq j$,

we set

$$\alpha_i = \frac{\tilde{r}^{(i-1)^T} r^{(i-1)}}{\tilde{p}^{(i)^T} A p^{(i)}}, \qquad \beta_i = \frac{\tilde{r}^{(i)^T} r^{(i)}}{\tilde{r}^{(i-1)^T} r^{(i-1)}}.$$

It is observed that the convergence behavior of BCG is quite irregular. The method breaks down when $z^{(i-1)^T}\tilde{r}^{(i-1)}\approx 0$. Another possible breakdown

Algorithm: Preconditioned GMRES(m)

```
1. Choose an initial guess x^{(0)} to the solution x.
 2. for j = 1, 2, ...
         Solve r from Mr = b - Ax^{(0)}
 3.
         v^{(1)} = r/||r||_2
4.
5.
         s := ||r||_2 e_1
6.
         for i = 1, 2, ..., m
             Solve \omega from M\omega = Av^{(i)}
7.
             for k = 1, 2, ..., i
8.
                 h_{k,i} = (\omega, v^{(k)})
\omega = \omega - h_{k,i} v^{(k)}
9.
10.
             end
11.
             h_{i+1,i} = \|\omega\|_2
12.
             v^{(i+1)} = \omega/h_{i+1,i}
13.
             apply J_1, ..., J_{i-1} on (h_{1,i}, ..., h_{i+1,i})
14.
             construct J_i acting on ith and (i+1)st component
15.
             of h_{.,i} such that (i+1)st component of J_i h_{.,i} is 0
16.
             s := J_i s
17.
             if s(i+1) is small enough then (UPDATE(\tilde{x}, i) and quit)
18.
        end
19.
        \text{UPDATE}(\tilde{x}, m)
20. end
In this scheme UPDATE(\tilde{x}, i)
replaces the following computations:
Compute y as the solution of Hy = \tilde{s}, in which
the upper i \times i triangular part of H has h_{i,j} as
its elements (in least squares sense if H is singular),
\tilde{s} represents the first i components of s
x^{(i)} = x^{(0)} + y_1 v^{(1)} + \dots + y_i v^{(i)}
s^{(i+1)} = ||b - A\tilde{x}||_2
if \tilde{x} is an accurate enough approximation the quit
else x^{(0)} = \tilde{x}
```

Algorithm: Preconditioned BCG

```
1. Compute r^{(0)} = b - Ax^{(0)} for some initial guess x^{(0)}.
2. Choose \tilde{r}^{(0)} (for example, \tilde{r}^{(0)} = r^{(0)}).
3. for i = 1, 2, ...
           Solve Mz^{(i-1)} = r^{(i-1)}
4.
           Solve M^T \tilde{z}^{(i-1)} = \tilde{r}^{(i-1)}
5.
           \rho_{i-1} = z^{(i-1)^T} \tilde{r}^{(i-1)}
6.
7.
           if \rho_{i-1} = 0, method fails
           if i = 1
8.
              p^{(i)} = z^{(i-1)}
9.
            \tilde{p}^{(i)} = \tilde{z}^{(i-1)}
10.
11.
              \beta_{i-1} = \rho_{i-1}/\rho_{i-2}
12.
           p^{(i)} = z^{(i-1)} + \beta_{i-1} p^{(i-1)}
13.
              \tilde{p}^{(i)} = \tilde{z}^{(i-1)} + \beta_{i-1} \tilde{p}^{(i-1)}
14.
15.
           q^{(i)} = Ap^{(i)}
16.
          \tilde{q}^{(i)} = A^T \tilde{p}^{(i)}
17.
          \alpha_i = \rho_{i-1}/\tilde{p}^{(i)^T}q^{(i)}
18.
           x^{(i)} = x^{(i-1)} + \alpha_i p^{(i)}
19.
          r^{(i)} = r^{(i-1)} + \alpha_i q^{(i)}
          \tilde{r}^{(i)} = \tilde{r}^{(i-1)} + \alpha_i \tilde{q}^{(i)}
21.
22. end
```

situation is when $\tilde{p}^{(i)^T}q^{(i)}\approx 0$. To increase the effectiveness of BCG, variants such as CGS and BCGStab have been proposed.

Table 2.5 shows the number of operations and the storage requirement for BCG per iteration. The 2 inner products come from steps 6 and 18. The 5 SAXPY come from steps 13, 14, 19, 20, and 21. The algorithm contains 2 matrix vector products in steps 16 and 17 (one with A and one with A^T). Steps 4 and 5 correspond to solving two linear systems (with M and M^T as coefficient matrices). We need to store matrices A and M, and 9 other vectors that we use in the algorithm.

			Matrix-		
	Inner		Vector	Precond	Storage
Method	Product	SAXPY	Product	Solve	Requirement
BCG	2	5	1/1	1/1	2 matrices+9n

Table 2.5: Summary of Operations and Storage Requirements for BCG at iteration i. "a/b" means "a" operations with the matrix and "b" with its transpose.

Conjugate Gradient Squared (CGS)

Consider the residual vector $r^{(i)}$ computed at the *i*th iteration of BCG. This vector may be written as a product of $r^{(0)}$ and an *i*th degree polynomial in A [4] such that

$$r^{(i)} = P_i(A) r^{(0)}.$$

The same polynomial is applicable to $\tilde{r}^{(i)}$ (i.e., $\tilde{r}^{(i)} = P_i(A)\tilde{r}^{(0)}$).

As it can be inferred, the role of the polynomial $P_i(A)$ is to reduce the initial residual $r^{(0)}$ to $r^{(i)}$ in i iterations. Therefore, applying the same polynomial twice (i.e., $r^{(i)} = P_i^2(A) r^{(0)}$) will logically reduce $r^{(0)}$ much faster. This approach leads to the Conjugate Gradient Squared method.

The rate of convergence of CGS is generally twice that of BCG. However, this is not always the case since a reduced residual vector $r^{(k)}$ may not be reduced any further. This explains the highly irregular behavior of CGS. Moreover, rounding errors are very likely to occur in CGS as local corrections to the current solution may be very large, and hence the finally computed solution may not be very accurate [4]. Another property which seems to be paradoxic at first glance is that the method tends to diverge if we choose to start with an initial guess close to the solution. For what concerns the time complexity, CGS is almost as expensive as BCG. However, it is worth mentioning that CGS does not involve computations with A^T .

Table 2.6 shows the number of operations and the storage requirement for CGS per iteration. The 2 inner products come from steps 4 and 16. The 6

Algorithm: Preconditioned CGS

```
1. Compute r^{(0)} = b - Ax^{(0)} for some initial guess x^{(0)}.
2. Choose \tilde{r}^{(0)} (for example, \tilde{r}^{(0)} = r^{(0)}).
3. for i = 1, 2, ...
          \rho_{i-1} = \tilde{r}^T r^{(i-1)}
          if \rho_{i-1} = 0, method fails
5.
          if i = 1
6.
             u^{(1)} = r^{(0)}
7.
             p^{(1)} = u^{(1)}
8.
9.
10.
             \beta_{i-1} = \rho_{i-1}/\rho_{i-2}
           u^{(i)} = r^{(i-1)} + \beta_{i-1}q^{(i-1)}
11.
             p^{(i)} = u^{(i)} + \beta_{i-1}(q^{(i-1)} + \beta_{i-1}p^{(i-1)})
12.
13.
          endif
         Solve M\hat{p} = p^{(i)}
14.
15.
      \hat{v} = A\hat{p}
16.
         \alpha_i = \rho_{i-1}/\tilde{r}^T\hat{v}
17. q^{(i)} = u^{(i)} - \alpha_i \hat{v}
         Solve M\hat{u} = u^{(i)} + q^{(i)}
18.
         x^{(i)} = x^{(i-1)} + \alpha_i \hat{u}
19.
20.
         \hat{q} = A\hat{u}
         r^{(i)} = r^{(i-1)} - \alpha_i \hat{q}
21.
22.
         check convergence; continue if necessary
23. end
```

SAXPY operations come from steps 11, 12, 17, 18, 19, and 21. Each of steps 15 and 20 contains 1 matrix vector product. In each of steps 14 and 18, the algorithm solves a linear system. The algorithm requires storage for matrices A, M and 10 other vectors.

BiConjugate Gradient Stabilized (BCGStab)

The BiConjugate Gradient Stabilized method was developed so that it is as fast as CGS while avoiding the often irregular convergence patterns of the latter [4]. It can be then said that BCGStab is suitable for nonsymmetric linear systems. The idea behind this method is to use an *i*th degree polynomial other than P_i (say Q_i) to further reduce the residual vector [37]. In other words, instead of

			Matrix-		
	Inner		Vector	Precond	Storage
Method	Product	SAXPY	Product	Solve	Requirement
CGS	2	7	2	2	2 matrices+10n

Table 2.6: Summary of Operations and Storage Requirements for CGS at iteration i.

			Matrix-		
	Inner		Vector	Precond	Storage
Method	Product	SAXPY	Product	Solve	Requirement
BCGStab	4	6	2	2	2 matrices+9n

Table 2.7: Summary of Operations and Storage Requirements for BCGStab at iteration i.

writing the residual as $r^{(i)} = P_i^2(A)r^{(0)}$, we write $r^{(i)} = Q_i(A)P_i(A)r^{(0)}$.

Table 2.7 shows the number of operations and the storage requirement for BCGStab per iteration. Each of steps 4 and 14 contains 1 inner product whereas step 19 contains 2. The highest number of SAXPY operations that the algorithm may perform per iteration is 6, which comes from steps 10, 15, 20, and 21. The algorithm performs 2 matrix vector multiplications in steps 13 and 18. Steps 12 and 17 correspond to solving 2 linear systems. It is necessary to store the matrices A, M and 9 additional vectors. BCGStab requires slightly more computations per iteration than CGS and BCG as it requires two matrix-vector products and four inner products.

Quasi-Minimal Residual (QMR)

The Quasi-Minimal Residual method [13, 14] attempts to overcome the problems of irregular convergence behavior and breakdowns observed in some of the projection methods such as BCG. QMR uses a least squares approach similar to that followed in GMRES. However, GMRES uses an orthogonal basis

Algorithm: Preconditioned BCGStab

```
1. Compute r^{(0)} = b - Ax^{(0)} for some initial guess x^{(0)}.
2. Choose \tilde{r}^{(0)} (for example, \tilde{r}^{(0)} = r^{(0)}).
3. for i = 1, 2, ...
          \rho_{i-1} = \tilde{r}^T r^{(i-1)}
          if \rho_{i-1} = 0, method fails
5.
          if i = 1
6.
              p^{(1)} = r^{(0)}
7.
8.
             \beta_{i-1} = (\rho_{i-1}/\rho_{i-2})(\alpha_{i-1}/\omega_{i-1})
p^{(i)} = r^{(i-1)} + \beta_{i-1}(p^{(i-1)} - \omega_{i-1}v^{(i-1)})
9.
10.
11.
          Solve M\hat{p} = p^{(i)}
12.
          \hat{v} = A\hat{p}
13.
          \alpha_i = \rho_{i-1}/\tilde{r}^T\hat{v}
14.
          s = r^{(i-1)} - \alpha_i v^{(i)}
15.
          check norm of s; if small enough: set x^{(i)} = x^{(i-1)} + \alpha_i \hat{p} and stop
16.
17.
          Solve M\hat{s} = s
18.
          t = A\hat{s}
          \omega_i = t^T s / t^T t
19.
          \dot{x^{(i)}} = x^{(i-1)} + \alpha_i \hat{p} + \omega_i \hat{s}
20.
          r^{(i)} = s - \omega_i t
21.
22.
          check convergence; continue if necessary
          for continuation it is necessary that \omega_i \neq 0
23.
24. end
```

for the constructed Krylov subspace whereas QMR uses a bi-orthogonal one. Thereby, the obtained solution is viewed as quasi-minimal residual solution, which explains the name.

To avoid breakdowns, QMR uses look-ahead techniques which makes it more robust than BCG. These techniques enable QMR to prevent all breakdowns except the so-called "incurable breakdown". The version of QMR [4] we used in our experiments is simpler than the full QMR method with look-ahead, but it is still more robust than BCG. The algorithm we used includes a relatively inexpensive recurrence relation for computing the residual vector at the expense of a few extra vectors of storage and vector update operations per iteration. It also avoids performing a matrix-vector product to compute the residual vector. A full-fledged implementation of QMR with look-ahead is available

Algorithm: Preconditioned QMR without Look-ahead

```
1. Compute r^{(0)} = b - Ax^{(0)} for some initial guess x^{(0)}
 2. v^{(1)} = r^{(0)}; solve M_1 y = v^{(1)}; \rho_1 = ||y||_2
 3. Choose \tilde{\omega}^{(1)}, for example \tilde{\omega}^{(1)} = r^{(0)}
 4. Solve M_2 z = \tilde{\omega}^{(1)}; \xi_1 = ||z||_2
 5. \gamma_0 = 1; \eta_0 = -1
 6. for i = 1, 2, ...
            if \rho_i = 0 or \xi_i = 0 method fails
            v^{(i)} = \tilde{v}^{(i)}/\rho_i; \ y = y/\rho_i
 8.
           \omega^{(i)} = \tilde{\omega}^{(i)}/\xi_i; \ z = z/\xi_i
 9.
 10. \delta_i = z^T y; if \delta_i = 0 method fails
 11.
           solve M_2 \tilde{y} = y
           solve M_1^T \tilde{z} = z
 12.
 13.
           if i = 1
               p^{(1)} = \tilde{y}; q^{(1)} = \tilde{z}
 14.
 15.
               p^{(i)} = \tilde{y} - (\xi_i \delta_i / \epsilon_{i-1}) p^{(i-1)}
 16.
               q^{(i)} = \tilde{z} - (\rho_i \delta_i / \epsilon_{i-1}) q^{(i-1)}
 17.
 18.
           endif
           \tilde{p} = Ap^{(i)}
 19.
           \epsilon_i = q^{(i)^T} \tilde{p}; if \epsilon_i = 0 method fails
20.
           \beta_i = \epsilon_i/\delta_i; if \beta_i = 0 method fails
21.
          v^{(i+1)} = \tilde{p} - \beta v^{(i)}
22.
           solve M_1 y = v^{(i+1)}
23.
          \rho_{i+1} = ||y||_2 
\tilde{\omega}^{(i+1)} = A^T q^{(i)} - \beta_i \omega^{(i)}
24.
25.
           solve M_2^T z = \tilde{\omega}^{(i+1)}
26.
27.
           \xi_{i+1} = ||z||_2
           \theta_i = \rho_{i+1}/(\gamma_{i-1}|\beta_i|); \ \gamma_i = 1/\sqrt{1+\theta_i^2}; \ \text{if} \ \gamma_i = 0 \ \text{method fails}
28.
           \eta_i = -\eta_{i-1}\rho_i \gamma_i^2 / (\beta_i \gamma_{i-1}^2)
29.
           if i = 1
30.
              d^{(1)} = \eta_1 p^{(1)}; \ s^{(1)} = \eta_1 \tilde{p}
31.
32.
              d^{(i)} = \eta_i p^{(i)} + (\theta_{i-1} \gamma_i)^2 d^{(i-1)}
33.
             s^{(i)} = \eta_i \tilde{p} + (\theta_{i-1} \gamma_i)^2 s^{(i-1)}
34.
          endif
35.
           x^{(i)} = x^{(i-1)} + d^{(i)}
36.
          r^{(i)} = r^{(i-1)} - s^{(i)}
37.
           check convergence; continue if necessary
38.
```

39. end

2.2.4 Stopping Criteria

One of the most critical steps in iterative methods is to decide when to stop the iteration. A good stopping criterion should

- 1. identify when the error $e^{(i)} \equiv x^{(i)} x$ is small enough to stop,
- 2. stop if the error is no longer decreasing, or decreasing too slow, and
- 3. limit the maximum amount of time spent iterating.

Ideally the iteration should stop when the magnitudes of entries of the error $e^{(i)}$ fall below a user supplied threshold. Nevertheless, since the exact solution x is generally not known, it is practically not feasible to compute $e^{(i)}$. Instead, the residual vector $r^{(i)} = b - Ax^{(i)}$ which is more readily computed, is used. We will later show how we can bound $e^{(i)}$ in terms of $r^{(i)}$.

The stopping criterion we used in the projection methods of interest is

stop if
$$i \ge maxit$$
 or $||r^{(i)}||_{\infty} \le stop_tol$,

where

- i is the iteration count,
- maxit is the maximum number of iterations the algorithm will be permitted to perform, and
- $stop_tol$ is the user-specified parameter which should be less than 1 and greater than machine ε .³

The user may choose the value of $stop_tol$ as the approximate uncertainty in the entries of A and b relative to $||A||^4$ and ||b||, respectively. The stopping tolerance $stop_tol$ we used in our experiments is 10^{-10} which means that we are considering the entries of A (our b is 0) to have errors in the range $\pm 10^{-10} ||A||$.

³On a machine with IEEE Standard Floating Point Arithmetic, $\varepsilon = 2^{-24} \approx 10^{-7}$ in single precision, and $\varepsilon = 2^{-53} \approx 10^{-16}$ in double precision.

⁴The norm of the vector is not important as long as we are consistent.

We should point out that the stopping criterion we use for GMRES is slightly different than the one stated before. In GMRES we use the previously mentioned criterion as a convergence test at the end of each restart, but at each inner-loop termination we compare $||r^{(i)}||_2$ (and not $||r^{(i)}||_{\infty}$) with $stop_tol$ since it is readily available.

Since $||e^{(i)}||$, which is known as the forward error, is hard to estimate directly, we usually use the backward error as a tool to bound the forward error. The norm wise backward error is defined [3] as the smallest possible value of $\max\{\|\delta A\|/\|A\|, \|\delta b\|/\|b\|\}$ where $x^{(i)}$ is the exact solution of $(A+\delta A)x^{(i)}=(b+\delta b)$ (here δA denotes a general matrix, not $\delta \times A$; the same goes for δb), and it can also be written as $\|b-Ax^{(i)}\|/\|A\|$. The backward error is more practical to use than the forward error as it can be easily computed from $r^{(i)}$.

$$e^{(i)} = x^{(i)} - x = A^{-1}(Ax^{(i)} - b),$$

hence

$$||e^{(i)}|| \le ||A^{-1}|| \cdot ||Ax^{(i)} - b||$$
 (2.13)

$$= \|A^{-1}\| \cdot \|A\| \cdot \frac{\|r^{(i)}\|}{\|A\|}. \tag{2.14}$$

For a singular matrix A, the group inverse $A^{\#}$ can replace A^{-1} in equations (2.13) and (2.14). The expression $||A^{-1}|| \cdot ||A||$ is referred to as the condition number of A. From equation (2.13) we can see that if the algorithm stops due to the test $||r^{(i)}|| \leq stop_tol$, the forward error can be upper-bounded by $stop_tol ||A^{-1}||$. There also exist the concepts of relative forward error, defined by $||e^{(i)}||/||x^{(i)}||$, and relative backward error, defined by $||b-Ax^{(i)}||/(||A|| \cdot ||x^{(i)}||)$. Directly from equation (2.14) we can upper-bound the relative forward error in the following way:

$$\frac{\|e^{(i)}\|}{\|x^{(i)}\|} \le \|A^{-1}\| \cdot \|A\| \cdot \frac{\|r^{(i)}\|}{\|A\| \cdot \|x^{(i)}\|}.$$

We are reporting the relative backward error in all the experiments we conducted (see appendix A).

The stopping criteria we used in SOR and the block iterative methods we discussed are respectively

stop if
$$i \ge maxit$$
 or $||x^{(i)} - x^{(i-1)}||_{\infty} \le stop_tol$,

and

stop if
$$i \ge maxit$$
 or $||x^{(i)} - x^{(i-1)}||_{\infty} \le stop_tol$ or $(||x^{(i)} - x^{(i-1)}||_{\infty} \le stop_tol_1$ and $||r^{(i)} - r^{(i-1)}||_{\infty} \le stop_tol_2)$.

In the experiments we set $stop_tol$, $stop_tol_1$. $stop_tol_2$ to 10^{-10} , 10^{-6} , 10^{-12} respectively. $stop_tol_2$ forces the algorithm to terminate when the norm of the residual is decreasing too slowly while the difference between two successive iterates is relatively small enough.

Different stopping criteria has been suggested for the convergence test of iterative methods. Several criteria are discussed in [3]. Unfortunately, there is no single stopping criterion known to be suitable for all iterative methods. Hence, selecting the most appropriate one is a difficult decision to make during the implementation of the solver. However, knowing the solvers and their byproduct helps. The amount of computation required by the convergence test is another constraint which should be taken into consideration.

2.2.5 Preconditioners

A very important issue in iterative methods in the concept of preconditioning. Although preconditioning can be used in all iterative methods, we employed it in projection methods only. The idea behind preconditioning is to accelerate the convergence process by redistributing the eigenvalues of the coefficient matrix so that the difference between the dominant and the subdominant eigenvalues becomes larger without changing the solution vector sought. Therefore, the need for a preconditioner becomes vital when dealing with NCD systems.

Again let us consider the system of linear equations

$$Ax = b$$
.

This can be transformed into the right-preconditioned equivalent system

$$AM^{-1}(Mx) = b,$$

or into the left-preconditioned equivalent system

$$M^{-1}Ax = M^{-1}b,$$

where the preconditioned matrix M (also called preconditioner) has the property that it is a cheap approximation of A. The more M resembles A, the faster the method converges [20]. In the case of right-preconditioning the system $AM^{-1}y = b$ is solved for the unknown $y \equiv Mx$, and the final solution x is obtained through the post-transformation $x = M^{-1}y$. To use right-preconditioning, M should also be chosen so that $M^{-1}v$ is cheap to compute for any arbitrary vector v.

In the left-preconditioning case, the system is solved based on imposing the necessary stopping constraints on the preconditioned residual vector $r = M^{-1}(b - Ax)$. In this case, M^{-1} may not be formed explicitly and the preconditioned residual is computed by solving the system Mr = b - Ax. Therefore, the preconditioner M should be chosen so that solving any linear system of the form Mv = u for any vector v cheap.

Various types of preconditioners have been (and are still) developed (see [29, 6]). Their efficiency is highly dependent on the system to be solved and it is quite difficult to forecast which preconditioner is the best for a given system. In this study, we are only considering preconditioners obtained from incomplete LU factorization (ILU) [8]. First, an LU decomposition of the coefficient matrix A is initiated. Throughout the decomposition, nonzero elements are omitted according to different rules. These rules characterize the ILU type. Thus, instead of ending up with an exact LU decomposition, what we obtain is of the form

$$A = \tilde{L}\tilde{U} + E,$$

where E, called the *remainder*, is expected to be small in some sense. \tilde{L} and \tilde{U} respectively are lower and upper triangular matrices. In all the projection methods we implemented, we stick to left-preconditioning and take $M=\tilde{L}\tilde{U}$, thereby the fest choice on the preconditioner M is to take it equal $\tilde{L}\tilde{U}$.

Recall that the coefficient matrices appearing in the systems of interest are irreducible M-matrices. It has been shown that incomplete LU decompositions exist for such matrices (in exact arithmetic) and that they are even more stable than the complete LU decomposition without partial pivoting (see [20] p. 152).

Theorem 2.6 If A is an M-matrix, then the construction of an incomplete LU decomposition is at least as stable as the construction of a complete decomposition without pivoting.

Three types of incomplete LU factorizations are considered. The first imposes on the computed preconditioner the same nonzero structure as the original matrix and is called ILU(0). The second is called ILUTH and is a threshold-based approach. The third forces the computed factors to have at most a prespecified fixed number of nonzero elements per row and is called ILUK.

The ILU(0) Incomplete Factorization

The idea of ILU(0) is to drop all fill-in elements which occur during the LU decomposition (recall that a fill-in element refers to a nonzero element introduced in the matrix which holds the LU factors in a location where there was initially a zero element in the original matrix). Thus, if we denote by NZ(A) the nonzero structure of A, i.e., the set of all pairs (i,j) such that $a_{ij} \neq 0$ then ILU(0) can be described as follows:

Algorithm: ILU(0)

```
for i=2,\ldots,n

for k=1,\ldots,i-1 and for (i,k)\in NZ(A)

compute a_{ik}=a_{ik}/a_{kk}

for j=k+1,\ldots,n and for (i,j)\in NZ(A)

compute a_{ij}:=a_{ij}-a_{ik}a_{kj}

end

end

end
```

The ILUTH Incomplete Factorization

In ILUTH, the decomposition takes place in a row-by-row manner. The dropping rule of this preconditioning technique is to zero out all elements having

an absolute value less than a prespecified threshold. The only exception is that the dropping rule does not apply for the diagonal elements which are kept no matter how small they become. The dropping rule is applied just after the multipliers are formed, once, and applied one more time right after the reduction of a row is over. We experimented with two different threshold values, 10^{-2} and 10^{-3} , for each Krylov subspace solver. In the ILUTH algorithm provided, a_{i*} denotes the ith row of A.

Algorithm: ILUTH

```
for i=1,\ldots,n
\omega=a_{i*}
for k=1,\ldots,i-1 and when \omega_k\neq 0
\omega_k:=\omega_k/a_{kk}
Apply the dropping rule to \omega_k
if \omega_k\neq 0
\omega:=\omega-\omega_k*u_{k*}
endif
end
Apply the dropping rule to row \omega
l_{i,j}:=\omega_j \text{ for } j=1,\ldots,i-1
u_{i,j}:=\omega_j \text{ for } j=i+1,\ldots,n
\omega:=0
```

The ILUK Incomplete Factorization

The last type of incomplete factorization that we consider is based on the idea of keeping at most a prespecified fixed number of nonzero elements in each reduced row. This method enables the user to control the number of fill-ins allowed. Therefore, it is suitable in case there is only a fixed amount of memory available to store the incomplete factors \tilde{L} and \tilde{U} . Each time a row has been reduced, a search is conducted to find the K largest elements in absolute value. All other elements in the row are annihilated. As for ILUTH, the diagonal elements are preserved regardless of their magnitude. Again, in the algorithm we use a_{i*} to denote the ith row of A.

Algorithm: ILUK

```
for i=1,\ldots,n
\omega=a_{i*}
for k=1,\ldots,i-1 and when \omega_{k}\neq0
\omega_{k}:=\omega_{k}/a_{kk}
\omega:=\omega-\omega_{k}*u_{k*}
end
Apply the dropping rule to row \omega
l_{i,j}:=\omega_{j} \text{ for } j=1,\ldots,i-1
u_{i,j}:=\omega_{j} \text{ for } j=i+1,\ldots,n
\omega:=0
end
```

Finally, we should stress that not much work has been done in studying what constitutes a good incomplete factorization for Markov chain models. The concept is still in its infancy in this domain and further studies are still needed.

2.3 Implementation Considerations

In this section we focus on various aspects that should be taken into account during implementation phase. As we are dealing with large sparse systems⁵, the first thing we should be thinking of is to find an efficient storage scheme. One popular scheme is the one we used, which is known as the compact sparse row (CSR) format [26, 36]. This format uses a real (double-precision) one-dimensional array aa and two integer arrays ja and ia. Array aa is of size nz (the number of nonzero elements in the matrix) and is used to hold the nonzero elements of the matrix. The elements are stored by rows in such a way that elements of row i come before those of row i+1, but the elements within a row need not be in order. Array ja holds the column position of each element, i.e., ja(k) gives the column position of the element stored in the kth position of aa (aa(k)). Array ja is also of size nz. Array ia is a pointer array whose

⁵The average order of the problems we experimented with is 33, 278; the largest matrix is of order 104,625.

Ith element indicates the position in aa and ja at which the elements of the lth row begin. The size of ia is n+1, where n is the order of the matrix and ia(n+1) = nz + 1. In this way, ia(l+1) - ia(l) always gives the number of nonzero elements in row l, l = 1, 2, ..., n.

To illustrate the use of the CSR format, consider the following matrix

$$A = \begin{pmatrix} -2.1 & 0.0 & 1.7 & 0.4 \\ 0.8 & -0.8 & 0.0 & 0.0 \\ 0.2 & 1.5 & -1.7 & 0.0 \\ 0.0 & 0.3 & 0.2 & -0.5 \end{pmatrix}.$$

Then one possible way to store this matrix in the CSR format is

Real array
$$aa: -2.1 \quad 1.7 \quad 0.4 \quad -0.8 \quad 0.8 \quad -1.7 \quad 0.2 \quad 1.5 \quad -0.5 \quad 0.3 \quad 0.2$$
 Column array $ja: 1 \quad 3 \quad 4 \quad 2 \quad 1 \quad 3 \quad 1 \quad 2 \quad 4 \quad 2 \quad 3$ Pointer array $ia: 1 \quad 4 \quad 6 \quad 9 \quad 12$

In addition to its efficiency, the CSR format can be easily used for implementing matrix-vector operations. This property makes it very adequate for iterative methods.

Unless otherwise specified, by reductions we mean row-reductions. This strategy is used to take full advantage of the row-by-row storage of the CSR format.

The code is implemented in Fortran 77, and as it only supports static memory allocation, two one-dimensional arrays are defined at the beginning of the program to hold double precision and integer values. The dimensions of these arrays are set to 3,500,000 for the double precision array and 2,100,000 for the integer array.

The initial approximation $x^{(0)}$ is always chosen to have a uniform distribution, i.e., $x_i^{(0)} = 1/n$, i = 1, 2, ..., n, where n is the vector length.

In order to regulate the amount of fill-in produced, *ILUTH* is implemented in such a way that before the reduction of any row, the number of free entries in the double precision work array is divided by the number of rows still to

be reduced. This gives us the maximum number of nonzero elements that we allow to be stored for that row. If the reduction leads to a number of nonzero elements higher than the precomputed one, the threshold is multiplied by 10 and the dropping rule is applied again. This is repeated until the number of nonzero elements in a given row becomes less than or equal to the maximum number allowed. The first row of the matrix is not reduced, and the method is forced to fail if the magnitude of any reduced diagonal element is less than 10^{-300} .

The way ILUK is implemented is to compute the Kth largest value, in magnitude, say max, in the reduced row. Then, all the elements having an absolute value less than max are set to 0. If the number of nonzero elements in the row is still higher than K, the reduced row is scanned from left to right zero out any element having an absolute value equal to max until the number of nonzero elements decreases to K. As in ILUTH, the reduction does not include the first row of the matrix and the method fails if any reduced diagonal element is found to be less than 10^{-300} .

In block iterative methods we have attempted at solving diagonal blocks, and the coupling matrix in IAD, directly by Gaussian elimination. The memory needed to solve the coupling matrix is set aside at the beginning and what is left is used for the diagonal blocks. If there is not enough space for solving the coupling matrix, the method fails. Blocks of order 1 and 2 are treated separately. In two-stage solvers (block iterative methods), we obtain the LU decompositions of as many diagonal blocks as possible given available memory and do this in such a way that smaller blocks are treated first, leaving the big blocks to be solved using point SOR when there is insufficient memory. In order to accelerate this process we use a considerably large tolerance 10^{-3} with the point SOR algorithm when solving diagonal blocks. The SOR algorithm is always used with the optimal relaxation parameter ω (up to one digit after the decimal point). This is achieved by repeating the same experiments with different values of ω .

As an attempt to minimize the probability of underflow and overflow, each row of the coefficient matrix is multiplied by the inverse of the largest value in magnitude in that row (the absolute value of the diagonal element). This is

called a scaling operation and it just retransforms the system to a more suitable form without altering the global solution. Another way to limit the effect of underflow and overflow and to control the irregular convergence behavior of some iterative methods up to a certain extent, is to normalize the solution vector at each iteration. The drawback of this strategy is that it may lead to considerable loss of precision due to roundings that occur at each iteration. In block iterative methods and point SOR (which are part of MARCA) the coefficient matrix is scaled and the solution vector is normalized at each iteration. Nevertheless, in the projection methods we implemented, the coefficient matrix is not scaled and the solution vector is only normalized at the termination of the algorithm.

Chapter 3

Models Used

In this chapter we will discuss the problems we used in our numerical studies. Seven models are considered, six of which appear in [34] and one is discussed in [2, 5]. All seven models rise from Markov chain applications. Three of these are chosen and two ill-conditioned test cases from each one are generated giving us a total of thirteen test cases. From these thirteen cases, twenty seven sparse [1] test matrices are obtained with which to experiment. A few of the test matrices have symmetric nonzero structures (Appendix B shows the nonzero structures of the transposed infinitesimal generator matrices, which are formed from the stochastic test matrices). The majority of the test matrices would be ranked among the largest of the matrices considered in the Matrix Market [19].

3.1 Complete Buffer Sharing With Pushout Thresholds in ATM Networks

Broadband Integrated Services Digital Networks (B-ISDNs) are to support multiple types of traffic such as voice, video, and data. The Asynchronous Transfer Mode (ATM) is the support technique of choice for B-ISDNs by the standards committees. In this mode of operation, all information is carried using fixed size packets (called 'cell's) so as to share the network among multiple classes of traffic. Since multiclass traffic will be carried on B-ISDNs, different

quality of service requirements will be imposed by different applications.

One type of congestion control for ATM networks deals with discarding cells at ATM buffers in order to guarantee a prespecified cell loss rate. One bit in each ATM header is reserved to assign the space priorities of cells. This bit indicates whether the given cell is high or low priority. Priority cell discarding is a buffer management scheme in which higher priority cells are favored in receiving buffer space. An efficient technique for determining the cells to be discarded when congestion occurs is the complete buffer sharing scheme with pushout thresholds.

In the system under consideration, there are two classes of traffic arriving to an ATM buffer of size K. Time is divided into fixed size slots of length equal to one cell transmission time. The arrival of traffic class l = 1, 2 to the buffer is modelled as a Bernoulli process with probability of cell arrival p_l in a slot.

The states of the corresponding queueing system may be represented by the ordered pair (i,j), where i and j are the number of class 1 and class 2 cells in the buffer, respectively [2,5]. Let k = i+j denote the total number of cells in the buffer at state (i,j). Then, a natural state space ordering that places the states with the same number of total cells in the buffer (i.e., k) consecutively, gives rise to a block matrix with $\sum_{k=0}^{K} (k+1) = (K+1)(K+2)/2$ states. The first block consists of the state (0,0) (i.e., the state in which the buffer is empty), the second block has states (0,1), (1,0), the third block has states (0,2),(1,1),(2,0), and so on. The kth block has k+1 states. That is, we have the following ordering:

$$(0,0) \prec (0,1) \prec (1,0) \prec (0,2) \prec (1,1) \prec (2,0) \prec \cdots \prec (K,0)$$

During a time slot, no cells, one cell, or two cells may arrive. If one or two cells arrive, then this happens at the beginning of a slot. A cell departure occurs by the end of the slot if the buffer has at least one cell at the beginning of the slot. Hence, an arriving cell cannot be transmitted before the end of the next slot. With these assumptions, a cell is discarded if and only if two cells arrive to a full buffer. The pushout threshold for class 2 cells is given by T_2 and the pushout threshold of class 1 cells is given by T_1 (= $K - T_2$). If two cells

arrive to a full buffer (i.e., i + j = K), then a class 2 cell is discarded if $j > T_2$, otherwise a class 1 cell is discarded if $j < T_2$. When $j = T_2$, the lower priority traffic class cell is discarded. One may view the system as if there is temporary space to store up to two arrivals while the buffer is full and a decision as to which class of cell will be discarded is made.

It is assumed that at steady-state the head of the queue (i.e., the cell that will be leaving the buffer at the end of the current time slot—if there was one to begin with) is a type 1 cell with probability i/(i+j) and it is a type 2 cell with probability j/(i+j).

The DTMC corresponding to these assumptions is block tridiagonal (with the exception of the first row of blocks) where each diagonal block is tridiagonal and has a different block size. Depending on the selected threshold, the nonzero elements in the last row of blocks change making it very difficult to apply analytical solution techniques to such a system with control.

To study the effect of the threshold, three test cases are generated. In all these test cases, K and T_2 are fixed to 200 and 20, respectively. In the first test case, which we call easy, we set $p_1 = 0.99$ and $p_2 = 0.99$. The second test case, medium, is more ill-conditioned and is generated by choosing $p_1 = 0.1$ and $p_2 = 0.5$. Setting p_1 and p_2 respectively to 0.1 and 0.9 gives us a third even more ill-conditioned test case which we call hard. The coefficient matrices of the three test cases are of the same order n = 20,301 and have the same number of nonzero elements nz = 140,504, bandwidth, and nonzero structure. Tables 3.2, 3.3 and 3.4 show the results of ncd test, equal and other partitionings (discussed in section 2.2.2) applied to the three coefficient matrices. γ is the decomposability parameter used in ncd test. equal and other partitionings are identical in the three cases since the matrices are of the same order. Based on the results of ncd test we decided to experiment with two permuted versions of easy: with $\gamma = 10^{-4}$ we obtained the easy_gm4 test matrix and with $\gamma = 10^{-3}$ we obtained easy_gm3. As can be seen from Table 3.2, choosing $\gamma = 10^{-2}$ causes the coefficient matrix to be partitioned into blocks of size 1 with the exception of one block which is of size 2. Such cases are not interesting and we do not consider them in our experiments. Besides, round-off errors due to input/output operations caused some elements

of the permuted stochastic matrices of medium and hard read from input files, to differ from their values computed on computer. This prevented us from experimenting with the permuted versions of medium and hard. Tables 3.1 and 3.5 give information about the symmetric nonzero structure status and the bandwidth of the five test matrices. Since easy, medium, and hard test matrices have the same nonzero structure, their results are given in the first row as pushout threshold.

		symmetric
n	nz	nz structure
20,301	140,504	no

Table 3.1: Characteristics of the Pushout Threshold Problem.

	number of	smallest	largest
γ	blocks	block size	block size
10^{-4}	308	1	5,050
10^{-3}	4,060	1	162
10^{-2}	20,300	1	2

	number of	last
	blocks	block size
equal	143	137
other	201	0

Table 3.2: Partitioning Results for the easy Test Case.

	number of	smallest	largest
γ	blocks	block size	block size
10^{-3}	4	1	20,295
10^{-2}	720	1	19,477
10^{-1}	20,300	1	2

Table 3.3: Partitioning Results for the medium Test Case.

¹We adopt the convention that higher and lower bandwidths do not include the diagonal.

	number of	smallest	largest
γ	blocks	block size	block size
10^{-4}	2	1	20,300
10^{-3}	134	1	20,168
10^{-2}	$2,\!286$	1	18,016

Table 3.4: Partitioning Results for the hard Test Case.

matrix	lower bandwidth	higher bandwidth
pushout threshold	201	201
easy_gm4	20,103	20,103
$easy_gm3$	381	381

Table 3.5: Lower and Higher Bandwidths of the Pushout Threshold Test Matrices.

3.2 A Two-Dimensional Markov Chain Model

As the title suggests, a two-dimensional Markov chain is considered in this problem. In the first dimension of the chain, the state variable assumes all values from 0 through N_x . Similarly, in the second dimension, the state variable takes on values from 0 through N_y . The state space is sketched in Figure 3.1.

This two-dimensional Markov chain model allows for transitions from any non-boundary state to adjacent states in the North, South, East, West, North-East, North-West, South-East and South-West directions. However, in the model we used in our experiments, only transitions to the South, East and North-West are permitted (taking the others to be 0). From any non-boundary state (u, v), transitions to the South are assigned the value v, transitions to the East are assigned the value 2025.0, and transitions to the North-West are assigned the value u [34]. The state space of the Markov chain is of size $(N_x + 1)(N_y + 1)$. The values of N_x and N_y are both set to 128, yielding a matrix (2D) of order n = 16,641 and number of nonzero elements nz = 66,049. The partitioning results of the 2D test matrix are illustrated in Table 3.7. These results suggested experimenting with two more test matrices, 2D-gm3

and $2D_{-}gm^2$, formed by permuting the 2D matrix using decomposability parameters $\gamma = 10^{-3}$ and $\gamma = 10^{-2}$, respectively. The characteristics of the three test matrices and their bandwidths are reported in Tables 3.6 and 3.8.




Figure 3.1: A Two-Dimensional Markov Chain Model Model.

n	nz	symmetric nz structure
16,641	66,049	no

Table 3.6: Characteristics of the Two-Dimensional Markov Chain Problem.

3.3 An NCD Queueing Network of the Central Server Type

The model illustrated in Figure 3.2 represents the system architecture of a time-shared, multiprogrammed, paged, virtual memory computer. The system [34] consists of

	number of	smallest	largest
γ	blocks	block size	block size
10^{-3}	513	1	16,129
10^{-2}	5,913	1	11,449

number of		last
	blocks	block size
equal	129	0
other	182	170

Table 3.7: Partitioning Results for the Two-Dimensional Markov Chain Problem.

	lower	higher
matrix	bandwidth	bandwidth
2D	65	129
$2D_{-}gm3$	16,504	16,633
$2D_{-}gm2$	13,404	13,533

Table 3.8: Lower and Higher Bandwidths of the Two-Dimensional Markov Chain Test Matrices.

- a set of N_t terminals from which N_t users generate commands.
- a control processing unit (CPU),
- a secondary memory device (SM),
- a filing device (FD).

A queue of requests is associated with each device and the scheduling is assumed to be FCFS (first-come, first-served). When a user generates a command at the terminal, it remains inactive until the system responds. Symbolically, this user enters the CPU queue. The system behaves in such a way that after a certain time period, called the compute time, either a page fault or an input/output (file request) occurs. In the case of a page fault, the process currently in the system enters the SM queue, otherwise, in the case of a file request, it joins the FD queue. Processes that terminate their service at the




Figure 3.2: An NCD Queueing Network of the Central Server Type Model.

SM or FD queue return to the CPU queue. A command commit is symbolically represented by a departure of the process from the CPU to the terminals.

Let n_0 , n_1 and n_2 respectively be the number of processes in the CPU, SM and FD queues at a certain time. Then the degree of multiprogramming at that moment is given by $\eta = n_0 + n_1 + n_2$. Let $(\mu_0(\eta))^{-1}$, $q(\eta)$ and $r(\eta)$ respectively denote the mean service time at the CPU, the mean compute time between two page faults, and the mean compute time between two i/o requests. It follows that the probabilities that a process leaving the CPU will be directed to the SM or to the FD queue are, respectively, given by $p_1(\eta) = (\mu_0(\eta)q(\eta))^{-1}$ and $p_2(\eta) = (\mu_0(\eta)r(\eta))^{-1}$. The probability that a process leaving the CPU to the terminals is given by $p_0(\eta) = (\mu_0(\eta)c(\eta))^{-1} = 1 - (p_1(\eta) + p_2(\eta))$, where $c(\eta)$ is the mean compute time of a process [24].

For experimental purposes, we assigned a specific value for each parameter. The rate at which processes move from the CPU queue to the SM device is taken to be $p_1(\eta)\mu_0(\eta)=100(\eta/128)^{1.5}$. The mean compute time between two i/o requests $r(\eta)$ is taken as 20 ms so that $p_2(\eta)\mu_0(\eta)=0.05$, and the mean compute time of a process $c(\eta)$ is equal to 500 ms giving $p_0(\eta)\mu_0(\eta)=0.002$. The mean think-time of a user at a terminal is estimated to be on the order of $\lambda^{-1}=10$ s. The mean service time of the SM is taken as $(\mu_1(\eta))^{-1}=5$ ms and that of the FD to be $(\mu_2(\eta))^{-1}=30$ ms. The Markov chain state space is of size $\binom{N_t+4-1}{4-1}$. The total number of users in the system (N_t) was set to 50 yielding a matrix (ncd) of order n=23,426 and number of nonzero elements nz=156,026.

		symmetric
n	nz	nz structure
23,426	256,026	yes

Table 3.9: Characteristics of the NCD Queueing Network Problem.

γ	number of blocks	smallest block size	largest block size
10^{-5}	3	1,275	20,825
10^{-4}	51	1	1,326
10^{-3}	51	1	1,326

	number of blocks	last block size
equal	154	17
other	216	206

Table 3.10: Partitioning Results for the ncd Test Case.

Two more ill-conditioned test cases are generated from this model. The first one (ncd_alt1) is obtained by setting the mean service time of the FD to $(\mu_2(\eta))^{-1} = 3,000$ s. The second test case (ncd_alt2) is even more illconditioned than ncd_alt1 and is generated by making the mean think-time of a user at a terminal $\lambda^{-1} = 10,000$ s. Naturally, the three test matrices, ncd, ncd_alt1, and ncd_alt2, have the same order, number of nonzero elements, and nonzero structure. We also experimented with ncd_gm4 (a permuted version of ncd obtained by choosing 10^{-4} as the value of γ in the ncd test of ncd), ncd_alt1_gm7, ncd_alt1_gm5 and ncd_alt1_gm4 (three permuted versions of ncd_alt1 respectively by assigning 10^{-7} , 10^{-5} and 10^{-4} to γ in the ncd test of ncd_alt1), and ncd_alt2_gm7 and ncd_alt2_gm6 (two permuted versions of $ncd_{-}alt2$ obtained respectively by assigning 10^{-7} and 10^{-6} to γ in the ncd test of ncd_alt2). The characteristics, partitioning results, and bandwidths of all the test matrices for this model are reported in Tables 3.9, 3.10, 3.11, 3.12, and 3.13. Test matrices ncd_gm5 and ncd_alt2_gm8 are not interesting because of their block structures (see Tables 3.10 and 3.12).

	number of	smallest	largest
γ	blocks	block size	block size
10^{-7}	51	1	1,326
10^{-6}	51	1	1,326
10^{-5}	150	1	1,225
10^{-4}	,	1	51
10^{-3}	1,326	1	51

Table 3.11: Partitioning Results for the ncd_alt1 Test Case.

	number of	smallest	largest
$\ \ \gamma$	blocks	block size	block size
10-8	3	1,275	20,825
10^{-7}	25	406	3,654
10^{-6}	51	1	1,326
10^{-5}	51	1	1,326
10^{-4}	51	1	1,326
10^{-3}	51	1	1,326

Table 3.12: Partitioning Results for the ncd_alt2 Test Case.

3.4 A Telecommunication Model

A telecommunication problem is modeled to study the effect of impatient telephone customers on a computerized telephone exchange [34]. The model is shown in Figure 3.3. In this model each customer makes a request for service. Then the customer has to wait a certain period for a reply. If the reply has not arrived at the end of that period, the customer has the right to either give up and leave the network, or wait for some period of time before trying again.

All customers have to pass by station S2 which is dedicated to a special processing task. These customers are processed by a single server according to a processor sharing discipline. Each customer may wait in S2 for a certain time which is defined as an upper bound on its service duration: whenever its patience is exhausted, the customer simply gives up processing (with a fixed probability 1-h).

	lower	higher
matrix	bandwidth	bandwidth
ncd, ncd_alt1, ncd_alt2	460	460
ncd_gm4	1,326	1,326
ncd_alt1_gm7	1,375	1,375
ncd_alt1_gm5	$1,\!374$	1,374
ncd_alt1_gm4	701	701
ncd_alt2_gm7	2,980	2,980
ncd_alt2_gm6	1,325	1,325

Table 3.13: Lower and Higher Bandwidths of the NCD Queueing Network Test Matrices.

In case the customer decides to keep trying, it joins an infinite server station S1 where it remains for a certain period, called the thinking-time, before joining back station S2 for another attempt.

We are interested in studying the number of customers in S1 and S2 in the long run. Let i and j be the number of customers in S1 and S2, respectively. Then a state of the network may be described by the pair (i,j). When $j \geq 1$, the rate of

- service completions in S2 is μ ,
- departures due to impatience is $j\tau$.




Figure 3.3: Telecommunication Model.

When $i \geq 1$, the rate of departures from S1 is $i\lambda$. External arrivals to S2 are assumed to have a Poisson distribution of rate A.

As we are interested in finite Markov chains, we let K1 and K2 be the maximum sizes of S1 and S2, respectively. Customers arriving to a full station are lost. It is important to choose large values for K1 and K2 so that the probability of saturation is negligible. In that case, the truncation of the state space will have little effect, and hence, the resulting steady-state probabilities may be taken as an accurate approximation of those of the infinite capacity network.

The following are realistic values which we took from [24] to use in our experiments:

$$A = 0.6$$
, $\mu = 1.0$, $\tau = 0.05$, $h = 0.85$, $\lambda = 5.0$.

The state space of the Markov chain is of size (K1+1)(K2+1). We set K1=30 and K2=660 which gave a matrix telecom on the order of n=20,491 with nz=101,041 nonzero elements. Results of ncd test, equal and other partitionings are shown in Table 3.15. Based on this ncd test, we decided to experiment with two permuted versions of the original matrix using decomposability parameters $\gamma=10^{-2}$ to obtain the telecom_gm2 test matrix and $\gamma=10^{-1}$ to obtain telecom_gm1. It is obvious that the three test matrices; telecom, telecom_gm2 and telecom_gm1, have the same order, number of nonzero elements. and partitioning results. Tables 3.14 and 3.16 reports the symmetric nonzero structure status and the bandwidths of the three test matrices.

		symmetric
n	nz	nz structure
20,491	101,041	no

Table 3.14: Characteristics of the telecom Problem.

γ	number of blocks	smallest block size	largest block size
10^{-2}	1,981	1	31
10^{-1}	$14,\!389$	1	28

	number of	last
	blocks	block size
equal	144	42
other	202	190

Table 3.15: Partitioning Results for the telecom Problem.

matrix	lower bandwidth	higher bandwidth
telecom	31	60
$telecom_gm2$	18,750	18,750
$telecom_gm1$	9,171	9,171

Table 3.16: Lower and Higher Bandwidths of the Telecom Test Matrices.

3.5 A Queueing Network with Blocking and Priority Service Model

The model we shall discuss now is an open queueing network of three finite capacity queues and two customer classes. Class 1 customers arrive from the exterior to queue 1 according to a Poisson process λ_1 . Similarly, class 2 customers arrive from outside the network to queue 2 according to a Poisson process, but this time at rate λ_2 . At this stage, any customer (from either classes) is lost if upon arrival it finds the buffer full. The servers at queues 1 and 2 provide exponential service at rates μ_1 and μ_2 respectively. After being served, customers of either of these queues try to join queue 3. If queue 3 is full, class 1 customers are blocked (blocking after service) and the server at queue 1 must halt. This server cannot resume serving any other customer unless a slot becomes available in the buffer of queue 3 and the blocked customer is transferred. On the other hand, when a class 2 customer has been served at queue 2 and finds the buffer at queue 3 full, it is simply lost. Queue 3 provides

exponential service at rate μ_{3_1} to class 1 customers and rate μ_{3_2} to class 2 customers. Customers departing after service at queue 3 leave the network. Figure 3.4 illustrates this model. $C_k - 1$, k = 1, 2, 3 denote the finite buffer capacity at queue k.




Figure 3.4: An ATM Queueing Network Model.

The states of the Markov chain underlying this model, may be represented by four-component vectors [34]. Components 1 and 2 may be used to denote the number of customers in queue 1 and 2 respectively. Components 3 and 4 may be used to represent the number of class 1 and class 2 customers, respectively, present in queue 3.

We assigned the following values to the parameters indicated on Figure 3.4:

$$\lambda_1 = 1.0, \quad \lambda_2 = 2.0, \quad \mu_1 = 3.0, \quad \mu_2 = 4.0, \quad \mu_{3_1} = 5.0, \quad \mu_{3_2} = 6.0.$$

The state space is of size $C_1C_2C_3(C_3+1)/2$, so setting each of C_1 and C_2 to 15 and C_3 to 30 leads to a matrix (qnatm) of order n=104,625 and number of nonzero elements nz=593,115. Out of this quatm matrix, another test matrix $(qnatm_gm1)$ was formed by permuting quatm using a decomposability parameter $\gamma=10^{-1}$. Additional information about the two matrices are illustrated in Tables 3.17, 3.18, and 3.19.

		symmetric
n	nz	nz structure
104,625	593,115	no

Table 3.17: Characteristics of the ATM Queueing Network Problem.

γ	number of	smallest	largest
	blocks	block size	block size
10^{-1}	91,800	1	450

	number of blocks	last block size
equal	324	296
other	457	429

Table 3.18: Partitioning Results for the ATM Queueing Network Problem.

3.6 A Multiplexing Model of a Leaky Bucket in Tandem

One of the major problems in ATM networks is to control the congestion of intermediate buffers with fast and simple mechanisms. Several policies were proposed and evaluated with diverse probabilistic hypothesis. The simplest mechanism is the leaky bucket [34]. The problem is to determine the behavior of this mechanism under external arrivals. The external arrival stream is modeled as a Poisson process. An evaluation of this mechanism will allow it to be compared with other more complex mechanisms.

	lower	higher
matrix	bandwidth	bandwidth
qnatm	2,728	5,385
$qnatm_gm1$	6,974	6,975

Table 3.19: Lower and Higher Bandwidths of the ATM Queueing Network Test Matrices.

The traffic source is of an M/D/1/C type. This queue is of size C cells and has a single server with service time D (which will be taken as a unit time). The arrivals that are modeled as a Poisson process have rate λ . Then the model may be viewed as a 1-dimensional discrete time Markov chain (with time unit D) with state descriptor N_p which is the number of cells produced by the Poisson source at time t,

The leaky bucket has a finite size of K cells and a service time $T'D = TD(1 - \epsilon)$, where T' is an integer. The state of the system is described by the state variable k which is the buffer occupancy (in terms of the number of cells).

The values used for the described parameters are

$$C = K = 64$$
, $T = 4$, $\lambda = 0.85$, $\epsilon = 0.4959$.

The leaky matrix we generated from this model has order $n = C \times K \times T(1 - \epsilon) = 8,258$ and number of nonzero elements nz = 197,474. This matrix is severely ill-conditioned (i.e., NCD up to machine precision). We could not experiment with any of the permuted versions of leaky due to the round-off error problem mentioned in section 3.1. Some properties of the matrix are provided in Tables 3.20, 3.21, and 3.22.

		symmetric
n	nz	nz structure
8,258	197,474	no

Table 3.20: Characteristics of the Leaky-Bucket Problem.

3.7 Mutex—A Resource Sharing Model

In this model, M distinguishable processes share a certain resource [34]. Each of these processes alternates between a sleeping state and a resource using state. However, only P processes may concurrently use the resource, where $1 \le P \le M$. If a process currently in the sleeping state tries to move to the

		number of	smallest	largest
	γ	blocks	block size	block size
	10^{-9}	193	1	8,057
	10^{-8}	225	1	8,016
	10^{-7}	225	1	8,016
	10^{-6}	265	1	7,976
	10^{-5}	318	1	7,923
	10^{-4}	400	1	7,832
	10^{-3}	531	1	7,692
1	10^{-2}	778	1	7,427
	10^{-1}	7,386	1	507

	number of	last
	blocks	block size
equal	91	158
other	129	2

Table 3.21: Partitioning Results for the Leaky-Bucket Problem.

	lower	higher
matrix	bandwidth	bandwidth
leaky	191	435

Table 3.22: Lower and Higher Bandwidths of the leaky Test Matrix.

resource using state while there are P processes already using the resource, it simply fails to access the resource and remains in the sleeping state. Notice that when P = 1 this model reduces to the usual mutual exclusion problem, whereas when P = N all the processes are independent. Let λ_i be the rate at which process i awakes from the sleeping state wishing to access the resource and let μ_i be the rate at which this same process releases the resource when it has a possession of it. Figure 3.5 provides a graphical illustration of this model. Each process i is modelled by a two-state automaton A_i . The function f takes the value 1 when access is permitted to the resource and takes the value 0 otherwise.

To experiment with this model, we set $\lambda_i = 1/i$ and $\mu_i = i$, for i = 1, 2, ..., M. Parameters P and M were fixed to 8 and 16, respectively. These




Figure 3.5: A Resource Sharing Model (Mutex).

values lead to a matrix (mutex) of order $n = \sum_{p=0}^{P} {M \choose p} = 39,203$ and number of nonzero elements nz = 563,491.

		symmetric
n	nz	nz structure
39,203	563,491	yes

Table 3.23: Characteristics of the Mutex Problem.

Two more ill-conditioned test cases are generated from this model. The first one ($mutex_alt1$) is obtained by setting $\mu_i = 10^3i$. The second test case ($mutex_alt2$) is even more ill-conditioned than the first and is generated by setting $\lambda_i = 10^{-3}/i$ and $\mu_i = 10^3i$. As the values of P and M are fixed, the three test cases have the same order, number of nonzero elements, and nonzero structure. The partitioning results of these matrices are shown in Tables 3.24, 3.25 and 3.26. Permuting $mutex_alt1$ with decomposability parameter $\gamma = 10^{-6}$ led to an additional test matrix ($mutex_alt1_gm6$) which we also used in our experiments. However, we could not experiment with the permuted versions of mutex and $mutex_alt2$ respectively with decomposability parameters $\gamma = 10^{-3}$ and $\gamma = 10^{-9}$ due to the i/o round-off error problem discussed in section 3.1. The nonzero structure symmetry information and the bandwidths of all the test matrices generated from this model are provided in Tables 3.23 and 3.27.

	number of	smallest	largest
γ	blocks	block size	block size
10-3	256	1	256

	number of blocks	last block size
equal	198	394
other	280	143

Table 3.24: Partitioning Results for the mutex Test Matrix.

	number of	smallest	largest
γ	blocks	block size	block size
10^{-6}	256	1	256

Table 3.25: Partitioning Results for the mutex_alt1 Test Matrix.

γ	number of	smallest	largest
	blocks	block size	block size
10-9	256	1	256

Table 3.26: Partitioning Results for the mutex_alt2 Test Matrix.

matrix	lower bandwidth	higher bandwidth
mutex, mutex_alt1, mutex_alt2	13,495	13,495
$mutex_alt1_gm6$	23,049	23,049

Table 3.27: Lower and Higher Bandwidths of the Mutex Problem Test Matrices.

Chapter 4

Numerical Results

In this chapter we report and interpret the numerical results of the different solvers employed on the 27 test cases generated. All the results are summarized in tables in Appendix A. We generated and stored all the test matrices in the Harwell-Boeing format using MARCA. All code is written in Fortran and compiled in double precision with g77 on a SUN Sparcstation running Solaris 2.5. The numerical experiments are timed using a C function that reports CPU time.

For each problem solved, the true residual and the relative backward error in the solution are computed. The true residual is computed as $\|A\hat{x}\|_{\infty}$, where \hat{x} is the normalized approximate solution upon termination. The relative backward error [16] is computed as $\|A\hat{x}\|_{\infty}/(\|A\|_{\infty}\|\hat{x}\|_{\infty})$. Table 4.1 provides the notation used in the tables of results. If a method terminates at iteration k, then the column heading $\|r\|$ denotes $\|r^{(k)}\|_2$ for GMRES and $\|r^{(k)}\|_{\infty}$ for the other projection methods. These norms are incurred by the respective methods and need not be computed separately. Due to this, we compare $\|r^{(k)}\|_2$ (and not $\|r^{(k)}\|_{\infty}$) with the stopping tolerance 10^{-10} at each (inner) iteration of GMRES. At the end of each restart the true residual is calculated explicitly from the current approximation (yet unnormalized) and then compared with the tolerance. If BCGStab converges due to the convergence test $\|s\|_{\infty} \leq 10^{-10}$ (see BCGStab algorithm in Chapter 2), then $\|r\|$ stands for $\|s\|_{\infty}$ upon termination. In this case a superscript "s" (i.e., s) is inserted in the corresponding

n	Order of the coefficient matrix
nz	Number of nonzero elements in the matrix
nzlu	Number of nonzero elements after the incomplete LU factorization
ω	Optimal relaxation parameter for point and block SOR
γ	Decomposability parameter
Time	Time (in seconds) taken by the method or the preconditioner,
	but not both
MFlops	Number of mega floating point operations
# it	Number of iterations performed
r	Infinity norm of the residual incurred by the method upon
	termination (exception for GMRES and BCGStab)
Ax	True residual upon termination
Bk. Err.	Relative backward error upon termination
$\ \Delta x\ $	Inifinity norm of the last two successive iterates
	(exception for point SOR)
# Bl.	Number of diagonal blocks solved iteratively
	(including blocks of size 1 and 2)
Partition.	Partitioning technique used

Table 4.1: Notation Used in the Tables of Results.

cell. The column heading $\|\Delta x\|$ denotes the infinity norm of the difference between the last two approximations except for point SOR in which it is reported every 10 iterations, and hence represents $\|x^{(p)} - x^{(p-1)}\|_{\infty}$, where p is the greatest multiple of 10 less than or equal to the number of iterations taken by point SOR upon termination. In other words, if point SOR terminates in l iterations then $p = \max\{10i, \text{ where } 10i \leq l \text{ and } i \in \mathbb{N}\}$. An asterisk (i.e., *) following the iteration number means that the method failed to converge in at most that many number of iterations. The results of QMR 1 are reported only for $mutex_alt1$ test matrix as it is the only matrix for which it converged with (at least) one of the preconditioners used.

The dimension of the Krylov subspace we used for GMRES is 20 (i.e., m = 20). With each projection method, we used two different thresholds for the ILUTH preconditioner: 10^{-2} and 10^{-3} . In ILUK, we allowed a maximum of 10 nonzero elements per row of the preconditioned matrix (i.e., K = 10). The time taken by partitioning the matrices did not exceed 1 second except for test matrices generated from the qnatm, mutex, and leaky problems. Partitioning qnatm and $qnatm_qm1$ test matrices took 5.1 and 3.7 seconds respectively.

The times taken to partition $mutex_alt1$ and $mutex_alt1_gm6$ were 5.1 and 3.4 seconds, respectively. Partitioning leaky using ncd test with $\gamma = 10^{-1}$ and $\gamma = 10^{-9}$ each took 2.4 seconds.

The first thing we notice in the results of the easy test case is that IAD failed with all the partitionings used due to a reducible coupling matrix (see Table A.1). However, block SOR performed rather well especially with ncd test $\gamma = 10^{-3}$ and other partitionings. This may be explained by examining the nonzero structure of the matrix (see Appendix B). The easy matrix is block tridiagonal (with the exception of the first row of blocks) where diagonal blocks are tridiagonal with increasing block sizes as we go down the matrix. This enables the other partitioning to gather most of the nonzero elements within a block row in the diagonal block. The ncd test with $\gamma = 10^{-3}$ gives a similar partitioning to other (see the nonzero structure of easy_gm3) and hence a close performance (see Table A.3). We just wanted to show by experimenting with ncd test $\gamma = 10^{-2}$ that a partitioning technique may lead to poor performance if it does not take full advantage of the divide-and-conquer nature of block iterative methods. For this particular partitioning all the diagonal blocks had size 1 except one which was of size 2 (see block SOR $\gamma = 10^{-2}$ in Table A.1). The results of GMRES, CGS, and BCGStab are satisfactory for this test case. Each of them converge with all the preconditioners used, however they required longer time, in most of the converging cases, than block SOR due to the preconditioning time overhead for ILUTH (10⁻²), ILUTH (10⁻³), and ILUK(10). It is important to notice that CGS and BCGStab with ILUK converged in only 1 iteration; 2 iterations are needed for GMRES. This suggests that the preconditioned matrix formed by ILUK is quite well-conditioned.

BCG converged in only five test cases. The residual infinity norm that comes as a byproduct of BCG is observed to be unstable and oscilating too much which illustrates the irregular convergence behavior of BCG especially with NCD problems.

In the 2D matrix, BCGStab with ILUTH (10^{-3}) outperformed all the other solvers by converging in 4.9 seconds (see Table A.6). In fact, this is one of the two cases where a Krylov subspace method outperformed all block iterative

methods. The second test case is mutex_alt1_qm6. It can be seen from Table A.6 that block SOR and IAD required a relatively long time to converge with ncd partitionings $\gamma = 10^{-3}$ and $\gamma = 10^{-2}$ though they both needed 2 iterations to converge. The ncd test with $\gamma = 10^{-3}$ partitioned the matrix to 512 diagonal blocks of size 1 and one last block of size 16,129, and similarly ncd test with $\gamma=10^{-2}$ partitioned the matrix to 5,192 diagonal blocks of size 1 and one last block of size 11,449. These partitionings do not take any advantage of the divide-and-conquer nature of block iterative methods; we can easily deduce that the 2 iterations were entirely used to solve the large block in each partitioning and this may explain the relation between the low iteration number and the long time to converge. Note that equal and other partitionings converged in less time (but took larger number of iterations) as they partitioned the matrix more uniformly. The true residual calculated after 240 iterations of GMRES with ILU0 before normalizing the solution vector was 0.63×10^{-10} (< 10^{-10}) causing the algorithm to terminate. However after normalizing the solution vector, the true residual and the relative backward error turned out to be respectively 0.26×10^{-9} and 0.20×10^{-8} , which are both larger than 10^{-10} . Periodic normalization of the approximate vector, as suggested in MARCA, may alleviate this problem.

The major inconvenience of QMR (1,2, and 3) that is observed in 2D and most of the test cases is its convergence behavior. The residual infinity norm in QMR tends to decrease in the first few iterations but stagnates thereafter. This behavior is observed in most of the test cases with all the preconditioners used. In ill-conditioned problems the residual may not be an accurate indicator of the number of correct digits in the approximate solution (see [24] p. 1168). This may explain why there were some cases (such as 2D with QMR 2, ILUTH (10^{-3})) for which although the implicit residual norm automatically computed by the method did not indicate convergence, the true residual turned out to be less than the tolerance. This suggests that an alternative stopping criterion, such as the one used in MARCA for two-stage iterative methods, might be employed for Krylov subspace methods. However, even with block iterative methods, we noticed two cases (ncd_gm4 and leaky) where the method had not converged but the true residual was less than the tolerance. See Tables A.10 and A.27 for block SOR with other and IAD with ncd test $\gamma = 10^{-9}$

partitionings, respectively. The alternative stopping criterion seems to be a better test for convergence but still does not solve all problems.

The equal partitioning of the ncd test matrix led to a reducible coupling matrix causing IAD to fail in this case (see Table A.9). With ncd test $\gamma = 10^{-4}$ and other partitionings IAD outperformed block SOR though both methods followed the same strategy in solving the diagonal blocks (i.e., same blocks are solved iteratively in both methods). This shows the advantage of IAD over block SOR in solving the coupling matrix directly, in the aggregation step, when it is not too large. In this case it was of order 51 and 216 for ncd test $\gamma = 10^{-4}$ and other partitionings, respectively. The ncd test case is one of several test cases which demonstrates the superiority of BCGStab over the other projection methods.

The block SOR method with ncd test $\gamma=10^{-1}$ and equal partitionings applied to the telecom test matrix converged when the difference between two successive iterates is still greater than the tolerance (see Table A.18). In these two particular cases, it is the alternative stopping criterion that caused the iteration to terminate. When cross validating the solution vectors obtained we noticed that for the ncd test $\gamma=10^{-1}$ partitioning, the approximate solution had five decimal digits in common with the solution computed by IAD $\gamma=10^{-2}$, whereas for the equal partitioning there were six digits in common. In this test case, IAD turned out to be far superior to block SOR for each partitioning taking into account the time to converge, the true residual, and the relative backward error. This again shows the advantage of the aggregation step in solving the coupling matrix directly when it is of reasonable order. See especially IAD results with ncd test $\gamma=10^{-2}$, equal, and other partitionings in Table A.18.

The qnatm and mutex were the two largest problems we considered in our study. Interestingly, for mutex and mutex_alt1_gm6 point SOR outperformed all other solvers in terms of computation time (see Tables A.23 and A.25). These were the only test cases where point SOR is superior to other solvers. The coupling matrix obtained from the qnatm problem by the ncd test $\gamma = 10^{-1}$ partitioning, and hence that of qnatm_gm1, was very large (of order 91,800) causing the solution time of IAD to be unreasonably long (see Tables A.21

and A.22). Nevertheless, we still could find at least one partitioning for block SOR with a satisfactory convergence time. Investigating the performance of the projection methods on these two problems we notice GMRES, CGS, and BCGStab are very satisfactory in terms of time taken by each solver (excluding preconditioning time). However, the wide bandwidth and the size of each matrix caused the preconditioning time taken by *ILUTH* and *ILUK*, and hence the overall solution time, to be dramatically large.

We should point out that the ILU0 preconditioner led to better overall solution time than all the other preconditioners in 16 test cases (out of 27 with which we experimented). ILUTH (10^{-3}) was the best preconditioner in 8 cases whereas each of ILUTH (10^{-2}) and ILUK (10) was the best in only one case. The problem with ILUK is the large time overhead to form the preconditioner. The test cases in which ILUTH (10^{-3}) led to an overall solution time less than ILU0 are those in which the test matrices are of medium order (around 20,000), have narrow bandwidth, and are either relatively more ill-conditioned than the generator matrix coming out of the seven problems (such as medium, hard, and ncd_alt2) or very sparse (such as 2D in which the average number of nonzero elements per row is roughly 4).

The leaky matrix is the most ill-conditioned case in our test suite. In the ncd test partitioning with $\gamma=10^{-9}$, the matrix was partitioned to 193 diagonal blocks; the largest block was of order 8,057 and there were 192 blocks of very small sizes. Choosing $\gamma=10^{-1}$ led to a partitioning of 7,386 diagonal blocks; the largest block was of order 507 and the rest of the blocks had very small sizes. As a consequence of these two unbalanced partitionings, block SOR and IAD could not benefit from the divide-and-conquer nature of block algorithms. Hence, the time taken for solving the diagonal blocks was biased towards solving the largest block in both partitionings. Going back to aggregation in IAD, these two unbalanced partitionings made it a detrimental step rather than an accelerator for convergence. This may be the reason behind the poor performance of IAD with these two partitionings in contrast to the performance of block SOR with the same partitionings (see Table A.27). equal and other provided more balanced partitioning patterns in terms of block sizes. As a result, they gave smaller solution times than ncd test partitionings in both

block methods. Besides, the aggregation step caused IAD to outperform block SOR with equal and other partitionings. It is worth pointing out that IAD with the ncd test $\gamma = 10^{-1}$ partitioning did not converge in 1,000 iterations but upon termination the true residual and the relative backward error were both less than 10^{-10} . The alternative stopping criterion used in block iterative methods seems to be more suitable for the convergence test, however it does not solve all problems. Point SOR was not as efficient as block methods in this severely ill-conditioned problem. All incomplete LU factorizations, and hence all preconditioned Krylov subspace methods failed due to extremely small pivot elements (less than machine precision).

4.1 The Effect of Ill-Conditioning

In this section, we investigate the convergence behavior of point SOR, Krylov subspace, and block iterative methods on artificially more ill-conditioned problems. As it is mentioned in Chapter 3, three problems are selected for this purpose. The medium and hard test matrices are two more ill-conditioned versions of easy. Similarly, ncd_alt1, ncd_alt2, mutex_alt1, and mutex_alt2 are more ill-conditioned versions of ncd and mutex test matrices, respectively.

Comparing the results of easy, medium, and hard, we see that Krylov subspace methods performed worse as the matrix becomes more ill-conditioned (see Tables A.1, A.4 and A.5). The same behavior is observed for point SOR and block methods. When we go from easy to medium and from medium to hard, whenever the method converged the number of iterations for convergence almost always increased. Also it is interesting to notice that IAD failed due to a reducible coupling matrix in easy for all partitionings. The different block structure for ncd test coupled with different nonzero values of easy seems to be the cause. However, IAD converged for medium with all but one of the partitionings and especially equal and other with which it converged in a very short time. hard with ncd test $\gamma = 10^{-4}$, $\gamma = 10^{-3}$ and $\gamma = 10^{-2}$ did not converge possibly because point SOR did not converge either for the original matrix (i.e., hard).

From the pushout threshold example, it looks like ill-conditioning the problem affects the performance of the Krylov subspace methods, and point and block SOR adversely. Nevertheless, a close investigation of the results of ncd, ncd_alt1, and ncd_alt2 shows that this is not always the case (see Tables A.9, A.11 and A.15). Projection methods performed better for ncd_alt1 than for ncd in all but two of the converging cases. In addition to that, BCG, QMR 2, and QMR 3 with ILUK (10) converged for ncd_alt1 whereas none of them had converged for the ncd case. Block SOR with ncd test $\gamma = 10^{-4}$ partitioning converged in 27.2 seconds for ncd whereas it only needed 4.5 seconds to converge with ncd_alt1. Similarly, IAD converged in 21.0 seconds for ncd but only 5.1 seconds were required for convergence with ncd_alt1. Using the other partitioning, block SOR and IAD also performed better with ncd_alt1 than with ncd. On the other hand, Krylov subspace methods showed very poor performance when applied to ncd_alt2 (which is more ill-conditioned than ncd_alt1) in that only three converging cases are recorded. The only improvement we can see in block iterative methods is with the equal partitioning. Block SOR and IAD took less time to converge with equal for ncd_alt2 than for ncd and ncd_alt1. Point SOR did not converge with any of the three matrices. It is worth emphasizing that none of the block methods converged for ncd_alt2 with ncd test $\gamma = 10^{-8}$ partitioning. This value partitions the matrix to 3 diagonal blocks of size 1, 275, 1, 326 and 20, 825. This unbalanced partitioning and solving the largest block iteratively with tolerance of 10^{-3} are most likely to be the reasons behind the poor performance of block SOR and IAD for this test matrix.

For the mutex_alt1 test matrix all Krylov subspace methods performed at least as good as they did for the mutex matrix (see Tables A.23 and A.24). In addition, we should point out the considerable improvement in solution time of QMR 1 with ILUTH (10⁻²) and QMR 3 with ILU0 and ILUTH (10⁻²) for mutex_alt1, as they had not converged for mutex. Interestingly, in mutex_alt1 and mutex_alt2 the preconditioners formed by ILUTH using threshold values 10⁻² and 10⁻³ were exactly the same and that is why we report the results of only one threshold for these two matrices. The results of Krylov subspace methods when applied to mutex_alt2 are slightly less competitive than those for mutex_alt1 though they performed better in few cases (see Tables A.24 and

A.26). It is quite interesting to see BCG with ILU0 and ILUK (10) and QMR 3 with ILU0 converged for $mutex_alt2$ when they did not converge for mutex and $mutex_alt1$. Furthermore, for the mutex problem, point SOR, block SOR, and IAD took less time to converge as the matrix became more ill-conditioned.

For the six artificially more ill-conditioned test cases, we observe different convergence behavior for different types of solvers. In some cases, more ill-conditioning helps a given solver to converge faster. Hence, more ill-conditioning does not always imply worse performance. However, in general we cannot predict how the performance of a method changes with the degree of ill-conditioning.

4.2 The Effect of Reordering

In this section we study the effect of reordering the Markov chain state space on the convergence behavior of the solvers of interest.

In some problems, we observed that permuting the coefficient matrix to a wider band form causes Krylov subspace solvers to perform worse. This behavior is clear in the easy (Tables A.1, A.2 and A.3), 2D (Tables A.6, A.7 and A.8), and mutex_alt1 (Tables A.24 and A.25) test matrices though permuting mutex_alt1 caused BCG, QMR 2, and QMR 3 to fail in some cases. Although easy_qm4 and easy_qm3 are reordered versions of the same matrix easy and IAD fails with all the partitionings in the original ordering, it is very interesting to see that the $\gamma = 10^{-4}$ ordering with equal and other partitionings gave converging IAD iterations. Theoretically, for ncd test partitionings, the smaller the degree of coupling of the coefficient (or stochastic) matrix is, the fewer iterations IAD requires to converge. Nevertheless, this was not the case for IAD in $2D_{-qm}$ test matrix with ncd test $\gamma = 10^{-3}$ partitioning since it took more iterations to converge than with ncd test $\gamma = 10^{-2}$ partitioning. The reason behind this is that IAD with ncd test $\gamma = 10^{-3}$ partitioning solved all diagonal blocks iteratively. We recall that a relatively large tolerance (i.e., 10^{-3}) was used for solving diagonal blocks iteratively.

85

For other matrices such as ncd (Tables A.9 and A.10), telecom (Tables A.18, A.19 and A.20), and quatm (Tables A.21 and A.22), permuting the matrix to a wider band form caused Krylov subspace methods to perform better in terms of the number of iterations taken to converge. However, increasing the bandwidth of a matrix generally increased the preconditioning time dramatically and hence led to a longer overall solution time despite possible decrease in the number of iterations. For ncd_alt1 and ncd_alt2 we could not see a clear difference in the behavior of projection methods as they performed better in some cases and worse in others (see Tables A.11-A.17). Point SOR required smaller solution time when permuted versions of *qnatm* and *mutex_alt1* were used, however the solution time increased when easy and 2D were permuted. For all other permuted matrices point SOR did not converge. It is quite interesting to see that permuting a matrix did not cause any nonconverging point SOR to converge. Furthermore, we observed that equal and other partitionings on the permuted coefficient matrix gave smaller solution times than with the original (nonpermuted) coefficient matrix in many test cases for both block iterative methods. See, for instance, block SOR with equal in Table A.7 and IAD with other in Table A.10.

Chapter 5

Conclusion and Future Work

In this thesis, we compare and contrast the competitivity of projection methods, block iterative methods, and point SOR in computing the stationary probability vector of finite nearly completely decomposable (NCD) Markov chains. The methods are tested on 27 test cases arising from 7 real life problems. Among these there is a severely ill-conditioned matrix (i.e., NCD up to machine precision).

The numerical experiments show that block iterative methods are in general superior to Krylov subspace methods and point SOR for the test cases used. It is noticed that the more balanced, in terms of block sizes, the partitioning is, the more these methods take advantage of their divide-and-conquer nature, and hence the shorter time they need to converge. The iterative aggregation-disaggregation (IAD) algorithm proves to be very competitive with block SOR. In case the coupling matrix is of reasonable size, IAD usually gives satisfactory performance. However, the drawback of IAD is that it may fail or require an unreasonably long time to converge if the coupling matrix is reducible or of very large size. In addition, it is shown that straightforward partitionings are very competitive with those of ncd test. Out of 27 test cases, equal and other partitionings each outperformed ncd test partitionings in 8 cases.

Among the projection methods of interest, it is clear that BCGStab performs the best. It converged for all the test matrices with at least one preconditioner. Its convergence time is always the shortest or very close to that of an outperforming projection method. GMRES and CGS come second with the former being more costly in terms of memory requirements and number of flops per iteration. BCG and QMR perform rather poorly as they converged only for very few test cases. Point SOR did not give satisfactory results either; it converged in only 12 cases.

When the coefficient (or stochastic) matrix is extremely ill-conditioned (such as leaky), incomplete LU factorization may fail causing preconditioned Krylov subspace methods to fail too. Moreover, it is shown that ILU0 may be very efficient as a preconditioner if the matrix is quite large, not very narrow banded, or not extremely sparse as 2D.

Ill-conditioning a given problem does not always imply worse performance. It is shown that in some cases ill-conditioning the problem helps the solver to converge faster. Permuting the coefficient matrix to a wider banded form usually affects the performance of Krylov subspace methods adversely in terms of overall computation time, though the method may converge in less iterations. This is due to the longer preconditioning time required for a wider banded matrix when ILUTH and ILUK are used. In some cases, equal and other partitionings benefit from reordering the state space and improve the solution time significantly.

As for further research directions, it is quite important to test other preconditioners with Krylov subspace methods and study how the behavior of these methods are affected. For block iterative methods, other straightforward partitionings may be worth investigating. Since the coupling matrix in IAD is a reduced order stochastic matrix, it would be interesting to study the effect of solving the coupling matrix using the IAD method itself, especially for large NCD systems.

Appendix A

Tables of Results

easy n = 20,301 nz = 140,504

Preconditioner	nzlu	Time	MFlops
ILUO	140,504	0.5	0.2
$ILUTH (10^{-2})$	60,097	5.9	0.3
$ILUTH (10^{-3})$	110,010	6.1	0.5
ILUK (10)	201, 187	18.5	9.8

Method	Preconditioner	Time	# it	r	Ax	Bk. Err.
	ILUO	2.6	7	0.65e - 12	0.23e - 15	0.69e - 16
GMRES	$ILUTH (10^{-2})$	4.7	14	0.60e - 12	0.50e - 12	0.15e - 12
(m = 20)	$ILUTH (10^{-3})$	1.8	5	0.64e - 13	0.40e - 13	0.12e - 13
	ILUK (10)	1.0	2	0.60e - 12	0.26e - 13	0.80e - 14
	ILU0	297.9	500*	0.12e - 06	0.40e - 09	0.12e - 09
BCG	$ILUTH (10^{-2})$	225.7	500*	0.57e + 00	0.54e - 02	0.19e - 01
	$ILUTH (10^{-3})$	270.6	500*	0.46e - 03	0.51e - 04	0.16e - 04
	ILUK (10)	348.0	500*	0.13e - 01	0.19e - 02	0.85e - 03
	ILUO	2.4	4	0.62e - 10	0.37e - 13	0.11e - 13
CGS	ILUTH (10^{-2})	3.6	8	0.20e - 10	0.17e - 10	0.51e - 11
	ILUTH (10^{-3})	1.7	3	0.45e - 13	0.26e - 13	0.79e - 14
	ILUK (10)	0.8	1	0.13e - 10	0.31e - 12	0.94e - 13
	ILUO	2.6	4	0.47e - 12	0.96e - 15	0.29e - 15
BCGStab	ILUTH (10^{-2})	6.8	15	0.69e - 10	0.57e - 10	0.17e - 10
	$[LUTH (10^{-3})]$	1.5	3	$0.11e - 10^{s}$	0.64e - 11	0.20e - 11
	ILUK (10)	0.8	1	0.11e - 12	0.58e - 14	0.18e - 14
	ILU0	359.0	500*	$0.30\epsilon - 08$	0.51e - 11	0.15e - 11
QMR 2	$[LUTH (10^{-2})]$	286.3	500*	0.31e - 09	0.28e - 09	0.86e - 10
	ILUTH (10^{-3})	331.1	500*	0.38e - 08	0.24e - 08	0.74e - 09
	ILUK (10)	4.5	5	0.46e - 10	0.18e - 10	0.55e - 11
	ILUO	367.4	500	0.38e - 06	0.12e - 09	0.35e - 10
QMR 3	ILUTH (10^{-2})	286.3	500*	0.53e - 03	0.51e - 03	0.24e - 03
	$1LUTH (10^{-3})$	38.3	42	0.80e - 10	0.59e - 10	0.18e - 10
	ILUK (10)	20.1	24	0.32e - 10	0.25e - 11	0.75e - 12

<u>SOR</u>

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.0	0.64e - 11	4.8	31	0.69e - 12	0.21e - 12

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-4}$	1.0	0.61e - 11	6.1	7	0.60e - 15	0.18e - 15	206
$\gamma = 10^{-3}$	1.0	0.28e - 10	2.1	7	0.15e - 14	0.47e - 15	3,861
$\gamma = 10^{-2}$	1.0	0.36e - 10	8.0	24	0.34e - 12	0.10e - 12	20,300
equal	1.0	0.11e - 10	3.9	7	0.10e - 14	[0.31e - 15]	0
other	1.0	0.84e - 11	1.9	7	0.81e - 15	0.25e - 15	2

Partition.	$\omega \mid \Delta x $ Time # it Ax Bk. Err. # Bl.
$\gamma = 10^{-4}$	failed (coupling matrix reducible)
$\gamma = 10^{-3}$	failed (coupling matrix reducible)
$\gamma = 10^{-2}$	failed (coupling matrix reducible)
equal	failed (coupling matrix reducible)
other	failed (coupling matrix reducible)

Table A.1: Numerical Results for easy.

asy_gm4	n = 20,301	nz = 140,504

Preconditioner	nzlu	Time	MFlops
ILU0	140,504	0.5	0.2
$ILUTH (10^{-2})$	62,678	13.4	0.4
ILUTH (10^{-3})	112, 427	13.9	0.8
ILUK (10)	202,541	35.3	14.8

Method	Preconditioner	Time	# it		Ax	Bk. Err.
	ILU0	3.1	8	0.21e - 12	0.11e - 15	0.33e - 16
GMRES	ILUTH (10^{-2})	4.9	14	0.25e - 11	0.16e - 11	0.50e - 12
(m = 20)	$ILUTH (10^{-3})$	2.2	6	0.24e - 13	0.14e - 14	0.43e - 15
	ILUK (10)	4.0	9	0.22e - 10	0.18e - 15	0.56e - 16
	ILU0	300.5	500*	0.37e + 00	0.53e - 04	0.17e - 04
BCG	$ILUTH (10^{-2})$	226.3	500*	0.40e + 01	0.40e - 02	0.26e - 01
	$1LUTH (10^{-3})$	273.9	500*	0.56e - 02	0.58e - 03	0.19e - 03
	ILUK (10)	353.0	500*	0.92e - 03	0.81e - 08	0.25e - 08
	ILU0	3.1	5	0.22e - 12	0.45e - 16	0.14e - 16
CGS	$ILUTH (10^{-2})$	3.7	8	0.59e - 10	0.39e - 10	0.12e - 10
	$ILUTH (10^{-3})$	1.7	3	0.35e - 11	0.63e - 12	0.19e - 12
	ILUK (10)	1.5	2	0.28e - 10	0.49e - 16	0.15e - 16
	1LU0	2.8	5	$0.91e - 11^{s}$	0.95e - 15	0.29e - 15
BCGStab	$[ILUTH (10^{-2})]$	11.1	24	0.49e - 10	0.81e - 10	0.25e - 10
ļ	ILUTH (10^{-3})	1.8	3	0.12e - 11	0.72e - 12	0.22e - 12
	ILUK (10)	1.5	2	0.25e - 10	0.48e - 16	0.15e - 16
	ILU0	360.1	500*	0.14e - 07	0.16e - 10	0.48e - 10
QMR 2	$ \text{ILUTH} (10^{-2}) $	288.0	500*	0.18e - 08	0.20e - 08	0.62e - 09
	ILUTH (10^{-3})	333.9	500*	0.58e - 07	0.61e - 09	0.19e - 09
	ILUK (10)	415.1	500*	0.63e - 09	0.15e - 13	0.45e - 14
	ILUO	366.6	500*	0.29e - 03	0.39e - 06	0.12e - 06
QMR 3	ILUTH (10^{-2})	293.5	500*	0.32e - 08	0.21e - 08	0.65e - 09
	ILUTH (10^{-3})	342.2	500*	0.26e - 03	0.79e - 04	0.38e - 04
	ILUK (10)	421.2	500*	0.17e - 02	0.38e - 08	0.11e - 08

<u>SOR</u>

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
$\overline{\Box}$	10.97e - 07	1 29.2	207	0.55e - 11	0.18e - 11

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-4}$	1.0	0.61e - 11	5.8	7	0.59e - 15	0.18e - 15	206
$\gamma = 10^{-3}$	1.0	0.28e - 10	1.9	7	$0.15\epsilon - 14$	0.46e - 15	3,861
$\gamma = 10^{-2}$	1.0	0.64e - 10	7.5	24	$0.61\epsilon - 12$	0.19e - 12	[20, 300]
equal	1.0	0.95e - 11	12.6	42		0.50e - 15	0
other	1.0	0.23e - 10	14.1	62	0.21e - 14	0.65e - 15	2

Partition.	$ \omega $ $ \Delta x $ Time $\#$ it $ Ax $ Bk. Err. $\#$ Bl.
$\gamma = 10^{-4}$	failed (coupling matrix reducible)
$\gamma = 10^{-3}$	failed (coupling matrix reducible)
$\gamma = 10^{-2}$	failed (coupling matrix reducible)
equal	$1.0 \mid 0.12e - 10 \mid 8.9 \mid 9 \mid 0.21e - 14 \mid 0.63e - 15 \mid 0$
other	1.0 0.76e - 11 6.9 7 0.74e - 15 0.22e - 15 2

Table A.2: Numerical Results for $easy_gm4$.

 $easy_gm3$

n = 20,301

	-		\sim	_	$\overline{}$	
r) ~	 - 1	-11		'n	11	17
nz	 	+1	٠.	.,	u	-

Preconditioner	nzlu	Time	MFlops
ILU0	140,504	0.5	0.2
$ILUTH (10^{-2})$	60,097	6.0	0.3
$ILUTH (10^{-3})$	108, 100	6.1	0.4
ILUK (10)	200,614	18.4	8.6

Method	Preconditioner	Time	# it	r	Ax	Bk. Err.
	ILUO	2.7	7	0.11e - 12	0.14e - 15	0.42e - 16
GMRES	$ILUTH (10^{-2})$	4.7	14	0.60e - 12	0.50e - 12	0.15e - 12
(m = 20)	$ILUTH (10^{-3})$	1.8	5	0.75e - 13	0.45e - 13	0.14e - 13
	ILUK (10)	1.1	2	0.83e - 12	0.28e - 13	0.85e - 14
	ILU0	36.7	61	0.13e - 11	0.74e - 14	0.23e - 14
BCG	$ILUTH (10^{-2})$	226.6	500*	0.99e - 04	0.82e - 04	0.25e - 04
	$ILUTH (10^{-3})$	271.3	500*	0.17e - 06	0.57e - 04	0.18e - 06
	ILUK (10)	21.2	30	0.92e - 10	0.11e - 10	0.33e - 11
	ILUO	2.5	4	0.26e - 11	0.91e - 15	0.28e - 15
CGS	$ILUTH (10^{-2})$	3.7	8	0.20e - 10	0.17e - 10	0.51e - 11
	$ILUTH (10^{-3})$	1.7	3	0.32e - 13	0.19e - 13	0.57e - 14
	ILUK (10)	0.8	1	0.68e - 11	0.16e - 12	0.49e - 13
	ILUO	2.5	4	0.93e - 13	0.24e - 14	0.73e - 15
BCGStab	$[ILUTH (10^{-2})]$	6.7	15	$0.69e - 10^{s}$	0.15e - 09	0.47e - 10
ļ	$[ILUTH (10^{-3})]$	1.5	3	$0.94e - 11^{s}$	0.55e - 11	0.17e - 11
	ILUK (10)	0.8	1	0.32e - 13	0.39e - 14	0.12e - 14
	ILU0	358.9	500*	0.70e - 09	0.20e - 11	0.60e - 12
QMR 2	$ ILUTH (10^{-2}) $	287.8	500*	0.77e - 09	0.10e - 08	0.32e - 09
	$ILUTH (10^{-3})$	329.6	500*	0.10e - 07	0.17e - 06	0.52e - 07
	ILUK (10)	12.7	15	0.99e - 10	0.25e - 10	0.78e - 11
	ILU0	367.2	500*	0.37e - 03	0.53e - 04	0.17e - 04
QMR 3	ILUTH (10^{-2})	292.6	500*	0.27e - 08	0.22e - 08	0.67e - 09
	$ILUTH (10^{-3})$	337.2	500*	0.20e - 03	0.77e - 04	0.52e - 04
	ILUK (10)	419.3	500*	0.62e - 09	0.39e - 10	0.12e - 10

$\underline{\mathsf{SOR}}$

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.0	0.44e - 10	25.6	180	0.61e - 11	0.14e - 11

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-4}$	1.0	0.61e - 11	5.8	7	0.60e - 15	0.18e - 15	206
$\gamma = 10^{-3}$	1.0	0.28e - 10	1.9	7	0.15e - 14	0.46e - 15	3,861
$\gamma = 10^{-2}$	1.0	0.55e - 10	7.5	24		0.16e - 12	20,300
$\epsilon qual$	1.0	0.60e - 11	4.4	10	0.20e - 14	0.60e - 15	0
other	1.0	0.84e - 11	1.8	7	0.81e - 15	0.25e - 15	2

Partition.	$\omega \mid \Delta x $ Time $\#$ it $ Ax $ Bk . Err. $\#$ Bl .
$\gamma = 10^{-4}$	failed (coupling matrix reducible)
$\gamma = 10^{-3}$	failed (coupling matrix reducible)
$\gamma = 10^{-2}$	failed (coupling matrix reducible)
equal	failed (coupling matrix reducible)
other	failed (coupling matrix reducible)

Table A.3: Numerical Results for ϵasy_gm3 .

medium	n = 20,301	nz = 140.50
meaium	n = 20.301	nz = 140.00

Preconditioner	nzlu	Time	MFlops
ILUO	140,504	0.5	0.2
$ILUTH (10^{-2})$	155,313	5.8	0.7
$ILUTH (10^{-3})$	275, 253	6.4	1.5
ILUK (10)	201,189	19.8	10.8

Method	Preconditioner	Time	# it		Ax	Bk. Err.
	ILUO	35.0	75	0.99e - 11	0.26e - 11	0.30e - 11
GMRES	$ILUTH (10^{-2})$	6.7	15	0.32e - 11	0.48e - 15	0.53e - 15
(m = 20)	$ILUTH (10^{-3})$	10.4	19	0.48e - 10	0.50e - 14	0.55e - 14
	ILUK (10)	5.4	12	0.73e - 11	0.12e - 13	0.13e - 13
	ILU0	298.7	500*	0.17e + 03	0.15e - 02	0.12e + 00
BCG	$1LUTH (10^{-2})$	309.8	500*	0.15e - 03	0.29e - 08	0.32e - 08
	$ILUTH (10^{-3})$	396.7	500*	0.39e - 02	0.26e - 08	0.28e - 08
	ILUK (10)	343.4	500*	0.15e + 00	0.10e - 03	0.12e - 03
	ILUO	291.6	500*	0.16e + 15	0.23e - 02	0.19e + 00
CGS	$ILUTH (10^{-2})$	6.8	11	0.11e - 11	0.33e - 15	0.37e - 15
	$ILUTH (10^{-3})$	4.0	5	0.17e - 10	0.35e - 16	0.38e - 16
	ILUK (10)	5.5	8	0.11e - 11	0.19e - 14	0.20e - 14
	ILUO	17.6	30	$0.35e - 10^{s}$	0.92e - 11	0.10e - 10
BCGStab	ILUTH (10^{-2})	6.6	11	$0.50\epsilon - 10^s$	0.10e - 13	0.11e - 13
	$1LUTH (10^{-3})$	3.2	4	0.14e - 10	0.73e - 16	0.80e - 16
Ĺ	ILUK (10)	4.5	7	$0.34e - 10^{s}$	0.57e - 13	0.63e - 13
	ILU0	366.3	500*	0.25e - 05	0.35e - 06	0.39e - 06
QMR 2	$ILUTH (10^{-2})$	376.8	500*	0.18e - 07	0.28e - 11	0.30e - 11
]	$1LUTH (10^{-3})$	463.4	500*	0.76e - 06	0.30e - 12	0.33e - 12
	ILUK (10)	410.2	500*	0.13e - 07	0.21e - 10	0.23e - 10
	ILUO	368.2	500*	0.90e - 04	$0.62\epsilon - 04$	0.17e - 03
QMR 3	ILUTH (10^{-2})	378.7	500*	0.45e - 04	$0.51\epsilon-07$	0.56e - 07
	ILUTH (10^{-3})	465.9	500*	$0.99\epsilon-07$	0.39e - 13	0.43e - 13
	ILUK (10)	412.4	500*	0.91e - 07	0.15e - 09	0.17e - 09

<u>SOR</u>

$ \omega \Delta x $	Time	# it	Ax	Bk. Err.
$1.1 \mid 0.16e - 09$	51.4	352	0.40e - 10	$0.44\epsilon - 10$

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-3}$	1.0	0.85e - 10	219.5	13	0.14e - 10	$0.15\epsilon-10$	3
$\gamma = 10^{-2}$	1.0	0.93e - 10	343.0	24	0.21e - 10	$0.23\epsilon - 10$	707
$\gamma = 10^{-1}$	1.1	0.97e - 10	19.6	57	0.34e - 11	0.37e - 11	20,300
egual	1.0	0.18e - 11	4.5	2	0.28e - 15	0.31e - 15	0
other	1.2	0.38e - 10	43.5	218	0.17e - 10	$0.18\epsilon - 10$	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-3}$	1.0	0.82e - 10	220.0	13	0.14e - 10	0.15e - 10	3
$\gamma = 10^{-2}$	1.1	0.61e - 10	320.0	10	0.13e - 11	0.14e - 11	707
$\gamma = 10^{-1}$	1.0	requires unreasonably long time					
equal	1.0	0.13e - 14	5.7	2	0.59e - 16	0.65e - 16	0
other	1.1	0.85e - 10	-4.7	10	0.55e - 11	0.60e - 11	2

Table A.4: Numerical Results for medium.

hard	n = 20,301	nz = 140,504
16414	16 - 20.00x	162 - 170,00T

Preconditioner	nzlu	Time	MFlops
TLU0	140,504	0.5	0.2
$ILUTH (10^{-2})$	237,472	6.5	1.1
$ILUTH (10^{-3})$	860,386	12.4	10.5
ILUK (10)	201, 187	17.7	8.4

Method	Preconditioner	Time	# it		Ax	Bk. Err.
	ILU0	207.1	480	0.96e - 10	0.45e - 10	0.52e - 08
GMRES	ILUTH (10 ⁻²)	184.1	360	0.41e - 10	0.21e - 10	0.32e - 08
(m=20)	$\frac{120 \text{ TH} (10^{-3})}{11 \text{ LUTH} (10^{-3})}$	35.2	40	0.13e - 11	0.38e - 12	0.43e - 10
("" 20)	ILUK (10)	163.2	340	0.86e - 10	0.34e - 10	0.38e - 08
	ILUO	297.1	500*	0.82e + 06	0.14e - 02	0.64e - 01
BCG	$ILUTH (10^{-2})$	374.2	500*	0.31e + 03	0.12e - 02	0.65e - 01
	$ILUTH (10^{-3})$	839.7	500*	0.47e + 00	0.67e - 03	0.55e - 01
	ILUK (10)	346.0	500*	0.74e + 03	0.77e - 03	0.57e - 01
	ILU0	291.2	500*	0.30e + 07	0.34e - 03	0.98e - 01
CGS	$ILUTH (10^{-2})$	364.0	500*	0.32e + 17	0.15e - 02	0.73e - 01
	$ILUTH (10^{-3})$	37.2	23	0.14e - 10	0.42e - 11	0.48e - 09
	ILUK (10)	337.8	500*	0.11e + 15	0.11e - 02	0.13e + 00
	ILU0	43.1	73	$0.31e - 10^{s}$	0.15e - 10	0.17e - 08
BCGStab	ILUTH (10^{-2})	40.5	55	$0.31e - 10^{s}$	0.16e - 10	0.18e - 08
	ILUTH (10^{-3})	22.7	14	0.98e - 10	0.29e - 10	0.33e - 08
	ILUK (10)	40.2	59	$0.55e - 10^{s}$	0.26e - 10	0.30e - 08
	ILU0	358.6	500*	0.27e - 04	0.25e - 04	0.30e - 01
QMR 2	$[LUTH (10^{-2})]$	436.8	500*	0.27e - 04	0.23e - 04	0.28e - 01
	ILUTH (10^{-3})	900.1	500*	0.78e - 08	0.23e - 08	0.27e - 06
	ILUK (10)	410.6	500*	0.26e - 04	0.21e - 04	0.44e - 01
	ILUO	699.2	500*	0.45e - 04	0.32e - 04	0.21e - 01
QMR 3	ILUTH (10^{-2})	773.0	500*	0.26e - 07	0.14e - 07	0.15e - 05
]	ILUTH (10^{-3})	2010.0	500*	0.15e - 08	0.46e - 09	0.53e - 07
	ILUK (10)	733.7	500*	0.59e - 07	0.24e - 07	0.24e - 05

<u>SOR</u>

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.0	0.57e - 06	147.0	1,000*	0.97e - 07	0.42e - 04

$\underline{Block\ SOR}$

Partition.	ω	$ \Delta x $ Time # it $ Ax $	Bk. Err. # Bl.	
$\gamma = 10^{-4}$	1.0	requires unreasonably lon	g time	
$\gamma = 10^{-3}$	1.0	requires unreasonably long time		
$\gamma = 10^{-2}$	1.0	requires unreasonably long time		
$\epsilon qual$	$\top 1.0$	$0.77e - 06 \mid 338.7 \mid 1,000^* \mid 0.33e - 07$		
other	1.0	$0.78e - 06$ 185.1 1.000° $0.72e - 07$	0.23e - 04 2	

Partition.	ω	$ \Delta x $ Time # it $ Ax $ Bk. Err. # Bl.		
$\gamma = 10^{-4}$	1.0	requires unreasonably long time		
$\gamma = 10^{-3}$	1.0	requires unreasonably long time		
$\gamma = 10^{-2}$	1.0	requires unreasonably long time		
equal	1.0	failed (coupling matrix reducible)		
other	1.4	0.93e - 10 31.6 112 $0.14e - 10$ $0.15e - 08$ 2		

Table A.5: Numerical Results for hard.

2D	n = 16,641	nz = 66,049
~	10 - 101011	- OO. OIO

Preconditioner	nzlu	Time	MFlops
TLU0	66,049	0.2	0.05
$ILUTH (10^{-2})$	99,997	2.6	0.40
$ILUTH (10^{-3})$	138,392	2.7	0.60
ILUK (10)	165,819	9.0	4.80

Method	Preconditioner	Time	# it		Ax	Bk. Err.
	TILUO	67.4	240	0.63e - 10	0.26e - 09	0.20e - 08
GMRES	$ILUTH (10^{-2})$	6.2	20	0.32e - 12	0.19e - 12	0.15e - 11
(m = 20)	$ILUTH (10^{-3})$	2.9	10	0.54e - 13	0.79e - 14	0.63e - 13
	ILUK (10)	4.2	13	0.17e - 12	0.47e - 12	0.37e - 11
	ILU0	166.6	500*	0.77e + 04	0.70e - 02	0.99e - 01
BCG	$1LUTH (10^{-2})$	199.0	500*	$0.73\epsilon + 00$	0.44e - 03	0.56e - 01
	$ILUTH (10^{-3})$	230.5	500*	$0.36\epsilon-03$	0.98e - 04	0.10e - 02
	ILUK (10)	252.1	500*	$0.18\epsilon + 02$	0.11e - 02	0.15e - 01
	ILU0	164.4	500*	$0.25\epsilon + 14$	0.11e - 01	0.11e + 00
CGS	$ILUTH (10^{-2})$	4.8	12	0.11e - 10	0.50e - 11	0.40e - 10
	$ILUTH (10^{-3})$	2.4	5	0.42e - 11	0.52e - 12	0.41e - 11
	ILUK (10)	4.1	8	0.19e - 10	0.32e - 10	0.26e - 09
	ILUO	12.7	38	$0.66e - 10^{s}$	0.70e - 10	0.55e - 09
BCGStab	ILUTH (10^{-2})	4.6	12	$0.19e - 10^{s}$	0.89e - 11	0.70e - 10
	ILUTH (10^{-3})	2.2	5	$0.36\epsilon - 10^s$	0.44e - 11	0.35e - 10
	ILUK (10)	3.8	8	$0.65e - 11^s$	0.11e - 10	0.90e - 10
	ILUO	217.3	500*	0.30e - 04	0.26e - 04	0.12e - 02
QMR 2	$ILUTH (10^{-2})$	248.1	500*	0.55e - 09	0.51e - 09	0.40e - 08
	$ILUTH (10^{-3})$	281.0	500*	0.11e - 09	0.26e - 10	0.20e - 09
	ILUK (10)	304.7	500*	0.14e - 09	0.24e - 09	0.19e - 08
	ILUO	224.0	500*	0.34e - 04	0.30e - 04	0.20e - 02
QMR 3	ILUTH (10^{-2})	252.9	500*	0.87e - 08	0.41e - 08	0.32e - 07
	ILUTH (10^{-3})	286.1		0.15e - 07	0.18e - 08	0.14e - 07
	ILUK (10)	308.5	500*	0.31e - 09	0.54e - 09	0.43e - 08

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.4	0.64e - 09	29.6	314	0.71e - 11	0.57e - 10

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-3}$	1.0	0.26e - 15	62.3	2	0.22e - 17	0.17e - 16	512
$\gamma = 10^{-2}$	1.0	0.60e - 15	35.1	2	0.30e - 17	0.24e - 16	5,192
$\epsilon qual$	1.4	0.91e - 10	33.5	199	0.60e - 11	0.48e - 10	0
other	1.2	0.98e - 10	35.1	205	0.79e - 11	0.63e - 10	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-3}$	1.2	0.11e - 13	62.5	2	0.16e - 15	0.12e - 14	512
$\gamma = 10^{-2}$	1.1	0.79e - 15	121.4	2	0.72e - 17	0.57e - 16	5,192
$\epsilon qual$	1.3	0.65e - 10	9.5	39	0.22e - 11	0.17e - 10	0
other	1.3	0.80e - 10	10.9	39.	0.26e - 11	0.21e - 10	2

Table A.6: Numerical Results for 2D.

$2D$ _ $gm3$	n
-3	

n = 16,641 n:	z = 6	56,0	04
---------------	-------	------	----

Preconditioner	nzlu	Time	MFlops	
ILU0	66,049	0.2	0.05	
$ILUTH (10^{-2})$	202,660	13.1	0.90	
$ILUTH (10^{-3})$	509,417	15.0	3.40	
ILUK (10)	161, 144	29.2	8.40	

Method	Preconditioner	Time	# it		Ax	Bk. Err.
	ILU0	145.6	500*	0.12e - 08	0.14e - 08	0.11e - 07
GMRES	$ILUTH (10^{-2})$	100.1	260	0.34e - 10	0.37e - 10	0.29e - 09
(m = 20)	ILUTH (10^{-3})	103.3	180	0.18e - 10	0.35e - 10	0.28e - 09
	ILUK (10)	85.5	240	0.12e - 10	0.14e - 10	0.11e - 09
	ILU0	168.5	500*	0.26e + 04	0.53e - 02	0.28e - 01
BCG	$ ILUTH (10^{-2}) $	277.1	500*	0.13e + 01	$0.47\hat{e} - 02$	0.37e - 01
	$ILUTH (10^{-3})$	517.0	500*	0.76e - 05	0.14e - 04	0.11e - 03
	ILUK (10)	246.2	500*	0.50e + 01	0.45e - 02	0.33e - 01
	ILUO	167.6	500*	0.89e + 15	0.49e - 02	0.27e - 01
CGS	ILUTH (10^{-2})	15.8	29	0.67e - 10	0.72e - 10	0.58e - 09
	$1LUTH (10^{-3})$	27.6	28	0.30e - 11	0.57e - 11	0.45e - 10
	ILUK (10)	20.2	41	0.63e - 10	0.73e - 10	0.58e - 09
	ILU0	30.0	88	$0.44e - 10^{s}$	0.51e - 10	0.40e - 09
BCGStab	ILUTH (10^{-2})	14.6	27	$0.27e - 10^{s}$	0.29e - 10	0.23e - 10
	ILUTH (10^{-3})	28.3	29	$0.27e - 12^s$	0.50e - 12	0.40e - 11
	ILUK (10)	21.3	43	0.90e - 10	0.10e - 09	0.83e - 09
	ILU0	249.8	500*	0.12e - 03	0.11e - 03	0.86e - 02
QMR 2	$[LUTH (10^{-2})]$	324.0	500*	0.30e - 08	0.32e - 08	0.25e - 07
	ILUTH (10^{-3})	552.5	500*	0.32e - 07	0.59e - 07	0.47e - 06
	ILUK (10)	293.0	500*	0.17e - 03	0.20e - 03	0.18e - 02
	ILU0	221.5	500*	0.16e - 03	0.15e - 03	0.84e - 02
QMR 3	ILUTH (10^{-2})	330.1	500*	0.44e - 07	0.47e - 07	0.38e - 06
	$ILUTH (10^{-3})$	559.6	500*	0.12e - 06	0.22e - 06	0.17e - 05
	ILUK (10)	300.3	500*	0.12e - 03	0.13e - 03	0.13e - 02

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.0	0.13e - 06	86.5	1,000*	0.82e - 08	0.65e - 07

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-3}$	1.0	0.58e - 15	55.5	2	0.17e - 17	0.14e - 16	512
$\gamma = 10^{-2}$	1.0	0.72e - 15	31.9	2	0.13e - 17	0.10e - 16	5, 192
equal	1.6	0.88e - 10	23.0	122	0.28e - 11	0.23e - 10	0
other	1.2	0.99e - 10	54.7	297	0.45e - 11	0.35e - 10	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-3}$	1.0	0.58e - 15	55.0	2	0.24e - 17	0.19e - 16	512
$\gamma = 10^{-2}$	1.0	0.61e - 15	146.5	2	0.28e - 17	0.22e - 16	5,192
equal	1.2	0.77e - 10	10.7	30	0.12e - 11	0.93e - 11	0
other	1.3	0.89e - 10	11.6	27	0.95e - 12	0.75e - 11	2

Table A.7: Numerical Results for 2D-gm3.

$2D_{-}qm2$	n = 16,641	nz = 66,049
$z_{D_{-}qmz}$	n = 10,041	nz = 00,049

Preconditioner	nzlu	Time	MFlops
TLUO	66,049	0.2	0.05
$ILUTH (10^{-2})$	173,390	9.2	0.80
$ILUTH (10^{-3})$	492,850	12.0	2.80
ILUK (10)	162,834	51.1	6.50

Method	Preconditioner	Time	# it		Ax	Bk. Err.
	ILUO	115.4	400	0.27e - 10	0.40e - 10	0.29e - 09
GMRES	$1LUTH (10^{-2})$	12.7	36	0.41e - 12	0.36e - 12	0.29e - 11
(m = 20)	$ILUTH (10^{-3})$	11.4	20	0.16e - 10	0.40e - 10	0.32e - 09
	ILUK (10)	108.9	300	0.37e - 10	0.49e - 10	0.39e - 09
	ILU0	169.8	500*	0.79e + 01	0.48e - 02	0.43e - 01
BCG	$ILUTH (10^{-2})$	253.9	500*	0.95e - 03	0.11e - 02	0.56e - 02
	$ILUTH (10^{-3})$	490.8	500*	0.47e + 01	0.20e - 02	0.27e - 01
	ILUK (10)	263.2	500*	0.81e + 02	0.35e - 02	0.28e - 01
	ILU0	167.6	500*	0.18e + 08	0.45e - 02	0.29e - 01
CGS	ILUTH (10^{-2})	8.5	17	0.14e - 10	0.13e - 10	0.10e - 09
	$ILUTH (10^{-3})$	17.3	18	0.94e - 12	0.23e - 11	0.18e - 10
	ILUK (10)	245.6	500*	0.80e + 09	0.14e - 01	0.15e + 00
	ILU0	25.2	74	$0.73e - 10^{s}$	0.99e - 10	0.79e - 09
BCGStab	$ \text{ILUTH } (10^{-2}) $	8.4	17	$0.11e - 10^{s}$	0.94e - 11	0.74e - 10
	$ \text{ILUTH } (10^{-3}) $	15.5	16	0.20e - 10	0.48e - 10	0.38e - 09
	ILUK (10)	18.2	36	0.88e - 10	0.12e - 09	0.92e - 09
	ILU0	216.3	500*	0.48e - 04	0.64e - 04	0.55e - 03
QMR 2	ILUTH (10^{-2})	301.4	500*	0.62e - 08	0.55e - 08	0.44e - 07
	ILUTH (10^{-3})	545.3	500*	0.18e - 09	0.44e - 09	0.35e - 08
	ILUK (10)	296.0	500*	0.83e - 06	0.11e - 05	0.87e - 05
	ILUO	221.5	500*	0.60e - 05	0.10e - 04	0.81e - 04
QMR 3	ILUTH (10^{-2})	306.2	500*	0.38e - 08	0.34e - 08	0.27e - 07
-	ILUTH (10^{-3})	544.2	500*	0.11e - 06	0.27e - 06	0.21e - 05
	ILUK (10)	305.2	500*	0.80e - 06	0.97e - 06	0.77e - 05

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.0	0.72e - 07	86.1	1,000*	0.43e - 08	0.35e - 07

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-3}$	1.0	0.31e - 10	245.0	15	0.55e - 11	0.44e - 10	513
$\gamma = 10^{-2}$	1.0	0.10e - 14	31.3	2	0.35e - 17	0.28e - 16	5,192
$\epsilon qual$	1.6	0.96e - 10	35.7	171	0.37e - 11		0
other	1.4	0.73e - 09	46.7	234	0.41e - 10	0.33e - 09	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-3}$	1.1	0.91e - 10	232.5	13	0.50e - 11	0.40e - 10	513
$\gamma = 10^{-2}$	1.0	0.79e - 15	106.1	2	0.39e - 17	0.31e - 16	5,192
equal	1.4	0.92e - 10	10.3	29	0.12e - 11	0.96e - 11	0
other	1.3	0.65e - 10	11.0	31	0.92e - 12	0.73e - 11	2

Table A.8: Numerical Results for $2D_-gm2$.

ncd n = 23,426 nz = 156,026

Preconditioner	nzlu	Time	MFlops
ILUO	156,026	0.5	0.2
ILUTH (10^{-2})	45,523	19.0	0.3
ILUTH (10^{-3})	154,747	19.2	0.7
ILUK (10)	233.882	40.3	14.8

Mathad	Daggan dition on	Time	1 11 14	,		T 70.
Method	Preconditioner		# it	$\lfloor \underline{} \rfloor r \rfloor$	Ax	Bk. Err.
	ILUO	248.2	J 500*	0.45e - 05	0.14e - 05	0.29e - 05
GMRES	ILUTH (10^{-2})	211.9	500*	0.46e - 06	0.68e - 06	0.48e - 05
(m = 20)	$1LUTH (10^{-3})$	253.7	500*	0.19e - 06	0.57e - 07	0.35e - 07
	ILUK (10)	210.0	380	0.98e - 10	0.12e - 08	0.71e - 09
	ILU0	339.7	500*	0.82e - 01	0.22e - 04	0.91e - 03
BCG	ILUTH (10^{-2})	238.6	500*	0.58e - 03	0.77e - 04	0.53e - 03
	ILUTH (10^{-3})	337.9	500*	0.17e - 01	0.52e - 04	0.18e - 03
	ILUK (10)	404.5	500*	0.46e - 01	0.21e - 05	0.11e - 05
	ILU0	329.5	500*	0.58e + 03	0.25e - 04	0.24e - 03
CGS	ILUTH (10^{-2})	230.1	500*	0.61e - 01	0.47e - 05	0.21e - 04
	$ILUTH (10^{-3})$	328.7	500*	0.93e + 05	0.12e - 04	0.26e - 04
	ILUK (10)	54.6	69	0.17e - 11	0.57e - 11	0.34e - 11
	ILUO	45.9	69	$0.82e - 10^{s}$	0.20e - 11	0.12e - 11
BCGStab	ILUTH (10^{-2})	235.5	500*	0.57e - 06	0.42e - 06	0.29e - 06
	ILUTH (10^{-3})	36.5	55	$0.50e - 10^{s}$	0.62e - 11	0.37e - 11
	ILUK (10)	120.4	151	$0.63e - 10^{s}$	0.27e - 09	0.16e - 09
	ILU0	409.0	500*	0.65e - 05	0.29e - 05	0.28e - 04
QMR 2	ILUTH (10^{-2})	308.1	500*	0.16e - 04	0.95e - 05	0.99e - 04
	ILUTH (10^{-3})	406.4	500*	0.13e - 07	0.90e - 09	0.54e - 09
	ILUK (10)	476.5	500*	0.54e - 07	0.13e - 05	0.80e - 06
	ILUO	416.6	500*	0.93e - 08	0.43e - 09	0.26e - 09
QMR 3	ILUTH (10^{-2})	313.1	500*	0.50e - 05	0.25e - 05	0.41e - 04
	ILUTH (10^{-3})	413.1	500*	0.27e - 05	0.10e - 05	0.46e - 05
	ILUK (10)	482.5	500*	0.18e - 06	0.29e - 05	0.62e - 05

<u>SOR</u>

	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
i	1.0	0.36e - 04	173.4	1,000*	0.30e - 06	0.18e - 05

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-4}$	1.0	0.45e - 10	27.2	21	0.23e - 16	0.14e - 16	1
equal	1.0	0.12e - 04	222.1	1,000*	0.54e - 07	0.35e - 07	0
other	1.0	0.97e - 04	208.1	$1,000^{*}$	0.33e - 06	0.30e - 06	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-4}$	1.0	0.91e - 11	21.0	4	0.38e - 16	0.23e - 16	1
equal	1.0		failed (coupling	ig matrix rec	ducible)	
other	1.8	0.99e - 10	182.3	580	0.89e - 12	0.54e - 12	2

Table A.9: Numerical Results for ncd.

 ncd_gm4 n = 23,426 nz = 156,026

Preconditioner	nzlu	Time	MFlops
ILU0	156,026	0.5	0.2
$ILUTH (10^{-2})$	45,523	41.7	0.3
$ILUTH (10^{-3})$	403,855	42.9	1.9
ILUK (10)	226, 244	104.8	50.5

Method	Preconditioner	Time	# it	r	Ax	Bk. Err.
Method		_	1 11	<u> </u>		
1	ILU0	177.3	360	0.31e - 10	0.15e - 13	0.91e - 14
GMRES	$ILUTH (10^{-2})$	209.5	500*	0.46e - 06	0.68e - 06	0.48e - 05
(m = 20)	$ILUTH (10^{-3})$	327.5	500*	0.70e - 06	0.10e - 07	0.62e - 08
	ILUK (10)	141.3	260	0.61e - 11	0.46e - 12	0.28e - 12
	ILU0	331.3	500*	0.32e - 01	0.86e - 05	0.79e - 05
BCG	$ILUTH (10^{-2})$	251.2	500*	0.25e - 01	0.21e - 02	0.27e - 01
	ILUTH (10^{-3})	514.9	500*	0.15e - 02	0.16e - 06	0.10e - 06
	ILUK (10)	391.0	500*	0.16e - 02	0.37e - 05	0.38e - 05
	ILUO	38.4	59	0.52e - 10	0.25e - 13	0.15e - 13
CGS	$ILUTH (10^{-2})$	230.6	500*	0.41e - 02	0.47e - 05	0.25e - 04
	$ILUTH (10^{-3})$	111.0	112	0.89e - 10	0.16e - 12	0.98e - 13
	ILUK (10)	43.0	57	0.77e - 10	0.58e - 11	0.35e - 11
	ILUO	30.1	46	$0.36e - 10^{s}$	0.18e - 13	0.11e - 13
BCGStab	$ILUTH (10^{-2})$	234.7	500*	0.42e - 06	0.28e - 06	0.18e - 06
İ	ILUTH (10^{-3})	53.3	53	$0.93e - 10^{s}$	0.52e - 12	0.31e - 12
	ILUK (10)	49.9	65	0.97e - 10	0.20e - 10	0.12e - 10
	ILU0	410.7	500*	0.43e - 06	0.21e - 09	0.13e - 09
QMR 2	$ILUTH (10^{-2})$	305.8	500*	0.83e - 05	0.50e - 05	0.85e - 04
'	ILUTH (10^{-3})	583.4	500*	0.82e - 09	0.75e - 11	0.45e - 11
	ILUK (10)	459.0	500*	0.53e - 07	0.40e - 08	0.24e - 08
	ILU0	405.3	500*	0.13e - 08	0.30e - 06	0.25e - 06
QMR 3	$ILUTH(10^{-2})$	308.8	500*	0.10e - 04	0.35e - 05	0.59e - 04
	ILUTH (10^{-3})	591.6	500*	0.81e - 05	0.23e - 06	0.18e - 06
	ILUK (10)	466.4	500*	0.24e - 04	0.83e - 06	0.29e - 05

ω Δx	Time	# it	Ax	Bk. Err.
$1.0 \mid 0.48e - 04 \mid$	157.7	1,000*	0.39e - 06	0.16e - 05

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-4}$	1.0	0.45e - 10	24.0	21	0.24e - 16	0.14e - 16	1
equal	1.3	0.98e - 10	39.0	53	0.50e - 14	0.30e - 14	0
other	1.0	0.36e - 07	577.9	1,000*	0.21e - 10	0.13e - 10	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-4}$	1.0	0.90e - 11	18.4	4	0.38e - 16	0.23e - 16	1
equal	1.4	0.90e - 10	22.8	20	0.16e - 13	0.94e - 14	0
other	1.0	0.13e - 11	12.8	6	0.25e - 16	0.15e - 16	2

Table A.10: Numerical Results for ncd_gm4 .

 ncd_alt1 n = 23,426 nz = 156,026

Preconditioner	nzlu	Time	MFlops
ILUO	156,026	0.5	0.2
$ILUTH (10^{-2})$	45,523	18.9	0.3
ILUTH (10^{-3})	89,732	19.1	0.4
ILUK (10)	234,088	30.1	4.1

3.6.41	1.0	1 m·	1 77 · ·	, , , , , , , , , , , , , , , , , , , 	····	T 101 E
Method	Preconditioner	Time	# it		Ax	Bk. Err.
	ILUO	248.6	500*	$0.31\epsilon - 06$	0.20e - 07	0.12e - 07
GMRES	$ILUTH (10^{-2})$	207.0	500*	$0.15\epsilon - 06$	0.77e - 07	0.10e - 06
(m = 20)	ILUTH (10^{-3})	224.0	500*	$0.13\epsilon-05$	0.32e - 06	0.24e - 06
	[ILUK (10)	11.1	20	$0.98\epsilon - 14$	0.66e - 14	0.33e - 14
	ILU0	339.0	500*	$0.64\epsilon - 03$	0.74e - 07	0.44e - 07
BCG	$ILUTH (10^{-2})$	237.8	500*	$0.13\epsilon + 05$	0.17e - 05	0.54e - 04
	$1LUTH (10^{-3})$	280.2	500*	0.34e - 06	0.19e - 09	0.95e - 10
	ILUK (10)	9.0	11	$0.44\epsilon - 11$	0.60e - 13	0.30e - 13
	ILUO	328.9	500*	$0.16\epsilon + 15$	0.12e - 05	0.52e - 05
CGS	$ILUTH (10^{-2})$	230.2	500*	$0.14\epsilon + 11$	0.19e - 05	0.58e - 04
	$ILUTH (10^{-3})$	271.2	500*	$0.18\epsilon + 10$	0.13e - 05	0.62e - 05
	ILUK (10)	3.3	4	$0.62\epsilon - 10$	0.48e - 16	0.24e - 16
	ILU0	55.4	83	$0.49\epsilon - 10^{s}$	0.13e - 13	0.63e - 14
BCGStab	$ILUTH (10^{-2})$	236.6	500*	$0.21\epsilon - 06$	0.13e - 07	0.70e - 08
	ILUTH (10^{-3})	65.3	117	$0.21\epsilon - 10^{s}$	0.93e - 14	0.46e - 14
į	ILUK (10)	3.3	4	$0.40\epsilon - 10$	0.47e - 16	0.23e - 16
	ILUO	408.8	500*	0.13e - 04	0.41e - 05	0.15e - 03
QMR 2	$ILUTH (10^{-2})$	308.9	500*	0.80e - 04	0.44e - 05	0.18e - 04
,	$ILUTH (10^{-3})$	347.0	500*	$0.80\epsilon - 08$	0.14e - 11	0.72e - 12
]	ILUK (10)	10.8	11	0.43e - 11	0.78e - 13	0.39e - 13
	ILU0	416.9	500*	0.24e - 05	0.30e - 06	0.13e - 05
QMR 3	$ILUTH (10^{-2})$	312.6	500*	0.47e - 05	0.17e - 05	0.22e - 05
	$ILUTH (10^{-3})$	357.1	500*	$0.22\epsilon - 05$	0.17e - 08	0.84e - 09
	ILUK (10)	15.7	16	$0.37\epsilon - 10$	0.31e - 12	0.15e - 12

SOR

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.0	0.39e - 03	167.7	1,000*	0.80e - 08	0.87e - 08

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-7}$	1.0	0.38e - 11	15.6	7	0.48e - 16	0.24e - 16	1
$\gamma = 10^{-5}$	1.0	0.14e - 10	19.4	16	0.41e - 16	0.21e - 16	5
$\gamma = 10^{-4}$	1.0	0.18e - 10	4.5	17	0.39e - 16	0.20e - 16	101_
equal	1.0	0.35e - 03	222.9	$1,000^{-}$	0.45e - 07	0.71e - 07	0
other	1.0	0.71e - 10	-2.4	9	0.78e - 15	0.39e - 15	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-7}$	1.0	0.60e - 11	20.7	4	0.48e - 16	0.24e - 16	1
$\gamma = 10^{-5}$	1.0	0.34e - 11	17.7	3	0.48e - 16	0.24e - 16	5
$\gamma = 10^{-4}$	1.0	0.34e - 11	5.1		0.48e - 16	0.24e - 16	101
equal	1.0	0.31e - 05	304.9	$1,000^*$	0.45e - 08		0
other	1.0	0.45e - 10	6.1	7	0.31e - 15	0.15e - 15	2

Table A.11: Numerical Results for ncd_-alt1 .

 ncd_alt1_gm7

n = 23,426 nz = 156,026

Preconditioner	nzlu	Time	MFlops
ILUO	156,026	0.5	0.2
ILUTH (10^{-2})	45,522	41.5	0.3
ILUTH (10^{-3})	224,927	42.0	0.9
ILUK (10)	229,615	67.0	13.7

Method	Preconditioner	Time	# it	r	Ax	Bk. Err.
	ILU0	69.2	140	0.75e - 11	0.23e - 17	0.11e - 17
GMRES	$1LUTH (10^{-2})$	200.4	500*	0.15e - 06	0.78e - 07	0.99e - 07
(m = 20)	$ILUTH (10^{-3})$	259.5	500*	0.86e - 06	0.14e - 09	0.71e - 10
	ILUK (10)	266.2	500*	0.27e - 07	0.67e - 17	0.33e - 17
	ILU0	326.9	500*	0.12e - 05	0.52e - 09	0.26e - 09
BCG	$ILUTH (10^{-2})$	232.9	500°	$0.35\epsilon + 04$	0.14e - 04	0.67e - 04
	ILUTH (10^{-3})	150.6	200	$0.47\epsilon - 10$	0.17e - 11	0.86e - 12
	ILUK (10)	386.0	500*	0.68e - 05	0.42e - 12	0.21e - 12
	ILU0	28.4	44	0.87e - 10	0.26e - 16	0.13e - 16
CGS	ILUTH (10^{-2})	226.4	500	0.28e + 11	$\int 0.21e - 05$	0.63e - 04
ľ	ILUTH (10^{-3})	364.0	500	0.65e + 00	0.18e - 07	0.92e - 08
	ILUK (10)	139.2	185	0.87e - 10	0.51e - 16	0.26e - 16
	ILU0	29.2	45	$0.73e - 10^{s}$	0.22e - 16	0.11e - 16
BCGStab	$ILUTH (10^{-2})$	231.4	500	0.18e - 06	0.10e - 07	0.56e - 08
i	ILUTH (10^{-3})	42.5	57	$0.48e - 10^{s}$	0.49e - 14	0.25e - 14
	ILUK (10)	300.6	395	$0.59e - 10^{s}$	0.11e - 15	0.54e - 16
	ILUO	401.1		0.12e - 05	0.43e - 11	0.22e - 11
QMR 2	$ ILUTH (10^{-2}) $	303.6	500	0.35e - 04	0.62e - 05	0.17e - 04
	ILUTH (10^{-3})	447.5	500 *	0.68e - 09	0.37e - 11	0.18e - 11
	ILUK (10)	465.1	500°	$0.32\epsilon - 04$	0.16e - 13	0.78e - 14
	ILU0	406.9	500*	0.62e - 04	0.32e - 08	0.16e - 08
QMR 3	ILUTH (10^{-2})	306.8	500*	0.52e - 05	0.11e - 05	0.11e - 05
	ILUTH (10^{-3})	452.1	500*	0.11e - 04	0.94e - 08	0.48e - 08
	ILUK (10)	470.5	500°	0.14e - 04	0.74e - 14	0.37e - 14

<u>SOR</u>

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.0	0.34e - 03	159.4	1,000	0.61e - 08	0.49e - 08

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-7}$	1.0	0.38e - 11	14.5	7	0.48e - 16	0.24e - 16	1
$\gamma = 10^{-5}$	1.0	0.14e - 10	18.5	16	0.41e - 16	0.21e - 16	5
$\gamma = 10^{-4}$	1.0	0.93e - 10	8.6	39	0.15e - 16	0.74e - 17	101
equal	1.0	0.99e - 10	12.4	9	0.21e - 14	0.10e - 14	0
other	1.0	0.57e - 10	7.5	$\overline{}$	0.13e - 15	0.64e - 16	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-7}$	1.0	0.60e - 11	18.6	4	0.48e - 16	0.24e - 16	1
$\gamma = 10^{-5}$	1.0	0.34e - 11	15.8	3	0.48e - 16	0.24e - 16	5
$\gamma = 10^{-4}$	1.0	0.34e - 11	7.2	3	0.48e - 16	0.24e - 16	101
equal	1.0	0.26e - 10	11.0	3	0.19e - 14	0.94e - 15	0
other	1.0	0.74e - 11	10.0	2	0.27e - 16	0.14e - 16	2

Table A.12: Numerical Results for ncd_alt1_gm7.

 $ncd_{-}alt1_{-}gm5$ n = 23,426 nz = 156,026

Preconditioner	nzlu	Time	MFlops
ILU0	156,026	0.8	0.2
$ILUTH (10^{-2})$	45,522	41.7	0.3
ILUTH (10^{-3})	224,927	42.1	0.9
ILUK (10)	229,599	69.8	13.7

Method	Preconditioner	Time	# it	r	Ax	Bk. Err.
	ILU0	60.5	120	0.41e - 10	0.12e - 16	0.59e - 17
GMRES	$1LUTH (10^{-2})$	200.6	500*	0.15e - 06	0.78e - 07	0.99e - 07
(m = 20)	ILUTH (10^{-3})	259.2	500*	0.86e - 06	0.14e - 09	0.71e - 10
	ILUK (10)	266.1	500*	0.66e - 07	0.21e - 16	0.10e - 16
	ILU0	327.9	500*	0.94e - 02	0.47e - 08	0.24e - 08
BCG	ILUTH (10^{-2})	232.2	500*	0.31e + 04	0.18e - 05	0.54e - 04
ļ	$1LUTH (10^{-3})$	161.2	215	0.60e - 10	0.15e - 10	0.76e - 11
	ILUK (10)	386.6	500*	0.52e + 02	0.93e - 12	0.46e - 12
	ILU0	28.3	44	0.88e - 10	0.26e - 16	0.13e - 16
CGS	ILUTH (10^{-2})	225.9	500*	0.81e + 04	0.39e - 05	0.82e - 04
	ILUTH (10^{-3})	366.1	500*	0.56e - 07	0.98e - 13	0.49e - 13
	ILUK (10)	207.0	269	0.34e - 10	0.53e - 16	0.26e - 16
	ILU0	29.8	46	$0.73e - 10^{s}$	0.22e - 16	0.11e - 16
BCGStab	$ILUTH (10^{-2})$	235.3	500*	0.29e - 06	0.13e - 07	0.86e - 08
-	$[LUTH (10^{-3})]$	42.6	58	$0.82e - 11^{s}$	0.85e - 15	0.42e - 15
	ILUK (10)	154.5		$0.37e - 10^{s}$	0.16e - 15	0.79e - 16
	ILU0	399.6		0.53e - 08	0.36e - 11	0.18e - 11
QMR 2	$ \text{ILUTH } (10^{-2}) $	304.0	500*	0.31e - 04	0.48e - 05	0.13e - 04
1	ILUTH (10^{-3})	184.2	206	0.65e - 10	0.30e - 10	0.15e - 10
	ILUK (10)	467.4		0.25e - 04	0.11e - 13	0.53e - 14
	ILU0	408.3	500*	0.64e - 04	0.33e - 08	0.17e - 08
QMR 3	ILUTH (10^{-2})	306.6	500*	0.52e - 05	0.11e - 05	0.11e - 05
[ILUTH (10^{-3})	454.3	500*	0.11e - 04	0.11e - 07	0.56e - 08
	ILUK (10)	466.1	500*	0.18e - 04	0.81e - 14	0.41e - 14

 \underline{SOR}

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.0	0.34e - 03	158.6	1,000*	0.61e - 08	0.49e - 08

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-7}$	1.0	0.38e - 11	14.6	7	0.48e - 16	0.24e - 16	1
$\gamma = 10^{-5}$	1.0	0.14e - 10	18.5	16	0.41e - 16	0.21e - 16	5
$\gamma = 10^{-4}$	1.0	0.93e - 10	8.4	39	0.15e - 16	0.74e - 17	101
equal	1.0	0.71e - 10	10.2	6	0.16e - 15	0.82e - 16	0
other	1.0	0.50e - 11	7.5	2	0.11e - 15	0.56e - 16	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-7}$	1.0	0.60e - 11	18.5	4	0.48e - 16	0.24e - 16	1
$\gamma = 10^{-5}$	1.0	0.34e - 11	16.1	3	0.48e - 16	0.24e - 16	5
$\gamma = 10^{-4}$	1.0	0.34e - 11	7.1	3	0.48e - 16	0.24e - 16	101
equal	1.0	0.28e - 11	11.0	3	0.43e - 16	0.21e - 16	0
other	1.0	0.74e - 11	10.2	2	0.27e - 16	0.14e - 16	2

Table A.13: Numerical Results for ncd_alt1_gm5.

 ncd_alt1_gm4 n = 23,426 nz = 156,026

Preconditioner	nzlu	Time	MFlops
ILUO	165,026	0.8	0.2
ILUTH (10^{-2})	45,523	22.5	0.2
ILUTH (10^{-3})	360,452	23.3	1.5
ILUK (10)	232,567	36.2	5.6

Method	Preconditioner	Time	# it		Ax	Bk. Err.
	ILUO	250.0	500*	0.11e - 04	0.87e - 12	0.43e - 12
GMRES	$ILUTH (10^{-2})$	199.3	500*	0.15e - 06	0.77e - 07	0.10e - 06
(m = 20)	$ILUTH (10^{-3})$	299.2	500*	0.84e - 06	0.16e - 09	0.80e - 10
	ILUK (10)	265.2	500*	0.21e - 04	0.22e - 12	0.11e - 12
	ILU0	157.7	243	0.29e - 10	0.77e - 14	0.38e - 14
BCG	LILUTH (10^{-2})	228.3	500*	0.52e + 03	0.65e - 05	0.66e - 04
ŀ	$1LUTH (10^{-3})$	$\overline{197.7}$	208	0.84e - 10	0.28e - 10	0.14e - 10
	ILUK (10)	386.7	500*	0.66e + 00	0.12e - 10	0.58e - 11
	ILU0	320.3	500*	0.23e - 05	0.10e - 15	0.51e - 16
CGS	$ILUTH (10^{-2})$	224.2	500*	0.10e + 09	0.15e - 05	0.50e - 04
	$ILUTH (10^{-3})$	465.8	500*	0.98e + 05	0.38e - 06	0.86e - 05
	ILUK (10)	277.1	369	0.80e - 10	0.18e - 16	0.91e - 17
	ILU0	328.8	500*	0.83e - 08	0.22e - 16	0.11e - 16
BCGStab	$ILUTH (10^{-2})$	231.4	500*	0.42e - 06	0.17e - 07	0.93e - 08
	$ILUTH (10^{-3})$	49.7	54	$0.62e - 10^{s}$	0.13e - 13	0.66e - 14
	ILUK (10)	159.6		$0.65e - 10^{s}$	0.12e - 16	9.59e - 17
	ILU0	201.0	249	0.95e - 10	0.40e - 14	0.20e - 14
QMR 2	ILUTH (10^{-2})	301.3	500*	0.51e - 04	0.57e - 05	0.19e - 04
	$ILUTH (10^{-3})$	353.7	500*	0.46e - 09	0.84e - 11	0.42e - 11
[]	ILUK (10)	466.0	500*	0.35e - 03	0.13e - 12	0.67e - 13
	ILUO	406.5	500*	0.46e - 04	0.19e - 11	0.96e - 12
QMR 3	ILUTH (10^{-2})	277.7	500*	0.16e - 05	0.25e - 05	0.28e - 04
	ILUTH (10^{-3})	563.7	500*	0.16e - 04	0.96e - 08	0.48e - 08
	ILUK (10)	467.8	500*	0.21e - 05	0.57e - 15	0.24e - 15

SOR

	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
Ī	1.0	0.39e - 03	157.0	1,000*	0.71e - 08	0.64e - 08

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-7}$	1.0	0.38e - 11	8.4	7	0.48e - 16	0.24e - 16	1
$\gamma = 10^{-5}$	1.0	0.14e - 10	12.2	16	0.41e - 16	0.21e - 16	5
$\gamma = 10^{-4}$	1.0	0.18e - 10	4.1	17	0.39e - 16	0.20e - 16	101
equal	1.0	0.84e - 10	3.4	10	0.86e - 15	0.43e - 15	0
other	1.0	0.36e - 10	1.6	2	0.15e - 17	0.73e - 18	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-7}$	1.0	0.60e - 11	14.0	4	0.48e - 16	0.24e - 16	1
$\gamma = 10^{-5}$	1.0	0.34e - 11	12.4	3	0.48e - 16	0.24e - 16	5
$\gamma = 10^{-4}$	1.0	0.34e - 11	4.8	3	0.48e - 16	0.24e - 16	101
equal	1.0	0.16e - 10	5.3	5	0.82e - 15	0.41e - 15	0
other	1.0	0.15e - 11	4.3	2	0.32e - 16	0.16e - 16	2

Table A.14: Numerical Results for ncd_alt1_gm4.

ncd_alt2	n = 23,426	nz = 156,026
-------------	------------	--------------

Preconditioner	nzlu	Time	MFlops
ILUO	156,026	0.5	0.2
ILUTH (10^{-2})	45,523	17.4	0.3
$ILUTH (10^{-3})$	154,747	17.7	0.7
ILUK (10)	234,073	45.3	18.6

Method	I Danna dia	Tar	T 77 ·*	· · · · · · · · · · · · · · · · · · ·	T 11 14 11	7 551 55
Method	Preconditioner		# it	r	Ax	Bk. Err.
1	ILUO	269.4	500*	0.18e - 06	0.65e - 08	0.47e - 07
GMRES	$1 \text{LUTH} (10^{-2})$	221.0	500*	0.21e - 07	0.12e - 07	0.21e - 07
(m = 20)	ILUTH (10^{-3})	267.3	500*	0.48e - 06	0.10e - 06	0.13e - 06
Į	ILUK (10)	292.2	500*	0.37e - 09	0.66e - 15	0.33e - 15
	ILUO	342.2	500*	0.12e + 05	0.15e - 04	0.45e - 03
BCG	$ILUTH (10^{-2})$	251.4	500*	0.24e + 02	0.19e - 02	0.72e - 02
	$ILUTH (10^{-3})$	340.0	500*	0.36e - 03	0.52e - 06	0.10e - 05
ĺ	ILUK (10)	398.3	500*	0.36e - 01	0.35e - 10	0.18e - 10
	ILUO	335.5	500*	0.74e + 08	0.14e - 04	0.92e - 04
CGS	$ILUTH (10^{-2})$	250.1	500*	0.58e - 03	0.96e - 05	0.98e - 05
1	$ILUTH (10^{-3})$	335.3	500*	0.28e + 07	0.68e - 06	0.13e - 05
	ILUK (10)	212.1	273	0.30e - 10	0.13e - 17	0.65e - 18
	ILUO	302.3	443	$0.60e - 10^{s}$	0.41e - 12	0.20e - 12
BCGStab	$ILUTH (10^{-2})$	257.6	500*	0.66e - 05	0.12e - 08	0.60e - 09
	ILUTH (10^{-3})	125.0	183	$0.41e - 10^{s}$	0.12e - 11	0.58e - 12
}	ILUK (10)	396.0	500*	0.61e - 09	0.14e - 16	0.73e - 17
	ILU0	422.5	500*	0.23e - 05	0.39e - 06	0.35e - 05
QMR 2	ILUTH (10^{-2})	330.4	500*	0.89e - 05	0.28e - 05	0.27e - 04
	ILUTH (10^{-3})	418.7	500*	0.12e - 05	0.46e - 07	0.26e - 07
<u>l</u>	ILUK (10)	477.0	500*	0.62e - 05	0.53e - 11	0.27e - 11
	ILU0	424.9	500*	0.58e - 05	0.20e - 05	0.21e - 04
QMR 3	$ILUTH (10^{-2})$	333.3	500*	0.30e - 05	0.18e - 05	0.31e - 04
	ILUTH (10^{-3})	421.2	500*	0.40e - 05	0.45e - 06	0.69e - 06
	ILUK (10)	479.7	500* (0.50e - 06	0.80e - 12	0.40e - 12

$\omega \mid \Delta x $	Time	# it	Ax	Bk. Err.
$1.0 \mid 0.28e - 0$	3 176.2	1,000*	0.17e - 07	0.17e - 07

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-8}$	1.0	0.32e - 02	1995.9	100*	0.63e - 08	0.42e - 08	1
$\gamma = 10^{-7}$	1.0	0.15e - 10	164.6	2	0.24e - 17	0.12e - 17	0
$\gamma = 10^{-6}$	1.0	0.68e - 10	48.2	20	0.13e - 16	0.67e - 17	1
equal	1.0	0.69e - 10	2.0	5	9.32e - 14	0.16e - 14	0
other	1.0	0.24e - 03	207.6	1,000*	0.18e - 07	0.13e - 07	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# BI.
$\gamma = 10^{-8}$	1.0	0.32e - 02	1708.6	100*	0.63e - 08	0.42e - 08	1
$\gamma = 10^{-7}$	1.0	0.22e - 11	169.7	2	0.32e - 17	0.16e - 17	0
$\gamma = 10^{-6}$	1.0	0.19e - 10	36.6	3	0.17e - 17	0.85e - 18	1_
equal		0.87e - 10	72.7		0.28e - 14		0
other	1.6	0.99e - 10	169.7	539	0.13e - 12	0.65e - 13	2

Table A.15: Numerical Results for ncd_alt2.

 ncd_alt2_gm7

~	_	23.	426
n.	=	2.5	-4.2n

nz = 156,026

Preconditioner	nzlu	Time	MFlops
ILUO	156,026	0.8	0.2
ILUTH (10^{-2})	55, 133	43.6	0.3
$ILUTH (10^{-3})$	397,998	44.8	2.0
ILUK (10)	230,063	102.2	48.6

Mothod	Drosonditioner	TT:	11:4	11=11	T 11 A 7.77	T D1. D
Method	Preconditioner	Time	# it	r	Ax	Bk. Err.
ł	ILU0	242.2	500*	0.18e - 03	0.30e - 07	0.24e - 06
GMRES	$ILUTH (10^{-2})$	205.3	500*	0.23e - 07	0.13e - 07	0.23e - 07
(m = 20)	$ILUTH (10^{-3})$	353.8	500*	0.58e - 06	0.13e - 07	0.19e - 07
	ILUK (10)	266.9	500*	0.49e - 04	0.54e - 08	0.27e - 08
	ILU0	332.9	500*	0.23e + 01	0.13e - 06	0.39e - 06
BCG	$ILUTH (10^{-2})$	243.3	500*	0.31e + 02	0.24e - 02	0.13e - 01
	$ILUTH (10^{-3})$	521.7	500*	0.31e + 04	0.11e - 04	0.25e - 04
1	ILUK (10)	392.6	500*	0.10e - 01	0.92e - 09	0.46e - 09
	TLU0	198.2	303	0.72e - 10	0.18e - 15	0.89e - 16
CGS	$ILUTH (10^{-2})$	238.7	500*	0.22e - 07	0.33e - 07	0.17e - 07
	ILUTH (10^{-3})	187.9	187	0.80e - 10	0.44e - 13	0.22e - 13
	ILUK (10)	382.3	500*	0.55e + 03	0.18e - 05	0.92e - 06
	ILUO	171.5	258	$0.77e - 10^{s}$	0.18e - 15	0.90e - 16
BCGStab	ILUTH (10^{-2})	246.7	500*	0.30e - 06	0.10e - 08	0.52e - 09
]	$ILUTH (10^{-3})$	215.8	214	$0.71e - 10^{s}$	0.40e - 13	0.20e - 13
j	ILUK (10)	237.6	304	$0.34e - 10^{s}$	0.36e - 17	0.18e - 17
	ILU0	398.9	500*	0.20e - 03	0.31e - 07	0.85e - 07
QMR 2	ILUTH (10^{-2})	309.9	500*	0.91e - 05	0.23e - 05	0.30e - 04
	ILUTH (10^{-3})	575.2	500*	0.89e - 05	0.31e - 07	0.18e - 07
	ILUK (10)	457.3	500*	0.27e - 03	0.15e - 10	0.75e - 11
	ILU0	403.8	500*	0.73e - 04	0.94e - 07	0.64e - 06
QMR 3	$ILUTH (10^{-2})$	312.3	500*	0.13e - 04	0.29e - 05	0.11e - 04
	ILUTH (10^{-3})	583.2	500*	0.12e - 04	0.43e - 06	0.57e - 06
	ILUK (10)	467.3	500*	0.17e - 04	0.16e - 09	0.82e - 10

\underline{SOR}

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.0	0.86e - 04	155.4	1,000*	0.47e - 07	0.32e - 06

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-7}$	1.0	0.15e - 10	100.1	2	0.24e - 17	0.12e - 17	0
$\gamma = 10^{-6}$	1.0	0.68e - 10	35.2	20			1
$\epsilon qual$	1.0	0.28e - 05					0
other	1.0	0.16e - 05	533.5	1,000*	0.54e - 09	0.27e - 09	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# BI.
$\gamma = 10^{-7}$	1.0	0.22e - 11	105.7	2	0.32e - 17	0.16e - 17	0
$\gamma = 10^{-6}$	1.0	0.19e - 10	28.7	3	0.17e - 17	0.85e - 18	1
equal	1.0	0.20e - 03	669.9	1,000*	0.63e - 07	0.37e - 07	1
other	1.0	0.12e - 02	640.6	1,000*	0.25e - 06	0.20e - 06	2

Table A.16: Numerical Results for ncd_alt2_gm7 .

 ncd_alt2_gm6

n	 23	426

nz = 156,026

Preconditioner	nzlu	Time	MFlops
ILUO	156,026	0.8	0.2
$ILUTH (10^{-2})$	55,023	41.3	0.3
$ILUTH (10^{-3})$	414,292	42.7	2.1
ILUK (10)	231, 189	97.6	48.4

Mathad	D	Tre	1 11 12	· · · · · · · · · · · · · · · · · · ·		D1 D
Method	Preconditioner	 	# it		Ax	Bk. Err.
	ILU0	242.1	500*	0.26e - 03	0.35e - 07	0.30e - 06
GMRES	ILUTH (10^{-2})	205.1	500*	0.23e - 07	0.13e - 07	0.23e - 07
(m = 20)	ILUTH (10^{-3})	318.7	500*	0.65e - 06	0.10e - 07	0.13e - 07
	ILUK (10)	266.6	500*	0.18e - 04	0.39e - 09	0.19e - 09
	ILUO	331.7	500*	0.12e + 03	0.29e - 06	0.22e - 05
BCG	ILUTH (10^{-2})	244.7	500*	0.71e + 01	0.19e - 02	0.34e - 02
	ILUTH (10^{-3})	527.3	500*	0.47e + 03	0.41e - 05	0.14e - 04
	ILUK (10)	394.0	500*	0.25e + 01	0.10e - 08	0.52e - 09
	ILU0	327.3	500*	0.29e - 02	0.20e - 07	0.11e - 07
CGS	ILUTH (10^{-2})	237.6	500*	0.14e - 03	0.43e - 05	0.36e - 05
	$1LUTH (10^{-3})$	508.0	500*	0.87e - 01	0.14e - 05	0.58e - 05
	ILUK (10)	386.8	500*	0.51e + 03	0.27e - 10	0.13e - 10
	ILUO	80.0	120	$0.40e - 10^{s}$	0.40e - 16	0.20e - 16
BCGStab	ILUTH (10^{-2})	245.2	500*	0.14e - 06	0.22e - 08	0.11e - 08
1	$1LUTH (10^{-3})$	149.3	147	0.30e - 10	0.30e - 13	0.15e - 13
İ	ILUK (10)	386.4	500*	0.14e - 07	0.12e - 16	0.61e - 17
	ILU0	398.0	500*	0.31e - 03	0.45e - 07	0.37e - 06
QMR 2	$ILUTH (10^{-2})$	308.9	500*	0.15e - 04	0.46e - 05	0.61e - 08
	ILUTH (10^{-3})	587.3	500*	0.13e - 04	0.12e - 06	0.62e - 06
1	ILUK (10)	458.5	500*	0.74e - 02	0.63e - 11	0.32e - 11
	ILU0	403.6	500*	0.88e - 04	0.81e - 06	0.50e - 05
QMR 3	$ILUTH (10^{-2})$	313.8	500*	0.24e - 04	0.83e - 06	0.82e - 06
-	ILUTH (10^{-3})	594.7	500*	0.87e - 05	0.77e - 07	0.37e - 06
	ILUK (10)	468.1	500*	0.22e - 04	0.19e - 09	0.95e - 10

\underline{SOR}

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.0	0.82e - 04	155.5	1,000*	0.47e - 07	0.32e - 06

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-7}$	1.0	0.15e - 10	125.0	2	0.24e - 17	0.12e - 17	0
$\gamma = 10^{-6}$	1.0	0.68e - 10	34.0	20	0.13e - 16	0.67e - 17	1
equal	1.4	0.48e - 10	28.7	37	0.61e - 15	0.31e - 15	0
other	1.0	0.72e - 10	7.3	2	0.24e - 17	0.12e - 17	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-7}$	1.0	0.22e - 11	130.7	2	0.32e - 17	0.16e - 17	0
$\gamma = 10^{-6}$	1.0	0.19e - 10	32.6	3	0.17e - 17	0.85e - 18	1
equal	0.8	0.87e - 10	20.8	18	0.28e - 13	0.14e - 13	0
other	1.0	0.19e - 12	9.2	2	0.24e - 17	0.12e - 17	2

Table A.17: Numerical Results for ncd_alt2_gm6.

telecom

n = 20,491 nz = 101,041

Preconditioner	nzlu	Time	MFlops
ILUO	101,041	0.3	0.1
ILUTH (10^{-2})	82,521	1.3	0.3
$1LUTH (10^{-3})$	181, 126	1.5	0.7
ILUK (10)	204,807	5.3	3.2

Method	Preconditioner	Time	# it r	Ax	Bk. Err.
	ILUO	197.1	$ 500^* 0.25e - 05$	0.75e - 05	0.89e - 04
GMRES	$ILUTH (10^{-2})$	190.5	500*0.61e - 06	0.70e - 06	0.69e - 04
(m = 20)	ILUTH (10^{-3})	224.2	500* 0.13e - 05	0.12e - 05	0.26e - 05
	ILUK (10)	231.5	500* 0.43e - 06	0.88e - 06	0.25e - 05
	ILU0	240.1	500* 0.79e + 04	0.17e - 03	0.13e - 01
BCG	$ILUTH (10^{-2})$	223.1	500* 0.11e - 02	0.37e - 04	0.23e - 03
	$1LUTH (10^{-3})$	307.3	$500^* \ 0.36e + 01$	0.11e - 03	0.15e - 03
	ILUK (10)	328.9	$500^* \ 0.19e + 00$	0.12e - 03	0.28e - 02
	ILU0	236.0	500* 0.40e + 11	0.34e - 03	0.10e - 01
CGS	ILUTH (10^{-2})	218.8	500^* $0.34e - 03$	0.72e - 04	0.39e - 03
	$ILUTH (10^{-3})$	26.9	$44 \mid 0.97e - 10$	0.16e - 09	0.16e - 09
	ILUK (10)	321.3	500* 0.13e + 16	0.26e - 03	0.18e - 01
	ILU0	241.6	500* 0.32e - 02	0.20e - 04	0.79e - 03
BCGStab	ILUTH (10^{-2})	221.9	$496 \mid 0.79e - 10$	0.65e - 10	0.61e - 10
	ILUTH (10^{-3})	44.4	$72 \mid 0.26e - 10^s$	0.10e - 10	0.99e - 11
	ILUK (10)	328.8	500^* $0.14e - 06$	0.76e - 07	0.93e - 07
	ILU0	299.4	$500^* \mid 0.39e - 05$	0.55e - 05	0.27e - 03
QMR 2	ILUTH (10^{-2})	282.6	500* 0.85e - 05	0.57e - 05	0.14e - 04
	ILUTH (10^{-3})	368.6	500* 0.76e - 07	0.30e - 07	0.29e - 07
	ILUK (10)	389.5	500* 0.15e - 07	0.71e - 09	0.67e - 09
	ILU0	305.3	500^* $0.46e - 05$	0.68e - 05	0.16e - 03
QMR 3	ILUTH (10^{-2})	288.3	500^* $0.64e - 05$	0.71e - 05	0.77e - 02
	ILUTH (10^{-3})	374.9	500* 0.31e - 05	0.38e - 05	0.51e - 05
	ILUK (10)	393.9	500* 0.13e - 05	0.40e - 05	0.45e - 04

<u>SOR</u>

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.0	0.63e - 04	122.9	1,000*	0.11e - 05	0.12e - 05

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-2}$	1.6	0.86e - 10	55.6	303	0.38e - 12	0.36e - 12	1,337
$\gamma = 10^{-1}$	1.2	0.49e - 08	253.2	956	0.18e - 08	0.17e - 08	14, 139
equal	1.4	0.17e - 08	99.0	185	0.15e - 10	0.14e - 10	0
other	1.6	0.64e - 10	221.4	465	0.10e - 12	0.92e - 13	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-2}$	1.0	0.23e - 13	3.1	1	0.18e - 15	0.17e - 15	[1, 337]
$\gamma = 10^{-1}$	1.0	0.37e - 14	60.3	1	0.65e - 17	0.61e - 17	14, 139
equal	1.0	0.93e - 10	10.4	7	0.22e - 12		0
other	1.3	0.91e - 10	16.7	21	0.11e - 12	0.99e - 13	2

Table A.18: Numerical Results for telecom.

 $telecom_gm2$

n = 20,491

nz =	= 10	1.0	141

Preconditioner	nzlu	Time	MFlops
ILUO	101,041	0.3	0.1
$ILUTH (10^{-2})$	183,997	3.0	0.6
$ILUTH (10^{-3})$	375,622	3.6	1.5
ILUK (10)	199,053	7.5	3.2

Method	Preconditioner	Time	# it		Ax	Bk. Err.
	ILU0	109.3	500*	0.11e - 04	0.38e - 06	0.38e - 06
GMRES	$ILUTH (10^{-2})$	214.5	500*	0.60e - 06	0.78e - 06	0.73e - 04
(m = 20)	$ILUTH (10^{-3})$	278.7	500*	0.25e - 05	0.50e - 06	0.69e - 06
	ILUK (10)	222.3	500*	0.41e - 05	0.38e - 06	0.41e - 06
	ILU0	234.7	500*	0.45e + 07	0.13e - 03	0.12e - 01
BCG	$ILUTH (10^{-2})$	298.4	500*	0.24e - 02	0.51e - 03	0.12e - 02
	110^{-3}	450.3	500*	0.56e - 03	0.15e - 03	0.30e - 03
	ILUK (10)	314.4	500*	0.14e + 03	0.33e - 03	0.11e - 01
	ILU0	231.9	500*	0.55e + 15	0.19e - 03	0.85e - 02
CGS	ILUTH (10^{-2})	291.2	500*	0.12e + 00	0.45e - 04	0.54e - 03
	$ILUTH (10^{-3})$	36.1	41	0.43e - 10	0.95e - 11	0.90e - 11
	ILUK (10)	308.7	500*	0.35e - 04	0.52e - 06	0.50e - 06
	ILU0	212.5	448	$0.13e - 10^{s}$	0.11e - 11	0.10e - 10
BCGStab	ILUTH (10^{-2})	387.6	500*	0.17e - 05	0.14e - 05	0.10e - 04
	ILUTH (10^{-3})	55.0	62	0.76e - 10	0.88e - 11	0.83e - 11
L	ILUK (10)	206.6	-	$0.26e - 10^{s}$	0.23e - 12	0.22e - 12
	ILUO	293.5	500*	0.26e - 03	0.20e - 04	0.25e - 04
QMR 2	$ \text{ILUTH } (10^{-2}) $	356.1	500*	0.62e - 05	0.63e - 05	0.10e - 04
	ILUTH (10^{-3})	509.2	500*	0.64e - 07	[0.63e - 08]	0.60e - 08
	ILUK (10)	373.6	500*	0.12e - 03	0.80e - 05	0.11e - 04
	ILU0	302.8	500*	0.20e - 04	0.99e - 05	0.23e - 04
QMR 3	ILUTH (10^{-2})	363.7	500*	0.33e - 05	0.43e - 05	0.14e - 03
	ILUTH (10^{-3})	515.0	0001	0.11e - 08		0.22e - 09
	ILUK (10)	382.2	500*	0.39e - 04	0.35e - 06	0.33e - 06

\underline{SOR}

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.0	0.77e - 04	114.5	1,000*	0.12e - 05	0.14e - 05

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-2}$	1.6	0.86e - 10	51.7	303	0.38e - 12	0.36e - 12	1,337
$\gamma = 10^{-1}$	1.2	0.45e - 06	246.0	1,000*	0.14e - 07	0.13e - 07	14, 139
equal	1.3	0.75e - 10	41.1	47	0.70e - 12	0.66e - 12	0
other	1.4	0.84e - 10	103.9	154	0.32e - 12	0.31e - 12	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-2}$	1.0	0.23e - 13	2.9	1	0.18e - 15	0.17e - 15	1,337
$\gamma = 10^{-1}$	1.0	0.39e - 14	41.9	1	0.67e - 17	0.63e - 17	14,139
equal	1.3	0.78e - 10	20.9	16	0.82e - 13	0.77e - 13	0
other	1.1	0.18e - 10	15.7	11	0.79e - 13	0.75e - 13	2

Table A.19: Numerical Results for telecom_gm2.

 $telecom_{-}gm1$ n = 20,491 nz = 101,041

Preconditioner	nzlu	Time	MFlops
ILUO	101,041	0.3	0.1
ILUTH (10^{-2})	212, 153	4.1	0.6
$1LUTH (10^{-3})$	362,354	5.1	1.3
ILUK (10)	204,386	16.0	8.7

Method	Preconditioner	Time	# it		Ax	Bk. Err.
	ILU0	189.4	500*	0.46e - 05	0.43e - 05	0.18e - 03
GMRES	$ILUTH (10^{-2})$	224.3	500*	0.80e - 06	0.71e - 06	0.49e - 04
(m = 20)	$ILUTH (10^{-3})$	152.7	280	0.17e - 10	0.28e - 11	0.26e - 11
	ILUK (10)	223.8	500*	0.80e - 05	0.12e - 06	0.12e - 06
	ILU0	230.3	500*	0.14e + 04	0.63e - 03	0.15e - 01
BCG	LILUTH (10^{-2})	319.7	500*	0.12e + 02	0.89e - 03	0.32e - 02
	$1LUTH (10^{-3})$	435.1	500*	0.86e - 02	0.11e - 03	0.15e - 03
	ILUK (10)	317.9	500*	0.10e + 01	0.39e - 04	0.40e - 04
	ILU0	234.5	500*	0.73e + 12	0.20e - 03	0.79e - 02
CGS	ILUTH (10^{-2})	161.5	252	0.77e - 10	0.35e - 10	0.33e - 10
	$ILUTH (10^{-3})$	31.4	36	0.82e - 10	0.21e - 10	0.20e - 10
	ILUK (10)	317.9	500*	0.59e + 10	0.20e - 04	0.21e - 04
	ILU0	233.6	500*	0.86e - 05	0.46e - 05	0.57e - 05
BCGStab	ILUTH (10^{-2})	320.0	500*	0.47e - 05	0.48e - 05	0.13e - 04
	ILUTH (10^{-3})	40.5	47	$0.61e - 10^{s}$	0.69e - 11	0.65e - 11
	ILUK (10)	166.9		0.98e - 10	0.66e - 13	0.62e - 13
	ILU0	290.7		0.28e - 04	0.24e - 04	0.41e - 02
QMR 2	ILUTH (10^{-2})	379.5	500*	0.83e - 05	0.57e - 05	0.50e - 04
	ILUTH (10^{-3})	497.8		0.43e - 08	0.10e - 08	0.98e - 09
	ILUK (10)	376.1	333	0.16e - 07	0.18e - 10	0.17e - 10
	ILUO	300.6		0.18e - 04	0.12e - 04	0.38e - 03
QMR 3	ILUTH (10^{-2})	386.9		0.71e - 06	0.42e - 06	0.39e - 06
	ILUTH (10^{-3})	502.8		0.31e - 08	0.83e - 09	0.78e - 09
	ILUK (10)	387.1	500*	0.31e - 05	0.76e - 08	0.71e - 08

\underline{SOR}

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.0	$0 \mid 0.13e - 03$	112.0	1,000*	0.12e - 05	0.19e - 05

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-2}$	1.6	0.86e - 10	51.6	303	0.38e - 12	0.36e - 12	1,337
$\gamma = 10^{-1}$	1.2	0.49e - 08	232.2	956	0.18e - 08	0.17e - 08	[14, 139]
equal	1.5	0.18e - 10	152.2	238	0.19e - 12	0.18e - 12	0
other	1.7	0.87e - 10	213.4	370	0.31e - 12	0.29e - 12	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-2}$	1.0	0.23e - 13	2.7	1		0.17e - 15	1,337
$\gamma = 10^{-1}$	1.0	0.37e - 14	56.8	1	0.65e - 17	0.61e - 17	[14, 139]
equal	1.5	0.73e - 10	21.8	19	0.10e - 11	0.98e - 12	0_
other	1.3	0.99e - 10	19.3	18	0.24e - 12	0.22e - 12	2

Table A.20: Numerical Results for telecom_gm1.

qnatm

n = 104,525 nz = 593,115

Preconditioner	nzlu	Time	MFlops
ILU0	593, 115	2.0	0.5
ILUTH (10^{-2})	1,020,335	798.4	6.6
$ILUTH (10^{-3})$	1.073,171	1,064.9	11.0
ILUK (10)	1,046,092	952.4	12.8

Method	Preconditioner	Time	# it		Ax	Bk. Err.
Wethod					<u></u>	
COLED	ILU0	1,117.0	500*	0.2	0.18e - 03	0.14e - 02
GMRES	ILUTH (10^{-2})	204.3	80	0.30e - 10	0.20e - 10	0.62e - 10
(m = 20)	$ILUTH (10^{-3})$	207.0	80	0.47e - 10	0.32e - 10	0.95e - 10
	ILUK (10)	130.0	40	0.39e - 10	0.19e - 10	0.56e - 10
	ILU0	1,395.0	500*	0.27e - 01	0.43e - 02	0.11e + 00
BCG	$ILUTH (10^{-2})$	1,759.0	500*	0.20e + 01	0.22e - 02	0.27e + 00
	$ILUTH (10^{-3})$	1,787.0	500*	0.73e - 06	0.64e - 06	0.19e - 05
	ILUK (10)	1,768.0	500*	0.20e - 01	0.10e - 02	0.16e + 00
	ILU0	105.2	38	0.33e - 10	0.22e - 10	0.66e - 10
CGS	$1LUTH (10^{-2})$	87.7	25	0.21e - 10	0.14e - 10	0.43e - 10
İ	$ILUTH (10^{-3})$	86.1	24	0.64e - 10	0.45e - 10	0.14e - 09
	ILUK (10)	81.6	23	0.54e - 11	0.26e - 11	0.79e - 11
	ILUO	125.3	45	$0.78e - 10^{s}$	0.52e - 10	0.16e - 09
BCGStab	$ILUTH (10^{-2})$	87.1	25	$0.17e - 10^{s}$	0.11e - 10	0.34e - 10
1	ILUTH (10^{-3})	87.3	24	0.80e - 10	0.54e - 10	0.16e - 09
	ILUK (10)	86.4	24	0.93e - 11	0.45e - 11	0.14e - 10
	ILU0	1,706.0	500*	0.32e - 08	0.60e - 08	0.18e - 07
QMR 2	$ILUTH (10^{-2})$	2,068.0	500*	0.38e - 08	0.36e - 08	0.11e - 07
	ILUTH (10^{-3})	2,109.0	500*	0.87e - 09	0.58e - 09	0.18e - 08
	ILUK (10)	2,095.0	500*	0.18e - 08	0.17e - 08	0.52e - 08
	ILUO	1,731.0	500*	0.21e - 07	0.14e - 07	0.43e - 07
QMR 3	$ILUTH (10^{-2})$	2,092.1	500*	0.24e - 07	0.16e - 07	0.48e - 07
j	ILUTH (10^{-3})	2,130.0	500*	0.10e - 07	0.70e - 08	0.21e - 07
	ILUK (10)	2,121.0	500*	0.49e - 07	0.28e - 07	0.86e - 07

SOR	
, , ,	

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.2	0.22e - 09	93.4	134	0.24e - 10	0.73e - 10

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-1}$	1.1	0.66e - 10	76.6	44	0.32e - 11	0.98e - 11	91,350
equal	1.2	0.90e - 10	111.6	113	0.22e - 10	0.66e - 10	0
other	1.2	0.86e - 10	130.1	136	0.24e - 10	0.73e - 10	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-1}$	1.0	requires u	nreasona	bly lon	g time (co	ıpling matrix	very large)
equal	1.2	0.89e - 10	112.7	58	0.78e - 11	0.23e - 10	0
other	1.2	0.93e - 10	$\lfloor 110.5 \rfloor$	57	0.13e - 10	0.38e - 10	2

Table A.21: Numerical Results for qnatm.

 $qnatm_gm1$

n = 104,625 nz = 593,115

Preconditioner	nzlu	Time	MFlops	
ILUO	593,115	2.0	0.5	
$[LUTH (10^{-2})]$	950,290	1,679.4	4.9	
$ILUTH (10^{-3})$	1,005,767	2,308.0	8.3	
ILUK (10)	1,045,181	2,262.6	61.3	

Method	Preconditioner	Time	# it		Ax	Bk. Err.
	ILUO	88.9	40	0.27e - 10	0.56e - 10	0.17e - 09
GMRES	ILUTH (10 ⁻²)	73.9	31	0.12e - 11	0.89e - 12	0.26e - 11
(m = 20)	$1LUTH (10^{-3})$	74.9	31	0.20e - 11	0.11e - 11	0.34e - 11
' '	ILUK (10)	51.3	20	0.39e - 10	0.30e - 10	0.92e - 10
	ILUO	1,389.0	500*	0.62e - 01	0.11e - 02	0.78e - 01
BCG	$ILUTH (10^{-2})$	1,697.0	500*	0.46e - 03	0.24e - 03	0.11e - 02
	ILUTH (10^{-3})	1,741.0	500*	0.23e - 01	0.63e - 03	0.37e - 01
	ILUK (10)	1,787.0	500*	0.66e - 02	0.15e - 02	0.72e - 01
	ILU0	61.6	22	0.43e - 11	0.80e - 11	0.24e - 10
CGS	ILUTH (10^{-2})	51.6	15	0.94e - 10	0.69e - 10	0.21e - 09
	$ILUTH (10^{-3})$	49.3	14	0.89e - 10	0.46e - 10	0.14e - 09
	ILUK (10)	50.5	14	0.45e - 11	0.78e - 11	0.24e - 10
	ILU0	69.6	25	$0.43e - 10^{s}$	0.80e - 10	0.24e - 09
BCGStab	ILUTH (10 ⁻²)	52.3	15	0.37e - 10	0.27e - 10	0.82e - 10
	$ILUTH (10^{-3})$	53.6	15	0.96e - 10	0.54e - 10	0.16e - 09
	ILUK (10)	47.7	13	0.70e - 10	0.66e - 10	0.20e - 09
	ILU0	1,713.0	500*	0.21e - 08	0.38e - 08	0.12e - 07
QMR 2	ILUTH (10^{-2})	2,025.0	500*	0.42e - 09	0.31e - 09	0.93e - 09
1	ILUTH (10^{-3})	2,065.0	500*	0.40e - 09	0.22e - 09	0.68e - 09
	ILUK (10)	2,106.0	3001	0.42e - 09	0.93e - 09	0.12e - 08
	ILU0	1,732.0	500*	0.28e - 08	0.51e - 08	0.16e - 07
QMR 3	ILUTH (10^{-2})	2,041.0	500*	0.32e - 08	0.23e - 08	0.70e - 08
	ILUTH (10^{-3})	2,082.0	500*	0.25e - 09	0.14e - 09	0.41e - 09
<u> </u>	ILUK (10)	2,125.0	500*	0.52e - 08	0.38e - 08	0.12e - 07

 \underline{SOR}

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.2	0.26e - 09	58.9	84	0.32e - 11	0.98e - 11

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-1}$	1.1	0.66e - 10	71.7	44	0.32e - 11	0.98e - 11	91,350
equal	1.3	0.60e - 10	44.4	35	0.87e - 11	0.26e - 10	0
other	1.3	0.74e - 10	-43.5	34	0.20e - 11	0.59e - 11	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-1}$	1.0	requires un	reasona	bly long	g time (cou	pling matrix	very large)
equal	1.2	0.87e - 10	90.4		0.37e - 11	0.11e - 10	0
other	1.3	0.45e - 10	93.8	36	0.69e - 11	0.21e - 10	2

Table A.22: Numerical Results for qnatm_gm1.

mutex n = 39,203 nz = 563,491

Preconditioner	nzlu	Time	MFlops	
ILU0	563,491	2.5	0.6	
$ILUTH (10^{-2})$	301,347	814.8	0.9	
$ILUTH (10^{-3})$	496,693	876.9	3.0	
ILUK (10)	392,037	1,215.4	15.8	

Method	Preconditioner	Time	# it			Bk. Err.
	ILUO	11.8	10	0.27e - 11	0.24e - 11	0.30e - 11
GMRES	$ILUTH (10^{-2})$	9.6	10	0.35e - 11	0.77e - 11	0.93e - 11
(m = 20)	$ILUTH (10^{-3})$	13.7	12	0.27e - 11	0.27e - 11	0.33e - 11
	ILUK (10)	15.9	15	0.54e - 11	0.80e - 11	0.58e - 11
	ILU0	1,030.0	_500*	0.95e - 02	0.49e - 02	0.11e - 01
BCG	ILUTH (10^{-2})	775.1	500*	0.32e - 01	0.61e - 02	0.84e - 01
1	$ILUTH (10^{-3})$	972.9	500*	0.82e - 05	0.82e - 05	0.99e - 05
	ILUK (10)	859.0	500*	0.28e + 00	0.13e - 01	0.43e - 01
	ILUO	9.8	5	0.58e - 10	0.52e - 10	0.63e - 10
CGS	ILUTH (10^{-2})	7.9	5	0.15e - 10	0.32e - 10	0.39e - 10
	$ILUTH (10^{-3})$	11.4	6	0.93e - 10	0.93e - 10	0.11e - 09
	ILUK (10)	13.4	8	0.50e - 10	0.44e - 10	0.54e - 10
	ILUO	9.9	5	0.37e - 10	0.33e - 10	0.40e - 10
BCGStab	$ILUTH (10^{-2})$	7.2	5	$0.92e - 10^{s}$	0.20e - 09	0.25e - 09
]	ILUTH (10^{-3})	11.4	6	0.34e - 10	0.33e - 10	0.41e - 10
	ILUK (10)	12.7	8	$0.90e - 10^{s}$	0.79e - 10	0.96e - 10
	ILU0	1,099.0	500*	0.28e - 08	0.25e - 08	0.30e - 08
QMR 2	$ \text{ILUTH } (10^{-2}) $	891.1	500*	0.28e - 09	0.62e - 09	0.75e - 09
	ILUTH (10^{-3})	1,083.0	500*	0.12e - 08	0.12e - 08	0.14e - 08
	ILUK (10)	970.5	500*	0.44e - 09	0.39e - 09	0.48e - 09
	ILUO	1,108.0	500*	0.79e - 03	0.26e - 03	0.26e - 02
QMR 3	ILUTH (10^{-2})	895.2	500*	0.95e - 08	0.21e - 07	0.26e - 07
	ILUTH (10^{-3})	1,063.0	500*	0.39e - 03	0.21e - 03	0.27e - 02
	ILUK (10)	965.9	500*	0.14e - 06	0.13e - 06	0.16e - 06

◠	\sim	n
•	"	ĸ
. ,	v	11

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
$\overline{1.1}$	0.93e - 02	9.7	19	0.34e - 12	0.41e - 12

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-3}$	1.1	0.68e - 10	78.3	11	0.57e - 12	0.69e - 12	50
equal	1.1	0.54e - 10	11.6	15	0.25e - 13	0.30e - 13	0
other	1.1	0.36e - 10	11.6	18	0.40e - 12	0.48e - 12	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-3}$	1.1	0.88e - 11	156.4	11	0.15e - 12	0.18e - 12	60
equal	1.1	0.56e - 10	102.3	10	0.47e - 13	0.57e - 13	0
other	1.1	0.21e - 10	95.6	12	0.20e - 12	0.24e - 12	2

Table A.23: Numerical Results for mutex.

 $mutex_alt1$ n = 39,203 nz = 563,491

Preconditioner	econditioner nzlu		MFlops
ILU0	563,491	2.6	0.6
$ILUTH (10^{-2})$	301,347	814.4	0.9
ILUK (10)	392,037	1,163.9	15.8

Method	Preconditioner	Time	# it		1 (4 m)	DI: E
Method		· · · · · · · · · · · · · · · · · · ·	1. //	<u> </u>	Ax	Bk. Err.
1	ILUO	7.2	6	0.26e - 12	0.10e - 12	0.74e - 13
GMRES	$ILUTH (10^{-2})$	3.3	3	0.27e - 12	0.64e - 12	0.45e - 12
(m = 20)	ILUK (10)	16.9	16	0.88e - 11	0.84e - 14	0.60e - 14
	ILU0	1,028.0	500*	0.28e - 02	0.14e - 02	0.11e - 02
BCG	$ILUTH (10^{-2})$	779.1	500*	0.30e - 07	0.87e - 07	0.62e - 07
	ILUK (10)	858.6	500*	0.19e + 00	0.21e - 04	0.15e - 04
	ILUO	6.3	3	0.40e - 11	0.16e - 11	0.11e - 11
CGS	$ILUTH (10^{-2})$	3.4	2	0.79e - 16	0.19e - 15	0.13e - 15
	ILUK (10)	10.5	6	0.11e - 11	0.13e - 14	0.90e - 15
	ILU0	5.4	3	$0.78e - 10^{s}$	0.31e - 10	0.22e - 10
BCGStab	$ \text{ILUTH } (10^{-2}) $	2.7	2	$0.71e - 13^{s}$	0.17e - 12	0.12e - 12
	ILUK (10)	9.5	6	$0.51e - 11^s$	0.49e - 14	0.35e - 14
	ILU0	1,143.0	500*	0.36e - 08	0.14e - 08	0.10e - 08
QMR 1	$ILUTH (10^{-2})$	6.1	3	0.92e - 10	0.22e - 09	0.16e - 09
	ILUK (10)	964.9	500*	0.30e - 04	0.14e - 06	0.10e - 06
	ILU0_	37.8	16	0.96e - 10	0.38e - 10	0.27e - 10
QMR 3	ILUTH (10^{-2})	6.1	3	0.92e - 10	0.22e - 09	0.16e - 09
	ILUK (10)	970.9	500*	0.27e - 04	0.14e - 06	0.10e - 06

α	\sim	n
١.	11	ĸ
. ,	٠,	II.

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.0	0.82e - 10	5.2	10	0.12e - 14	0.82e - 15

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl
$\gamma = 10^{-6}$	1.0	0.54e - 12	76.2	8	0.41e - 16	0.29e - 16	50_
equal	1.0	0.27e - 10	4.5	3	0.76e - 13	0.54e - 13	0
other	1.0	0.82e - 10	6.8	10	0.12e - 14	0.82e - 15	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-6}$	1.0	0.47e - 10	146.3	8	0.14e - 13	0.97e - 14	60
equal	1.0	0.36e - 11	94.1	2	0.41e - 14	0.29e - 14	0
other	1.0	0.36e - 11	84.8	-4	0.11e - 15	0.76e - 16	2

Table A.24: Numerical Results for mutex_alt1.

 $mutex_alt1_gm6$ n = 39, 203 nz = 563, 491

Preconditioner	nzlu	Time	MFlops
ILU0	563,491	2.3	0.6
$ILUTH (10^{-2})$	322,876	1,126.8	1.3
$ILUTH (10^{-3})$	464,251	1,127.3	1.9
ILUK (10)	382,280	1,547.8	83.7

Method	Preconditioner	Time	# it	r	Ax	Bk. Err.
	ILUO	10.8	9	0.81e - 13	0.31e - 18	0.22e - 18
GMRES	$ILUTH (10^{-2})$	5.2	5	0.45e - 12	0.71e - 15	0.50e - 15
(m = 20)	$ILUTH (10^{-3})$	4.7	4	0.17e - 13	0.64e - 15	0.45e - 15
	ILUK (10)	10.7	10	0.20e - 12	0.23e - 15	0.16e - 15
	ILU0	fai	led (di	vision by 0 a	t step 12 of	BCG)
BCG	$ILUTH (10^{-2})$	828.6	500*	0.20e - 05	0.53e - 08	0.37e - 08
	$ILUTH (10^{-3})$	945.9	500*	0.34e - 02	0.21e - 03	0.15e - 03
	ILUK (10)	875.8	500*	0.35e - 03	0.40e - 06	0.28e - 06
	ILUO	8.4	4	0.10e - 11	0.26e - 18	0.18e - 18
CGS	$ILUTH (10^{-2})$	5.1	3	0.34e - 15	0.54e - 18	0.38e - 18
	ILUTH (10^{-3})	3.9	$2 \rfloor$	0.11e - 13	0.42e - 15	0.30e - 15
II.	ILUK (10)	12.1	7	0.38e - 10	0.43e - 13	0.31e - 13
	ILU0	7.5	4	$0.38e - 10^{s}$	0.96e - 17	0.69e - 17
BCGStab	$ILUTH (10^{-2})$	4.4	3	$0.12e - 10^{s}$	0.19e - 13	0.14e - 13
	ILUTH (10^{-3})	3.1	2	$0.38e - 10^{s}$	0.15e - 11	0.10e - 11
	ILUK (10)	13.1	8	$0.22e - 13^{s}$	0.26e - 16	0.18e - 16
	ILUO	fa		e to $\epsilon = 0$ at	step 20 in Q	MR
QMR 2	$\lfloor ILUTH (10^{-2}) \rfloor$	955.0	500*	0.67e - 06	0.11e - 08	0.75e - 09
	$ ILUTH (10^{-3}) $	1,047.0		0.16e - 07	0.12e - 08	0.86e - 09
	ILUK (10)			e to $\epsilon = 0$ at	step 20 in Q	MR
	ILU0	1,170.0		0.47e - 06	0.48e - 11	0.20e - 11
QMR 3	ILUTH (10^{-2})	946.1		0.21e - 07	0.33e - 10	0.23e - 10
	ILUTH (10^{-3})	1,057.0		0.19e - 08	0.74e - 10	0.53e - 10
	ILUK (10)	fai	led du	e to $\epsilon = 0$ at	step 20 in Q	MR

\underline{SOR}

ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
1.01	not available	4.5	8	0.43e - 15	0.30e - 15

Block SOR

Partition.	ω	$ \Delta x $	Time	# it		Bk. Err.	# Bl.
$\gamma = 10^{-6}$	1.0	0.13e - 11	77.3	8	0.17e - 14	0.12e - 14	52
equal	1.0	0.50e - 12	64.5	8	0.27e - 16	0.19e - 16	22
other	1.0	0.39e - 12	66.6	8	0.16e - 16	0.12e - 16	14

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-6}$	1.0	0.11e - 10	142.2	8	0.89e - 14	0.64e - 14	62
equal	1.0	0.23e - 10	134.9	8	0.86e - 14	0.61e - 14	41
other	1.0	0.13e - 11	136.2	8	0.44e - 15	0.31e - 15	24

Table A.25: Numerical Results for mutex_alt1_gm6.

 $mutex_alt2$ n = 39,203 nz = 563,491

Preconditioner	nzlu	Time	MFlops
ILU0	563,491	2.6	0.6
$ILUTH (10^{-2})$	301,347	\$03.7	0.9
ILUK (10)	392,037	1.158.4	15.8

Method	Preconditioner	Time	# it	r	Ax	Bk. Err.
	ILUO	13.1	11	$0.32\epsilon - 12$	0.28e - 15	0.20e - 15
GMRES	$ILUTH(10^{-2})$	2.5	2	$0.48\epsilon - 13$	0.11e - 12	0.81e - 13
(m = 20)	ILUK (10)	17.0	16	$0.10\epsilon - 11$	0.22e - 18	0.16e - 18
	ILU0	23.1	11	$0.37\epsilon - 10$	0.14e - 09	0.97e - 10
BCG	$ILUTH (10^{-2})$	774.3	500*	$0.61\epsilon - 04$	0.26e - 04	0.18e - 04
Ĺ	ILUK	26.0	15	$0.95\epsilon-10$	0.51e - 10	0.36e - 10
	ILU0	6.3	3	$0.93\epsilon - 12$	0.55e - 15	0.39e - 15
CGS	$ILUTH (10^{-2})$	1.9	1	$0.76\epsilon - 15$	0.18e - 14	0.13e - 14
	ILUK (10)	21.6	13	$0.56\epsilon - 15$	0.66e - 14	0.47e - 14
	ILUO	5.4	3	$0.40\epsilon - 11^{s}$	0.24e - 14	0.17e - 14
BCGStab	$ILUTH (10^{-2})$	1.9	1	$0.17\epsilon - 15$	0.40e - 15	0.28e - 15
	ILUK (10)	15.3	9	$0.63\epsilon - 11$	0.37e - 15	0.26e - 15
	ILUO	732.0	319	$0.73\epsilon - 10$	0.11e - 11	0.79e - 12
QMR 2	$ILUTH (10^{-2})$	889.0	500*	$0.37\epsilon - 09$	0.13e - 08	0.96e - 09
,	ILUK (10)	49.5	25	$0.92\epsilon - 11$	0.12e - 11	0.85e - 12
QMR 3	ILU0	94.8	41	$0.93\epsilon - 10$	0.70e - 10	0.50e - 10
	$ILUTH (10^{-2})$	894.0	500*	$0.17\epsilon - 09$	0.69e - 09	0.49e - 09
	ILUK (10)	980.1	500*	$0.21\epsilon - 03$	0.20e - 09	0.14e - 09

C	•	`	n
. >	١.	,	н

ω Δx	Time	# it	Ax	Bk. Err.
1.0 not available	4.7	9	0.50e - 16	0.35e - 16

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-9}$	1.0	0.88e - 10	68.2	5	0.31e - 13	0.22e - 13	47
equal	1.0	0.22e - 15	3.9	2	0.17e - 17	0.12e - 17	0_
other	1.0	0.15e - 12	6.2	9	0.50e - 16	0.35e - 16	2

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-9}$	1.0	0.24e - 10	134.9	6	0.96e - 14	0.68e - 14	57
equal	1.0	0.79e - 15	92.1	2	0.37e - 17	0.26e - 17	0
other	1.0	0.50e - 14	82.9	3	0.50e - 16	0.35e - 16	2

Table A.26: Numerical Results for mutex_alt2.

leaky n = 8,258 nz = 197,474

			\underline{SOR}		
ω	$ \Delta x $	Time	# it	Ax	Bk. Err.
[1.0]	0.17e - 09	57.8	409	0.75e - 10	0.38e - 09

Block SOR

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.
$\gamma = 10^{-9}$	1.0	0.98e - 10	115.9	14	0.41e - 10	0.21e - 09	192
$\gamma = 10^{-1}$	$\overline{1.0}$	0.94e - 10	33.3	142	0.11e - 10	0.53e - 10	7,324
equal	1.1	0.96e - 10	59.1	255	0.83e - 10	0.42e - 09	89
other	1.0	0.99e - 10	73.8	313	0.77e - 10	0.39e - 09	109

Partition.	ω	$ \Delta x $	Time	# it	Ax	Bk. Err.	# Bl.	
$\gamma = 10^{-9}$	1.0	0.41e + 00	267.0	1,000*	0.21e - 16	0.11e - 15	192	
$\gamma = 10^{-1}$	1.0		requires unreasonably long time					
equal	1.0	0.82e - 10	20.3	70	0.34e - 11	0.18e - 10	89	
other	1.0	0.78e - 10	24.9	80	0.28e - 11	0.14e - 10	109	

Table A.27: Numerical Results for leaky.

Appendix B

The Nonzero Structures of the Matrices




Figure B.1: Pushout Threshold.




Figure B.4: 2D.




Figure B.2: easy_gm4.




Figure B.5: 2D_gm3.




Figure B.3: easy_gm3.




Figure B.6: 2D_gm2.





Figure B.9: ncd_alt1_gm7.

Figure B.12: ncd_alt2_gm7.






Figure B.14: telecom.




Figure B.15: telecom_gm2.




Figure B.16: telecom_gm1.




Figure B.17: qnatm.




Figure B.18: qnatm_gml.




Figure B.19: mutex.




Figure B.20: mutex_alt1_gm6.




Figure B.21: leaky.

Bibliography

- [1] F. L. Alvarado. The Sparse Matrix Manipulation System. ftp://eceserv0.ece.wisc.edu:/pub/smms93/.
- [2] Ö. Aras and T. Dayar. Complete buffer sharing with pushout thresholds in ATM networks under bursty arrivals. In *Proceedings of the First Sympo*sium on Computer Networks, pages 144-156, Bebek, Istanbul, 30-31 May 1996.
- [3] O. Axelsson. *Iterative Solution Methods*. Cambridge University Press, Cambridge, 1994.
- [4] R. Barret, M. Berry, T. Chan, J. Demmel, J. Donato, J. Donagarra, V. Eijkhout, R. Pozo, C. Romine, and H. van der Vorst. Templates for the solution of linear systems. SIAM, Philadelphia, 1994.
- [5] M. Benzi, T. Dayar, and M. Tuma. A comparision of preconditioned iterative methods for queueing systems arising in modeling of high-speed networks. Working Paper.
- [6] M. Benzi and M. Tuma. A comparision of some preconditioning techniques for general sparse matrices. Technical report, Institute of Computer Science, Academy of Sciences of the Czech Republic, May 1995.
- [7] A. Berman and R. J. Plemmons. Nonnegative Matrices in the Mathematical Sciences. SIAM, Philadelphia, PA, 1994.
- [8] J. J. Buoni. Incomplete factorization of singular M-matrices. SIAM J. Alg. Disc. Meth., 7:193-198, 1986.

BIBLIOGRAPHY 122

[9] H. Choi and D. B. Szyld. Application of threshold partitioning of sparse matrices to markov chains. In Proceedings of the IEEE International Computer Performance and Dependability Symposium IPDS'96, pages 158-165, 1996.

- [10] T. Dayar. Stability and Conditioning Issues on the Numerical Solution of Markov Chains. PhD thesis, Department of Computer Science, North Carolina State University, Raleigh, 1994.
- [11] T. Dayar. State space orderings for Gauss-Seidel in Markov chains revisited. SIAM J. Sci. Comput, 19(1), January 1998.
- [12] T. Dayar and W. J. Stewart. On the effects of using the Grassmann-Taksar-Heyman method in iterative aggregation-disaggregation. SIAM J. Sci. Comput., 17(1):287-303, January 1996.
- [13] R. W. Freund and M. Hochbruch. On the use of two QMR algorithms for solving singular systems and applications in markov chain modeling. *Numer. Linear Algebra and Applic.*, 1:403-420, 1994.
- [14] R. W. Freund and N. M. Nachtigal. QMR: A quasi-minimal residual method for non-Hermitian linear systems. Numer. Math., 60:315-339, 1991.
- [15] D. Gross, B. Gu, and R. M. Soland. The biconjugate gradient method for obtaining the steady-state probability distributions of Markovian multiechelon repairable item inventory systems. *Numerical Solution of Markov Chains*, pages 473-489, 1991.
- [16] N. J. Higham. Accuracy and Stability of Numerical Algorithms. SIAM, Philadelphia, PA, 1996.
- [17] P. Lancaster and M. Tismenetsky. *The Theory of Matrices*. Academic Press, Inc., Orlando, Florida, 1985.
- [18] S. T. Leutenegger and G. H. Horton. On the utility of the multi-level algorithm for the solution of nearly completely decomposable Markov chains. In Computations with Markov Chains: Proceedings of the Second International Workshop on the Numerical Solution of Markov Chains, pages 425-442, Kluwer, Boston, 1995. In W. J. Stewart (Ed.).

BIBLIOGRAPHY 123

[19] Matrix Market. A repository of test matrices at the National Institute of Standards. http://math.nist.gov/MatrixMarket.

- [20] J. A. Meijerink and H. A. van der Vorst. An iterative solution method for linear systems of which the coefficient matrix is a sysmmetric M-matrix. *Math. Comp.*, 31:148-162, 1977.
- [21] C. D. Meyer. Stochastic complementation, uncoupling Markov chains, and the theory of nearly reducible systems. SIAM Rev., 31:240-272, 1989.
- [22] V. Migallon, J. Penadés, and D. B. Szyld. Block two-stage methods for singular systems and Markov chains. Numer. Linear Algebra and Applic., 3:413-426, 1996.
- [23] J. O'Neil and D. B. Szyld. A block ordering method for sparse matrices. SIAM J. Sci. Stat. Comput., 11:811-823, 1990.
- [24] B. Philippe, Y. Saad, and W. J. Stewart. Numerical methods in Markov chain modelling. Operational Research, 40:1156-1179, 1992.
- [25] Y. Saad. Krylov subspace methods for solving large unsymmetric linear systems. *Mathematics of Computation*, 37(155):105-126, July 1981.
- [26] Y. Saad. SPARSKIT: A Basic Tool Kit for Sparse Matrix Computation. Center for Supercomputing Research and Development, University of Illinois at Urbana Champaign, August 1990.
- Y. Saad. Projection methods for numerical solution of Markov chain models. In Numerical Solution of Markov Chains, pages 455-471, NY, 1991.
 M. Dekker, Inc. In W. J. Stewart (Ed.).
- [28] Y. Saad. Preconditioned Krylov subspace methods for the numerical solution of Markov chains. In Computations With Markov Chains: Proceedings of the Second International Workshop on The Numerical Solution of Markov Chains, pages 49-64, Kluwer, Boston, 1995. In W. J. Stewart (Ed.).
- [29] Y. Saad. Iterative Solution of Sparse Linear Systems. PWS Publishing, NY, 1996.

BIBLIOGRAPHY 124

[30] Y. Saad and M. H. Schultz. Conjugate gradient-like algorithms for solving nonsymmetric linear systems. *Mathematics of Computation*, 44(170):417-424, April 1985.

- [31] Y. Saad and M. H. Schultz. GMRES: A generalized minimum residual algorithm for solving nonsymmetric linear systems. SIAM J. Sci. Stat. Comput., 7:856-869, 1986.
- [32] P. Sonneveld. CGS: A fast lanczos-typesolver for nonsymmetric linear systems. SIAM J. Sci. Stat. Comput., 10:36-52, 1989.
- [33] G. W. Stewart, W. J. Stewart, and D. F. McAllister. A two-stage iteration for solving nearly completely decomposable Markov chains. In *The IMA Volumes in Mathematics and its Applications 60: Recent Advances in Iterative Methods*, pages 201-216, Springer-Verlag, NY, 1994. In G. H. Golub, A. Greenbaum, and M. Luskin, Eds.
- [34] W. J. Stewart. Marca models: A database of Markov chain models. http://www.csc.ncsu.edu/faculty/WStewart/MARCA_Models.
- [35] W. J. Stewart. MARCA: Markov Chain Analyzer. a software package for Markov chain modelling. In *Numerical Solution of Markov Chains*, pages 37-62, NY, 1991. M. Dekker, Inc. In W. J. Stewart (Ed.).
- [36] W. J. Stewart. Introduction to the Numerical Solution of Markov Chains. Princeton University Press, Princeton, 1994.
- [37] H. A. van der Vorst. BI-CGSTAB: A fast and smoothly converging variant of BI-CG for the solution of nonsymmetric linear systems. SIAM J. Sci. Stat. Comput., 13:631-644, 1992.

BIOGRAPHY

Wail Gueaieb was born July 27, 1973 in Kairouan, Tunisia. He pursued his elementary studies in Kairouan. He got his Baccalauréat in Mathematics from the English Pioneer School in Ariana, Tunisia in 1991.

He received the Bachelor of Science degree in Computer Engineering with honors from Bilkent University, Ankara, Turkey in 1995. In the same year he was offered a teaching assistantship to begin studying for the Master of Science in Computer Engineering in the same university and received his degree in 1997. During the past two years he has been a teaching assistant for the graduate course Applied Linear Algebra and the undergraduate courses Algorithms and Programming I and Numerical Methods.