

Portland State University

PDXScholar

Civil and Environmental Engineering Faculty
Publications and Presentations

Civil and Environmental Engineering

5-10-2022

Systemic Opportunities to Improve Older Pedestrian Safety: Merging Crash Data Analysis and a Stakeholder Workshop

Jason C. Anderson

Portland State University, jason.c.anderson@pdx.edu

Sirisha Kothuri

Portland State University, skothuri@pdx.edu

Christopher M. Monsere

Portland State University, monsere@pdx.edu

David S. Hurwitz

Portland State University

Follow this and additional works at: https://pdxscholar.library.pdx.edu/cengin_fac



Part of the [Civil and Environmental Engineering Commons](#)

Let us know how access to this document benefits you.

Citation Details

Anderson, J. C., Kothuri, S., Monsere, C., & Hurwitz, D. (2022). Systemic Opportunities to Improve Older Pedestrian Safety: Merging Crash Data Analysis and a Stakeholder Workshop. *Transportation Research Record*, 03611981221089312.

This Post-Print is brought to you for free and open access. It has been accepted for inclusion in Civil and Environmental Engineering Faculty Publications and Presentations by an authorized administrator of PDXScholar. Please contact us if we can make this document more accessible: pdxscholar@pdx.edu.

1 **Systemic Opportunities to Improve Older Pedestrian Safety: Merging Crash Data Analysis**
2 **and a Stakeholder Workshop**

3
4 **Jason C. Anderson, PhD**, ORCID: 0000-0001-9189-5345

5 Research Associate

6 Department of Civil and Environmental Engineering

7 Portland State University

8 PO Box 751-CEE

9 Portland, OR 97207

10 Email: jason.c.anderson@pdx.edu

11
12 **Sirisha Kothuri, PhD**, ORCID: 0000-0002-2952-169X

13 Senior Research Associate

14 Department of Civil and Environmental Engineering

15 Portland State University

16 PO Box 751-CEE

17 Portland, OR 97207

18 Email: skothuri@pdx.edu

19
20 **Christopher Monsere, PhD, PE(OR)**, ORCID: 0000-0002-9044-307X

21 Professor

22 Civil and Environmental Engineering

23 Portland State University

24 PO Box 751-CEE

25 Portland, OR 97207

26 Email: monsere@pdx.edu

27
28 **David Hurwitz, PhD**, ORCID: 0000-0001-8450-6516

29 Professor

30 Civil and Construction Engineering

31 Oregon State University

32 Corvallis, OR 97331

33 Email: david.hurwitz@oregonstate.edu

34
35
36 Word Count: 5,233 words + 5 tables (250 words per table) = 6,483 words

37
38
39 *Submitted [07/30/2021]*

40 *Revised [12/1/2021]*

41

1 **ABSTRACT**

2 This paper presents a framework for improving older pedestrian safety in regard to serious
3 (fatal and incapacitating) crashes, using Oregon as a case study. Upon review of state and federal
4 practices pertaining to older pedestrian safety, four years of crash data identified 112 older (≥ 65
5 years) pedestrian serious injury crashes. These data were explored for factors that might be
6 addressed systemically using two methods. First, raw frequencies in the crash data were assessed
7 to determine trends and crash-related factors that are overrepresented. Second, a random forest
8 analysis is conducted to determine important variables for predicting older pedestrian serious
9 injury crashes. Using these crash-related factors, a workshop was held with 18 local stakeholders
10 and experts. As part of the workshop, key crash trends, potential causations, and potential
11 countermeasures by priority of implementation were determined based on perspectives from
12 workshop participants. Three key systemic solutions were identified to improve older pedestrian
13 safety, including improving pedestrian visibility and illumination, implementing treatments for
14 left-turns, and shortening pedestrian crossing distances across the state. The framework presented
15 in the current study can be adopted by other agencies to systemically address a wide variety of
16 safety concerns.

17
18 **Keywords:** older pedestrians, serious injury, workshop, countermeasures, pedestrian safety

1 INTRODUCTION

2 In 2018, 6,907 people 65 and older were killed in traffic crashes in the United States, which
3 accounted for 19 percent of all traffic fatalities. Between 2009 and 2018, older pedestrian fatalities
4 increased by 65 percent overall (1). Older pedestrians that are involved in crashes with motor
5 vehicles are more likely to result in a fatality when compared to other age groups due to increased
6 physical frailty (2) and are particularly susceptible to collisions with motor vehicles due to slower
7 walking speeds, difficulty meeting situational demands, and are at increased risk for falling while
8 walking (3). Some older pedestrians may also have an inhibited ability to make safe road crossing
9 judgments and decisions due to visual and hearing degradation combined with cognitive decline
10 (3). Studies show that when crossing a street, older pedestrians accept shorter time gaps in
11 oncoming traffic as vehicle speeds increase (4).

12 Identifying where infrastructure improvements need to be made to accommodate older
13 pedestrians is a challenge for many agencies. Successful pedestrian programs, such as one in
14 Sacramento, CA, rely on older pedestrians to self-report problems with pedestrian infrastructure
15 in their respective communities (2). Lowering speed limits on roadways, separating pedestrians by
16 time and space (for example, utilizing protected or leading pedestrian intervals at signalized
17 intersections), increasing the visibility of pedestrians to drivers, installing pedestrian countdown
18 signals, and reducing vehicle speeds on roadways with high pedestrian volumes, are all highly
19 effective ways to increase safety for older pedestrians (3–7). However, the success of these
20 strategies is dependent on in situ context in case of lowered speed limits and whether there are a
21 significant proportion of older pedestrians in the population, which may render these strategies to
22 be less effective (8).

23 In Oregon, from 2013 to 2016, 112 pedestrian fatalities and serious injury crashes occurred.
24 Due to the rate per capita increases of traffic fatalities and serious injuries for older drivers and
25 pedestrians 65 years of age and older, the Special Rule for Older Drivers and Pedestrians in the
26 “Fixing America’s Surface Transportation (FAST)” Act was triggered (9). This rule required
27 agencies to develop systemic strategies to address year over year increases. This manuscript
28 documents a framework for developing strategies for addressing older pedestrian crashes.

29 Four years of older pedestrian crash data in Oregon were analyzed to determine trends and
30 factors overrepresented in the raw crash data resulting in fatal and serious injury crashes. A random
31 forest analysis was conducted to determine important factors in predicting older pedestrian fatal
32 and serious injury crashes. Using the crash factors that were identified as overrepresented and
33 important predictors of older pedestrian serious injury crashes, a list of countermeasures was
34 developed. Crash factors were matched to potential countermeasures based on cost and anticipated
35 implementation duration. Finally, a workshop was conducted with 18 key stakeholders and experts
36 who are responsible for policy and design guidance to identify opportunities for improving policies
37 and procedures to increase older pedestrian safety.

38 METHODS

39 The framework for developing policy recommendations for improving older pedestrian safety
40 consists of four steps. Older pedestrian crash characteristics were summarized based on records in
41 the Oregon crash data from 2013 to 2016. As part of the descriptive analysis, a random forest
42 model was constructed to identify variable importance in older pedestrian crashes. Following
43 several recent publications from the National Highway Transportation Safety Administration (10–

1 12), age groups were compared to older pedestrian crashes as follows: 16 years to 24 years, 25
2 years to 44 years and 45 years to 64 years.

3 Next, a comprehensive list of potential countermeasures was identified from the literature. Key
4 sources include the CMF Clearinghouse and Oregon DOT's All Roads Transportation Safety
5 (ARTS) program (13, 14). These countermeasures were summarized by category, associated crash
6 modification factor (CMF), its rating, and its effectiveness. Not all possible countermeasures have
7 a quantitative CMF, especially those related to policy or education. The scope of the
8 countermeasure (i.e., policy-driven, project-level, systemic) and if the countermeasure is currently
9 listed in one of ODOT's systemic approaches was also indicated. The countermeasures were then
10 matched to crash factors identified from the crash data analysis.

11 A workshop was hosted with the objective of bringing together the various stakeholders and
12 experts with responsibilities for policy and design guidance that relate to older pedestrian safety;
13 present results of the data analysis, best practices (identified in the literature review), and potential
14 countermeasures (obtained from the CMF Clearinghouse and ODOT's ARTS program); and,
15 identify possible opportunities for improving policies and procedures at ODOT. In consultation
16 with the ODOT research coordinator and the Technical Advisory Committee (TAC), a list of
17 participants was developed. The TAC consisted of five professionals with technical expertise of
18 the research project and are listed in the acknowledgements section. In addition to the ODOT
19 personnel who were responsible for policy and design guidance pertaining to older pedestrian
20 safety, the research team also invited representatives from counties that were overrepresented in
21 either older driver or older pedestrian crashes, agencies engaged with improving older pedestrian
22 (or driver) safety, such as the American Automobile Association, the American Association of
23 Retired Persons (AAA, AARP), and the League of Oregon Counties. A total of 31 stakeholders
24 and experts were invited to participate in the workshop. Invitees included representatives from
25 AAA, AARP, the Area Agency on Aging Statewide, representatives from counties with an
26 overrepresentation, various ODOT personnel, and members of the TAC. Members from the TAC
27 included a highway safety coordinator, a signing engineer, a representative from ODOT's Older
28 Road Users Program, a representative from the ODOT Department of Motor Vehicles Medical
29 Program, and a safety and design engineer with the Federal Highway Administration. For the
30 workshop, 18 stakeholders and experts (including the TAC) attended.

31 The 18 participants were divided into four groups and three activities were designed for the
32 participants to elicit feedback. During the first activity, participants at each table independently
33 reviewed crash data information sheets and documented the patterns that seemed notable. Next,
34 participants discussed with their groups the crash trends/overrepresentations that they individually
35 identified as unexpected, or expected, and speculated on the causation. The participants then
36 identified the most important trend or overrepresentations from each table's perspective and
37 recorded them on a response sheet. For the second activity, participants were asked to imagine that
38 they were either the Governor or ODOT Director for a day and, ignoring cost and feasibility,
39 brainstorm the changes that they would make to improve older pedestrian safety. The participants
40 were provided with a list of categories to aid the brainstorming process. These categories included
41 licensing and assessment, education and awareness, intersections, roadway design and signing,
42 roadway lighting, and aging in place. Participants were then asked in their designated groups to
43 discuss their proposed solutions and determine if there were any shared ideas. Those shared ideas
44 were documented on the data sheet at each table. For the final activity in the breakout session,
45 participants individually reviewed the countermeasure list using their own expertise to highlight
46 the countermeasures that would be implementable as a systemic treatment, through policy changes,

1 or design guidance. Finally, the participants discussed systemic actions or changes to specific
2 design standards or policies and documented these using the data sheets provided at each table.

3 Following the breakout sessions members of the research team synthesized findings from each
4 group pertaining to older pedestrian crash trends and brainstormed solutions. These results were
5 presented back to the participants. Based on feedback obtained regarding proposed solutions from
6 the participants, the research team created posters with the proposed solutions aggregated by
7 category. Participants were then asked to use three different colored post-it notes, where each color
8 represented a priority level, to rank order their top three proposed solutions. These
9 recommendations and proposed solutions are further detailed in Monsere et al. (15).

10 RESULTS


11 The results from the crash data analysis are presented first, followed by the workshop findings.

12 Crash Data Analysis

13 An analysis of the crash data from 2013 to 2016 yielded 112 fatal and serious injury crashes
14 for pedestrians. Figure 1 and


15 Figure 2 present the results of a basic descriptive analysis of the crash data. The majority of
16 older pedestrian fatal and serious injury crashes occurred from 3:00 p.m. to 5:59 p.m. (26.8%) or
17 6:00 p.m. to 8:59 p.m. (21.4%). The largest percentage of older pedestrian fatal and serious injury
18 crashes took place on a Friday at roughly 24%. The majority of older pedestrian fatal and serious
19 injury crashes happened on urban roadway classifications. Specifically, 34% occurred on urban
20 principal arterials, 25% on urban minor arterials, and 15% on urban major collectors. For rural
21 classifications, the highest percentage observed is approximately 6% on rural principal arterials
22 and approximately 6% on rural major collectors. Pedestrian action describes what the pedestrian
23 was doing, their condition, or other factors affecting the individual at the time of the crash (15).
24 The majority of pedestrian actions occurred at or near intersections, the roadway character with the
25 highest proportion of older pedestrian fatal and serious injury crashes. Approximately 24% of older
26 pedestrians were crossing between intersections when the crash occurred, about 23% were crossing
27 at an intersection with no traffic signal, and roughly 21% were crossing at an intersection with a
28 traffic signal. Nearly 52% occurred during clear conditions, about 29% happened during cloudy
29 conditions, approximately 14% took place under rainy conditions, and roughly 5% occurred during
30 foggy conditions. Approximately 62% of older pedestrian fatal and serious injury crashes involved
31 a male, and roughly 38% involved a female.

32



1
2
3
4
5
6
7


Figure 1: Older pedestrian fatal and serious injury crashes and (a) time-of-day, (b) day of the week, (c) roadway classification, (d) road character, (e) weather condition, and (f) road surface condition



1
2
3
4
5
6
7
8
9
10
11
12
13

Figure 2: Older pedestrian fatal and serious injury crashes and (a) lighting condition, (b) gender, (c) age, (d) pedestrian action, (e) pedestrian location, and (f) pedestrian-level crash cause

Next, older pedestrian fatal and serious injury crashes were compared to fatal and serious injury crashes for other age groups, namely: 16 to 24 years, 25 to 44 years, and 45 to 64 years. Except for the 16 to 24 years age group, all other age groups show increasing trend of pedestrian fatal and serious injury crashes as seen in Figure 3.



1
2 **Figure 3: Pedestrian fatal and serious injury crashes by age group**

3
4 To determine variable importance in regard to older pedestrian fatal and serious injury crashes,
5 a random forest analyses was conducted. The use of a random forest, or other machine learning
6 method, to identify important predictors and/or complement traditional models has become
7 prevalent in the transportation safety literature (17-30). The current study applies this approach to
8 identify important variables in predicting older pedestrian serious injury crashes.

9 Variable importance refers to variables that are deemed most important for predicting older
10 pedestrian serious injury crash outcomes based on metrics detailed below. A random forest
11 analysis is an ensemble-based machine learning technique. This method utilizes a set of data,
12 where a dependent variable and a set of explanatory variables are defined. The explanatory
13 variables are then used to predict the dependent variable through the random forest analysis. In the
14 case of the current study, the dependent variable is binary (1 if the older pedestrian sustained a
15 fatal or serious injury, 0 otherwise), and the set of explanatory variables are the crash
16 characteristics. Through the prediction process of the random forest analysis, variable importance
17 is determined.

18 Variable importance is assessed by two metrics: mean decrease in accuracy and mean decrease
19 in the Gini Index. These can often be referred to as accuracy-based importance and Gini-based
20 importance. Accuracy-based importance is associated with the prediction accuracy of a specific
21 outcome (31). This is computed during the out-of-bag error calculation (a method to measure
22 prediction error on each training sample) in the random forest algorithm (32). The higher the
23 accuracy due to exclusion of a specific variable, the more important that variable is (32, 33). The
24 Gini Index (or coefficient) refers to the measure of each variable in regards to contribution of
25 homogeneity (reduction in variance) in the tree nodes and leaf nodes of the random forest (32).
26 Variables that result in tree nodes with a higher homogeneity lead to a higher decrease in the Gini
27 Index.

The use of a random forest in this work stems from the disadvantages of decision trees. The major disadvantage of decision trees is their susceptibility to overfitting and that they are generally non-robust (34). On the other hand, random forests, as stated previously, use an ensemble-based learning technique to generate a stronger and more robust model (34). This is accomplished in random forests using multiple decision trees and averaging the results.

Table 1 presents the results of the random forest analysis. Shown are the five most important variables for the two variable importance metrics. Based on mean decrease in accuracy, the most important variables for older pedestrian serious injury crash prediction are dark lighting conditions with no streetlights, intersection crashes, crashes in which the pedestrian was at an intersection and inside the crosswalk, cloudy weather, and daylight conditions. The most important variables in terms of the Gini Index are roadway classification (urban principal arterials and urban minor arterials), dark lighting conditions with no streetlights, cloudy weather, and crashes in which the pedestrian was illegally in the roadway. Two crash-related characteristics were determined to be important for both metrics: dark lighting with no streetlights and cloudy weather.

Table 1: Variable Importance on Older Pedestrian Fatal and Serious Injury Crashes Based on Random Forest Analysis

Top Important Variables based on Mean Decrease in Accuracy	Top Important Variables Based on Gini Index
1. Dark (No Street Lights)	1. Urban Principal Arterial
2. Intersection	2. Urban Minor Arterial
3. At Intersection (Inside Crosswalk)	3. Dark (No Street Lights)
4. Cloudy	4. Cloudy
5. Daylight	5. Illegally in Roadway

Workshop Findings

Stakeholders and experts at the workshop were tasked with three activities, each to be completed and documented by the four groups. Workshop findings are presented by activity and group, followed by a summary of responses that were consistent among groups. The first activity involved each group documenting important patterns in the crash data materials provided to each group. The crash data materials included tables and plots pulled from crash data analysis. Specifically, each group was directed to “Discuss the crash trend/overrepresentation you identified as unexpected or expected. Take notes on your observations and feel free to speculate on causation.” Additionally, Activity 1 asked each group to “Identify the most important trend/overrepresentations from the perspective of your group. Make brief notes on the response sheet for your group.” Table 2 and Table 3 show the important crash trends and potential causations as identified by the stakeholders and experts. These tables represent vote counts by group and potential causations by group, not individual participants. Only one group identified lighting and crossing while not in the intersection. In terms of expected or unexpected crash trends, and potential causation, three trends were identified most often: (1) crossing between intersections, (2) daylight, and (3) urban areas. Workshop participants speculated on potential causation for crashes in which older pedestrians were crossing between intersections, including the following: jaywalking, crossing with no signal, and difficulty estimating speed and gaps. Likewise, workshop participants speculated on potential causation for older pedestrian crashes that occurred on urban classifications; specifically, pedestrians may be crossing parallel to the mainline. One group posed

1 questions to be considered for future research, such as at-fault older pedestrian crashes being a
 2 result of low enforcement, if rural facility crashes are related to older pedestrians checking their
 3 mail, and if there is any correlation between homeless and older pedestrians.
 4

Table 2: Most Selected Important Crash Trends by Stakeholders

Crash Trend	Times Selected
Crossing between Intersections	2
Daylight	2
Urban Areas	2

5

Table 3: Potential Causation of Most Selected Crash Trends

Crash Trend	Potential Causation
Crossing between Intersections	<ul style="list-style-type: none"> • Jaywalking • Crossing with No Signal • Harder to Estimate Speed and Gaps
Urban Areas	<ul style="list-style-type: none"> • Crossing Parallel to Mainline

6

7 For Activity 2, each group was directed to “As a group, discuss your proposed solutions.
 8 Determine if there are any shared ideas. Make brief notes on the datasheet for your group.”

9

10 A summary of most selected solutions for Activity 2 is shown in Table 4. Table 4 represents
 11 counts by group, not individual participants. Of the solutions proposed, four solutions were
 12 proposed by at least three groups. The first solution proposed by three groups is access
 13 management and/or driveway spacing. One group proposed, specifically, access management with
 14 a focus on reducing driveway density. The remaining two groups that proposed access
 15 management and/or driveway spacing as a solution did not provide additional comments.
 16 However, one group proposed removing driveways from T-intersections. The second solution
 17 proposed by three groups was crosswalk spacing. The second group proposed an “adequate”
 18 crosswalk spacing, each with additional protection (e.g., RRFBs, signals). The third group
 19 proposed an increase in marked or enhanced crosswalk spacing but did not provide additional
 20 comments. The final group proposed crosswalk spacing frequency, with an emphasis on spacing
 21 at consistent, safe intervals. The third solution proposed by three groups is related to
 22 lighting/visibility at intersections. The first group proposed higher visibility for pedestrians at
 23 intersections (this group also proposed wider waiting areas on the curb and better sightlines). The
 24 second group also proposed additional lighting but did not provide additional comments. The third
 25 group proposed improved intersection lighting with the premise of increasing driver expectation
 26 of encountering pedestrians. This group also proposed improved lighting at midblock crossings
 27 and along the roadway. The final solution proposed by the three groups was crossing visibility.
 28 The first group recommended improved crossing visibility, where the focus should be on rural
 29 arterials. The second group proposed a requirement that an unspecified percentage of reflective
 30 clothing be worn to increase pedestrian visibility while crossing. The third group suggested
 31 improving crossing visibility through the addition of lit signage, flashing signals (e.g., RRFBs),
 and maintaining reflective striping.

Table 4: Most Frequent Proposed Solutions for Older Pedestrians

Proposed Solution	Groups Selected
Access Management, Driveway Spacing	3
Crosswalk Spacing	3
Lighting/Visibility at Intersections	3
Crossing Visibility	3
Turn Restrictions	2

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27

For Activity 3, each group was directed to “*As a group, discuss and identify possible systemic actions (regular implementation of treatments to workflows) or changes to design standards or policies. Make brief notes on the datasheet for your group. These ideas will be summarized and synthesized for the workshop wrap-up.*” After each group submitted their datasheet, all sheets were summarized. Workshop participants were then given three votes each (individual, not group) and asked to vote on potential solutions. Each workshop participant had a top priority vote, a second priority vote, and a third priority vote. At the conclusion of the workshop, votes were counted and solutions prioritized.

A summary of potential solutions for older pedestrians, and votes by priority, is shown in Table 5. Table 5 represents individual participant counts. Five solutions received at least two top-priority votes, where four of these received three top-priority votes. These solutions included the increased use of protected left turns (eliminate permissive movements), illumination to increase pedestrian visibility, and eliminating driveway access near intersections. The solutions with two top priority votes included shorter crossing distances/curb extensions/medians and lower speed limits. In terms of second-priority votes, four solutions received more votes compared to others. The solution with the highest number of second-priority votes was shorter crossing distances/curb extensions/medians (received six votes). The remaining solutions each received four second-priority votes, including adequate pedestrian crossings at regular intervals, illumination to increase pedestrian visibility, and eliminating free-flow turn and right-turn slip lanes. Lastly, in terms of third-priority votes, three solutions received more votes compared to others. In addition, each of these solutions belong to the intersection-related category. Of these, shorter crossing distances/curb extensions/medians received six votes, and increasing the use of protected left turns (eliminating permissive movements) and adequate pedestrian crossings at regular intervals each received three votes.

Table 5: Potential Solutions for Older Pedestrian Safety by Priority

Intersections			
Solution	Top Priority	Second Priority	Third Priority
Extended Crossing Times	0	1	1
Shorter Crossing Distances/Curb Extensions/Medians	2	1	6
Adequate Pedestrian Crossing at Regular Intervals	1	4	3
Increased Use of Protected Left Turns (Eliminate Permissive Movements)	3	6	5
Mid-Block Crossings	0	0	0
Education			
Solution	Top Priority	Second Priority	Third Priority
Educate on Crosswalk Use	0	0	1
Roadway Lighting			
Solution	Top Priority	Second Priority	Third Priority
Illumination to Increase Pedestrian Visibility	3	4	1
Roadway Design			
Solution	Top Priority	Second Priority	Third Priority
Lower Speeds	2	2	2
Grade Separate at Intersections	0	0	0
Eliminate Free Flow Turns and Right-Turn Slip Lanes	0	4	0
Eliminate Driveway Access in Close Proximity to Intersections	3	2	0
Make Pedestrian Safety More of a Priority	1	1	0
Other			
Solution	Top Priority	Second Priority	Third Priority
Better Transit Route and Stops	1	1	2
Reduce Barriers to Obtaining Rides	1	0	2

* Value in indicate countermeasures with the highest number of top priority votes
* Value in indicate countermeasures with the highest number of second priority votes
* Value in indicate countermeasures with the highest number of third priority votes

1 DISCUSSION

2 Based on the crash data analysis and workshop findings, systemic treatments to improve older
3 pedestrian safety were identified. The systemic approach allows agencies to implement the
4 selected safety improvements at multiple locations with similar risk characteristics. As these
5 countermeasures will be widely implemented, the focus is on selecting low-cost solutions. Thus,
6 the selected countermeasures to improve older pedestrian safety included improving visibility and
7 illumination, treatments for left turns, and shortening crossing distances. From the perspective of
8 universal design, treatments aimed at benefitting older road users, should benefit all road users.
9 The focus here was to identify low-cost systemic treatments to improve older pedestrian safety,
10 and these treatments were selected based on crash causes that were overrepresented in older
11 pedestrian crashes. Additional details on specific countermeasures by crash cause are documented
12 in the final technical report (15).

13
14

1 **Improving Pedestrian Visibility and Illumination**

2 Lighting is a significant factor in older pedestrian fatal and serious injury crashes. Crash data
3 analysis showed that 20% of the crashes occurred in the dark with no street lighting, and an
4 additional 8% and 5% of the crashes occurred during dawn and dusk, respectively, where the
5 ambient lighting is low. Improving pedestrian visibility and illumination was voted as the top
6 priority by the workshop participants. Countermeasures that improve illumination and visibility of
7 the pedestrian include improved lighting at intersections and near crossing locations and installing
8 RRFB flashing beacons or other active warning devices such as flashing LED mounted “Pedestrian
9 Crossing” warning signs (35). Increased visibility of pedestrians to drivers has shown to reduce
10 crashes up to 13% (14, 36), and Monsere et al. (37) estimated a CMF of 0.71 due to the
11 implementation of RRFBs.

12 **Treatments for Left Turns**

13 Vehicles turning left accounted for 19% of the older pedestrian fatal and serious injury crashes.
14 Eliminating the use of permissive left turns and increasing the use of protected left turns can
15 improve older pedestrian safety as drivers often focus on the oncoming traffic looking for gaps
16 and thereby miss the crossing pedestrians during permissive left turns. This countermeasure also
17 improves older driver safety by reducing their cognitive load. If permissive left turns are used,
18 adding a flashing yellow arrow indication for right turns can improve driver comprehension and
19 behavioral response in the presence of pedestrians (38). Additionally, slowing down the left-
20 turning vehicles may be another strategy to improve pedestrian safety. Cities such as Portland and
21 New York City have been using wedges and centerlines to decrease vehicle speeds and improve
22 pedestrian safety. Implementing protected pedestrian phases and leading pedestrian intervals near
23 older communities can also improve safety, as implementation of measures to separate pedestrians
24 by time and space through utilizing protected or leading pedestrian intervals has shown to reduce
25 the expected number of crashes up to 13% (14, 36).

26 **Shorten Crossing Distances**

27 The proportion of older pedestrian fatal and serious injury crashes when the pedestrians were
28 in the roadway were statistically significantly different when compared to the proportions of the
29 crashes for pedestrians between 25-44 years of age and 45-64 years of age. Shortening the crossing
30 distance for the pedestrians will shorten their exposure time, thus increasing their safety. Specific
31 countermeasures include installing pedestrian islands in the median to shorten the crossings and
32 provide refuge, curb extensions on commercial streets and bus routes and raised crosswalks and
33 road diets near older communities (35). Pedestrian islands in the median of wide and busy streets
34 have shown to decrease the expected number of crashes up to 14% (14, 36), and raised crosswalks
35 and road diets up to 46% (14, 36).

36 **CONCLUSIONS**

37 The objective of this research was to identify strategies to improve older pedestrian safety. To
38 accomplish this objective, a review of the literature, crash data analysis, selection of potential
39 countermeasures, and workshop were conducted to arrive at recommendations for improving older
40 pedestrian safety. Participants in the workshop were chosen based on their expertise and ability to

1 make changes to design practice or policy. The recommendations include improve pedestrian
2 visibility and illumination at intersections and near crossing locations, eliminating permissive left-
3 turns and slowing down vehicles making left-turn maneuvers, and shortening crossing distances
4 by installing median islands and curb extensions thus reducing pedestrian exposure.

5 Although the findings and recommendations in this study were based on Oregon crash data,
6 improving older pedestrian safety is an important issue nationwide in the U.S. Older pedestrians
7 have the highest risk for fatal or serious injuries and the recommendations developed in this study
8 can also be applicable in other areas. Additionally, this study also provides a data-driven
9 framework for states to develop their own recommendations. While the focus on this study was on
10 identifying low-cost systemic treatments, consideration of treatments to address speeding may also
11 be beneficial in improving older pedestrian safety and could be a focus for future work. Further,
12 the crash data analysis was on crash data only. Fusing additional data sources, such as exposure
13 or land-use data, with the crash data may provide additional insights on older pedestrian serious
14 injury crash behavior and can be further investigated in future work.

15 16 **ACKNOWLEDGMENTS**

17 The authors thank the Oregon Department of Transportation (ODOT) and the Federal Highway
18 Administration (FHWA) for funding this research (SPR 828). The Technical Advisory Committee
19 has provided valuable input throughout the project (Tim Burks – Highway Safety Engineering
20 Coordinator; Marie Kennedy – Traffic Operations Coordinator; Kelly Kapri – Safety: EMS
21 Coordinator; Kristopher Kyes – DMVS: Medical Program Coordinator; and Nick Fortey – FHWA.
22 Thanks to Jasmin Woodside, an OSU student, for assistance during the workshop. The project was
23 managed expertly by Mark Joerger, ODOT Research Coordinator.

24 25 **AUTHOR CONTRIBUTIONS**

26 The authors confirm contribution to the paper as follows: study conception and design: Chris
27 Monsere, David Hurwitz. data collection: Jason C. Anderson; analysis and interpretation of results:
28 Jason C. Anderson, Sirisha Kothuri, Chris Monsere, David Hurwitz; draft manuscript preparation:
29 Jason C. Anderson, Sirisha Kothuri, Chris Monsere, David Hurwitz. All authors reviewed the
30 results and approved the final version of the manuscript.

REFERENCES

1. NHTSA. *Traffic Safety Facts: Older Population*. Washington, DC. U.S. Department of Transportation. National Highway Traffic Safety Administration., 2019.
2. Cottrell, W. D., and D. Pal. Evaluation of Pedestrian Data Needs and Collection Efforts. *Transportation Research Record: Journal of the Transportation Research Board*, Vol. 1828, 2003, pp. 12–19.
3. Levi, S., D. M. De Leonardis, J. Antin, and L. Angel. *Identifying Countermeasure Strategies to Increase Safety of Older Pedestrians*. Washington, DC. National Highway Traffic Safety Administration. Report No. DOT-HS-811-798, 2013.
4. Lobjois, R., N. Benguigui, and V. Cavallo. The Effects of Age and Traffic Density on Street-Crossing Behavior. *Accident Analysis and Prevention*, Vol. 53, 2013, pp. 166–175.
5. Kothuri, S., E. Smaglik, A. Kading, C. Sobie, and P. Koonce. Guidance on Signal Control Strategies for Pedestrians to Improve Walkability. *ITE Journal*, Vol. 88, No. 5, 2018, pp. 35–39.
6. Hewitt, B., and J. Evans. *Elderly Mobility and Safety - The Michigan Approach: Literature Review and Resource Inventory*. Detroit, MI. Southeast Michigan Council of Governments, 1999.
7. Kwigizile, V., J.-S. Oh, R. Van Houten, D. Prieto, R. Boateng, L. Rodriguez, A. Ceifetz, J. Yassin, J. Bagdad, and P. Andridge. *Evaluation of Michigan's Engineerign Improvements for Older Drivers*. Lansing, MI. Michigan Department of Transportation. Report No. RC 1636, 2015.
8. Boot, W., N. Charness, C. Stothart, M. Fox, A. Mitchum, H. Lupton, and R. Landbeck. *Aging Road User, Bicyclist, and Pedestrian Safety: Effective Bicycling Signs and Preventing Left-Turn Crashes*. Tallahassee, FL. Florida Department of Transportation. Report No. BDK83 977-15, 2013.
9. Federal Highway Administration. Older Drivers and Pedestrians Special Rule. <https://safety.fhwa.dot.gov/hsip/older/>. Accessed Nov. 16, 2021.
10. National Highway Traffic Safety Administration. Traffic Safety Facts: Occupant Protection in Passenger Vehicles. <https://crashstats.nhtsa.dot.gov/Api/Public/ViewPublication/812691>.
11. National Highway Traffic Safety Administration. Traffic Safety Facts: Speeding. <https://crashstats.nhtsa.dot.gov/Api/Public/ViewPublication/812687>.
12. National Highway Traffic Safety Administration. Traffic Safety Facts: Young Drivers. <https://crashstats.nhtsa.dot.gov/Api/Public/ViewPublication/812753>.
13. University of North Carolina Highway Safety Research Center. Crash Modification Factors Clearinghouse.
14. Oregon Department of Transportation. All Roads Transportation Safety: Crash Reduction Factors.
15. Monsere, C., J. C. Anderson, S. Kothuri, D. Hurwitz, and C. Chand. *Addressing Oregon's Rise in Deaths and Serious Injuries for Senior Drivers and Pedestrians*. Oregon Department of Transportation. Salem, OR. Report No. FHWA-OR-RD-20-07, 2020.
16. ODOT Crash Analysis and Reporting Unit. *2017 Motor Vehicle Traffic Crash Analysis and Code Manual*. Salem, OR. Oregon Department of Transportation Data Section., 2018.
17. Mokhtarimousavi, S., J. C. Anderson, M. Hadi, and A. Azizinamini. A Temporal

- Investigation of Crash Severity Factors in Worker-Involved Work Zone Crashes: Random Parameters and Machine Learning Approaches. *Transportation Research Interdisciplinary Perspectives*, Vol. 10, 2021, p. 100378. <https://doi.org/10.1016/j.trip.2021.100378>.
18. Zhou, X., P. Lu, Z. Zheng, D. Tolliver, and A. Keramati. Accident Prediction Accuracy Assessment for Highway-Rail Grade Crossings Using Random Forest Algorithm Compared with Decision Tree. *Reliability Engineering and System Safety*, Vol. 200, 2020, p. 106931. <https://doi.org/10.1016/j.ress.2020.106931>.
 19. Pu, Z., Z. Li, R. Ke, X. Hua, and Y. Wang. Evaluating the Nonlinear Correlation between Vertical Curve Features and Crash Frequency on Highways Using Random Forests. *Journal of Transportation Engineering, Part A: Systems*, Vol. 146, No. 10, 2020, p. 04020115. <https://doi.org/10.1061/jtepbs.0000410>.
 20. Li, L., C. G. Prato, and Y. Wang. Ranking Contributors to Traffic Crashes on Mountainous Freeways From an Incomplete Dataset: A Sequential Approach of Multivariate Imputation by Chained Equations and Random Forest Classifier. *Accident Analysis and Prevention*, Vol. 146, No. August, 2020, p. 105744. <https://doi.org/10.1016/j.aap.2020.105744>.
 21. Abdel-Aty, M., and K. Haleem. Analyzing Angle Crashes at Unsignalized Intersections Using Machine Learning Techniques. *Accident Analysis and Prevention*, Vol. 43, No. 1, 2011, pp. 461–470. <https://doi.org/10.1016/j.aap.2010.10.002>.
 22. Wang, X., and S. H. Kim. Prediction and Factor Identification for Crash Severity: Comparison of Discrete Choice and Tree-Based Models. *Transportation Research Record*, Vol. 2673, No. 9, 2019, pp. 640–653. <https://doi.org/10.1177/0361198119844456>.
 23. Li, D., P. Ranjitkar, Y. Zhao, H. Yi, and S. Rashidi. Analyzing Pedestrian Crash Injury Severity Under Different Weather Conditions. *Traffic Injury Prevention*, Vol. 18, No. 4, 2017, pp. 427–430. <https://doi.org/10.1080/15389588.2016.1207762>.
 24. Zhang, J., Z. Li, Z. Pu, and C. Xu. Comparing Prediction Performance for Crash Injury Severity Among Various Machine Learning and Statistical Methods. *IEEE Access*, Vol. 6, 2018, pp. 60079–60087. <https://doi.org/10.1109/ACCESS.2018.2874979>.
 25. Chen, M. M., and M. C. Chen. Modeling Road Accident Severity with Comparisons of Logistic Regression, Decision Tree and Random Forest. *Information*, Vol. 11, No. 5, 2020, p. 270. <https://doi.org/10.3390/INFO11050270>.
 26. Mokhtarimousavi, S., J. C. Anderson, A. Azizinamini, and M. Hadi. Improved Support Vector Machine Models for Work Zone Crash Injury Severity Prediction and Analysis. *Transportation Research Record: Journal of the Transportation Research Board*, Vol. 2673, No. 11, 2019, pp. 680–692.
 27. Li, Z., P. Liu, W. Wang, and C. Xu. Using Support Vector Machine Models for Crash Injury Severity Analysis. *Accident Analysis and Prevention*, Vol. 45, 2012, pp. 478–486. <https://doi.org/10.1016/j.aap.2011.08.016>.
 28. Alkheder, S., M. Taamneh, and S. Taamneh. Severity Prediction of Traffic Accident Using an Artificial Neural Network. *Journal of Forecasting*, Vol. 36, No. 1, 2017, pp. 100–108. <https://doi.org/10.1002/for.2425>.
 29. Mafi, S., Y. Abdelrazig, and R. Doczy. Analysis of Gap Acceptance Behavior for Unprotected Right and Left Turning Maneuvers at Signalized Intersections Using Data Mining Methods: A Driving Simulation Approach. *Transportation Research Record: Journal of the Transportation Research Board*, Vol. 2672, No. 38, 2018, pp. 160–170. <https://doi.org/10.1177/0361198118783111>.
 30. Yu, R., and M. Abdel-Aty. Analyzing Crash Injury Severity for a Mountainous Freeway

- Incorporating Real-Time Traffic and Weather Data. *Safety Science*, Vol. 63, 2014, pp. 50–56. <https://doi.org/10.1016/j.ssci.2013.10.012>.
31. Hoare, J. How Is Variable Importance Calculated for a Random Forest. <https://www.displayr.com/how-is-variable-importance-calculated-for-a-random-forest/>. Accessed Jun. 6, 2019.
 32. Dinsdale Lab. Random Forests. <https://dinsdalelab.sdsu.edu/metag.stats/code/randomforest.html>. Accessed Jun. 6, 2019.
 33. Harb, R., X. Yan, E. Radwan, and X. Su. Exploring Precash Maneuvers Using Classification Trees and Random Forests. *Accident Analysis and Prevention*, Vol. 41, No. 1, 2009, pp. 98–107.
 34. Alteryx. Seeing the Forest: An Introduction to Random Forest. <https://community.alteryx.com/t5/Alteryx-Knowledge-Base/Seeing-the-Forest-for-the-Trees-An-Introduction-to-Random-Forest/ta-p/158062>. Accessed Jun. 6, 2019.
 35. FHWA. *Handbook for Designing Roadways for the Aging Population*. Washington, DC. Federal Highway Administration. Report No. FHWA-SA-14-015, 2014.
 36. Federal Highway Administration. Crash Modification Factors Clearinghouse. <http://www.cmfclearinghouse.org/index.cfm>.
 37. Monsere, C., S. Kothuri, and J. Anderson. *Best Practices for Installation of Rectangular Rapid Flashing Beacons With and Without Median Refuge Islands*. Oregon Department of Transportation. Salem, OR. Report No. FHWA-OR-RD-20-06, 2020.
 38. Jashami, H., D. S. Hurwitz, C. Monsere, and S. Kothuri. Evaluation of Driver Comprehension and Visual Attention of the Flashing Yellow Arrow Display for Permissive Right Turns. *Transportation Research Record: Journal of the Transportation Research Board*, Vol. 2673, No. 8, 2019, pp. 397–407.