

# Gender Classification from Facial Images using PCA and SVM

Chandrakamal Sinha



Department of Biotechnology and Medical Engineering  
National Institute of Technology Rourkela  
Rourkela – 769 008, India

# Gender Classification from Facial Images using PCA and SVM

*Thesis submitted in*

*June 2013*

*to the department of*

***Department of Biotechnology and Medical Engineering***

*of*

***National Institute of Technology Rourkela***

*in partial fulfillment of the requirements*

*for the degree of*

***Master of Technology***

*by*

***Chandrakamal sinha***

*(Roll 211BM1218)*

*under the supervision of*

***Dr.Pankaj Kumar Sa***



Department of Biotechnology and Medical Engineering

National Institute of Technology Rourkela

Rourkela – 769 008, India



Department of Biotechnology and Medical Engineering  
**National Institute of Technology Rourkela**

Rourkela-769 008, India. [www.nitrkl.ac.in](http://www.nitrkl.ac.in)

June 1, 2013

## Certificate

This is to certify that the work in the thesis entitled *Gender Classification from Facial Images using PCA and SVM* by *Chandrakamal Sinha*, bearing roll number 211BM1218, is a record of an original research work carried out by him under my supervision and guidance in partial fulfillment of the requirements for the award of the degree of *Master of Technology* in *Biotechnology and Biomedical Engineering*. Neither this thesis nor any part of it has been submitted for any degree or academic award elsewhere.

*Supervisor*

***Pankaj Kumar Sa***

Assistant Professor  
Department of CSE,  
NIT Rourkela

*Departmental Coordinator*

***Kunal Pal***

Assistant Professor  
Department of BM,  
NIT Rourkela

## Acknowledgment

I would take this Opportunity to express my gratitude to Dr.Pankaj Kumar Sa, Assistant Professor, Computer science, National Institute of Technology Rourkela, for his valuable suggestions and cooperation at various stages. I appreciate his explanation that helped me to understand the insight of the work.

I would like to thank Dr.Kunal Pal, Assistant Professor, Biotechnology and Medical Engineering, National Institute of Technology Rourkela, for introducing me to Image Processing.

I am thankful to my senior Susant Panigrahi, and Suman Kumar Choudhary for their help in completion of project. I am also thankful to my all lab mates for their active cooperation.

*Chandrakamal Sinha*

## Abstract

Biometrics is the use of physical characteristics like face, fingerprints, iris etc. of an individual for personal identification. Some of the challenging problems of face biometrics are face detection, face recognition, and face identification. These problems are being researched by the computer vision community for the last few decades. Considering the large population, the authentication process of an individual usually consumes a significant amount of time. One of the possible solutions is to divide the population into two halves based on gender. This will help to reduce the search space of authentication to almost half of the existing data and save substantial amount of time. Gender identification through face demands use of strong discriminative features and robust classifiers to separate the female and male faces without any ambiguity.

In this thesis, an investigation has been made on gender classification through facial images using principal component analysis (PCA), and support vector machine (SVM). PCA is a dimensionality reduction technique, which is used to represent each image as a feature vector in a low dimensional subspace. SVM is a binary classifier for which PCA is the input in the form of features and predicts which of the two possible classes forms the output.

Initially face region is extracted using a proposed *skin colour segmentation* approach. The face region is then subjected to PCA for feature extraction, which encodes second order statistics of data. These principal components are fed as input to SVM for classification.

**Keywords:** Biometrics, Gender Classification, Face Detection, PCA, EigenValue, EigenVector, SVM.

# Contents

<b>Certificate</b>	<b>ii</b>
<b>Acknowledgement</b>	<b>iii</b>
<b>Abstract</b>	<b>iv</b>
<b>List of Figures</b>	<b>vii</b>
<b>List of Tables</b>	<b>viii</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Conventional Identification Techniques . . . . .	2
1.2 Biometrics . . . . .	2
1.3 Modules of a Biometric System . . . . .	6
1.4 Gender classification using facial image . . . . .	7
1.5 Proposed Methodology . . . . .	7
1.6 Data Base Used in the Research . . . . .	8
1.7 Performance measures used for classifier . . . . .	9
1.8 Thesis Organization . . . . .	10
<b>2 Literature Review</b>	<b>12</b>
<b>3 Face Detection</b>	<b>16</b>
3.1 Skin colour Detection . . . . .	16

3.2	Algorithm for Brightness Compensation . . . . .	17
3.3	Algorithm for Skin Colour Detection . . . . .	18
3.4	Morphological Processing . . . . .	19
<b>4</b>	<b>Principal Component Analysis and Support Vector Machine</b>	<b>24</b>
4.1	Preparation of Training set . . . . .	25
4.2	Eigenface Generation . . . . .	25
4.3	Reconstruction of an Image . . . . .	28
4.4	Support Vector Machine based Classifiers . . . . .	29
4.5	Optimal Separating hyper plane . . . . .	29
4.6	Architecture of SVM . . . . .	30
4.7	Kernels in SVM . . . . .	32
4.8	Result . . . . .	34
<b>5</b>	<b>Conclusion</b>	<b>35</b>
	<b>Bibliography</b>	<b>37</b>

# List of Figures

1.1	A generic biometric system . . . . .	3
1.2	Classification to reduce search space . . . . .	5
1.3	Modules of a Biometric System . . . . .	6
1.4	Steps Required in Gender Classification from facial image . . . . .	8
1.5	Images from IIT Kanpur Database . . . . .	9
3.1	Steps followed in Face Detection for male face . . . . .	21
3.2	Steps followed in Face Detection for female face . . . . .	22
3.3	Face Detection for male and female faces from IIT Kanpur Database . . . . .	23
4.1	Eigen Faces for Female Data base . . . . .	26
4.2	Eigen Faces for Male Data base . . . . .	27
4.3	Variance Plot for the first thirty principal components for male and female data base. . . . .	27
4.4	Image Reconstruction from linear Combination of Eigen vectors . . . . .	28
4.5	The optimal hyper plane separating two classes [27] . . . . .	30
4.6	Support vectors in SVM [28] . . . . .	31



# List of Tables

1.1	Confusion matrix for a binary class problem . . . . .	10
4.1	Confusion matrix obtained from SVM using Polynomial kernel . . . .	34
4.2	Confusion matrix obtained from SVM using RBF kernel . . . . .	34

# Chapter 1

## Introduction

Face is considered to be the most characteristic feature of human beings which contains identity and emotions. Faces differ from person to person; they are semi-rigid, semi-flexible, culturally significant, and part of our individual entity, and thus needs good computing techniques for face recognition and classification. Face is considered to be the most acceptable biometric trait than others because image capturing and prediction of images is easier than other traits. For a real time system, the size of database is large. In order to reduce the search space of a database, divide it into two halves (male and female), for this classification is needed. Classification reduces the search space at the time of identification. Gender classification can be used as indexing technique to reduce the search space for automatic face recognition. Gender recognition is important because it finds its strong applications in fields of authentication, search engine accuracy, demographic data collection, human computer interaction, access control and surveillance, involving frontal facial images. There are several large applications such as US VISIT (United States Visitor And Immigrant Status Indicator Technology) and India's UID (Unique Identification Authority of India ) project that store face images [1]. So far many techniques have been proposed that can be used as a distinct feature from facial images, which are given to binary classifier. These feature extraction techniques are mainly based on geometric and appearance. Geometric features are mainly based on distance

between eyes, eye to ear, face length and face width; these features are used by machine to classify a face image based on gender. Another approach is appearance based approach that uses whole face image containing thousands of pixels which is reduced to handful number of pixels by dimensionally reduction schemes. For this image is transformed into other domain and features are selected from that domain.

## 1.1 Conventional Identification Techniques

The conventional personal identification techniques are broadly classified into two types: knowledge based, and token based. The knowledge based system works with the information like password and personal identification number where as token based system works with the information like passport, driving license, and ID card. Traditional knowledge based identifications are prone to fraud because passwords may be guessed by an unauthorized person whereas the problem with token based approach is that it can be easily lost or stolen [2]. Therefore, traditional knowledge based and token based approaches are unable to satisfy the requirements of an electronically interconnected information society. So there is a need for biometrics [3].

## 1.2 Biometrics

Biometrics is the process by which a user is identified based on physical or behavioral characteristics through face, fingerprint, voice, and iris etc. The biometric system cannot be stolen, forgotten, or misplaced. Its characteristics are unique and very difficult to spoof, without the physical presence of an individual. A generic biometric system works by taking an input data like image from user, preprocesses the data, extracts features, and matches the features. Biometrics is important in order to achieve security in an open society. There are two types of traits in biometric system, *viz.* physiological and behavioral traits. Physiological traits are based

on measurements and data derived from direct measurement of a part of the human body. Examples of physiological trait includes face, iris, fingerprint etc. Behavioral biometric is a biometric characteristic that is learned and acquired over time rather than one based primarily on biology. Examples of behavioral biometrics includes voice pattern, signature recognition, gait pattern recognition, and keystrokes. Biometrics has been widely used in forensic applications such criminal identification, prison security, and has a very strong potential to be widely adopted in civilian applications such as electronic banking, electronic commerce, and access control [4].




Figure 1.1: A generic biometric system

A generic biometric system works by taking an input image of a user through sensor. The acquired image needs some preprocessing to remove noise, and to improve its quality. The third block is used to extract features; it can be a vector of numbers with particular properties, and is used to create a template. A generic biometric system operates in two stages, enrollment and matching. During enrollment, the biometric information of a user is captured, and stored in a database. In matching the obtained template is passed to a matcher that compares it with the existing template in the database. A biometric system operates in two modes, verification and identification. In verification mode, a user who wants to access a particular resource claims an identity through his user name, and the system compares the captured biometric of a person with his own stored biometric template.

Therefore, it corresponds to one to one (1:1) comparison. In the identification mode, the system compares the captured biometric template of a user with the all stored templates of the database, and finds the best matching from all comparison. Therefore, face identification is one is too many (1: N) comparison, where N is the size of data base. The performance of any biometric system is measured with two parameters, *False Accept Rate (FAR)* and *False Reject Rate (FRR)*. FAR is the possibility that the system will incorrectly accept an access attempt made by an unauthorized user. FAR in biometrics, is the measure of the invalid inputs which are incorrectly accepted. FRR is the possibility that system will incorrectly reject an access made by an authorized user. FRR in biometrics, is the measure of the rejections of the authorized users who should have been verified. The rates of false accept, and false reject in the identification mode with database size  $S$  is given as [5],

$$FAR_S = 1 - (1 - FAR)^S \approx S \times FAR \quad (1.1)$$

$$FRR_S = FRR \quad (1.2)$$

$$\text{Number of false accept} = S \times FAR_S \approx S^2 \times FAR \quad (1.3)$$

For any Real time application the size of database is large, Due to which a biometric system suffers from a computational burden, which increases the search time leading to the percentage increase in  $FAR_S$ . The Performance of biometric system depends upon accuracy and speed. Speed depends upon the size of database and is inversely proportional to size of data base, where as accuracy depends upon underlying algorithm. From the above equation the false accept rates can be reduced in two ways. First, is by reducing the  $FAR$ , and the other way is by reducing the size of data base  $S$ . The  $FAR$  of a system entirely depends upon the algorithm used and cannot be reduce significantly. The search space is directly proportional to the size of data base. If the database can be divided into two categories, then the search space can be reduced. This can be achieved by some classification techniques or clustering methods.




Figure 1.2: Classification to reduce search space

During Identification, the system is performing 1:N matching. The performance can be improved by reducing the number of templates against which the query has to be matched. This can be done using classification. Classification divides the data base into approximately two halves *viz.* male and female. In any face identification system, if the database is divided into male and female categories then search space can be reduced by half of the original database. The reduction of search space is given as:

$$FAR_{N \times L} = 1 - (1 - FAR)^{N \times L} \approx N \times L \times FAR \quad (1.4)$$

Where L is the fraction by which the search space is reduced. The reduction of search space reduces the search time of identification, *viz.* the number of templates that is to be matched against query is reduced. This can be achieved by using classification techniques. A classifier maps or assigns the input features to particular labels, which is trained with known patterns.

### 1.3 Modules of a Biometric System




Figure 1.3: Modules of a Biometric System

1. Portal. It is the gate through which the user who has been successfully authenticated is allowed to access an object.
2. Central controlling unit. It receives the authentication request, controls the biometric authentication process and returns the results of user authentication.
3. Input Device. It is a biometric data acquisition device which captures the biometric trait of the user.
4. Feature Extraction. The goal of Feature Extraction technique is to preprocess the capture data and extract suitable features for the matching algorithm.
5. Storage. It is the database of the user where the template of the user is stored.
6. Matching Algorithm compares the captured biometric trait of the user with the stored database.

## 1.4 Gender classification using facial image

Gender classification using facial images has become an important area of research during past several years. It is easy for human to identify male or female by seeing a face, but it is a difficult task for the computer. Machines need some meaningful data to perform the identification. There exist some distinguishable features between male and female which are used by machine to classify a face image based on gender. Gender recognition is a pattern recognition problem. Pattern recognition can be divided into two classes, one and two stage pattern recognition systems. One stage pattern recognition system classifies input data directly. Two stage pattern recognition systems consist of feature extractor, followed by some form of classifier.

Gender Classification is a binary Classification problem therefore Machine needs an appropriate data (feature) and a classifier for Gender Classification. Gender classification approaches are categorized into two classes based on feature extraction. These are Appearance based features which is known as Global features, and the Geometric based features which is known as Local features. In Geometric based method, features are extracted from some facial features points like face, nose and eyes. Geometric features which are invariant to scale, tilt and rotation such as distances, angles and relationships between facial points are usually extracted. These features represent human face and provide input to a trained classifier which performs classification. Geometric features are sensitive to lighting conditions and changes in facial expression and lose information located at ears and hair, which represent important information for Gender identification.

## 1.5 Proposed Methodology

In general, the first step in any recognition process, is to choose good discriminating features, which is followed by a classifier. Classification of faces is a problem of pattern recognition. A well known problem of pattern recognition is curse of dimensionality which implies that more features do not necessarily imply a better






Figure 1.4: Steps Required in Gender Classification from facial image

classification success rate. In our work face region is detected from given image using skin color segmentation. The extracted face region is subjected to PCA algorithm. For dimensionality reduction PCA is used in current work which encodes second order statistics of data and is fed as input to the classifier.

## 1.6 Data Base Used in the Research

The database contains images of 40 distinct subjects with eleven different poses for each individual that included looking front, looking left, looking up towards left, looking up towards right. In addition to variation in pose the data set contains images with four emotions that are neutral, smile, laughter, sad. All the images have been taken in a bright homogenous background with the subjects in an upright, frontal position [6].




Figure 1.5: Images from IIT Kanpur Database

## 1.7 Performance measures used for classifier

The performance of any classifier can be expressed in terms of confusion matrix. Confusion matrix contains information about actual and predicted classification done by a classification system. The entries in confusion matrix are as follows.

- $a$ =number of correct predictions that an occurrence is of class-1.
- $b$ =number of incorrect predictions that an occurrence is class-2.
- $c$ =number of incorrect predictions that an occurrence is of class-1.

Table 1.1: Confusion matrix for a binary class problem

		Predicted	
		Class-1	Class-2
Actual	class-1	a	b
	class-2	c	d

- $d$ =number of correct predictions that an occurrence is of class-2.

Sensitivity. It is the measure of class-1 cases that are correctly identified

$$Sensitivity = \frac{a}{a + b} \quad (1.5)$$

Specificity. It is the measure of class-2 cases that are correctly identified

$$specificity = \frac{d}{c + d} \quad (1.6)$$

Accuracy. It is the measure of total number of correct predictions

$$Accuracy = \frac{a + d}{a + b + c + d} \quad (1.7)$$

## 1.8 Thesis Organization

The thesis deals with the selection of principal components that are used as feature for face based Gender Classification. The organization of the thesis is as follows

**Chapter 2** deals with literature review of work done so far on Gender Classification that includes both geometrical, and appearance based features.

**Chapter 3** deals with the face detection method. Face Segmentation is done using skin colour model, and noise removal is done by morphological operations. These operations are performed on IIT Kanpur database. The extracted face region is subjected to PCA algorithm.

**Chapter 4** deals with PCA algorithm, and SVM. PCA is used to represent each image in a low dimension space, and is used as feature extraction. Classification is

done using SVM, the kernel function used is RBF. An attempt has been made to improve the accuracy of a biometric system.

**Chapter 5** deals with future scope of the research work.

# Chapter 2

## Literature Review

Initially, the researchers started with local features. Cottrell and Metcalfe used a non linear encoder/decoder for high dimensional data to reduce the dimension of whole face images and classified the gender based on reduced input features. In 1991, Gollomb et al. [7] Used a neural network, SEXNET, to identify gender from a 30 x 30 face images which was compressed using 900x40x900 fully connected back propagation network. The network SEXNET was trained to produce values of one for male and zero for female faces. It was tested for 90 face images (45 males and 45 females) which produce an average error rate of 8.1% compared to an average error rate of 11.6% from a study of five human faces.

In 1993, Burton et al. [8] Reported 85% accuracy rate after locating 73 facial points. The extracted facial points are considered as features and are fed as input to the discriminant analysis classifier to classify gender. The Author in [9] used Enhanced PCA-SIFT for feature extraction. The Enhanced PCA-SIFT was used to calculate the projection matrix of male and female face images respectively and select the projection of input images by clustering method to obtain features with more discrimination, and then a membership algorithm based on LVQ is employed in FSVM, which imply an accuracy of 93.5%. The authors in [10] investigated on gender classification with low resolution thumbnail faces (21 by 21 pixels) from FERET face database using Support vector machine. The error rate was found

to be 3.4% for thumbnail faces in which only the main facial regions without hair information was considered. The authors also experimented with different types of classifier like linear, quadratic, RBFs, Fisher linear discriminant, nearest neighbour, and it was observed the best result was obtained for SVM with Gaussian kernel which had an overall rate of 2.05% for males and females error rates was 4.79%.

In 2005, Jain et.al [11] presented an approach using ICA and SVM. The author experimented with different classifiers namely cosine classifier which find distance between two features lying on a hyper-sphere surface, linear discriminant classifiers that finds the projection of the input image maximizing the ratio between class scatter and within class scatter, and SVM which finds the maximal separating hyper plane between male and female features. The experiment was performed on 500 images from the FERET facial database which included 250 images of female and 250 images of male, and obtained an accuracy of 96% in ICA space.

The author in [1,12] experimented the gender recognition problem with discriminant functions which include PCA, LDA and Subclass Discriminant Analysis on a heterogeneous data base of 8112 images that included variations in illumination, expression, minor pose and ethnicity. The result showed that PCA provides better performance than PCA+LDA, PCA+SDA, and PCA+SVM. The result showed that linear discriminant functions provide good generalization capability with limited of training samples, Principal components. The author in [13] have used normalized face images on which local binary pattern operator was applied to take out local binary pattern histogram features which were learned by Adaboost algorithm for classification.

Erno Makinen and Roope Raisamo [14] experimented on gender classification with automatically detected and aligned faces. The experimented was performed on IMM database and FERET database with four automatic alignment methods and four different gender classification methods. In Automatic alignment methods, three methods were based on Active Appearance Model and one based on profile alignment. The four Gender classification methods were, a multilayer neural network

with pixel based input, an SVM with pixel based input, a discrete Ad boost with haar like features, and an SVM with LBP features. The author concluded that the automatic face alignment methods did not increase the classification rate where as manual alignment increased the classification rate. The classification accuracy was dependent on face image resizing before or after alignment. The best classification rate was obtained with SVM using pixel based input images of size  $36 \times 36$ . The authors in [15] have used Gabor features to represent each facial image. Each face image was convolved with Gabor kernel of 3 scales and 4 orientations that amounted to 12 face images. The feature extracted using Gabor filter was used in fuzzy LDA for face age classification.

The author in [16] used a Gabor filter with multi scale and multi orientation to a face image to obtained Gabor Magnitude Pictures (GMP). Each GMP is operated with local binary pattern to obtain a LGBP image (local Gabor binary pattern). Each LGBP image is divided into non overlapping rectangular regions, from which spatial histograms are extracted. To map each LGBP feature into one dimensional sub-space, LGBMP-LDA and LGBMP-CCL were used. LGBMP-LDA was used using linear discriminant analysis (LDA) for dimensionality reduction, and LGBMP-CCL was used to project LGBP feature on to the class centre connecting line. The Classification was done using Support Vector Machine (SVM) and the experiment was done on CAS-PEAL face data base and the result found was better than SVMs+Gabor, SVMs+Gray scale Pixel and SVMs+LBP approach.

In 2010, Jabid et.al [17] proposed a novel approach of representing the facial images by Local Directional pattern (LDP). The face area was divided into small regions, from which LDP histograms were extracted and concatenated into a single vector. The experiment was performed on FERET database, which involved 1100 male faces and 900 female faces. Each face image was cropped and normalized to  $100 \times 100$  pixels. The face feature generated using LDP was used to classify into male and female faces using classifier support vector machine. The accuracy achieved by SVM on FERET database was 95.05%.

The author in [18] used Continuous Wavelet Transforms for finding feature for each male and female face. The Wavelet Coefficient obtained was given to support vector machine for classification. The experiment was performed on ORL database containing 400 images including both male and female. The kernel used for SVM was linear and the classification accuracy obtained was 98% compared to Radon Transform and Discrete Wavelet Transform.



# Chapter 3

## Face Detection

In biometrics, face detection is the process to locate human face in an image. Face detection is a challenging task due to variations in pose, scale, orientation, lighting conditions and partial occlusions [19]. So far many approaches have been proposed for face detection which included colour based, neural networks and feature based techniques. Neural network based face detection methods are highly accurate, but are slow and suffers from computational burden [20]. In our work, skin colour based approach is used for face detection, which is robust, simple and effective.

### 3.1 Skin colour Detection

The purpose of Skin colour segmentation is used to determine whether the Image pixel is a skin colour or non skin colour. Good skin colour segmentation is one which segment every skin colour whether it is blackish, yellowish, or whitish. The goal of skin colour analysis is to reject non skin colour regions from a selected image [21]. This includes the process of colour conversion of the image to some colour spaces. There are different colour spaces that have been used. Widely used colour spaces are RGB, HSV, CMYK and YCbCr.

In YCbCr colour model, the luminance information is contained in Y component, and the chrominance information is contained in Cb and Cr. To convert the RGB

image into YCbCr image, separate the Chroma component Cb and Cr. Y component represent the luminance information which has more variation that is this component can be discarded, Cb and Cr component are used.

Cb is the difference between blue and luma component and Cr is the difference between red and luma component. Y in YCbCr represents the luminance component and Cb and Cr represents the chrominance component

$$Cr=R-Y$$

$$Cb=B-Y$$

## 3.2 Algorithm for Brightness Compensation

An RGB image  $I$  of size  $m \times n$  is the input to our algorithm. Brightness compensated image is obtained from an RGB by applying Algorithm.

$$C = \{R', G', B'\} \quad (3.1)$$

Where

$$R'=R \times mR, G'=G \times mG, \text{ and } B'=B \times mB$$

and  $mR, mG, mB$  are the scaling factors.

1. Extract the R, G, B components

- $R = I(:, :, 1);$
- $G = I(:, :, 2);$
- $B = I(:, :, 3);$

2. Compute the average value of  $R, G, B$  Component of image  $I$ .

$$R_I = \frac{1}{mn} \sum_{i=1}^m \sum_{j=1}^n R_{i,j} \quad (3.2)$$

$$G_I = \frac{1}{mn} \sum_{i=1}^m \sum_{j=1}^n G_{i,j} \quad (3.3)$$

$$B_I = \frac{1}{mn} \sum_{i=1}^m \sum_{j=1}^n B_{i,j} \quad (3.4)$$

$$mR = \frac{1}{R_I} \quad (3.5)$$

$$mG = \frac{1}{G_I} \quad (3.6)$$

$$mB = \frac{1}{B_I} \quad (3.7)$$

3. Find the greatest average value:

$$\max RGB = \max(\max(mR, mG), mB) \quad (3.8)$$

4. Calculate the scaling factors for the component  $R, G, B$  of image  $I$ .

$$mR = \frac{mR}{\max RGB}, mG = \frac{mG}{\max RGB}, mB = \frac{mB}{\max RGB} \quad (3.9)$$

$$R' = R \times mR, G' = G \times mG, B' = B \times mB, \quad (3.10)$$

5. Brightness compensated image is obtained.

$$C = \{R', G', B'\} \quad (3.11)$$

### 3.3 Algorithm for Skin Colour Detection

1. Convert the RGB image into HSV Colour space.
2. Cb and Cr components are extracted from an RGB image using the above formula.

$$cb = 0.148 \times I(:, :, 1) - 0.291 \times I(:, :, 2) + 0.439 \times I(:, :, 3) + 128 \quad (3.12)$$

$$cr = 0.439 \times I(:, :, 1) - 0.368 \times I(:, :, 2) - 0.071 \times I(:, :, 3) + 128 \quad (3.13)$$

3. The skin region is obtained by using following threshold

$$seg(i, j) = \begin{cases} 1 & \text{if } 131 \leq cr(i, j), cr \leq 156, 137 \leq cb(i, j) < 192, 0.01 \leq hue \leq 0.1 \\ 0, & \text{otherwise} \end{cases} \quad (3.14)$$

where

$seg(i, j)=0$  indicates non-skin region,

and  $seg(i, j) = 1$  indicates skin region

The threshold used in for detecting the skin region is found to be in range of  $131 < Cr < 156$ , and  $137 < Cb < 192$ , and  $0.01 < hue < 0.1$ . Pixels lying in above range give the skin region, while the other pixels are used to create background, and the segmented image is obtained.

### 3.4 Morphological Processing

Skin colour segmentation removes the non skin colours from the input image, however the resulting image contains a bit of noise. A series of morphological operations are performed to remove the noise. The goal of the morphological operation is to end up with a mask image that can be applied to the input image to yield skin colours regions without noise and clutter. The Morphological operations such as dilation and erosion are performed with structuring element. In Morphology, structuring element is a shape with a matrix of pixels each with a value of zero or one that is used to examine the input image. The pattern of ones and zeros identify the shape of structuring element. The Morphological operations in our work is described as

#### 1. Erosion

The erosion of a binary image A by a structuring element B produces a new binary image. The binary erosion is a set operation which is defined by [22]

$$E = A \ominus B = \{z | B_z \subseteq A\} \quad (3.15)$$

Erosion of  $A$  by  $B$  is the set of pixel locations  $z$  where the structuring element translated to location  $z$ , overlaps only with the foreground pixels in  $A$ .

$$E(x, y) = \begin{cases} 1 & \text{if } B \text{ fits } A \\ 0 & \text{otherwise} \end{cases} \quad (3.16)$$

The structuring element is a matrix of pixels, each with a value of ones in all pixel locations.

## 2. Dilation

The dilation of a binary image  $A$  by a structuring element  $B$  produces a new binary image. The binary dilation can be written as:

$$D = A \oplus B = \{z | (\bar{B})_z \cap A = \phi\} \quad (3.17)$$

where  $\bar{B}$  is the reflection of the structuring element,  $B$  and  $\phi$  is the empty set. Dilation of  $A$  by  $B$  is the set of pixel locations  $z$  where the reflected structuring element overlaps with foreground pixels in  $A$  when translated to  $z$ .

$$D = \begin{cases} 1 & \text{if } B \text{ hits } A \\ 0 & \text{otherwise.} \end{cases} \quad (3.18)$$

## 3. Morphological Hole filling

Hole can be defined as a background region surrounded by a connected border of foreground pixels. Hole filling is used to fill image regions and holes to keep the faces as single connected region.




Figure 3.1: Steps followed in Face Detection for male face




Figure 3.2: Steps followed in Face Detection for female face




Figure 3.3: Face Detection for male and female faces from IIT Kanpur Database



## Chapter 4

# Principal Component Analysis and Support Vector Machine

PCA is a mathematical tool which was invented in 1901 by Karl Pearson which is helpful to perform operations like prediction, redundancy removal, feature extraction and data compression, therefore finds its strong application in image recognition and image compression. It is a dimensionality reduction technique by which the observed variable is transformed into smaller dimensionality of feature space. It performs a transformation on a matrix of Observed variables (variables correlated to each other) to a new coordinate system which contains fewer variables (uncorrelated variables) that can best define the observed variables. These uncorrelated variables are known as Principal Components, which are arranged in decreasing order of their variance such that the first principal component has the largest variance. The main idea of using PCA is to express the large 1-D vector of pixels constructed from 2-D facial image into the compact principal components of the feature space known as Eigen space projection [23]. It is a technique to find patterns in high dimensional data. The pattern contains redundant information, mapping it to a feature vector can reduce the redundancy and can preserve most of the intrinsic information content of the pattern.

## 4.1 Preparation of Training set

The images are aligned in a folder and resized to a particular dimension. Let a face image  $I(x, y)$  be a two-dimensional  $N \times N$  array of 8 bit intensity values. Each face image is then converted to a column vector of dimension  $N^2$ , which represents a point in  $N^2$  dimensional space. A training matrix is created by taking different face images, where each column corresponds to a specific face image. Let total number of images is  $M$ , which constitutes a training matrix of dimension  $N^2 \times M$ . Let training images are  $\Gamma_1, \Gamma_2, \Gamma_3, \Gamma_4, \dots, \Gamma_M$  which construct the training matrix  $\Gamma$ .

## 4.2 Eigenface Generation

A mean image  $\psi$  is calculated from training matrix

$$\psi = \frac{1}{M} \sum_{i=1}^M \Gamma_i \quad (4.1)$$

A mean corrected image is calculated by subtracting mean image from each image vector. Let  $\Phi_i$  be defined as mean centered image

$$\Phi_i = \Gamma_i - \psi \quad (4.2)$$

The mean corrected images are subjected to PCA to find the  $M$  orthogonal vectors. The orthogonal vectors are calculated from covariance matrix. A covariance matrix is constructed as

$$C = AA^T \quad (4.3)$$

Where  $A$  is a matrix composed of  $A = [\phi_1 \phi_2 \phi_3 \phi_4, \dots, \phi_M]$  of dimension of  $N^2 \times M$ . Therefore, the dimension of the covariance matrix becomes  $N^2 \times N^2$ . Calculation of Eigen vectors from this dimension will result in computational burden. A common theorem in linear algebra states that vectors  $V_i$  and scalars  $\lambda_i$  can be obtained by solving the eigenvectors and Eigen values of the  $M \times M$  matrix  $A^T \times A$ . Let  $V_i$  be the Eigen vector of the of  $A^T \times A$  such that

$$A^T AV_i = \lambda V_i \quad (4.4)$$

Now multiplying the above equation with A on both sides,

$$AA^T AV_i = A\lambda V_i \quad (4.5)$$

$$e_i = AV_i \quad (4.6)$$

From the above equation it can be concluded that  $V_i$  is the Eigen vector of  $A^T A$  and  $AV_i$  is the Eigen vector of  $AA^T$ . The Eigen vectors are arranged with the decreasing values of Eigen values. The Eigen vector associated with largest Eigen value is one that reflects the greatest variance in the image and the smallest Eigen value is associated with the Eigen vectors that find least variance. The Eigen vectors are known as Eigen faces [24]. The Eigen faces obtained from the training data base are as shown in figure below.



Figure 4.1: Eigen Faces for Female Data base

Above are the top most Eigen faces that are generated from the training set. A facial image can be projected on to the subspace by computing

$$\Omega = [w_1 w_2 w_3 \dots w_m] \quad (4.7)$$

Where  $w_i = e_i^T \phi_i$ .  $w_i$  is the  $i^{th}$  coordinate of the facial image in new space which is known to be principal component. The vectors  $e_i$  are also images and look




Figure 4.2: Eigen Faces for Male Data base

like faces known as Eigenfaces.  $\Omega$  describes the contribution of each Eigenface in representing the facial image.




Figure 4.3: Variance Plot for the first thirty principal components for male and female data base.

The Eigen vector associated with largest Eigen value is one that reflects the greatest variance in the image, and the smallest Eigen value is associated with the Eigen vectors that find least variance. The first Eigen vector accounts for 55 variance in the dataset, while the first 20 eigenvectors together account for 90%,

and the first 30 Eigen vectors account for above than 90%. The subspace projection performed in the final step of training generated a feature vector of coefficients for each image. The feature vector represents each image as a linear combination of the Eigen faces defined by the coefficient in the subspace projection. If these Eigen faces are multiplied by their corresponding weighted coefficient, and then sum weighted Eigen faces together, an input image can be constructed with some amount of error.

### 4.3 Reconstruction of an Image

An image can be reconstructed using the Eigen faces and corresponding weight vector of the images. The weight vector is calculated as

$$w_i = e_i^T \phi_i \quad (4.8)$$

coordinate of the facial image in the new space which is known as principal component where the Eigen vector is and is the difference of the each image vector from mean image Now the image can reconstructed as,

$$rec = \sum_{i=1}^M w_i e_i^T \quad (4.9)$$




Figure 4.4: Image Reconstruction from linear Combination of Eigen vectors

## 4.4 Support Vector Machine based Classifiers

Classification of data is important in machine learning where data points are spread in high dimensional space. Each data point belongs to one of the two classes, and the goal is to decide which class a new data point will be in. Gender classification is a binary classification problem, therefore Support vector machine is used for gender classification. SVM are supervised learning systems which can analyze and recognize the data very well. Support vector machine is a computer algorithm that learns by example to assign labels to object. SVM was developed by Vpnik to reduce error on training data set and finds its implementation in the fields of breast cancer diagnosis, Bioinformatics, hand written digit recognition and image based gender classification. For example, an SVM can learn to recognize handwritten digits by examining a large collection of scanned images of handwritten to zeroes and ones. SVM is an algorithm for maximizing a particular mathematical function with respect to a given collection of data [25]. The basic SVM takes a set of input data's and predicts, for each given input, which of two possible classes forms the output, making it a non-probabilistic binary linear classifier. A support vector machine constructs a hyper plane in a high dimensional space, which can be used for classification and regression. A good separation is achieved by the hyper plane that has the largest distance to the nearest training data set [26]. SVM separates the dataset into training and testing data sets, where each sample in the training set contains one target value and observed features. SVM classifiers generate a decision boundary based on the training data set, which helps in predicting the target value of the testing dataset.

## 4.5 Optimal Separating hyper plane

The black circles points and the white circle points represent class +1 and -1. A hyper plane separates the data class of +1 and -1 and maximizes the margin. Margin is the distance between the classifier and the nearest data point of each class. The bold line is the optimal hyper plane, which maximizes the margin as well as separates




Figure 4.5: The optimal hyper plane separating two classes [27]

the data point successfully. The optimal hyper plane means a hyper plane which separates the two class with maximum margin.

## 4.6 Architecture of SVM

Let  $X_1, X_2, X_3, X_4, \dots, X_i$  be the input layer of size  $m$ , and  $X$  be the input vector in  $n$  dimensional space  $R^n$ . Let  $K(X, X_1), K(X, X_2), K(X, X_3), K(X, X_4), \dots, K(X, X_i)$  be the hidden layer of  $m_i$  linear product kernel,  $W$  be the weight vector having weighted elements  $w_1, w_2, w_3, w_4, \dots, w_m$ ,  $b$  is the bias defined in the real dimensional space.  $y$  is the output which makes decision for classification.

For training set of instance label pairs  $X^i, y^i$ , where  $i=1$  to number of inputs  $m$ ,  $X^i \in R^n, y^i \in \{-1, 1\}$  both defined in real dimension space. SVM finds a hyperplane which is defined as

$$y = \text{sign} \langle w \cdot X \rangle + b \quad (4.10)$$




Figure 4.6: Support vectors in SVM [28]

The decision boundary for the classification purpose is defined as

$$w^T \Phi(X) + b = 0 \quad (4.11)$$

where  $w \in R^n$ , and  $\Phi(X)$  is the kernel function of  $X$ , and  $b$  is the position of hyper plane in real dimension space  $R$ . The hyperplane is constructed such that it satisfies the inequality for both the classes.

$$w^T \Phi(X_i) + b \geq +1, \text{ if } y_i = +1 \quad (4.12)$$

$$w^T \Phi(X_i) + b \leq -1, \text{ if } y_i = -1 \quad (4.13)$$

The equation (4.12) and (4.13) can be written together as

$$y_i [w^T \Phi(X_i) + b] \geq +1, \quad i = 1, 2, \dots, m \quad (4.14)$$



where,  $X_i$  is the sample value of the input vector  $X$ , and  $y_i$  is the corresponding value of the target output  $y$ . The optimal hyper plane should satisfy following criteria

$$y_i [w^T \Phi(x_i) + b] \geq +1 \quad (4.15)$$

$$0 \leq y_i [w^T \Phi(x_i) + b] < 1 \quad (4.16)$$

$$y_i [w^T \Phi(x_i) + b] < 0 \quad (4.17)$$

The equation (4.15) states that the vectors that fall outside the band and are correctly classified. The equation (4.16) states that the vectors falling inside the band and is correctly classified and equation (4.17) states that the vectors are misclassified vectors. All the above three cases can be restricted by introducing a new set of non negative slack variable  $\xi$

$$y_i [w^T \Phi(x_i) + b] \geq 1 - \xi_i, \text{ And } \xi_i \geq 0 \quad (4.18)$$

## 4.7 Kernels in SVM

Kernels Methods are class of algorithms for pattern analysis. The task performed in pattern analysis is to study the relation in principal components, correlations, classification, clusters, and in data points. Kernels approach the Problem by mapping the data into a high dimensional feature space, where each coordinate corresponds to one feature of the data set. With the help of kernel function it is possible to compute the inner products between images of all pairs of data in the feature space. This approach is known as kernel trick. The kernel trick is used to map patterns in higher dimension space. The kernel trick can be implemented to algorithms which depend upon dot product between two vectors and the corresponding dot product can be replaced by a kernel function for mapping of patterns into higher dimensional space. The kernel functions available for SVM are

- **Linear kernel.** Linear kernel is the summation of inner product

$\{x, x_i\}$  and a constant  $d$

$$K(x, x_i) = x^T x_i + d \quad (4.19)$$

- **Polynomial kernel.** Polynomial kernel is suitable for normalized data sets as it is non stationary kernel

$$K(x, x_i) = (\beta x^T x_i + d)^p \quad (4.20)$$

$P$  is the polynomial degree;  $d$  is constant and  $\beta$  is slope. These parameters can be adjusted

- **Radial basis function.** The kernel function used for SVM is Gaussian kernel which is the example of radial basis function. The Gaussian kernel is given by

$$K(x, x_i) = \left( \frac{\|x - x_i\|^2}{2\sigma^2} \right) \quad (4.21)$$

## 4.8 Result

A Data set of 50 male, and 50 female faces are taken, that included frontal faces. A training set is prepared that corresponds to the principal components for male and female faces, 70 coefficients corresponding to 35 male, and 35 female faces. A testing set was prepared that included 30 coefficients, corresponding to 15 male, and 15 female faces.

Table 4.1: Confusion matrix obtained from SVM using Polynomial kernel

		Predicted	
		Male	Female
Actual	Male	15	0
	Female	4	11
Accuracy = 86.6667%			

Table 4.2: Confusion matrix obtained from SVM using RBF kernel

		Predicted	
		Male	Female
Actual	Male	15	0
	Female	2	13
Accuracy = 93.33%			

# Chapter 5

## Conclusion

In this thesis, an attempt has been made to classify gender from facial image. The face portion is extracted from a given input image using skin colour model, and morphological operations. The training data set is prepared for male, and female faces that included detected face regions. Gender Classification is divided into two steps, feature selection and classification. The feature extraction algorithm used is PCA. PCA is used to represent each image as a feature vector, and these principal components are trained and tested using support vector machine.

The face region is detected in the first stage of our work. Once the face is detected in binary image, eye region, center of eye, mouth, lip shape, nose tip, and width can be located. These pixels can be given as input to support vector machine. The database used in the research work does not contain any facial images having spectacles. The facial image involving specs need to be identified correctly which is a challenging issue.

Pixels in an image represent a large degree of correlation. By using pixels as features, there will be redundant information. This redundancy can be removed by using PCA. The principal component of the image give uncorrelated coefficients. Thus, using Principal Component as feature seems to be a reasonable choice which is achieved using Principal Component Analysis.

PCA removes the second order dependencies from the the data, but still there

exists higher order dependencies in data. Higher order dependencies among data can be removed using Independent Component Analysis(ICA) which is an extension of PCA.

Representation of a multivariate data by means of an appropriate transformation is an important research issue in field of pattern recognition. The process of finding such representation of data is known as feature extraction. Most of the work is being done on finding suitable feature extraction technique, in our work Principal Component is used as feature. Feature extraction method such as Radon Transform, Hought Transform and Wavelet Transform exists, and can be used as features which may improve the classification performance.

# Bibliography

- [1] T. I. Dhamecha, A. Sankaran, R. Singh, and M. Vatsa. Is gender classification across ethnicity feasible using discriminant functions? In *2011 International Joint Conference on Biometrics, IJCB 2011*, 2011.
- [2] S Jayaraman, T Veerakumar, and S Esakkirajan. *Digital Image Processing*. Tata McGraw-Hill Education, 2009.
- [3] N. K. Ratha, J. H. Connell, and R. M. Bolle. Biometrics break-ins and band-aids. *Pattern Recognition Letters*, 24(13):2105–2113, 2003.
- [4] Ruud M. Bolle and Andrew W. Senoir. *Guide To Biometrics*. Springer-Verlag, New York, 2009.
- [5] David Maltoni. *Guide To Biometrics*. Springer-Verlag, New York, 2009.
- [6] Vidit Jain and Amitabha Mukherjee. The indian face database, 2002.
- [7] H. . Kim, D. Kim, Z. Ghahramani, and S. Y. Bang. Appearance-based gender classification with gaussian processes. *Pattern Recognition Letters*, 27(6):618–626, 2006.
- [8] A M Burton, Vicki Bruce, and Neal Dench. What’s the difference between men and women? evidence from facial measurement. *Perception*, 22(2):153–176, 1993.
- [9] Y. Wang and N. Zhang. Gender classification based on enhanced PCA-SIFT facial features. In *2009 1st International Conference on Information Science and Engineering, ICISE 2009*, pages 1262–1265, 2009.
- [10] M. . Yang and B. Moghaddam. Gender classification using support vector machines. In *IEEE International Conference on Image Processing*, volume 2, pages 471–474, 2000.
- [11] A. Jain, J. Huang, and S. Fang. Gender identification using frontal facial images. In *IEEE International Conference on Multimedia and Expo, ICME 2005*, volume 2005, pages 1082–1085, 2005.

- 
- [12] Srinivas Gutta and Harry Wechsler. Gender and ethnic classification of human faces using hybrid classifiers. In *Proceedings of the International Joint Conference on Neural Networks*, volume 6, pages 4084–4089, 1999.
- [13] Z. Yang and H. Ai. *Demographic classification with local binary patterns*, volume 4642 LNCS. 2007.
- [14] E. Makinen and R. Raisamo. Evaluation of gender classification methods with automatically detected and aligned faces. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 30(3):541–547, 2008.
- [15] F. Gao and H. Ai. *Face age classification on consumer images with gabor feature and fuzzy LDA method*, volume 5558 LNCS. 2009.
- [16] B. Xia, H. Sun, and B. . Lu. Multi-view gender classification based on local gabor binary mapping pattern and support vector machines. In *Proceedings of the International Joint Conference on Neural Networks*, pages 3388–3395, 2008.
- [17] T. Jabid, Md H. Kabir, and O. Chae. Gender classification using local directional pattern (ldp). In *Proceedings - International Conference on Pattern Recognition*, pages 2162–2165, 2010.
- [18] Amjath Fareeth Basha1 and Gul Shaira Banu Jahangeer. Face gender image classification using various wavelet transform and support vector machine with various kernels. *International Journal of Computer Science Issues*, 9(2), 2012.
- [19] R. Xiao, M. . Li, and H. . Zhang. Robust multipose face detection in images. *IEEE Transactions on Circuits and Systems for Video Technology*, 14(1):31–41, 2004.
- [20] Rajib Sarkar, Sambit Bakshi, and Pankaj K. Sa. A real-time model for multiple human face tracking from low-resolution surveillance videos. *Procedia Technology*, 6:1004 – 1010, 2012.
- [21] Amanpreet Kaur and B.V Kranthi. Comparison between YCbCr color space and CIE lab color space for skin color segmentations. *International Journal of Applied Information Systems*, 3(4), 2012.
- [22] Rafael Gonzalez and Richard Woods. *Digital Image Processing*. Addison Wesley, 1992.
- [23] Kyungnam Kim. Face recognition using principle component analysis. In *Proceedings - International Conference on computer vision and Pattern Recognition*, pages 586–591, 1996.
- [24] M. Turk and A. Pentland. Eigenfaces for recognition. *Journal of cognitive neuroscience*, 3(1):71–86, 1991. Cited By (since 1996):5652.

- [25] W. S. Noble. What is a support vector machine? *Nature biotechnology*, 24(12):1565–1567, 2006.
- [26] W. Caesarendra, A. Widodo, and B. . Yang. Combination of probability approach and support vector machine towards machine health prognostics. *Probabilistic Engineering Mechanics*, 26(2):165–173, 2011.
- [27] C. J. C. Burges. A tutorial on support vector machines for pattern recognition. *Data Mining and Knowledge Discovery*, 2(2):121–167, 1998.
- [28] C. Cortes and V. Vapnik. Support-vector networks. *Machine Learning*, 20(3):273–297, 1995.
- [29] J. A. K. Suykens and J. Vandewalle. Least squares support vector machine classifiers. *Neural Processing Letters*, 9(3):293–300, 1999.