

Crosslinked-Chitosan/Gelatin beads loaded with *Chlorella vulgaris* microalgae/Zinc Oxide nanoparticles for adsorbing carcinogenic Bisphenol-A pollutant from water

Hazim M. Ali ^{a#}, Omar M. Ibrahim ^{b#}, Ahmed S. M. Ali ^{c, d}, Mahmoud A. Mohamed ^c, Rehab Y. Ghareeb ^e, Elsayed E. Hafez ^e, Mohamed R. El-Aassar ^{a*}

^a Chemistry Department, College of Science, Jouf University, Sakaka- 2014, Saudi Arabia.

^b Department of Medicine, Washington University School of Medicine, St Louis, Missouri, 63110, United States

^c Polymer Materials Research Department Advanced Technology and New Material Institute, City of Scientific Research and Technological Applications (SRTA City), New Borg El-Arab City, P.O. 21934, Alexandria, Egypt.

^d Pesticides Department, Wastewater Lab, Central Labs, Ministry of Health, P.O. 21518, Alexandria, Egypt.

^e Department of Plant Protection and biomolecular diagnosis, Arid Lands Cultivation Research Institute (ALCRI), City of Scientific Research and Technological Applications (SRTA City), New Borg El-Arab City, P.O. 21934, Alexandria, Egypt.

These authors contributed equally to this work as first authors

**Corresponding. Author: (M. R. El-Aassar; mrelaassar@ju.edu.sa; Tel: (+966547450636).*




Figure S1: GC chromatogram for the removal of BPA by CS/GT, CS/GT /ZnO and CS/GT*m-Alg/ZnO beads.