1st JOINT MEETING ARPE-GERPE-GIRSE

Terrasini 3-6 October 2012

EPR INVESTIGATION ON THE POLYAMORPHIC TRANSFORMATION INDUCED BY ELECTRON IRRADIATION IN SIO2 GLASS

G. Buscarino, S. Agnello, F. M. Gelardi and R. Boscaino Department of Physics, University of Palermo, Via Archirafi 36, I-90123 Palermo, Italy E-mail: gianpiero.buscarino@unipa.it

We report a study by electron paramagnetic resonance of amorphous silicon dioxide (a-SiO₂) irradiated by 2.5 MeV electrons in the dose range from 1.2x10³ to 5x10⁶ kGy. By measuring the change in the splitting of the primary ²⁹Si hyperfine doublet of the E'_v centers we evidenced an irradiation induced local (around the defects) densification of a-SiO2. Our data show that the local degree of densification of the materials is significantly higher than that obtained by mean density measurements, suggesting that the structural modifications induced by electron irradiation take place prevalently within confined defective regions of the material.

The overall results we have found [1-4] have permitted us to obtain a detailed quantitative description of the electron irradiation-induced densification process of a-SiO2 and to point out relevant physical properties which have for many years remained elusive. Among them, we have found strong evidences that the processes of permanent densification induced by irradiation or by high hydrostatic pressure involve quite similar structural modification of the a-SiO₂ matrix.

REFERENCES

- [1] G. Buscarino, E. Vella, G. Navarra and R. Boscaino, J. Non-Cryst. Solids 2011, 357, 1926.
- [2] G. Buscarino, S. Agnello, F. M. Gelardi and R. Boscaino, J. Phys.: Condens. Matter, 2010, 22, 255403.
- [3] G. Buscarino, S. Agnello and F. M. Gelardi, Europhys. Lett., 2009, 87, 26007.
- [4] G. Buscarino, S. Agnello, F. M. Gelardi and R. Boscaino, Phys. Rev. B, 2009, 80, 094202.