

Electronic Supplementary Information

Mechanistic insights into the acetate-accelerated synthesis of crystalline ceria nanoparticles

Tamra J. Fisher,^{1,†} Deepa Choudhry,^{1,†} Kaitlynn Derr,² Soodabeh Azadehranjbar,³ Dan Stasko,² and Chin Li Cheung*,¹

1. Department of Chemistry, University of Nebraska-Lincoln, Lincoln, NE 68588, United States.

2. Missouri Western State University, St. Joseph, MO 64507, United States.

3. Department of Mechanical and Materials Engineering, University of Nebraska-Lincoln, Lincoln, NE 68588, United States.

*Corresponding author. 514A Hamilton Hall, Lincoln, NE 68505, U.S.A. Email address: ccheung2@unl.edu

† These authors contributed equally to this manuscript.




Fig. S1 TEM images of ceria NPs produced using of reactants ratios (LiOAc and $\text{Ce}(\text{NO}_3)_3$) of (a) 0:1, (b) 1:1, (c) 2:1, (d) 3:1, and (e) 4:1. (insets) Indexed corresponding SAED patterns.




Fig. S2 TGA results for ceria NPs produced using LiOAc and Ce(NO₃)₃ reactants with ratios of 0:1, 1:1, 2:1, 3:1, 4:1, and 5:1.