

Who has the last word? Understanding How to Sample Online Discussions

GIOIA BOSCHI, Department of Mathematics, King's College London, UK

ANTHONY P. YOUNG, Department of Informatics, King's College London, UK

SAGAR JOGLEKAR, Department of Informatics, King's College London, UK

CHIARA CAMMAROTA, Department of Physics, Sapienza Università di Roma, Italy and Department of Mathematics, King's College London, UK

NISHANTH SASTRY, Department of Computer Science, University of Surrey, UK and Department of Informatics, King's College London, UK

1
2 In online debates, as in offline ones, individual utterances or arguments support or attack each other, leading
3 to some subset of arguments (potentially from different sides of the debate) being considered more relevant
4 than others. However, online conversations are much larger in scale than offline ones, with often hundreds
5 of thousands of users weighing in, collaboratively forming large trees of comments by starting from an
6 original post and replying to each other. In large discussions, readers are often forced to sample a subset of
7 the arguments being put forth. Since such sampling is rarely done in a principled manner, users may not
8 read all the relevant arguments to get a full picture of the debate from a sample. This paper is interested in
9 answering the question of how users should sample online conversations to selectively favour the currently
10 justified or accepted positions in the debate. We apply techniques from argumentation theory and complex
11 networks to build a model that predicts the probabilities of the normatively justified arguments given their
12 location in trees representing idealised online discussions of comments and replies. Our model shows that the
13 proportion of replies that are supportive, the distribution of the number of replies that comments receive, and
14 the locations of comments that do not receive replies (i.e., the “leaves” of the reply tree) all determine the
15 probability that a comment is a justified argument given its location. We show that when the distribution of
16 the number of replies is homogeneous along the tree length, for acrimonious discussions (with more attacking
17 comments than supportive ones), the distribution of justified arguments depends on the parity of the tree level
18 which is the distance from the root expressed as number of edges. In supportive discussions, which have more
19 supportive comments than attacks, the probability of having justified comments increases as one moves away
20 from the root. For discussion trees which have a non-homogeneous in-degree distribution, for supportive
21 discussions we observe the same behaviour as before, while for acrimonious discussions we cannot observe
22 the same parity-based distribution. This is verified with data obtained from the online debating platform
23 Kialo. By predicting the locations of the justified arguments in reply trees, we can therefore suggest which

Authors' addresses: Gioia Boschi, Department of Mathematics, King's College London, Strand, London WC2R 2LS, London, UK, gioia.boschi@kcl.ac.uk; Anthony P. Young, Department of Informatics, King's College London, Bush House, London WC2B 4BG, London, UK, peter.young@kcl.ac.uk; Sagar Joglekar, Department of Informatics, King's College London, Bush House, London WC2B 4BG, London, UK, sagar.joglekar@kcl.ac.uk; Chiara Cammarota, Department of Physics, Sapienza Università di Roma, P.le A. Moro 5, 00185, Rome, Italy, Department of Mathematics, King's College London, Strand, London WC2R 2LS, London, UK, chiara.cammarota@kcl.ac.uk; Nishanth Sastry, Department of Computer Science, University of Surrey, Stag Hill, University Campus, GU2 7XH, Guildford, UK, Department of Informatics, King's College London, Strand, London WC2R 2LS, London, UK, n.sastry@surrey.ac.uk.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

© 2020 Association for Computing Machinery.

XXXX-XXXX/2020/12-ART \$15.00

<https://doi.org/10.1145/nnnnnnn.nnnnnnn>

24 arguments readers should sample, to grasp the currently accepted opinions in such discussions. Our models
 25 have important implications for the design of future online debating platforms.

26 CCS Concepts: • **Information systems** → **World Wide Web**; • **Human-centered computing** → **Collab-**
 27 **orative and social computing theory, concepts and paradigms.**

28 Additional Key Words and Phrases: argumentation theory, online discussions, probabilistic analysis, graph
 29 sampling, Kialo

30 ACM Reference Format:

31 Gioia Boschi, Anthony P. Young, Sagar Joglekar, Chiara Cammarota, and Nishanth Sastry. 2020. Who has
 32 the last word? Understanding How to Sample Online Discussions. 1, 1 (December 2020), 25 pages. <https://doi.org/10.1145/nnnnnnn.nnnnnnn>
 33

34 1 INTRODUCTION

35 Online discussions have long been an important driver in bringing society and social issues onto the
 36 Web, through early platforms such as Usenet and various bulletin board systems in the 1980s [20],
 37 and now on social media on platforms such as Kialo, Reddit, Twitter and Facebook (e.g. [16, 23, 46]).
 38 As the number of Internet users has grown, so has the scale of the discussions. For example, the
 39 BBC News article reporting on former United Kingdom (UK) Prime Minister Tony Blair’s thoughts
 40 on Brexit¹ has attracted over 10,000 comments. Similarly, in the UK, there is an average of 42,600
 41 tweets *per day* exchanged between the Members of Parliament and their followers [1], making
 42 Twitter the *de facto* platform for digital citizen engagement.

43 Given the importance of some of the above-mentioned topics, the substantial scale of online
 44 discussions creates a problem: Online discussions often contain so many comments that it is
 45 unrealistic to expect a normal Internet user to read every single point being made. Thus, even
 46 an interested and impartial reader may only be able to *sample* some of the points in a discussion,
 47 thereby miss crucial points, and end up making wrong conclusions: A reader viewing a small
 48 sample of the whole discussion may be misled into thinking that their favoured arguments are
 49 valid in the discussion. However, arguments supporting what a reader considers as an acceptable
 50 argument may have been attacked and effectively rebutted in other comments that she was not
 51 able to read. Alternatively, views opposing her conclusion may have received important supporting
 52 comments which have also been missed by the reader. In either case, the reader has “missed the big
 53 picture”, and come to the wrong conclusions because of sampling a large online discussion.

54 This paper seeks to develop better strategies for sampling large online debates by applying the
 55 formalism of *bipolar argumentation frameworks* (BAFs) [9], an object of study in *argumentation*
 56 *theory* [41], the branch of artificial intelligence concerned with conflict resolution. A BAF is a kind
 57 of directed graph (digraph) where the nodes represent *arguments* and each directed edge represents
 58 either an *attack* or *support* of one argument towards another. We treat each comment in an online
 59 discussion as an argument and represent it as a node. When one comment *a* replies to another
 60 comment *b*, we have an edge from *a* to *b*, which is either attacking or supporting. In most structured
 61 discussion platforms, each comment can only reply to one comment, thereby simplifying the BAF
 62 graph to reply *trees*. Our next step is to convert the reply tree BAF into Dung’s *argumentation*
 63 *framework* (AF) [18], which provides a *normative* definition of justified arguments from the attacks:
 64 An argument is considered *justified* if it is either un rebutted, or every other argument that attacks
 65 it is not justified. An argument will be considered *unjustified* if it is attacked by some justified
 66 argument. By recursively propagating the justified and unjustified labels across the whole AF, one
 67 may identify the subset of *justified* arguments that a reader should focus on given the current set
 68 of arguments which have been made.

¹<https://www.bbc.co.uk/news/uk-politics-38996179>, last accessed 27/Aug/2020.

69 It is important to note that justified argument can express a range of viewpoints, potentially
70 from more than one side of a debate, as long as they are not explicitly conflicting. In essence, the
71 unjustified comments (or arguments) are those which have been effectively rebutted, and therefore
72 do not need to be considered by a dispassionate observer of a debate. Thus, argumentation theory,
73 and BAF in particular, offers a powerful means to examine online discussions.

74 Note that the BAF allows us to judge whether an argument is justified or not simply by considering
75 its relation with other arguments – for example, an argument which is attacked by another justified
76 argument cannot itself be justified. Using a combination of such rules, the BAF allows us to identify
77 justified arguments without having to consider the semantics of the content of individual arguments.
78 In other words, *once an online discussion has been extracted as the nodes and edges of a BAF, the
79 content does not matter anymore in deciding whether an argument is justified, as all the necessary
80 information is captured in the graph structure.*

81 Of course, creating the nodes and edges of an argument graph from the natural language of
82 online discussions is non-trivial, and is the subject of an active research area called “argument
83 mining” (e.g. see [34], [11] and [32] for surveys). However, this difficulty is orthogonal to the
84 present work: We consider the reply trees as already formed and ask where in the reply tree (i.e.,
85 at which distance from the root or the leaves) can readers find the justified comment. We first
86 answer this question by considering idealised discussions formed from random trees generated
87 by a well-defined in-degree distribution and characterise the patterns of locations where justified
88 comments are clustered in such random trees. Next, we validate this analysis with data from *Kialo*,
89 an online debating platform² whose design allows us to straightforwardly extract a BAF: *Kialo*
90 discussions are well-moderated, such that most comments make a coherent point that is on-topic
91 to the post they are replying to. This allows us to consider each comment as a self-contained and
92 relevant argument that forms a node in the reply tree³. Further, *Kialo* requires replies to be classified
93 as pro (support) or con (attack) in relation to the argument they are replying to. Moderation of *Kialo*
94 discussions also ensures that the ‘pro’ and ‘con’ labels are accurate, thus allowing us to reliably
95 label edges between comments and their replies as attacking or supporting. Thus, *the design of
96 Kialo allows us to sidestep problems of mining well-defined arguments from free text*, making it an
97 ideal choice for validating our analytical results. While it is possible to extend our approach to
98 other debate platforms, applying it to other settings where the discussions are not meant to have a
99 logical structure (e.g. Twitter or Reddit), needs further research. We note that argument mining
100 pipelines are starting to be developed for discussions on platforms such as Twitter [6].

101 **Discussion of results:** We use BAF to first investigate a class of idealised discussion trees, in
102 which the in-degree distributions of the nodes, representing the comments, is homogeneous along
103 the length of the tree. With this expression we mean that the degree of a node does not depend on
104 its *level*, which is its distance from root node (the original post or thesis being debated) measured
105 in number of edges. This allows us to calculate the *probability* that an argument is justified as a
106 function of the *level*. We introduce a parameter $q \in [0, 1]$, which is the probability that a reply edge
107 is supporting (empirically we measure \hat{q} as the fraction of supporting edges amongst all edges).
108 Our first result is Theorem 1, which states that in supportive discussions (i.e., reply trees where
109 supportive edges outnumber attacks, giving $q > \frac{1}{2}$), the farther a node is from the root, the higher
110 the probability of it being a justified argument. In acrimonious discussions (reply trees where
111 attacks outnumber edges, i.e. $q < \frac{1}{2}$), the probability of a node being a justified argument depends
112 on the parity of the distance from the leaf levels, and the number of justified comments oscillates

²<https://www.kialo.com/>, last accessed 27/Aug/2020.

³Because of this, we use the terms ‘comment’ and ‘argument’ interchangeably, both for *Kialo* as well as theoretical results.

113 from level to level. Lastly, if $q = \frac{1}{2}$, the probability of being justified is independent of the depth,
 114 apart from the nodes at the deepest level (which are always justified by default⁴).

115 Intuitively, in supportive discussions ($q > 1/2$), the closer an argument is to the root, the higher
 116 is its chance to have at least one attacking argument in the subtree of replies underneath it, and
 117 hence the higher the chance of it being defeated; arguments deeper in the discussion are less likely
 118 to be attacked and so “survive” the cull for unjustified arguments. Now, consider a different reply
 119 tree, which has a chain of comments from a leaf node (which is a justified argument as there is
 120 no child node attacking it yet) to a given node, where all comments in the chain are attacking.
 121 The leaf node attacks and successfully defeats its parent, which in turn reinstates its grandparent
 122 node, thereby defeating the great grandparent, and so on. Thus, in the case where most comments
 123 in a reply tree are attacking (i.e., when $q < 1/2$), arguments are likely to be alternately attacked
 124 and reinstated depending on the parity of the distance from the leaf. Finally when $q = 1/2$ the
 125 probability of being attacked by a unjustified argument or being supported by a justified one is the
 126 same, independently on the level.

127 We then consider non-homogeneous trees, in which the in-degree of a node depends on its
 128 distance from the root. We show that in this case, when the tree is leaf-heavy, the distribution of
 129 justified arguments follows the distributions of the leaves. We will take as example trees where
 130 the number of replies follows a scale-free distribution. We find that Kialo reply trees are well-
 131 approximated by non-homogeneous trees, but show some characteristics of homogeneous trees
 132 when unrebutted comments are not considered in the count of justified arguments. Overall, we
 133 find that across the models we consider, as well as in the empirical data from Kialo, the leaves
 134 of a discussion literally “have the last word”, i.e. unrebutted arguments at the leaves of reply
 135 trees have an enormous influence on the justified arguments: leaves are justified by default and
 136 thereby influence which other arguments are justified deeper in the network. We show that even a
 137 conservative position of simply not accepting arguments as justified until they have been supported
 138 or attacked by at least one other argument (i.e. only considering non-leaf nodes in the whole reply
 139 tree) is not sufficient to remove this influence. We then suggest new methods for calculating the
 140 distribution of justified arguments, such that this effect is dampened.

141 The key contributions of our work can be summarized as follows:

- 142 • We develop a method (Section 4.1) which makes use of argumentation theory (Sections 2
 143 and 3) to calculate the probability of an argument being justified as a function of its level
 144 (distance from the root) in discussion trees.
- 145 • In case of trees with homogeneous in-degree we solve the equations analytically and we
 146 identify three regimes of behaviour characterized by the support probability q being smaller,
 147 equal or larger than $1/2$ (Section 4.2).
- 148 • We compare the distribution of justified arguments in non-homogeneous reply trees and
 149 Kialo graphs, finding both of them strongly dependent on the distribution of leaf nodes in
 150 the graph (Section 4.3).
- 151 • We repeat the analysis removing the leaves from the count of justified arguments and we show
 152 that in non-homogeneous trees their contribution to the debate still influences the distribution
 153 of justified arguments. In this case for balanced discussions ($q = 1/2$) the probability of an
 154 argument being justified can be calculated using only the average number of replies per
 155 level. For q smaller or larger than $1/2$ we still need the distribution of leaves per level to fully
 156 characterize the probability of an argument being justified (Section 5).

⁴In an AF, all unattacked arguments stand as valid. Sec. 3.1 gives the theoretical background and discusses the applicability of this to online discussions, and Sec. 5 discusses alternatives which discount the effect of unreplied arguments in reply trees.

Our contributions are theoretical in nature, but also provide important insights for the future design of platforms for online discussions. The “takeaway” for online platforms is that a user should sample the reply trees at the appropriate distances from the root where the probability of an argument being justified is highest (this sampling can potentially be supported by the platform or its user interface (UI), but can also be done manually by an interested and committed user). The sampling probability is calculated by our model, and depends on factors such as the in-degree distribution of the reply network and the proportion \hat{q} of replies that are supports. The good agreement between synthetic and real data reveals the appropriateness of the use of our probabilistic approach to answer a question that could in general depend on multiple factors of complex human behaviour.

2 RELATED WORK

As stated in Section 1, online discussions cover a vast range of topics and involve many users; this is not surprising due to the growth of access to the Internet, especially through smartphones [37]. Indeed, 62% of American adults get their news on social media in 2016 [3], increasing to 67% in 2017 [26]. In the UK, the accounts of UK MPs are collectively being followed by the equivalent of almost 20% of the UK population [2]. It is reasonable to ask how can we analyse online discussions at scale. Engaging with large-scale online discussions often lead users to suffer from information overload. For example, UK MPs learn to reply strategically and selectively to citizens concerned with specific topics that are also of interest to the MPs [2]. While MPs are guided by political issues, many discussion platforms have UIs that allow for readers to sort the comments, say from most liked to least liked. This seems to rely on a “wisdom of the crowds” effect to have the best points float to the top as indicated by the number of likes, allowing for the user to read the top few points made [52]. The authors of [17] have argued that such comment sorting and structuring mechanisms, including flagging, moderation and ways of detecting relevancy and novelty, can help increase user participation on news comments, improve the quality of comments, and promote constructive discussions. This is what moderation on Kialo also seeks to achieve.⁵ A different perspective on which arguments are more relevant in a discussion is given by [45, 48], where the proposed ranking of comments in forums is based on arguments’ persuasiveness. Sometimes the anonymity and protection of the web can allow people to open up and express their opinions freely. This effect is called the online dis-inhibition effect [44] and can be one of the reasons behind the rise of online discussion forums. On the flip-side, guarantee of anonymity could lead to potentially harmful and sometimes toxic behaviour, which was observed in the case studies on Usenet[28, 38]. Such a phenomenon strongly motivates a model of online conversations, which could help sampling the most relevant comments on these forums.

It is important to study online discussions also because they can affect the offline world. For example, [16] has shown that large companies (as defined by Forbes) may actively censor critical comments. However, the magnitude of such effects is open for debate in some cases. For example, [3] has clarified the factors behind how much the spread of fake news on social media can be responsible for influencing the 2016 US Presidential Election from the perspective of welfare economics, and argued that there are good reasons to argue that the effects are both small and large. But on the individual level, we seek to understand how information can be presented to them such that they read the most compelling of comments made in a discussion.

As mentioned in the introduction, we will model online discussions as directed trees where nodes are arguments and the root is the main thesis. The formation of discussion trees has been widely studied in literature, some examples are [24, 25, 31, 35]. In these papers the author propose different models, based on complex networks, to study how discussion cascades form. In particular in [31]

⁵See <https://support.kialo.com/hc/en-us/articles/360000631852-Moderating-Discussions>, last accessed 27/Aug/2020.

202 the authors propose a model for the formation of the discussion structure based on preferential
 203 attachment. We will also use preferential attachment to build our synthetic scale free discussions
 204 to mimic Kialo data.

205 Many examples of the application of complex networks in the study of online discussions are
 206 present in the literature. In [43] for example, the authors characterise the discussion forums using
 207 network properties. However, they operate on a network of users, which in our case is replaced by a
 208 network of arguments. In [53], the authors build a computational framework that highlights patterns
 209 of interactions in online discussions. They study networks structures to predict the discussion's
 210 future, while we use it to understand where the more relevant comments lie. A more applied
 211 approach is taken in [29] and [21], where the networks are used respectively in the detection of
 212 divisive issues and the measure of the level of participation of students in online platforms. The
 213 comment structure and content is also explored in literature from a pure computational standpoint,
 214 to filter out useful feedback on YouTube videos [42]. Another work on comments posted on news
 215 articles [47] explored the utility of such comments in comparing the engagement potential of
 216 news articles. Despite interesting insights from these works, they failed to propose a generalizable
 217 approach towards modelling conversations online, not least because of a thematic and qualitative
 218 approach.

219 2.1 Argumentation Theory in Social Media Analytics

220 Given the inevitable diversity of the many views that are expressed and the conflicts that arise,
 221 it is important for us to understand how many of these views are consistent, and how various
 222 differences can be resolved argumentatively and at scale. This makes online discussions a natural
 223 arena for argumentation theory to study.

224 Argumentation theory has been applied to both mine structured arguments from natural language
 225 text (e.g. [32, 34]) and to analyse specific online discussion platforms. For example, [6] has designed
 226 and tested a pipeline on Twitter. Due to the comparatively noisy messages exchanged on Twitter,
 227 the pipeline has to first identify which tweets can be interpreted as self-contained arguments (e.g.
 228 ignoring tweets that consist of just a URL and no other accompanying text), and also infer which
 229 replies are attacking or supporting. They then explain how to use an argumentation framework
 230 to extract the justified arguments from the discussion. Our work is different and aims to be more
 231 general, as we firstly calculate analytically the location of justified arguments in different class
 232 of discussion trees, then we apply the same ideas to real online discussions from Kialo. Kialo is a
 233 less noisy discussion platform than Twitter – individual comments in Kialo are moderated to be
 234 self-contained arguments and relation between comments is declared. This bypasses the step in [6]
 235 where tweets need to be identified as self-contained arguments and relations between comments
 236 need to be assessed.

237 Further, [7, 8] have applied techniques of argument mining and evaluation to *Debatepedia*,⁶
 238 where attack and support are identified via *textual entailment* (e.g. [15]), a technique that aims to
 239 reproduce how humans would use common sense to judge whether one piece of text or its negation
 240 follow from another piece of text. In [11] the authors propose an argument mining method to detect
 241 attacking and supporting comments in a debate. Again, given that Kialo already requires users to
 242 classify their comments as supporting or attacking, we can bypass such techniques. A paper worth
 243 mention is also [22], which uses graph theory in a theoretical study on argumentation frameworks.

⁶http://www.debatepedia.org/en/index.php/Welcome_to_Debatepedia%21, last accessed 27/Aug/2020.

3 ARGUMENTATION THEORY AND THE KIALO DATASET

We now review the relevant technical background in argumentation theory and the procedure by which we have mined data from Kialo.

3.1 Bipolar Argumentation Theory

Argumentation theory is the branch of AI concerned with the rational and transparent resolution of conflicting *arguments*. Arguments and their interactions are represented by *argumentation frameworks* (AFs) [18]. The type of AFs that we use to represent online discussions are called *bipolar argumentation frameworks* (BAFs) [9]. Formally, a BAF is a structure $\langle A, R_{sup}, R_{att} \rangle$, where A is our set of arguments and $R_{sup}, R_{att} \subseteq A^2$ are binary relations on A that respectively represent supporting and attacking replies, i.e. for $a, b \in A$, $(a, b) \in R_{sup}$ means a *supports* (agrees with) b , and $(a, b) \in R_{att}$ means a *attacks* (disagrees with) b . We require that $R_{sup} \cap R_{att} = \emptyset$. One can therefore think of $\langle A, R_{sup}, R_{att} \rangle$ as a directed graph (digraph) where supporting (dotted) edges are green and attacking (solid) edges are red.

Example 1. Illustrated in Figure 1 is the BAF where $A = \{a, b, c, d, e\}$, $R_{att} = \{(c, b)\}$ and $R_{sup} = \{(d, c), (e, b), (b, a)\}$.




Fig. 1. The BAF from Example 1, where green (dotted) edges denote supports and red (solid) edges denote attacks

How can we determine the justified arguments in a BAF? Following [9], we combine supports into attacks, which result in *defeats*; arguments are justified if either they are not defeated, or are *reinstated* by having all their defeaters in turn defeated. More formally, given a BAF $\langle A, R_{sup}, R_{att} \rangle$ and $a, b \in A$, we say a *support path* is a path in the underlying digraph that only traverses support edges. Let $a \rightarrow_{sup} b$ denote that there exists a support path from a to b . We say a *support-defeats* b iff $(\exists c \in A) [a \rightarrow_{sup} c, R_{att}(c, b)]$, and a *indirectly defeats* b iff $(\exists c \in A) [R_{att}(a, c), c \rightarrow_{sup} b]$. We define the *argumentation framework* of $\langle A, R_{sup}, R_{att} \rangle$ to be the digraph $\langle A, R \rangle$ where $(a, b) \in R$ iff either a support-defeats b or a indirectly defeats b [9, 18, 50]. We say a *defeats* b iff $(a, b) \in R$.

Example 2. (Example 1 continued) The support paths of length 1 in this BAF are (e, b) , (b, a) and (d, c) , and the support paths of length 2 in this BAF consist of only (e, b, a) . Therefore, $e \rightarrow_{sup} b$, $b \rightarrow_{sup} a$, $d \rightarrow_{sup} c$ and $e \rightarrow_{sup} a$. As c attacks b , we can see that c indirectly defeats a , and d support-defeats b . Therefore, the corresponding AF of this BAF has the same arguments, but the defeat relation is $R = \{(c, b), (c, a), (d, b)\}$. This is illustrated in Figure 2.




Fig. 2. The corresponding AF of the BAF in Figure 1, from Example 2; argument e is an isolated node.

272 If $\langle A, R_{sup}, R_{att} \rangle$ is a tree, then $\langle A, R \rangle$ is a directed acyclic graph, and we can use Algorithm 1 to
 273 calculate the set of justified arguments, also called *the grounded extension*.⁷

Algorithm 1 Algorithm for calculating the set of justified arguments of $\langle A, R \rangle$ (from [49]).

```

1: function GROUNDEDEXTENSION( $\langle A, R \rangle$ )
2:    $in \leftarrow \emptyset$ 
3:    $out \leftarrow \emptyset$ 
4:   while  $in \neq A$  do
5:      $in \leftarrow \{a \in A \mid (\forall b \in A) (b, a) \notin R\}$ 
6:      $out \leftarrow \{a \in A \mid (\exists b \in in) (b, a) \in R\}$ 
7:      $A \leftarrow A - out$ 
8:      $R \leftarrow R \cap A^2$ 
   return  $A$ 

```

274 Intuitively, the algorithm first labels all unattacked arguments as *in* (justified) and all argu-
 275 ments attacked by the unattacked arguments as *out* (unjustified). In the context of reply trees, the
 276 unattacked arguments correspond to the leaves. The algorithm then excludes the unjustified argu-
 277 ments from the arguments under consideration and consider the next set of unattacked arguments
 278 and the arguments attacked by those unattacked arguments... etc. until all arguments are labelled
 279 by either *in* or *out*, which is possible for reply trees.⁸ It has been shown that this algorithm runs in
 280 polynomial time [19].

281 **Example 3.** (Example 2 continued) We can apply the algorithm to Figure 2. It is easy to see that
 282 after one iteration of the while loop, we get $in = \{e, d, c\}$ and $out = \{a, b\}$. This means $A = in$, so
 283 the algorithm halts and returns $\{e, d, c\}$, which is the set of justified arguments of Figure 2 and
 284 hence of Figure 1.

285 One criticism of adopting BAFs as a model for online discussions is that its interpretation of
 286 support is very strong, akin to logical necessity [10], i.e. if $c \rightarrow_{sup} b$ then c is necessary for b , hence
 287 any attacker of c must indirectly defeat b . This may not hold for the informal logic employed in
 288 online discussions, but we allow for this assumption here as we would like to make the supporting
 289 arguments as vulnerable to defeat as possible such that only the strongest such arguments survive,
 290 i.e. arguments where all their supporters are either undefeated or reinstated. This “skeptical” stance
 291 seems suitable given that online discussions take place in low-trust environments given its potential
 292 to become rife with misinformation. However, even if the discussion environment is well-moderated
 293 and seeks to promote good debating practice, one should adopt such a skeptical stance to be able to
 294 claim that arguments are justified if they are consistent with defensible foundations.

295 Another criticism is that unrebutted arguments should not be justified in the context of reply trees.
 296 Originally, this is meant to capture two principles - that everything relevant is already represented
 297 in the digraph of arguments, and that arguments are assumed to be acceptable by default until
 298 shown otherwise - a form of “lazy” reasoning [18]. But in reply trees, the leaf arguments do not
 299 have to be justified, especially if the conversation could have degenerated to insults the further it
 300 departs from the starting claims. How can we let such claims being justified? We clarify that the
 301 term “justified” does not denote truth and unrebutted claims are vacuously justified at that point in
 302 time until explicitly rebutted by a comment which is made at a later time point. Further, Kialo’s

⁷This set exists and is unique [18, Theorem 30]. This algorithm is a special case of the general definitions of justified arguments [18], which also apply to, e.g. cyclic or infinite argumentation frameworks.

⁸Non-tree argumentation frameworks can have arguments that are neither *in* nor *out*, but that will take us beyond the scope of this paper.




Fig. 3. Example of a Kialo discussion. The thesis is represented by the grey rectangle on the right diagram and the grey circle on the left diagram. In the left diagram, the concentric annuli represent the replies made at different distance from the root, where each slice of the annulus denotes a single replying comment. Replies are coloured green if they support and red if they attack the previous comment, the shade of the colouring representing the number of likes to the comment, with higher number of likes denoted by a darker shade.

303 moderation policy would not allow debates to degenerate into trolling or insults, so by using Kialo
 304 we cannot count those as reasons for why leaf arguments should not being justified. However, we
 305 will attempt to address the deficiencies of letting leaves being justified in Section 5.

306 In summary, we have defined BAFs and how to resolve the conflicts therein through transforming
 307 BAFs into AFs and calculating the justified arguments. This follows various normative principles
 308 such as that arguments that are neither attacked nor supported are always justified, and two
 309 arguments defeating each other cannot be simultaneously justified.

310 3.2 Details of the Kialo Dataset

311 In order to validate our model we use data from discussions hosted on *Kialo*, an online debating
 312 platform.⁹ Figure 3 illustrates an example Kialo discussion.¹⁰ In this section, we outline how
 313 discussions are initiated in Kialo and the procedure by which we scraped and cleaned the discussions.

314 **3.2.1 Discussions and Sub-discussions on Kialo.** To start a discussion, the user creates a *thesis* along
 315 with a *tag* that indexes the discussion. A thesis can have many tags, which increases its visibility to
 316 users. Additionally, a discussion can be created with an option to add multiple theses to debate. For
 317 example, a discussion could start with an open question like “Who is the ultimate fighting hero from
 318 any fandom?”¹¹ and several theses could be proposed as debatable options under this overarching
 319 question. In such a situation, this one discussion thesis could spawn multiple sub-discussions, each
 320 proposing a candidate fighting hero (e.g. Superman and Batman), which will give rise to a separate
 321 reply tree of their own.

322 **3.2.2 Scraping and Cleaning Kialo Discussions.** To obtain the dataset, we reverse engineered the
 323 Kialo app API, which obtains all the available tags on the Kialo website. This is done by first
 324 bootstrapping the query with certain featured tags on Kialo¹² and then progressively expanding

⁹<https://www.kialo.com/>, last accessed 27/Aug/2020.

¹⁰The left sub-figure is taken from <https://stackoverflow.com/questions/49854754/kialo-how-can-i-view-the-argument-topology-map-after-i-have-entered-an-argument>, last accessed 27/Aug/2020. The right sub-figure is taken from <http://mycareacademy.org/all/a-new-digital-debating-tool-for-collaborators-kialo/>, last accessed 27/Aug/2020.

¹¹See <https://www.kialo.com/who-is-the-ultimate-fighting-hero-from-any-fandom-8857>, last accessed 27/Aug/2020.

¹²See <https://www.kialo.com/explore/featured>, last accessed 27/Aug/2019.




Fig. 4. Occurrence of the top fifty topic tags across Kialo discussions. The top five are: politics, ethics, society, law and government. For example, there are just under 300 discussions for politics, and around 150 discussions for law.

325 the tags dataset by adding the co-occurring tags with the bootstrap set. At the end of the process,
 326 we were able to get 1120 tags, which covers almost all of the discussions hosted on Kialo as of 28th
 327 of January 2020. To verify this claim, we scripted another utility that exploited Kialo's scrolling
 328 API to go as far back in the list as possible to get the oldest thread, and we ended up with the same
 329 number of threads to view. Figure 4 shows a histogram of the top fifty popular tags among the 1120
 330 along with corresponding number of threads associated with a particular tag.

331 As the next step we obtained all the discussion threads associated with each of these 1120 tags.
 332 This was done by mimicking the tag-based search feature of Kialo and getting all the results that
 333 show up for a particular tag based search. As mentioned before, each thread can be associated to
 334 one or more tags. Through our data collection scripts, we are able to obtain 1560 discussion threads.
 335 Our manual verification gives us a high degree of confidence that this is almost all of the debate
 336 activity on the service. We progressively crawl each discussion thread to acquire the data about
 337 the tree structure, votes on each argument and the argument text. This also includes all the sub
 338 discussion trees resulting due to debates having multiple thesis, as described in Section 3.2.1. Before
 339 analysing the data, we cleaned them by removing all the trees with less than twenty nodes and
 340 removing all the discussions with comments that have empty text or deleted branches. We are left
 341 with a total 1511 final trees to analyse.

342 We also acquire other supplemental meta-data such as the time of posting, the time of editing (if
 343 any) and the author meta-data. To our knowledge, this is the most complete snapshot of Kialo, as
 344 of 28th of January 2020.¹³

345 All discussions that were crawled from Kialo have a tree structure with a root node that represents
 346 the main thesis and each other node is a reply to its parent. Each reply answers only to the argument
 347 of the parent, so an answer in favour to a node, does not necessarily represent a support to the

¹³To aid reproducibility and encourage follow-on work, our data will be shared upon request with the wider research community post publication.




Fig. 5. (a): the number of Kialo reply trees as a function of their size (number of nodes). (b): a histogram counting the number of Kialo reply trees with a given fraction of support \hat{q} .

main thesis. We will represent Kialo discussions as directed trees, where the directed edges point in the direction of the reply. Each edge can have a positive or negative sign, respectively indicating support or attack; the representation of such discussions as bipolar argumentation frameworks is therefore straightforward (Section 3.1), and we have ready-made techniques for evaluating which arguments are justified (Section 2).

Figure 5 provides some basic statistics about the Kialo data. Figure 5a shows the distribution of the sizes of the reply trees. On each topic or subdiscussion, there is a reasonable amount of debate, with a mean (median) of 204 (68) arguments (standard deviation 463). Figure 5b calculates the fraction \hat{q} of replies that are supportive as opposed to attacking their parent argument. It appears that Kialo debates are typically balanced, with the vast majority of reply trees having $0.4 \leq \hat{q} \leq 0.6$. Section 4.3 builds on these, in identifying the locations of justified arguments.

4 A PROBABILISTIC MODEL OF JUSTIFIED ARGUMENTS IN SYNTHETIC BIPOLAR ARGUMENTATION FRAMEWORKS

In this section we will analyse and model probabilistically the distribution of the location of justified arguments in BAFs based on various kinds of reply trees. Our main aim will be to characterise the probability that we will find justified arguments at a given level of a reply tree (Section 4.1). We will first study reply trees with homogeneous in-degree distributions (Section 4.2) and obtain an analytical model that allows us to understand how the levels of support or attack will affect the distribution of the locations of the justified argument. We will then study this in non-homogeneous in-degree trees, which better approximate the discussions we find in Kialo (Section 4.3).

4.1 The Probability of Being Justified Given the Level

Recall that each discussion is a directed tree, with the original post as the root, and a directed edge from each reply to the node being replied to. A reply can attack or support its parent, and we represent this by a negative or positive edge (see Equation 3 below). Let $q \in [0, 1]$ denote the probability that a reply is supporting and $1 - q$ the probability that a reply is attacking. Let $N \in \mathbb{N}$ denote the depth of a given reply tree, i.e. the length of the longest path from root to leaf. For a given reply tree, let $0 \leq h \leq N$ be an integer denoting an arbitrary level in the reply tree and $p(k|h)$ be the probability of a node at level h having k child nodes at level $h + 1$ that reply to it. Apart from leaf nodes, which by definition cannot have any children and therefore no replies, all other nodes can have an arbitrary number of replies. We wish to calculate the probability $p_h \in [0, 1]$, that a node at level h will be a justified argument. Recall from Section 3 that unrebutted arguments are justified by default, so the leaves in the reply tree are justified arguments. Given that the level N is populated only by leaves. $p_N = 1$. For internal nodes (i.e. nodes with $h < N$) to be justified, all of their child nodes (at level $h + 1$) that support them must be justified, and all the child nodes that

382 attack must be unjustified arguments or they should be leaves. Therefore, the expression for p_h is

$$p_h = \sum_{k=0}^{\infty} [qp_{h+1} + (1-q)(1-p_{h+1})]^k p(k|h). \quad (1)$$

383 Given a set of arguments A and a set of justified arguments $G \subseteq A$, define a *state function* $s : A \rightarrow$
 384 $\{\pm 1\}$ where s_i is such that $s_i = 1$ means $i \in G$, i.e. argument i is justified, while $s_i = -1$ means
 385 $i \notin G$, i.e. argument i is unjustified. The value of s_i will be assigned iteratively to all $i \in A$ starting
 386 from level N via the following rule:

$$s_i = \begin{cases} 1 & (\forall j \in A) J_{ij} = 0 \\ \min_{j \in A} J_{ij} s_j & \text{else} \end{cases}, \quad (2)$$

387 where $(J_{ij})_{i,j \in A}$ is a matrix of size $|A| \times |A|$ defined as

$$J_{ij} := \begin{cases} -1 & (i, j) \in R_{att} \\ 1 & (i, j) \in R_{sup} \\ 0 & \text{else.} \end{cases} \quad (3)$$

388 Intuitively, the first case of Equation 2 is the case of a leaf node which is justified by default. The
 389 second case assigns $s_i = 1$ if all reply nodes j are either supporting reply nodes (i.e. $(i, j) \in R_{sup}$)
 390 and also justified nodes themselves (i.e. $s_j = 1$), or they are attacking nodes but are unjustified, and
 391 therefore their attack is invalid (i.e. $(i, j) \in R_{att}$ and $s_j = 1$). If neither of these conditions hold, there
 392 is at least one supporting node that is unjustified or one attacking node that is justified, which in
 393 turn means that node i is not justified and $s_i = -1$. We can now calculate the frequency of justified
 394 arguments at level h . This quantity, averaged over an ensemble of reply trees with the same degree
 395 distribution and in the same class of support q , will be our estimator of the probability p_h :

$$\tilde{p}_h := \frac{1}{2} \left\langle \frac{\sum_{i_h \in A} (s_i + 1)}{\sum_{i_h \in A} |s_i|} \right\rangle, \quad (4)$$

396 where $|\cdot|$ indicates the absolute value, i_h are the nodes in level h , $\langle \cdot \rangle$ is the average over the
 397 ensemble of trees and $\sum_{i_h \in A} |s_i|$ is the number of arguments at level h . In the next two subsections
 398 we will focus our analysis of the distribution of justified arguments on two kinds of graphs: trees
 399 with homogeneous in-degree distribution (Section 4.2) and scale-free trees (Section 4.3).

400 4.2 Reply trees with homogeneous in-degree

401 A digraph with *homogeneous in-degree distribution* is one where the degree distribution is the same
 402 for all the nodes. In the context of reply trees, this means that the distribution of the numbers of
 403 children (replies) does not vary across different levels (except for the deeper level, where there are no
 404 children): i.e. $\forall 0 \leq h < N \ p(k|h) = p(k)$.

405 As mentioned before, leaf nodes are unrebutted arguments and therefore considered to be
 406 justified in bipolar argumentation frameworks. The theorem below obtains the probabilities p_h of
 407 an argument among internal (non-leaf) nodes being justified at level h :

408 **Theorem 1.** Let p_h be the probability of being justified of an internal node at level $h < N$, given
 409 by Equation 1.

410 (1) If $q = \frac{1}{2}$ then

$$p_h = p_{h+1} \quad \text{for } h \in [0, N - 1] \quad (5)$$

411 (2) If $q < \frac{1}{2}$ then

$$p_{N-2m} > p_{N-2m+1} \quad \text{for } m \in [0, N/2] \quad (6)$$

$$p_{N-2m-1} < p_{N-2m} \quad \text{for } m \in [0, (N-1)/2] \quad (7)$$

412 (3) If $q > \frac{1}{2}$ then

$$p_h < p_{h+1} \quad \text{for } h \in [0, N-1] \quad (8)$$

413 PROOF. We prove each case in turn.

(1) If $q = \frac{1}{2}$ then $qp_{h+1} + (1-q)(1-p_{h+1}) = \frac{1}{2}$. Therefore

$$p_h = \sum_{k=0}^{\infty} \frac{p(k)}{2^k} = p_{h+1} \quad \text{for } h \in [0, N-1] \quad (9)$$

414 So irrespective of the in-degree distribution $p(k)$, p_h will not depend on h .

415 (2) If $q < \frac{1}{2}$, then

$$p_h > p_{h+1} \quad \text{if } p_{h+2} > p_{h+1} \quad \text{and} \quad (10)$$

$$p_h < p_{h+1} \quad \text{if } p_{h+2} < p_{h+1}. \quad (11)$$

416 If $p_{h+2} > p_{h+1}$, then

$$p_h = \sum_{k=0}^{\infty} [qp_{h+1} + (1-q)(1-p_{h+1})]^k p(k) \quad (12)$$

$$> \sum_{k=0}^{\infty} [qp_{h+2} + (1-q)(1-p_{h+2})]^k p(k) = p_{h+1}. \quad (13)$$

417 This is because

$$qp_{h+1} + (1-q)(1-p_{h+1}) > qp_{h+2} + (1-q)(1-p_{h+2}), \quad (14)$$

$$-q(1-p_{h+1}) + (1-q)(1-p_{h+1}) > -q(1-p_{h+2}) + (1-q)(1-p_{h+2}) \quad (15)$$

$$(1-2q)(p_{h+2} - p_{h+1}) > 0, \quad (16)$$

418 since $q < \frac{1}{2}$ and $p_{h+2} > p_{h+1}$.

If instead $p_{h+2} < p_{h+1}$, then reasoning identically to the above implies that $p_h < p_{h+1}$. From our initial condition $p_N = 1$ and

$$p_{N-1} = \sum_{k=0}^{\infty} q^k p(k) < p_N = 1$$

419 we obtain an oscillating trend of p_h as a function of h : $p_{N-2} > p_{N-1}$ as $p_{N-1} < p_N$, $p_{N-3} <$
420 p_{N-2} as $p_{N-2} > p_{N-1}$, and so on.

421 (3) Finally, if $q > \frac{1}{2}$, then for all $0 \leq h \leq N-1$,

$$p_h < p_{h+1}, \quad (17)$$

422 because $(1-2q) < 0$, therefore the opposite of Equation 16 holds: if $p_{h+1} < p_{h+2}$, which holds
423 true for $p_{N-1} < p_N = 1$, then $p_h < p_{h+1}$, and so on monotonically.

424 This shows the result. \square

425 Intuitively, the theorem suggests there are three classes of behaviours for different values of q :




Fig. 6. The figures show different values of \tilde{p}_h when the support probability q is changed (here, $q \in \{0.1, 0.5, 0.9\}$). The degree distribution of the trees is Poisson with rate $\lambda = 2$ for all levels. The red dots represent the theoretical prediction of the probability of an argument being justified at a certain level from Theorem 1.

- 426 (1) when $q < \frac{1}{2}$, there is a high probability that a reply is an attack. In this situation, the expected
 427 fraction of justified arguments at a given level is determined by the parity of the level, i.e.
 428 whether the path length from the leaf arguments or nodes (who are default justified) to
 429 a given argument (node) is even or odd. This is easiest to visualise in the extreme case
 430 when all arguments are attacking ($q = 0$). This corresponds to the classical argumentation
 431 framework [18]. When there is a thread of replies (arguments) attacking each other, arguments
 432 at odd-length paths from the set of unattacked arguments U are being *indirectly attacked*
 433 by U , while even-length paths from the unattacked arguments are being *indirectly defended*
 434 by U (See [18, Page 332]). This means that the proportion of justified arguments oscillates
 435 between levels – i.e. the fraction of justified arguments increase and decrease from one level
 436 to the next.
- 437 (2) when $q = \frac{1}{2}$, and a reply is equally likely to be supportive or attacking, the expected fraction
 438 of justified arguments is the same for all levels of the reply tree. This is because a node has
 439 the same probability of having a justified reply supporting or a unjustified reply attacking,
 440 independently on the level.
- 441 (3) when $q > \frac{1}{2}$, the expected proportion of justified arguments is determined by how far a
 442 level stands from the deeper level. The farther a node is from this, the higher the probability
 443 that at least one of the child nodes in the subtree rooted at the node is justified and is
 444 attacking. Since most other edges in chains of replies will be supporting, this justified node
 445 will indirectly defeat all its ancestors. In other words, it becomes harder for nodes far away
 446 from the leaves to be a justified argument, and the probability of finding justified arguments
 447 increases monotonically as we go from away from the root.

448 Figure 6 validates the results of Theorem 1 by showing these three behaviours in action in
 449 reply trees with a homogeneous (Poisson) in-degree distribution $p(k) = \frac{e^{-\lambda} \lambda^k}{k!}$, with $\lambda = 2$. Each
 450 of the three sub-figures in Figure 6 is obtained by averaging the number of justified arguments
 451 of an ensemble of five hundred Poisson trees with depth $N = 8$ and varying levels of support
 452 $q \in \{0.1, 0.5, 0.9\}$. The theoretical estimates from Theorem 1 of the fraction of justified arguments
 453 at a given level appears to be in good agreement with what we observe from simulations. In particular
 454 we can recognise a transition at $q = \frac{1}{2}$ between the probability of an argument to be justified
 455 being driven by the parity of the distance from the deeper level (for $q < \frac{1}{2}$) and a probability of an
 456 argument to be justified that rises monotonically with the distance from the root (for $q > \frac{1}{2}$).

457 Theorem 1 has implications both from a platform perspective and the users' perspective: When
 458 levels of support are high ($q \gg 0.5$), the end of a conversation becomes much more important

459 in determining the justified arguments of the discussion. So for readers, there is little point in
 460 following early comments, and the best strategy for platforms is to present comments in reverse
 461 chronological order, so that users see more of the justified comments first. In contrast, when there
 462 are high levels of attack, the justified arguments are more equally distributed across different levels,
 463 and users still benefit from reading early comments. Note that these insights apply mainly to
 464 evolving discussions where new comments are still being added. When a discussion thread has
 465 received all its comments, the rules of BAF can be used to clearly determine justified arguments.

466 *4.2.1 Oscillation Amplitude and the Decay of p_h .* Now that we have characterised the trend of the
 467 probability p_h , we would like to know how large are the oscillations of p_h for $q < \frac{1}{2}$ and how steep
 468 is its decay when $q > \frac{1}{2}$. In particular, we will answer these questions in relation to the size of
 469 probability $p_{leaf} := p(0)$; this is the probability for a node being a leaf. We will see that this analysis
 470 will be of particular interest in order to understand the distribution of justified arguments in Kialo
 471 data. Consider a (homogeneous in-degree) tree with a certain support probability q . We can rewrite
 472 Equation 1 as follows:

$$p_N = 1 \quad (18)$$

$$p_h = p(0) + \sum_{k=1}^{\infty} [qp_{h+1} + (1-q)(1-p_{h+1})]^k p(k). \quad (19)$$

473 As $[qp_{h+1} + (1-q)(1-p_{h+1})]^k \leq qp_{h+1} + (1-q)(1-p_{h+1})$ for all $k \geq 1$, we have that

$$p_h \leq p(0) + [qp_{h+1} + (1-q)(1-p_{h+1})] (1-p(0)) \quad (20)$$

$$=: p_h^{max} \quad (21)$$

$$p_h \geq p(0) =: p_h^{min}. \quad (22)$$

474 Equations 21 and 22 provide an upper and a lower bound of the function p_h . The upper bound
 475 in Equation 21 is composed of two terms: The first one, $p(0)$, is the probability of a node to be a
 476 leaf and the other term depends on the probability p_{h+1} of the nodes at the following level being
 477 justified arguments. This second term is responsible for the oscillations of the upper bound in
 478 function of the level for $q < \frac{1}{2}$, and the decrease of the probability of an argument being justified as
 479 function of the level for $q > \frac{1}{2}$ (similar to what we have seen in Equations 10, 11 and 17). However
 480 the higher is the lower bound the smaller will be the amplitude of the oscillations and the decrease
 481 per-level, as p_h will be squeezed between a large p_h^{min} and 1. This is shown in Figure 7. Figures 7a
 482 and 7c show systems with a relatively small $p(0) = 0.1$, indicated by the green dashed line. Figures
 483 7b and 7d show systems with a relatively large $p(0) = 0.5$. This will respectively determine large
 484 and small oscillations of p_h in Figure 7a and 7b and long and short decrease of p_h in Figures 7c and
 485 7d. The blue dots represent the iterative solution of the equation:

$$p_h^{max} = p(0) + [qp_{h+1}^{max} + (1-q)(1-p_{h+1}^{max})] (1-p(0)), \quad (23)$$

486 which was obtained by assuming that the inequality in Equation 21 is saturated, i.e. $p_h = p_h^{max}$. The
 487 red lines in Figure 7 represents the Equation 23. The iterative solutions of Equation 23 indicated
 488 by the blue dots is obtained by projecting the points on this line to the diagonal black line. For
 489 example starting from $p_N = 1$, we obtain the blue point 1 in Figure 7a, which is a solution of
 490 Equation 23 with initial $p_{h+1} = 1$. the projection of this point on the diagonal is the starting point
 491 of the new iteration. This new starting point, corresponding to a new value of p_{h+1} , leads to the
 492 new solution of Equation 23 and is indicated by the blue point 2. Note that the new p_{h+1} is much
 493 smaller than the initial one, and also much smaller than the next value in the iteration represented
 494 by the blue point 3. As shown in Figure 7a and 7b, the oscillations thus produced are larger when




Fig. 7. Cob-webbing solution of the upper bounds (blue dots) of the function p_h^{max} (Equation 23) for $q < \frac{1}{2}$ and $p(0) = 0.1$ (a), for $q < \frac{1}{2}$ and $p(0) = 0.5$ (b), for $q > \frac{1}{2}$ and $p(0) = 0.1$ (c) and for $q > \frac{1}{2}$ and $p(0) = 0.5$ (d). We numbered the blue dots representing the first iterative solutions only for $p(0) = 0.1$.

495 the value of $p(0)$ is small. This representation of iterative solutions is called *cob-webbing* [36].
 496 The same cob-webbing procedure for $q > \frac{1}{2}$ is shown in Figure 7c and 7d. In this case we do not have
 497 oscillations but similarly we can see that when $p(0)$ is large there is a less pronounced decrease
 498 of p_h . As a consequence of this we can conclude that the amplitude of the oscillations and the
 499 decrease of the solution of p_h depend on the size of $p(0)$. This means that the number of unreplied
 500 comments in the reply tree (which determines $p(0)$) has a large impact on the behaviour of the
 501 probability of an argument being justified. We will apply this analysis and result when analysing
 502 Kialo discussions in the next section.

503 4.3 Non-Homogeneous Reply Trees

504 Here, we consider trees that have in-degree probability distributions which are non-homogeneous
 505 across different levels; we will call these *non-homogeneous* reply trees. These trees more closely
 506 approximate the empirical data from Kialo but given the in-degree distribution is not the same for
 507 all the levels, we are not able to provide a closed-form solution for the probability of an argument
 508 being justified as a function of the level and in-degree. Instead, we study the distribution of
 509 justified arguments by generating an ensemble of scale-free trees (an example of non-homogeneous
 510 trees [27] often appearing in social processes), and examine the patterns found in comparison to
 511 Kialo discussions.

512 A common way to generate scale-free graphs is using preferential attachment [5]. To generate
 513 scale-free *trees* with preferential attachment, we follow the method of Krapivsky and Ridner [30]:




Fig. 8. Estimated probability of an argument being justified per level in scale-free synthetic graphs for different levels of support in the graph, compared to $\hat{p}(0|h)$, the estimated probability of having leaves at level h .




Fig. 9. Estimated probability of an argument being justified per level in Kialo discussions compared to $\hat{p}(0|h)$, the estimated probability of arguments being leaves at level h , for different levels of support.

514 At each step, we add a new node and connect it to an existing node i with probability $\pi_i = \frac{w_i}{\sum_j w_j}$,
 515 where w_i is the degree of the node i and the sum at the denominator runs over all the existing
 516 nodes. Intuitively, each new node is attached with higher probability to a node with high degree,
 517 leading to preferential attachment.

518 For each simulation we generate 1000 random trees of size 100. Each edge is assigned at random
 519 to be a support with a probability q and with probability $1 - q$ to be an attack. The average of the
 520 observables has been done between levels with the same distance from the deepest level of their
 521 tree. This is because we expect that the nodes at the same distance from the deepest level of their
 522 tree have a comparable in-degree distribution. In all the figures that we will show in this section
 523 and the next one, the number of levels on the horizontal axis will correspond to the depth of the
 524 highest tree analysed. Given the scale-free nature of our graphs, there will be a number of short
 525 trees with many leaves and few long trees, leading to fewer trees to average on, at relatively higher
 526 levels ($h > 10$). To maintain statistical significance, we only report probabilities of arguments being
 527 justified for levels which have at least ten trees with nodes at that level.

528 In Figure 8, we plot (in blue) how the probability \hat{p}_h varies with the level h . We observe that
 529 unlike the homogenous degree distribution case, the justified arguments are overwhelmingly found
 530 at higher levels, away from the root. This happens regardless of the level of attack or support (i.e.
 531 regardless of the value of q). We next plot (in orange) the distribution of default justified arguments,
 532 i.e. leaf nodes. Since leaf nodes have $k = 0$ children, this distribution is computed as $\hat{p}(0|h)$. For all
 533 values of q , we can see that the distribution of justified arguments at level h , \hat{p}_h , closely follows the
 534 distribution of leaves $\hat{p}(0|h)$. In other words, *the distribution of justified arguments is dominated by*
 535 *the large numbers of default justified arguments or leaves.*

536 Next, we examine real-world discussions from Kialo in Figure 9. As mentioned in Section 3.2,
 537 Kialo is evenly balanced between attacking and supporting comments, with a vast majority of

538 discussions having $0.4 < \widehat{q} < 0.6$, and very few highly supportive or highly attacking conversations.
 539 For highly supportive graphs, with $0.8 < \widehat{q} < 1$, we see that the farther an argument is from the
 540 root, higher is its probability of being justified. For graphs with this amount of support we can
 541 observe this behaviour in both homogeneous and non-homogeneous graphs. For $0.4 < q < 0.6$ and
 542 $q < 0.3$ we instead cannot recognize the behaviours seen in the homogenous case. We can observe
 543 instead that whatever is the level of support in the graphs, as in scale-free trees, the distribution of
 544 justified arguments at a given level p_h , closely follow the distribution of leaves in the graph $p(0|h)$.

554 5 REMOVING LEAVES FROM THE COUNT OF JUSTIFIED ARGUMENTS

546 Our study of synthetic reply networks and comparison with Kialo data (Section 4) seems to highlight
 547 that comments that have the last word (i.e. the leaf comments in discussion trees) represent a
 548 determining factor in establishing the rest of the justified arguments. This is consistent with
 549 argumentation theory, which assumes that arguments that have the last word are justified by
 550 default (Section 3).

551 However, it is not fully clear whether this is appropriate for online discussions. Although one
 552 may argue that comments which are spurious or false are rarely left unchallenged in vigorous
 553 online debates, and therefore the leaf arguments can be treated as justified arguments, it can also be
 554 argued that comments that have been answered, and so have been evaluated positively or negatively
 555 by others, are more representative of the truth and should have a greater importance than those
 556 that have not yet been replied to.

557 In this section, we consider a conservative approach, where we use the machinery of argumenta-
 558 tion theory to identify the justified arguments, but do not include the leaf nodes of a reply tree in
 559 the *count* of justified arguments. In other words, we only consider those arguments that have had
 560 a chance to be supported or attacked by at least one other argument. Given a reply tree with n_h
 561 nodes at level h and a distribution of leaves given by

$$562 \widehat{p}(0|h) := \frac{\text{\#leaves at level } h}{n_h}, \quad (24)$$

562 we previously defined the probability of an argument being justified at that level as:

$$563 \widehat{p}_h := \frac{\text{\#justified arguments at level } h}{n_h} \quad (25)$$

563 In this section, we will instead compute the probability \widehat{p}_h^{nl} of *non-leaf* justified arguments at a
 564 level h by removing the count of the leaves ($n_h p(0|h)$) from the count of justified arguments at that
 565 level ($n_h \widehat{p}_h$):

$$566 \begin{aligned} \widehat{p}_h^{nl} &= \frac{\text{\#justified arguments at level } h - \text{\#leaves at level } h}{n_h - \text{\#leaves at level } h} \\ &= \frac{\widehat{p}_h - \widehat{p}(0|h)}{1 - \widehat{p}(0|h)}. \end{aligned}$$

566 With this change, the estimated probability of arguments being justified per level is

$$567 \widehat{p}_h^{nl} = \left\langle \frac{\widehat{p}_h - \widehat{p}(0|h)}{1 - \widehat{p}(0|h)} \right\rangle, \quad (26)$$

567 where the average $\langle \cdot \rangle$ is over an ensemble of graphs with the same degree probability and the same
 568 level of support q . We will examine how this new definition affects the distribution of justified
 569 arguments:

570 *Homogeneous in-degree distributions.* For reply trees with homogeneous in-degree distributions,
 571 the distribution of leaves does not change with level (for all $0 \leq h < N$, $p(0|h) = p(0)$), so the shape
 572 of the probability of the non-leaf arguments being justified p_h^{nl} as a function of the level would not
 573 differ much from the old probability distribution p_h :

$$\widehat{p}_h^{nl} = \left\langle \frac{\widehat{p}_h - \widehat{p}(0)}{1 - \widehat{p}(0)} \right\rangle. \quad (27)$$

574 *Non-homogeneous in-degree distributions.* In general (e.g. in Kialo or scale-free trees), the estimated
 575 probability of leaves per level has a non-trivial dependence on the level h , and therefore \widehat{p}_h^{nl} behaves
 576 differently from \widehat{p}_h . We can compute \widehat{p}_h^{nl} by separating the contribution of leaves from that of the
 577 other comments in Equation (1):

$$p_h^{nl} = \sum_{k=1}^{\infty} \left[q \left(p(0|h+1) + (1 - p(0|h+1)) p_{h+1}^{nl} \right) + (1 - q)(1 - p(0|h+1)) \left(1 - p_{h+1}^{nl} \right) \right]^k p(k|h), \quad (28)$$

578 where the first term is the probability of being supported by a leaf, or being supported by a non-leaf
 579 that is justified. The second term is the probability of being attacked by a non-leaf that is unjustified.
 580 Note that this time the sum over all replies to the node at level h starts from $k = 1$ in order to
 581 exclude the deeper level composed only by leaves (which would correspond to $k = 0$). Given that
 582 we do not have an analytical formula for $p(k|h)$, we will approximate the solution of Equation 28
 583 using the fraction of replies per level of a single synthetic graph. We define this as

$$\widehat{k}_h = \frac{\sum_{i_h} k_{i_h}}{n_h}, \quad (29)$$

584 where i_h indexes the nodes belonging to level h , and $k_{i_h} \in \mathbb{N}$ is the in-degree of node i_h . Therefore,
 585 Equation 29 is the average in-degree of level h .

586 We can approximately estimate the new probability of an argument being justified per level
 587 substituting in Equation 28 k with \widehat{k}_h (Equation 29) and $\widehat{p}(0|h)$ (Equation 24) to $p(0|h)$:

$$p_h^{nl} \approx \left\langle \left[q \left(\widehat{p}(0|h+1) + (1 - \widehat{p}(0|h+1)) p_{h+1}^{nl} \right) + (1 - q)(1 - \widehat{p}(0|h+1)) \left(1 - p_{h+1}^{nl} \right) \right]^{\widehat{k}_h} \right\rangle. \quad (30)$$

588 To understand Equation 30, we consider, as done in the previous section, three different regimes:
 589 perfectly balanced discussions ($q \approx \frac{1}{2}$); aggressive or acrimonious discussions ($q \approx 0$) and supportive
 590 discussions $q \approx 1$.

591 *Balanced discussions.* For $q \approx \frac{1}{2}$, we can see that the formula simplifies and the probability of an
 592 argument being justified is given by:

$$p_h^{nl} \approx \left\langle q^{\widehat{k}_h} \right\rangle. \quad (31)$$

593 In other words, the probability of non-leaf justified arguments depends solely on the number of
 594 replies an argument at a given level gets on average (i.e. on k_h). Since $q < 1$, more the number of
 595 replies, the *lower* that p_h^{nl} gets. We see this most clearly in scale-free trees: A general result about
 596 scale-free graphs [27] is that the levels with the highest number of nodes are expected to be in the
 597 middle of the graph when the number of levels is very large. In Figure 11b we show \widehat{k}_h averaged
 598 over 1000 scale-free trees of 100 nodes. Even for a short tree we can see that the middle level of the




Fig. 10. Compare the estimated probability of non-leaf arguments being justified \widehat{p}_h^{nl} with its theoretical prediction (Equation 28) for Kialo discussions ((a), (b) and (c)) and scale-free synthetic graphs ((d), (e) and (f)) and different levels of support (q). The scale-free graphs have been generated as usual and the quantities are averaged over 1000 trees of size 50.




Fig. 11. Distribution of average number of replies per level (\widehat{k}_h) for Kialo and Scale-free graphs

599 graph receive the highest attention. Thus, we expect to have a minimum of p_h^{nl} in the middle of the
 600 tree, as observed in Figure 10e.

601 In Kialo discussions (with $0.4 < \widehat{q} < 0.6$) we also have that the highest number of replies is found
 602 at the center of the graphs, but with a larger drop off as we get towards the root (See Figure 11a). In
 603 other words, deeper into a discussion thread, the arguments get lesser scrutiny and therefore fewer
 604 replies, leading to an increasing probability of arguments being justified as we go deeper into a
 605 discussion (as observed in Figure 10b). Whereas these are the normative justified arguments as
 606 defined by argumentation theory, there may be other human factors which drive this distribution of
 607 replies. For instance, user fatigue may lead to fewer replies deeper in a discussion thread (recall that
 608 balanced discussions have particularly large h values in Kialo). Such factors need to be disentangled
 609 in future work.

610 *Supportive discussions.* .

611 In supportive discussions, when $q \gg 0$, we can identify three main ingredients from Equation
 612 30 in the determination of the justified arguments at a level h : the average number of replies \widehat{k}_h ,
 613 the probability of a non leaf argument being justified p_{h+1}^{nl} at level $h + 1$ and the proportion of
 614 leaves per level $\widehat{p}(0|h)$. Using these three we are able to well predict the behaviour of the justified
 615 arguments, as we can see from Figure 10c. It is important to notice that even if we removed the
 616 leaves in the calculation of justified arguments, their influence is an important ingredient in the
 617 determination of p_h^{nl} . Given the non-trivial dependence of p_h^{nl} to the three ingredients discussed
 618 above, the system behaviour is not straightforward. However, we can notice from Figure 10 that
 619 the behaviour of Kialo graphs (Figure 10c) does not change when the leaves are removed and it is
 620 the same as scale-free graphs (Figure 10f) and homogeneous graphs (Figure 6c), with p_h^{nl} increasing
 621 as we go away from the root.

622 *Aggressive discussions.* . In aggressive discussions $q \ll 1$ and we still have the same non-trivial
 623 dependence of p_h^{nl} on \widehat{k}_h , p_{h+1}^{nl} and $\widehat{p}(0|h)$. As before, Equation 30 gives a good prediction of the
 624 behaviour of p_h^{nl} and shows that leaves have an influence on the probability of non-leaf arguments
 625 being justified even if they are not counted in the set of justified arguments. In aggressive discussions,
 626 the behaviour of scale-free graphs (Figure 10d) appear to be totally different from the behaviour of
 627 Kialo graphs when $\widehat{q} < 0.3$ (Figure 10a). In fact, \widehat{p}_h^{nl} in Kialo discussions shows a clear oscillatory
 628 behaviour typical of homogeneous trees (Figure 6a). The impossibility to see this oscillatory
 629 behaviour in p_h (Figure 9a) can be explained by the presence of leaves in the count of justified
 630 arguments. In fact, looking at Equation 23, which was approximately describing the oscillation of
 631 the upper bound p_{max} of p_h in homogeneous trees with $p(0) \gg 0$, we can see that the oscillations
 632 amplitude was controlled by leaf probability $p(0)$ and dampened for large $p(0)$. If now we use the
 633 statistics of non-leaves justified comments formalized in Equation 26, i.e subtract $p(0)$ from p_{max} ,
 634 and we divide by $(1 - p(0))$ (for $p(0) < 1$), we are left with:

$$\frac{p_{max} - p(0)}{1 - p(0)} = qp_{h+1}^{max} + (1 - q) (1 - p_{h+1}^{max}). \quad (32)$$

635 The analysis of the distribution of non-leaf arguments that are justified is in this case effectively
 636 zooming in on the level-by-level oscillations in the numbers of justified arguments that is expected
 637 in a homogeneous tree (see Figure 6a) rather than a scale-free non-homogeneous tree.

638 6 CONCLUSIONS AND FUTURE WORK

639 This paper applies ideas from bipolar argumentation theory and complex networks to an ensemble
 640 of synthetic reply trees where the nodes are arguments and the directed edges are attacking or
 641 supporting replies. We then built a model that calculates the probability that an argument will be
 642 justified in the debate given given its “level” or distance from the main thesis of the debate, i.e.,
 643 the number of replies that separate it from the main thesis This model allows one to compute the
 644 levels in the reply tree where arguments are justified with the highest probability.

645 This probabilistic approach appears to be a good way to tackle the problem because it can predict
 646 the location of justified arguments in online discussions, when its results are compared to real data
 647 that we obtained from Kialo, an Internet debating platform. The probabilistic approach also reveals
 648 three different schemes of behaviour for the probability of an argument being justified as a function
 649 of two global parameters of the reply tree: (1) the relative proportions of attacking and supporting
 650 arguments in the overall discussion and (2) the structure of the discussion tree, as characterised by
 651 its degree distribution.

652 Data from Kialo indicates that online discussions behave as trees with non-homogeneous in-
653 degree distribution and can be classified by the proportion of supporting replies. When the propor-
654 tion of supporting replies is high, the proportion of justified arguments is higher in deep levels
655 of the tree. Therefore, the “best” order to read the discussion comments is by starting from the
656 deepest level (i.e. most recent comments first) and arriving to the root comment in reverse order
657 of the level in the reply tree. In this case, our model suggests that a temporal ordering of new
658 user utterances, with the most recent comments appearing first, may show a higher proportion of
659 justified arguments than other sorting methods, but pure temporal ordering is not in itself sufficient
660 – it needs to be tweaked, allowing comments to be read based on the level in the reply tree rather
661 than just the time stamp of each post. In contrast, when discussions are aggressive, the proportion
662 of justified arguments is more homogeneous among the levels and there is no single “best way” to
663 read the comments.

664 An important result that appears from our analysis is that the leaves of the discussion tree, i.e.
665 unreplyed comments, effectively have the “last word”, and have a great impact on the probability of
666 all the other arguments being justified. This is due to a fundamental assumption in argumentation
667 theory where all unrebutted arguments, and hence arguments that are not replied to, are justified
668 by default and thereby greatly inflate the numbers of justified arguments at each level.

669 It can be argued that unreplyed comments may not have received sufficient scrutiny from other
670 users, and therefore should not by themselves be counted among the justified arguments. We
671 showed that even if leaves were not considered in counting up “who is justified”, the general shape
672 of the distribution of justified arguments among the levels is still influenced by them. However,
673 we also observed that in this case, when the number of attacks and supports is balanced (as in the
674 majority of Kialo discussions), the new probability of an argument being justified per level is guided
675 only by the number of replies to comments at that level. In an evolving discussion, the number of
676 *current* replies a comment has can therefore be an indication of its eventual inclusion among the
677 justified arguments. Today’s platforms support this strategy by sorting based on overall level of
678 support (e.g. sort by number of likes and comments, or numbers of upvotes and downvotes).

679 A possible future improvement to our model is to depart from “traditional” argumentation
680 frameworks and suggest different methods to establish which arguments should be justified that
681 dampen the high degree of influence that leaf nodes have. A possibility is giving less importance
682 to single attacking comments, considering a node justified only if the majority of its replies are
683 either justified and supporting the comment or unjustified and attacking it. Another possibility is
684 to give higher importance to the judgment of arguments which have a higher number of likes or
685 replies. In this way comments which have received a larger scrutiny have a larger influence when
686 attacking or supporting another comment. To do this we can use for example preference-based
687 argumentation frameworks as [4], or adapting the techniques used in [39].

688 In conclusion, by characterising the locations of justified arguments in online discussions in
689 terms of the supportiveness of the discussion (q) and the distribuion of leaves in the reply tree, this
690 work points to new ways of presenting information from online discussions, or lends theoretical
691 backing to existing methods of displaying comments in such discussions. **In fact, comments can be
692 organized in a discussion such that justified arguments are presented first. Moreover comments
693 that are particularly weak under future attacks, meaning that can easily lose their ‘justified’ status
694 given their position in the graph, may be highlighted in the discussion. Our analysis can also be
695 applied to classic ordering of comments, as by time or by likes. A work by A.P.Young et al. [51]
696 shows which are the sorting policies to be chosen such that more justified comments are shown
697 first. Moreover, whatever sorting policy is used, our analysis allows to mark justified arguments to
698 be visible by users.**

To the best of the authors' knowledge, this work is the first to combine argumentation theory with complex networks to analyse online discussions. While previous work has used argumentation theory to understand online discussions (e.g. [6, 8]), previous research has mainly focused on *mining* arguments from natural language expressions. We are motivated by the complementary question of understanding where justified arguments might be, and suggesting to the user where to look for such justified arguments. In future work, we aim to move beyond BAFs to more sophisticated argumentation models, such as the quantitative frameworks described in [33].

One criticism that can be leveled is that normatively justified arguments do not represent "true" justified arguments because users may not be convinced by justified comments that do not support their point of view. There has been research relating how people perceive how arguments disagree and when they are justified (e.g. [12–14, 40]), showing that user preferences matter. On the one hand, we argue that our "skeptical" approach of only accepting justified arguments is the "most suitable" approach in situations of low trust, such as large-scale discussions. On the other hand, if UI designers are to decide on an order of presentation of comments based on our results, it is important that users find those orderings useful and convincing. We plan on exploring such a problem in our future work by conducting user studies and experiments.

ACKNOWLEDGMENTS

G. Boschi, C. Cammarota and N. Sastry acknowledge funding from the Engineering and Physical Sciences Research Council (EPSRC) through the Centre for Doctoral Training in Cross Disciplinary Approaches to Non-Equilibrium Systems (CANES, Grant Nr. EP/L015854/1). N. Sastry and A. P. Young acknowledge funding from the Space for Sharing (S4S) project (Grant No. ES/M00354X/1). S. Joglekar is supported through King's India scholarship offered by the KCL Centre for Doctoral Studies.

REFERENCES

- [1] Pushkal Agarwal, Nishanth Sastry, and Edward Wood. 2019. Tweeting MPs: Digital Engagement between Citizens and Members of Parliament in the UK. *Proceedings of the International AAAI Conference on Web and Social Media* 13, 01 (Jul. 2019), 26–37. <https://www.aaai.org/ojs/index.php/ICWSM/article/view/3359>
- [2] Pushkal Agarwal, Nishanth Sastry, and Edward Wood. 2019. Tweeting MPs: Digital Engagement between Citizens and Members of Parliament in the UK. *ArXiv preprint arXiv:1904.00004* (2019).
- [3] Hunt Allcott and Matthew Gentzkow. 2017. Social Media and Fake News in the 2016 Election. *Journal of Economic Perspectives* 31, 2 (2017), 211–36.
- [4] Leila Amgoud and Claudette Cayrol. 2002. Inferring from inconsistency in preference-based argumentation frameworks. *Journal of Automated Reasoning* 29, 2 (2002), 125–169.
- [5] Albert-László Barabási and Réka Albert. 1999. Emergence of Scaling in Random Networks. *Science* 286, 5439 (1999), 509–512.
- [6] Tom Bosc, Elena Cabrio, and Serena Villata. 2016. Tweeties Squabbling: Positive and Negative Results in Applying Argument Mining on Social Media. In *COMMA*. 21–32.
- [7] Elena Cabrio and Serena Villata. 2012. Combining Textual Entailment and Argumentation Theory for Supporting Online Debates Interactions. In *Proceedings of the 50th Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)*. 208–212.
- [8] Elena Cabrio and Serena Villata. 2013. A natural language bipolar argumentation approach to support users in online debate interactions. *Argument & Computation* 4, 3 (2013), 209–230.
- [9] Claudette Cayrol and Marie-Christine Lagasque-Schiex. 2005. On the Acceptability of Arguments in Bipolar Argumentation Frameworks. In *European Conference on Symbolic and Quantitative Approaches to Reasoning and Uncertainty*. Springer, 378–389.
- [10] Claudette Cayrol and Marie-Christine Lagasque-Schiex. 2013. Bipolarity in Argumentation Graphs: Towards a Better Understanding. *International Journal of Approximate Reasoning* 54, 7 (2013), 876–899.
- [11] Oana Cocarascu and Francesca Toni. 2017. Identifying attack and support argumentative relations using deep learning. In *Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing*. 1374–1379.

- 748 [12] Marcos Cramer and Mathieu Guillaume. 2018. Directionality of attacks in natural language argumentation. In *CEUR*
749 *Workshop Proceedings*. RWTH Aachen University.
- 750 [13] Marcos Cramer and Mathieu Guillaume. 2019. Empirical study on human evaluation of complex argumentation
751 frameworks. In *European Conference on Logics in Artificial Intelligence*. Springer, 102–115.
- 752 [14] Marcos Cramer and Leon van der Torre. 2019. SCF2-an argumentation semantics for rational human judgments on
753 argument acceptability. In *Proceedings of the 8th Workshop on Dynamics of Knowledge and Belief (DKB-2019) and the*
754 *7th Workshop KI & Kognition (KIK-2019) co-located with 44nd German Conference on Artificial Intelligence (KI 2019),*
755 *Kassel, Germany, September 23, 2019*. 24–35.
- 756 [15] Ido Dagan, Dan Roth, Mark Sammons, and Fabio Massimo Zanzotto. 2013. Recognizing textual entailment: Models
757 and applications. *Synthesis Lectures on Human Language Technologies* 6, 4 (2013), 1–220.
- 758 [16] Sam H. Dekay. 2012. How large companies react to negative Facebook comments. *Corporate Communications: An*
759 *International Journal* 17, 3 (2012), 289–299.
- 760 [17] Nicholas Diakopoulos and Mor Naaman. 2011. Towards quality discourse in online news comments. In *Proceedings of*
761 *the ACM 2011 conference on Computer supported cooperative work*. ACM, 133–142.
- 762 [18] Phan Minh Dung. 1995. On the Acceptability of Arguments and its Fundamental Role in Nonmonotonic Reasoning,
763 Logic Programming and n -Person Games. *Artificial Intelligence* 77, 2 (1995), 321–357.
- 764 [19] Paul E. Dunne and Michael Wooldridge. 2009. Complexity of Abstract Argumentation. In *Argumentation in Artificial*
765 *Intelligence*. Springer, 85–104.
- 766 [20] Sandra. L. Emerson. 1983. Usenet - A Bulletin Board for Unix Users. *Byte* 8, 10 (1983), 219.
- 767 [21] Erlin, Susandri, and Helda Yenni. 2016. Social Network Analysis for Online Discussion: Number of Links vs. Sum of
768 Weight. In *Proceedings of the 2016 International Conference on Communication and Information Systems (ICCIS '16)*.
769 Association for Computing Machinery, New York, NY, USA, 82–86.
- 770 [22] Yong Gao. 2017. A Random Model for Argumentation Framework: Phase Transitions, Empirical Hardness, and
771 Heuristics. In *IJCAI*. 503–509.
- 772 [23] Sherice Gearhart and Seok Kang. 2014. Social Media in Television News: The Effects of Twitter and Facebook Comments
773 on Journalism. *Electronic News* 8, 4 (2014), 243–259.
- 774 [24] Vicenç Gómez, Hilbert J Kappen, and Andreas Kaltenbrunner. 2011. Modeling the structure and evolution of discussion
775 cascades. In *Proceedings of the 22nd ACM conference on Hypertext and hypermedia*. 181–190.
- 776 [25] Vicenç Gómez, Hilbert J Kappen, Nelly Litvak, and Andreas Kaltenbrunner. 2013. A likelihood-based framework for
777 the analysis of discussion threads. *World Wide Web* 16, 5-6 (2013), 645–675.
- 778 [26] Jeffery Gottfried and Elisa Shearer. 2017. News Use Across Social Media Platforms 2017. [http://www.journalism.org/](http://www.journalism.org/2017/09/07/news-use-across-social-media-platforms-2017/)
779 [2017/09/07/news-use-across-social-media-platforms-2017/](http://www.journalism.org/2017/09/07/news-use-across-social-media-platforms-2017/), last accessed 7/4/2019.
- 780 [27] Zsolt Katona. 2006. Levels of a scale-free tree. *Random Structures & Algorithms* 29, 2 (2006), 194–207.
- 781 [28] Joseph M Kayany. 1998. Contexts of uninhibited online behavior: Flaming in social newsgroups on Usenet. *Journal of*
782 *the American Society for Information Science* 49, 12 (1998), 1135–1141.
- 783 [29] Barbara Konat, John Lawrence, Joonsuk Park, Katarzyna Budzynska, and Chris Reed. 2016. A corpus of argument
784 networks: Using graph properties to analyse divisive issues. In *Proceedings of the Tenth International Conference on*
785 *Language Resources and Evaluation (LREC'16)*. 3899–3906.
- 786 [30] Paul L. Krapivsky and Sidney Redner. 2001. Organization of growing random networks. *Phys. Rev. E* 63 (May 2001),
787 066123. Issue 6. <https://doi.org/10.1103/PhysRevE.63.066123>
- 788 [31] Ravi Kumar, Mohammad Mahdian, and Mary McGlohon. 2010. Dynamics of Conversations. In *Proceedings of the 16th*
789 *ACM SIGKDD International Conference on Knowledge Discovery and Data Mining (KDD '10)*. Association for Computing
790 Machinery, New York, NY, USA, 553–562. <https://doi.org/10.1145/1835804.1835875>
- 791 [32] John Lawrence and Chris Reed. 2020. Argument Mining: A Survey. *Computational Linguistics* 45, 4 (2020), 765–818.
- 792 [33] Joao Leite and Joao Martins. 2011. Social abstract argumentation. In *Twenty-Second International Joint Conference on*
793 *Artificial Intelligence*.
- 794 [34] Marco Lippi and Paolo Torroni. 2016. Argumentation Mining: State of the Art and Emerging Trends. *ACM Transactions*
795 *on Internet Technology (TOIT)* 16, 2 (2016), 10.
- 796 [35] Alexey N Medvedev, Jean-Charles Delvenne, and Renaud Lambiotte. 2019. Modelling structure and predicting dynamics
797 of discussion threads in online boards. *Journal of Complex Networks* 7, 1 (2019), 67–82.
- 798 [36] Johannes Müller and Christina Kuttler. 2015. *Methods and Models in Mathematical Biology*. Springer.
- 799 [37] Julia Murphy and Max Roser. 2019. Internet. *Our World in Data* (2019). <https://ourworldindata.org/internet>, last
800 accessed 7/4/2019.
- 801 [38] Bryan Pfaffenberger. 1996. "If I Want It, It's OK": Usenet and the (Outer) Limits of Free Speech. *The Information Society*
802 12, 4 (1996), 365–386.
- 803 [39] Antonio Rago, Kristijonas Cyras, and Francesca Toni. 2016. Adapting the DF-QuAD Algorithm to Bipolar Argumenta-
804 tion. In *Proceedings of the First International Workshop on Systems and Algorithms for Formal Argumentation (SAFA)*,

- 805 Vol. 1672. CEUR-WS.org, 34–39.
- 806 [40] Iyad Rahwan, Mohammed I Madakkatel, Jean-François Bonnefon, Ruqiyabi N Awan, and Sherief Abdallah. 2010.
807 Behavioral experiments for assessing the abstract argumentation semantics of reinstatement. *Cognitive Science* 34, 8
808 (2010), 1483–1502.
- 809 [41] Iyad Rahwan and Guillermo R. Simari. 2009. *Argumentation in Artificial Intelligence*. Vol. 47. Springer.
- 810 [42] Stefan Siersdorfer, Sergiu Chelaru, Wolfgang Nejdl, and Jose San Pedro. 2010. How Useful are Your Comments?
811 Analyzing and Predicting YouTube Comments and Comment Ratings. In *Proceedings of the 19th international conference*
812 *on World wide web*. ACM, 891–900.
- 813 [43] Veronika Strnadová-Neeley, David Jurgens, and Tsai-Ching Lu. 2013. Characterizing Online Discussions in Microblogs
814 Using Network Analysis. In *AAAI Spring Symposium: Analyzing Microtext*.
- 815 [44] John Suler. 2004. The online disinhibition effect. *Cyberpsychology & behavior* 7, 3 (2004), 321–326.
- 816 [45] Chenhao Tan, Vlad Niculae, Cristian Danescu-Niculescu-Mizil, and Lillian Lee. 2016. Winning arguments: Interaction
817 dynamics and persuasion strategies in good-faith online discussions. In *Proceedings of the 25th international conference*
818 *on world wide web*. 613–624.
- 819 [46] Damian Trilling. 2015. Two Different Debates? Investigating the Relationship Between a Political Debate on TV and
820 Simultaneous Comments on Twitter. *Social science computer review* 33, 3 (2015), 259–276.
- 821 [47] Manos Tsagkias, Wouter Weerkamp, and Maarten De Rijke. 2010. News comments: Exploring, modeling, and online
822 prediction. In *European Conference on Information Retrieval*. Springer, 191–203.
- 823 [48] Zhongyu Wei, Yang Liu, and Yi Li. 2016. Is this post persuasive? Ranking argumentative comments in online forum.
824 In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)*.
825 195–200.
- 826 [49] Michael Wooldridge. 2009. *An Introduction to Multiagent Systems*. John Wiley & Sons.
- 827 [50] Anthony P. Young. 2018. Notes on Abstract Argumentation Theory. *ArXiv preprint arXiv:1806.07709* (2018).
- 828 [51] Anthony P Young, Sagar Joglekar, Gioia Boschi, and Nishanth Sastry. [n. d.]. Ranking comment sorting policies in
829 online debates. *Argument & Computation* Preprint ([n. d.]), 1–21.
- 830 [52] Anthony P. Young, Sagar Joglekar, Kiran Garimella, and Nishanth Sastry. 2018. Approximations to Truth in Online
831 Comment Networks. (2018). Available from <http://comma2018.argdiap.pl/wp-content/uploads/Young.pdf>, last accessed
832 26/4/2020.
- 833 [53] Justine Zhang, Cristian Danescu-Niculescu-Mizil, Christina Sauper, and Sean J. Taylor. 2018. Characterizing Online
834 Public Discussions through Patterns of Participant Interactions. *Proc. ACM Hum.-Comput. Interact.* 2, CSCW, Article
835 198 (Nov. 2018), 27 pages.