Western University

Scholarship@Western

Paediatrics Publications

Paediatrics Department

10-1-2015

Erratum: Primary culture of ovarian surface epithelial cells and ascites-derived ovarian cancer cells from patients(Nat. Protoc. (2007) 1(2643-2649))

Trevor G. Shepherd trevor.shepherd@lhsc.on.ca

Brigitte L. Thériault

Elizabeth J. Campbell

Mark W. Nachtigal

Follow this and additional works at: https://ir.lib.uwo.ca/paedpub

Citation of this paper:

Shepherd, Trevor G.; Thériault, Brigitte L.; Campbell, Elizabeth J.; and Nachtigal, Mark W., "Erratum: Primary culture of ovarian surface epithelial cells and ascites-derived ovarian cancer cells from patients(Nat. Protoc. (2007) 1(2643-2649))" (2015). *Paediatrics Publications*. 1882. https://ir.lib.uwo.ca/paedpub/1882

Corrigendum: Gas chromatography mass spectrometry-based metabolite profiling in plants

Jan Lisec, Nicolas Schauer, Joachim Kopka, Lothar Willmitzer & Alisdair R Fernie

Nat. Protoc. 1, 387-396 (2006); published online 27 June 2006; corrected after print 5 August 2015

In the version of this article initially published, Figure 1 contained the words "metoxyamin hydrochloride." These words should have read "methoxyamine hydrochloride." The error has been corrected in the HTML and PDF versions of the article.

Corrigendum: Primary culture of ovarian surface epithelial cells and ascites-derived ovarian cancer cells from patients

Trevor G Shepherd, Brigitte L Thériault, Elizabeth J Campbell & Mark W Nachtigal

Nat. Protoc. 1, 2643-2649 (2007); published online 11 January 2007; corrected after print 5 August 2015

In the version of this article initially published, in the Reagent Setup section, it was stated that 50% v/v Percoll should be made by diluting Percoll in 10× PBS at a 1:1 v/v ratio. Percoll should, in fact, be diluted in 2× PBS at a 1:1 ratio. The error has been corrected in the HTML and PDF versions of the article.

Corrigendum: Measuring mRNA copy number in individual *Escherichia coli* cells using single-molecule fluorescent *in situ* hybridization

Samuel O Skinner, Leonardo A Sepúlveda, Heng Xu & Ido Golding

Nat. Protoc. 8, 1100-1113 (2013); published online 16 May 2013; corrected after print 19 August 2015

In the version of this article initially published, a component (40 μ l of 50 mg ml⁻¹ BSA) was erroneously omitted from the 'Hybridization solution' recipe in the Reagent Setup section. The error has been corrected in the HTML and PDF versions of the article.

Corrigendum: Efficient derivation and inducible differentiation of expandable skeletal myogenic cells from human ES and patient-specific iPS cells

Sara M Maffioletti, Mattia F M Gerli, Martina Ragazzi, Sumitava Dastidar, Sara Benedetti, Mariana Loperfido, Thierry VandenDriessche, Marinee K Chuah & Francesco Saverio Tedesco

Nat. Protoc. 10, 941-958 (2015); published online 4 June 2015; corrected after print 5 August 2015

In the version of this article initially published, the concentration of ROCK inhibitor Y27362 in Step 2 was incorrectly given as 10 mM. The correct concentration to be used is 10 µM. The error has been corrected in the HTML and PDF versions of the article.