

## **Aalborg Universitet**

## Enhancing the Glass Anode Performances for Lithium-Ion Batteries by Humidity **Treatment**

Zhang, Y.F.; Jiang, Z.J.; Qi, S.B.; Gao, Chengwei; Li, X.Y.; Yue, Yuanzheng

Publication date: 2022

Document Version Publisher's PDF, also known as Version of record

Link to publication from Aalborg University

Citation for published version (APA): Zhang, Y. F., Jiang, Z. J., Qi, S. B., Gao, C., Li, X. Y., & Yue, Y. (2022). Enhancing the Glass Anode Performances for Lithium-Ion Batteries by Humidity Treatment. Abstract from 26th International Congress on Glass, Berlin, Germany.

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
   You may freely distribute the URL identifying the publication in the public portal -

Take down policy
If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

# Enhancing the Glass Anode Performances for Lithium-Ion Batteries by Humidity Treatment

Yanfei Zhang<sup>1,\*</sup>, Zhenjing Jiang<sup>1</sup>, Shibin Qi<sup>1</sup>, Chengwei Gao<sup>2</sup>, Xiangyu Li<sup>1</sup>, Yuanzheng Yue<sup>2,\*</sup>

- 1 School of Materials Science and Engineering, Qilu University of Technology (Shandong Academy of Sciences), Jinan 250353, China
- 2 Department of Chemistry and Bioscience, Aalborg University, 9220 Aalborg, Denmark
- \* Corresponding Authors: E-mail: zhang-yanfei@hotmail.com (Y.Z.); yy@bio.aau.dk (Y.Y.)

Owing to their disordered open network structure, oxide glasses are a promising class of anode materials for Lithium-Ion Batteries (LIBs). [1,2] However, the relatively low capacities of glass anodes severely limit their practical application for large energy storage devices. Here we show an unconventional novel approach, which significantly enhances the electrochemical performances of glass anodes for LIBs. Specifically, we incorporate water into an electrochemically active glass system, i.e.,  $TeO_2-V_2O_5-P_2O_5$  (TVP) glass powder via humidity treatment, and then mix the hydrated powder with additives to fabricate anode. The optimized humidity treatment leads to a significant enhancement of the reversible capacity in TVP glass anode, e.g., from 182 to 442 mA h g<sup>-1</sup> at 1 A g<sup>-1</sup> upon 200 cycles for TVP glass subjected to the 65% humidity treatment for 120 h at 333 K. This strategy also gives rise to the capacity retention of nearly 100% after 200 cycles at high current density. The incorporated -OH in TVP glass could result in broadening of the network channels for Li<sup>+</sup> diffusion and increasing active sites for lithium storage. [3] The hydration-induced nanocrystals feature specific surface area, thus providing more reaction sites. The optimum humidity for enhancing the anode performances was further verified by experimental results. This study brought a new, simple and economically effective approach for developing superior glass anodes for LIBs.

### References

- [1] Y. F. Zhang, P. X. Wang, T. Zheng, D. M. Li, G. D. Li, Y. Z. Yue, Nano Energy, 49, **2018**, 596-602.
- [2] Z. J. Jiang, T. Zhao, J. J. Ren, Y. F. Zhang, Y. Z. Yue, Nano Energy, 81, 2021, 105589.
- [3] S. Tepavcevic, J. Connell, P. Lopes, M. Bachhav, N. Markovic, Nano Energy, 53, 2018, 449-457.