

## Aberystwyth University

### *Floodwater farming and quarrying at Jabal Hamra Arlbieg in the Jordanian desert*

Friedman, Hannah; Adams, Russell; Anderson, James; Byrne, Patrick; Gilbertson, David; Grattan, John; Haylock, Keith; Holman, Lindsay; Hunt, Chris O.; Toland, Harry

*Published in:*

Journal of Archaeological Science: Reports

*DOI:*

[10.1016/j.jasrep.2021.103056](https://doi.org/10.1016/j.jasrep.2021.103056)

*Publication date:*

2022

*Citation for published version (APA):*

Friedman, H., Adams, R., Anderson, J., Byrne, P., Gilbertson, D., Grattan, J., Haylock, K., Holman, L., Hunt, C. O., & Toland, H. (2022). Floodwater farming and quarrying at Jabal Hamra Arlbieg in the Jordanian desert: Economic support for the classical period Faynan Orefield. *Journal of Archaeological Science: Reports*, 42, [103056]. <https://doi.org/10.1016/j.jasrep.2021.103056>

#### **Document License**

CC BY

#### **General rights**

Copyright and moral rights for the publications made accessible in the Aberystwyth Research Portal (the Institutional Repository) are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Aberystwyth Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Aberystwyth Research Portal

#### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

tel: +44 1970 62 2400  
email: [is@aber.ac.uk](mailto:is@aber.ac.uk)

## SUPPLEMENTARY INFORMATION

Table S1. Stratigraphy of Trench TR1

Layer	Depth (m)	Sediments	Interpretation
3	>0.42	Rounded and sub-angular partly-imbricated fine sandy gravel, variably sorted	Braidplain fluvial /colluvial sediments
2	0.42-0.10	Well-sorted medium-fine sands	Flood and aeolian sediments
1a	0.12-0.10	Thin sandy gravel layer infilling a 'v' shaped feature	Fluvial lag
1	0.10-0.0	Fine sands and silts	Wind-dominated deposition with occasional surface wash

Table S2. Stratigraphy of Trench TR2

Layer	Depth (m)	Sediments	Interpretation
3	0.40-0.33	Rounded and sub-angular partly-imbricated fine sandy gravel	Braidplain fluvial /colluvial sediments
3a	0.37-0.33	Lenticular body of fine sands (3a)	Channel-fill within braidplain sediments
2	0.33-0.09	Well-sorted medium-fine sands	Flood and aeolian sediments
1	0.09-0.0	Fine sands and silts	Wind-dominated deposition with occasional surface wash

Table S3. Stratigraphy of TR5 adjacent to Q1

Layer	Depth (m)	Sediments	Interpretation
2	0.50-0.36	Well-sorted medium-fine sands, with on its surface sherds of Nabatean/Early Roman wares	Flood and aeolian sediments, with traces of human activity on its surface
1	0.36-0.0	Fine sands and silts	Wind-dominated deposition with occasional surface wash