

National Quail Symposium Proceedings

Volume 9

Article 39

2022

Masked Bobwhite Recovery: The Need for a Multifaceted Approach

Lacrecia A. Johnson U.S. Fish and Wildlife Service

Matthew J. Butler United States Fish and Wildlife Service

Rebecca Chester U.S. Fish and Wildlife Service

John G. Goodwin Jr.

Grant M. Harris United States Fish and Wildlife Service

See next page for additional authors Follow this and additional works at: https://trace.tennessee.edu/ngsp

Part of the Natural Resources and Conservation Commons, Natural Resources Management and Policy Commons, Population Biology Commons, and the Terrestrial and Aquatic Ecology Commons

Recommended Citation

Johnson, Lacrecia A.; Butler, Matthew J.; Chester, Rebecca; Goodwin, John G. Jr.; Harris, Grant M.; Sesnie, Steven E.; and Wolfe, Donald H. (2022) "Masked Bobwhite Recovery: The Need for a Multifaceted Approach," *National Quail Symposium Proceedings*: Vol. 9 , Article 39. https://doi.org/10.7290/nqsp09YuyH Available at: https://trace.tennessee.edu/nqsp/vol9/iss1/39

This article is brought to you freely and openly by Volunteer, Open-access, Library-hosted Journals (VOL Journals), published in partnership with The University of Tennessee (UT) University Libraries. This article has been accepted for inclusion in National Quail Symposium Proceedings by an authorized editor. For more information, please visit https://trace.tennessee.edu/nqsp.

Masked Bobwhite Recovery: The Need for a Multifaceted Approach

Authors

Lacrecia A. Johnson, Matthew J. Butler, Rebecca Chester, John G. Goodwin Jr., Grant M. Harris, Steven E. Sesnie, and Donald H. Wolfe

This western quail is available in National Quail Symposium Proceedings: https://trace.tennessee.edu/nqsp/vol9/ iss1/39

MASKED BOBWHITE RECOVERY: THE NEED FOR A MULTIFACETED APPROACH

Lacrecia A. Johnson¹

U.S. Fish and Wildlife Service, Division of Biological Sciences, 500 Gold Avenue SW, Albuquerque, NM 87102, USA

Matthew J. Butler

U.S. Fish and Wildlife Service, Division of Biological Sciences, 500 Gold Avenue SW, Albuquerque, NM 87102, USA

Rebecca Chester

U.S. Fish and Wildlife Service, Division of Biological Sciences, 500 Gold Avenue SW, Albuquerque, NM 87102, USA

John G. Goodwin, Jr. 225 Buckboard Place, Pagosa Springs, CO 81147, USA

Grant M. Harris U.S. Fish and Wildlife Service, Division of Biological Sciences, 500 Gold Avenue SW, Albuquerque, NM 87102, USA

Steven E. Sesnie

U.S. Fish and Wildlife Service, Division of Biological Sciences, 500 Gold Avenue SW, Albuquerque, NM 87102, USA

Donald H. Wolfe George Miksch Sutton Avian Research Center, P.O. Box 2007, Bartlesville, OK 74005, USA

ABSTRACT

Masked bobwhite (*Colinus virginianus ridgwayi*) is a critically endangered quail historically found in the Sonoran grasslands of southern Arizona, USA and Sonora, Mexico. Native populations of masked bobwhite may already be extinct in the wild, but captive populations exist in the United States at G. M. Sutton Avian Research Center (Oklahoma, USA), Buenos Aires National Wildlife Refuge (Arizona, USA), and various zoos. The 47,000-hectare Buenos Aires National Wildlife Refuge, located in south-central Arizona, was established primarily for reintroduction of this bird. Recovery efforts within the refuge boundary in the 1980s and 1990s were initially successful but suffered debilitating setbacks that ultimately resulted in failure. Substantial releases were suspended in 2005. Improved habitat restoration efforts and promising conditioning and release techniques led to the belief that reintroductions could again be attempted and successful. In 2016–2017 plans were developed to increase captive propagation and reinitiate release efforts. Releases began in 2018. Over-winter survival of birds released in 2018–2019 was encouraging, and reproduction of wild birds was documented in 2019. An existing base of wild birds established from these releases could help masked bobwhite populations recover in the state. Habitat restoration, better methods of rearing, release, and conditioning, and improved production from captive facilities also inspire hope that a full recovery of the species in Arizona is possible.

Citation: Johnson, L. A., M. J. Butler, J. G. Goodwin, Jr., R. Chester, G. M. Harris, S. E. Sesnie, and D. H. Wolfe. 2022. Masked bobwhite recovery: the need for a multifaceted approach. National Quail Symposium Proceedings 9:167. https://doi.org/10.7290/nqsp09YuyH

Key words: Buenos Aires National Wildlife Refuge, call-box, *Colinus virginianus ridgwayi*, conditioning, covey augmentation, endangered species, foster parent, habitat restoration, masked bobwhite, over-winter survival, quail releases

1

¹ E-mail: lacrecia johnson@fws.gov

[©] Johnson, Chester, Harris, Sesnie, Wolfe, Goodwin, Jr., and Butler and licensed under CC BY-NC 4.0.