

GLOBAL JOURNAL OF COMPUTER SCIENCE AND TECHNOLOGY Volume 11 Issue 3 Version 1.0 March 2011 Type: Double Blind Peer Reviewed International Research Journal Publisher: Global Journals Inc. (USA) Online ISSN: 0975-4172 & Print ISSN: 0975-4350

# A Hybrid Image Compression Technique Using Wavelet Transformation - MFOCPN and Interpolation

By Anna Saro Vijendran, Vidhya.B

*About-* In this paper an interpolation method is proposed for compression technique. The method used is the localizing of spatial and frequency correlation from wavelets. Modified Forward Only Counter Propagation Neural Network (MFOCPN) is used for the classification and functional task. The wavelet based technique decomposes the lower sub band consisting of non significant coefficients and are eliminated. The significant smooth and sharp coefficients are found using interpolation methods. Here a new technique is proposed called the cosine interpolation, which is an alternative to the nearest neighborhood interpolation method. This methodology of interpolation proved to be an efficient approach for mapping all significant coefficients and thus resulting in improved quality. Hence the comparison is made between nearest neighborhood interpolation and cosine interpolation. The experimental results are tested on various standard images, where these results yield a better PSNR value compared with the existing nearest neighbor interpolation method.

Keywords: Wavelets; MFOCPN; Nearest Neighborhood Interpolation; Cosine Interpolation

Classification: GJCST Classification: G.1.2, G.1.1



Strictly as per the compliance and regulations of:



© 2011 Anna Saro Vijendran, Vidhya.B. This is a research/review paper, distributed under the terms of the Creative Commons Attribution-Noncommercial 3.0 Unported License http://creativecommons.org/licenses/by-nc/3.0/), permitting all non-commercial use, distribution, and reproduction inany medium, provided the original work is properly cited.

# A Hybrid Image Compression Technique Using Wavelet Transformation - MFOCPN and Interpolation

Dr.Anna Saro Vijendran<sup>1</sup>, Vidhya.B<sup>2</sup>

Abstract- In this paper an interpolation method is proposed for compression technique. The method used is the localizing of spatial and frequency correlation from wavelets. Modified Forward Only Counter Propagation Neural Network (MFOCPN) is used for the classification and functional task. The wavelet based technique decomposes the lower sub band consisting of non significant coefficients and are eliminated. The significant smooth and sharp coefficients are found using interpolation methods. Here a new technique is proposed called the cosine interpolation, which is an alternative to the nearest neighborhood interpolation method. This methodology of interpolation proved to be an efficient approach for mapping all significant coefficients and thus resulting in improved quality. Hence the comparison is made between nearest neighborhood interpolation and cosine interpolation. The experimental results are tested on various standard images, where these results yield a better PSNR value compared with the existing nearest neighbor interpolation method.

*Keywords- Wavelets; MFOCPN; Nearest Neighborhood Interpolation; Cosine Interpolation* 

# I. INTRODUCTION

igital Image Processing is defined as analyzing and manipulating images. Image Compression has become the most recent emerging trend throughout the world. Some of the common advantages image compressions over the internet are reduction in time of webpage uploading and downloading and lesser storage space in terms of bandwidth. Compressed images also make it possible to view more images in a shorter period of time [1].Image compression is essential where images need to be stored, transmitted or viewed quickly and efficiently. The benefits can be classified under two ways as follows: First, even uncompressed raw images can be stored and transmitted easily. Secondly, compression provides better resources for transmission and storage.

About<sup>1</sup>- Director and Head, Department of Computer Applications SNR Sons College CBE-6410006 (Mo.-9842579241) E-mail-saroviji@rediffmail.com About<sup>2</sup>- Asst.Professor, Department of Computer Applications SNR Sons College CBE-6410006 (Mo.-9952340679) E-mail-vidubalan@gmail.com

Image compression is the representation of image in a digitized form with a few bits maintenance only allowing acceptable level of image quality. Compression addresses the problem of reducing the amount of data required to represent a digital image. A good compression scheme is always composed of methods many compression namely wavelet transformation, predicative coding, and vector quantization and so on.

Wavelet transformation is an essential coding technique for both spatial and frequency domains, where it is used to divide the information of an image into approximation and detail sub signals [2].

Artificial Neural Networks (ANN) is also used for image compression. It is a system where many algorithms are used. The ANN is viewed as a graph with various nodes namely source, sink and internal [3].

The input node exists in the input layer and output node exists in the output layer whereas hidden nodes exist in one or more hidden layers. In ANN various learning method are used namely Unsupervised, Reinforcement learning and Back propagation.

Counter Propagation Neural Network (CPN) has become popular since it converges faster. A level of advancement in CPN is forward only Counter Propagation (FOCPN), where correlation based technique is used [4], [5],[6]. Modified forward only Counter Propagation (MFOCPN) is proposed where distance metrics are used to find the winner among the hidden layers neurons [7].

Some of the recent works have the combination of Artificial Neural Network and classical wavelet based approach which yields better compression ratio [8]. In this paper a new method is proposed using wavelet decomposition coefficients in MFOCPN by an interpolation. Two different interpolation methods are applied in MFOCPN and the results are compared. The Organization of this paper is as follows: Section II describes the existing methodology. Section III explains the proposed method with architecture. In Section IV the experimental results are compared and Suggestions are made In Section V.

Version

Ï

Journal of

Global


# II. OVERVIEW OF METHODOLOGIES USED

## 1) Wavelet Transforms

A Wavelet is a foundation for representing images in various degrees of resolution. Wavelet transforms is just the representation of functions by a wavelet, which is a mathematical function, dividing the function into various frequency component matching the resolution. Wavelet transformation methodology has been used because of the disadvantages in Fourier Transformation [12]. A wavelet transformation has been classified as discrete wavelet transforms (DWTs) and continuous wavelet transforms (CWTs). A wavelet is represented as multi resolution level where each analysis is implemented through high pass and low pass filters, where each high pass filter is passed on wavelets and low pass filters is based on scaling functions. The wavelet transform function is based on the conversion of one dimensional function into two dimensional space involving translation and dilation parameters related to time and scale factors. Both the high and low frequency supports well for wavelet transform hence are well suited for image compression.

### 2) Modified Forward Only Counterpropagation Neural Network (Mfocpn)

The counter propagation network is a hybrid network, and called to be a self organizing loop, having the characteristic of both self organizing map (SOM) and feed forward neural network. The variants of CPN are of two types forward counter propagation and full counter propagation. The CPN has three layers namely input, instar and outstar is given in Fig (1).



The input and the instar layer is said to have a competitive connection where only one neuron is considered as winner. The instar and outstar are connected by as feed forward networks. Thus in CPN each layer is considered and trained separately enabling the network as a good classification model. The learning in CPN is classified as the learning Process is given in two phases. The Kohonen learning (unsupervised) phase and the Grossberg learning (supervised) phase [7], [8].

### 3) Thresolding

The combination of both wavelets along with MFO-CPN provides a better compression. In Fig (2) a classical wavelet based compression is shown where the DWT is used then it is passed to Quantizer where the pixels are only reduced, where as in Fig (3) a wavelet along with CPN model is used to obtain a significant pixels [13]. Discrete wavelet transform (DWT) is done to reduce the inter pixel redundancy.




Fig.2 Block Diagram for Classic Wavelet based Image Compression




Fig.3 Block Diagram for Wavelet–CPN based Image Compression

HL2	LH2 HH2	LH1 HH1	LHO		
HLO			HH0		

Fig.4a Multi-resolution wavelet representation



Fig(4 b) Boat image

Ξ

Volume XI Issue

Global Journal of Computer Science and Technology

March 201




Fig.4c WT in 3 levels

The DWT provides multi resolution system, where the coefficients are quantized along with MFO-CPN where each wavelet level and sub band is trained on the basis of thresolding. An image decomposed with wavelet transformation can be reconstructed with desired resolution. A three level wavelet decomposition allows to transform coefficients. The wavelet sub band decomposition has the non-significant values at the lower level. In the Fig(4 a) the notation L and H represents low pass and high pass filters respectively and the LLi, LHi, HLi, HHi, are the filters where first letter denotes the vertical order (i.e.) the filter applied to rows and second letter denotes the horizontal order (i.e.) the filter applied to columns. The advantage of high pass component is that it reduces the computational time. The levels of decomposition make the compression efficient. Quantizer reduces the number of bits needed to store the transformed coefficients. It is considered as many to one mapping.

The thresolding parameter is chosen based on experimentation or based on visual effect of reconstructed image. The thresoldina universal parameter is  $\lambda$  [13],[10] which has the number of total coefficients and standard deviation of coefficients. The Fig(4 b) and Fig(4 c) show an boat image with its wavelet transformation having three levels.

In this approach it is experimented to find the direction of significant coefficients across various sub bands of decomposition. Here an adaptive hard thresolding approach is applied for finding the significant wavelet coefficients. The thresolding parameter has been tuned for each level of image after several experimentations based on the quality of the reconstructed image.

#### PROPOSED METHODOLOGY III.

The proposed methodology is explored with the MFO-CPN networks along with cosine interpolation to obtain the wavelet coefficients for image compression. Discrete Cosine Transform (DCT) was widely used in image compression, but due to various disadvantages as mean weighting defect and noise weighting so on a DWT method is only used. Hence wavelet based

transforms are better compared to DCT. The classical wavelet based coding along with MFO-CPN is used where only significant wavelet coefficients are passed after wavelet transformation is applied, instead of passing the whole pixel value.

### 1) Interpolation For Spatial Location Of Siginificant Wavelet Coefficient

The quantization methods help in significant mapping of coefficient along with the positional information to reconstruct the image. The interpolation is a method of adding or removing a pixel while resizing or compressing an image. An interpolation is of different kinds but basically it is divide into two groups namely adaptive and non adaptive. Adaptive methods are used to interpolate among sharp edges and smooth texture whereas nonadaptive methods treat all pixels equally [14]. Various interpolation methods are nearest neighborhood, bilinear, bicubic, spline, and cosine and so on. In our proposed method a nearest neighborhood interpolation is already taken and cosine interpolation method is newly constructed and a comparison is made. Nearest neighbor is the common approach method that requires only least processing time because it considers only the one pixel that is nearby to the interpolated. In other interpolation method it takes four pixels or eight pixels that are surrounded for the interpolated point.

Thus in Fig.(5) a nearest neighborhood interpolation curve is given, which shows a sharp edges are only taken for the interpolated point, hence the considerations for nearest neighbor is less computational technology.

The disadvantage of using linear interpolation is it results in discontinuities. A cosine interpolation is the other simplest methods and tends to provide a smooth transition between adjacent segments. In Fig (6) the curve gives a clear view of cosine interpolation graph where cosine gives a smooth transition curve. Hence both the methods are taken into account and compared on the same metric.





Fig.5 nearest Neighborhood Curve



### Fig.6 Cosine Interpolation Curve

Initially an image is taken of size M X N, where an wavelet decomposition is done at any level, then thresolding is used along with the MFOCPN by applying VQ to obtain the significant values, where the Cosine Interpolation is used to obtain smooth coefficients, and then decoder along with the inverse wavelet transform is used to obtain the reconstructed image. Algorithm coding explains the process.

## Algorithm-coding

Step 1. Wavelet decomposition of image for level k, and assign count c = k.

Step 2. Single level wavelet decomposition of  $LL_{(c-1)}I$  and apply thresholding on obtained three subbands HL, HH, LH.Find significant coefficient (after thresholding on three subbands) and apply VQ using MFOCPN for coding.

Step 3. Cosine Interpolate the reconstructed LL\_c to the size (M/2^{c-1}) x (N/2^{c-1}) to get LL\_{(c-1)}I .

Step 4. Decode HL, HH, LH using MFOCPN decoder. Step 5. Take LL<sub>c</sub> and HL, HH, LH from Step 3 and apply

inverse wavelet transform (IDWT) with these four subbands and obtain image I of size (M/2\_c-1) x (N/2\_c-1).

Step 6. Change c = k-1 and  $LL_c = I$  (from Step 5) and if c = 0 go to Step 6 else go to Step 3. Step 7. Stop.

## IV. RESULTS AND DISCUSSIONS

The simulation results are given in the table. This gives a comparison between the Nearest neighbor and cosine interpolation methods. Simulations are done as follows:

- a) Standard image is taken.
- b) Wavelet decomposition and thresolding is taken.
- c) Along with the thresolding quantization table is constructed.
- d) Wavelet decomposition with the two variants of interpolation method is done using Algorithm-coding in the place of MFO-CPN.
- e) Comparison results are displayed in the table.

The interpolation method used is the cosine and nearest neighbor method. Wavelet decomposition is also done; codebook is done using MFO-CPN. Here the results are compared for various standard images and the output of the Lena image is displayed. in the table(1) a comparison result of Lena, cameraman and mandrill image of various sizes namely 128, 256, 512 are taken in all those the PSNR value for the Cosine Interpolation yields a higher value compared with the nearest neighborhood interpolation. From the below table it is seen for the gray scale image using Lena of size 128 X 128 the PSNR value by the Nearest Neighbor is 15.9025 (i.e.) it is 5 times greater increase with the previous value and with Cosine is 20.0200 that Cosine Interpolation PSNR is increased from 5% to 10% than the Nearest Neighborhood Interpolation.

Name of the picture	Method	PSNR	CR	MSE	Elapsed time in sec
Lena 128	Nearest neighbor	15.9025	3.78643	639.2694	91.375000
	Cosine	20.0200	3.8925	647.2577	84.546000
Lena 256	Nearest neighbor	19.0147	4.9368	299.4961	495.000000
	Cosine	23.0640	4.9309	321.1307	959.750000
Lena 512	Nearest neighbor	21.7657	4.6669	152.8454	1764.766000
	Cosine	25.5205	4.6642	182.4042	3505.953000
Cameraman128	Nearest neighbor	12.1849	3.9196	685.8150	91.922000
	Cosine	19.6627	4.3505	702.7516	60.453000
Cameraman256	Nearest neighbor	11.9751	5.3142	534.2036	481.844000
	Cosine	20.9323	5.4073	544.6225	572.640000
Cameraman512	Nearest neighbor	13.6512	5.6194	426.0196	4685.750000
	Cosine	24.3799	5.5758	430.1840	2008.76000
Mandrill 128	Nearest neighbor	10.0539	3.5295	758.3493	99.906000
	Cosine	19.2166	3.4406	778.7846	57.016000
Mandrill 256	Nearest neighbor	12.0395	3.4549	428.1329	287.31300
	Cosine	21.8586	3.4438	439.8592	384.875000
Mandrill 512	Nearest neighbor	15.2378	3.6857	611.2921	2973.797000
	Cosine	20.1747	3.4024	624.6178	2135.484000

Table (1) Comparison results of various standard images.




Fig.6 Comparison Graph of nearest neighbor and Cosine Interpolation



Fig.7 (a) Original image



Fig.7 (b) Wavelet decomposition



Fig.7(c) Distorted image



Global Journal of Computer Science and Technology

Fig.7 (d) Restored image

The output of the Lena image is given in Fig7 (a) to Fig7 (d), which clearly shows that the visual quality is subjectively good and the clarity is higher than the nearest neighbor interpolation method The graph of the Fig(6) gives a comparison of Lena image of various sizes with the Nearest neighbor and Cosine Interpolation where the cosine method PSNR is higher is all the image sizes.

# V. CONCLUSION

The methodology of using various interpolations proved to be an efficient approach for mapping all the significant coefficients yielding an acceptable compression ratio. The proposed method gives a new approach for various new interpolation methods, in this paper a vector quantization along with MFO-CPN is used instead of conventional VQ which gives better results. This method can be applied for the color

Volume XI Issue III Version I

images, where it is transformed to YCbCr color space. The Y component inversion is done using interpolation method .The interpolation method in Y-Component maps the coefficient from CbCr component. As a future works other interpolation methods such as bilinear, bicubic, spline interpolation methods can be explored to produce a significant map. MFOCPN, part for VQ, can further be extended with other similarity measures apart from higher order distance metrics for more efficient code book design.

# References Références Referencias

- 1. David Salomon, Data Compression, Springer-Verlag NewYork 3rdEdition, 2005.
- Sonja Grgic, Kresimir Kers, and Mislav Grgic, "Image compression using wavelets," ISIE'99-Bled, Slovenia, pp. 99-104.
- Hornik K., "Multilayer feedforward networks are universal approximators," Neural Networks, vo1. 2, pp. 359- 366, 1989.
- 4. Hecht-Nielsen, "Counterpropagation Networks," Applied Optics, vol.26, pp. 4979- 4984, 1987.
- 5. J.A. Freeman, and D.M. Skapura, Neural Networks, Addison WesleyLongman, 1999.
- Donald Woods, "Back and counterpropagation abberations," Proc. IEEE, Neural Networks, vol. 1, pp. 473-479, 1988.
- Deepak Mishra, N. S. C Bose, A. Tolambiya, A. Dwivedi, P. Kandula, A. Kumar, and Prem K. Kalra, "Color image compression with modified forward-only counter propagation neural network: improvement of the quality using different distance measures," Proc. Of the 9 IEEE International Conference on Information Technology, ICIT'06, India.
- 8. Ashutosh Dwivedi, et. al., "A novel hybrid image compression technique: wavelet-MFOCPN," Proc. of 9th SID'06 Asia chapter, New Delhi, India, pp. 492-495, 2006.
- 9. Christopher J.C. Burges, Henrique S. Malvar, and Patrice Y. Simard, "Improving wavelet image compression with neural networks," MSR-TR-2001-47, pp. 1-18, August 2001.
- D. Donoho, I. Johnstone, G. Kerkyacharian, and D. Picard, "Density estimation by wavelet thresholding," Technical Report Stanford University, 1993.
- 11. Eduardo Morales, Frank Y. Shin, "Wavelet coefficients clustering using morphological operations and pruned quadtrees," Pattern Recognition, Elsevier, vol. 33, no. 10, pp. 1611-1620, 2000.
- 12. Rafael C. Gonzalez, and Richard E. Woods, Digital image processing, Pearson-Prentice Hall, 2005.

- Ricardo de Queiroz, C. K. Choi, Young Huh, and K. R. Rao, "Wavelet transform in a JPEG-like image coder", IEEE Trans. On Circuit and Systems for Video Technology, vol. 7, pp. 419-424, April 1997.
- D. Ashutosh, N. Subhash Chandra Bose, Prabhanjan Kandula, Prem K. Kalra, "A neural and interpolation method for wavelet transform based image compression "TENCON 2007 -2007 IEEE Region 10 conference,Oct.30.2007-Nov.2.2007

©2011 Global Journals Inc. (US)