



ISSN: 2723-9535

Available online at [www.HighTechJournal.org](http://www.HighTechJournal.org)

# HighTech and Innovation Journal

Vol. 3, No. 3, September, 2022



## Sensor Technology for Opening New Pathways in Diagnosis and Therapeutics of Breast, Lung, Colorectal and Prostate Cancer

Saeed Roshani <sup>1</sup>, Mario Coccia <sup>2\*</sup>, Melika Mosleh <sup>3</sup>

<sup>1</sup> Faculty of Management and Accounting, Allameh Tabataba'i University, Tehran, Iran.

<sup>2</sup> Department of Social Science and Humanities, National Research Council of Italy, Collegio Carlo Alberto, Via Real Collegio, 30 - Torino, Italy.

<sup>3</sup> Birmingham Business School, College of Social Sciences, University of Birmingham, Birmingham, United Kingdom.

Received 20 March 2022; Revised 19 July 2022; Accepted 08 August 2022; Published 01 September 2022

### Abstract

This study analyzes the interaction between sensor research and technology and different types of cancer (breast, lung, colorectal, and prostate) with the goal of detecting new directions for improving diagnosis and therapeutics in medicine. This study develops an approach to computational scientometrics based on data from the Web of Science from the 1991 to 2021 period. The results of this analysis show the vital role of biosensors and electrochemical biosensors applied in breast cancer, lung cancer, and prostate cancer research. Instead, scientific research of optical sensors is developing main technological trajectories in breast, prostate, and colorectal cancer for improving diagnostics. Finally, oxygen sensor research has a main technological development in breast and lung cancer for new applications in breath analysis directed to treatment processes. Preliminary results presented here clearly illustrate the evolutionary paths of sensor research and technologies that have great potential for developing incremental and radical innovations in cancer diagnosis and therapies. These conclusions are, of course, tentative. There is a need for much more detailed research based on other aspects and factors for detecting stable technological trajectories that can foster the technology transfer of new sensor in cancer research for improving diagnosis and therapeutics, reducing, whenever possible, world-wide mortality of cancer in society.

*JEL Classification:* I10, O30, O31, O32; O33.

*Keywords:* Sensor Technology; Sensor Research; Technological Trajectories; New Technology; Diagnosis; Biosensor; Cancer; Lung Cancer; Prostate Cancer; Breast Cancer; Colorectal Cancer.

## 1. Introduction and Goal of Investigation

The research field of sensors is undergoing a significant change that supports the evolution of science and technology in society [1-4]. The goal of this study is an exploratory analysis to detect sensor technologies applied in cancer research having a high potential growth for improving diagnosis and treatment and reducing, whenever possible, mortality between countries. The vast literature on these topics shows the main applications of sensors in cancer research [5-11].

As far as breast cancer is concerned, Wu et al. (2022) [12] designed a dual-aptamer functionalized gold for the classification of breast cancer based on Förster resonance energy transfer, which is potentially useful for quantitative classification of different subtypes of breast cancer. Lu et al. (2022) [13] argue that phthalates can penetrate the environment and enrich various aquatic organisms through the food chain, which is involved in promoting the growth of breast cancer. It is of current interest to develop new sensors for phthalates. Results show that guest-induced reassembly brings forth significant fluorescence change, which is a promising way of designing new fluorescent probes

\* Corresponding author: [mario.coccia@cnr.it](mailto:mario.coccia@cnr.it)

<http://dx.doi.org/10.28991/HIJ-2022-03-03-010>

➤ This is an open access article under the CC-BY license (<https://creativecommons.org/licenses/by/4.0/>).

© Authors retain all copyrights.

for the analysis of phthalates in the environment and food. Pothipor et al. (2022) [14] show that a dual-mode electrochemical biosensor has been successfully developed for simultaneous detection of two different kinds of breast cancer biomarkers. The experimental results suggest that this label-free biosensor exhibits good linear responses to the concentrations of both target analytes within the limits of detection. This assay strategy has great potential to be further developed for the simultaneous detection of a variety of microRNAs and protein biomarkers for point-of-care diagnostic applications. Kim et al. (2022) [15] maintain that mechanophores are molecular motifs that respond to mechanical perturbation with targeted chemical reactions toward desirable changes in material properties. Taking advantage of the strengths of mechanophores and high-intensity focused ultrasound, mechanochemical dynamic therapy can provide noninvasive treatments for diverse cancer types [16]. About prostate cancer, Bax et al. (2022) [17] argue that diagnostic protocol is affected by poor accuracy and high false-positive rate and propose an electronic nose for non-invasive prostate cancer detection. The approach proved to be effective in mitigating drift on 1-year-old sensors by restoring accuracy from 55% to 80%, achieved by new sensors not subjected to drift. The model achieved, on double-blind validation, a balanced accuracy of 76.2%. Prema et al. (2022) [18] examine the biological synthesis of gold nanoparticles using green tea and their cytotoxicity against human prostate cancer cells. The findings suggest that the biosynthesized reduced prostate cancer cell proliferation and exert their anti-proliferative action on the prostate cancer cell line by inhibiting growth, decreasing DNA synthesis, and triggering apoptosis (cf., [19-27] for sources of innovations and other groundbreaking pathways in biomedicine and nanomedicine).

In lung cancer, Joshi et al. (2022) [28] argue that proper and early diagnosis of cancers provide basic aspects to efficient treatment and better prognosis and report a simple and label-free method of detection of two antigens: carcinoembryonic antigen (CEA) and cytokeratin-19 fragment (CYFRA 21-1) that are the biomarkers of many cancers including lung cancer. The responses of the sensors ranged from 10.96 to 26.48% for 0.25 pg/mL to 20 ng/mL CEA and it varied from 17.66 to 26.68% for 0.25 pg/mL to 20 ng/mL CYFRA 21-1. Kaya et al. (2022) [29] review the recent advances and improvements (2011–2021 period) in nanomaterials based on electrochemical biosensors for the detection of the lung and colon cancer biomarkers [30]. In colon cancer, Jiang et al. (2022) [31] point out that Transient receptor potential vanilloid 1 (TRPV1) acts as cellular sensor and is implicated in the tumor microenvironment cross talk and the functional role of TRPV1 in colorectal cancer (CRC). The study reveals an important role for TRPV1 in regulating the immune microenvironment during colorectal tumorigenesis and might be a potential target for CRC immunotherapy. Welz et al. (2022) [32] point out that the intestinal epithelium undergoes constant self-renewal from intestinal stem cells. Together with genotoxic stressors and failing DNA repair, this self-renewal causes susceptibility toward malignant transformation. The study shows that X-box binding protein 1 is a stress sensor involved in coordinating epithelial DNA damage responses and stem cell function.

In this context of the evolution of science and technology towards manifold fields of research, the motivation of this study is to clarify the role of sensor research and technology for main typologies of cancer, describing the networks of interconnection of sensors with technologies and scientific fields related to cancer under study (cf., [33, 34]). Proposed methodology can indicate new directions of sensor research and technologies for diagnosis and treatments of cancer and help R&D managers and policymakers to allocate with efficiency financial resources to support scientific and technological development in these critical fields for society [35-41].


The balance of the paper proceeds as follows. First, it describes the data and methodology, applying a novel information processing approach of computational scientometrics, to generate maps of science that can explain the scientific interaction of sensor research and technologies in studies concerning specific typologies of cancer. We then show the results and conclude with a discussion on new directions of the evolution of sensor research and technology in cancer and limitations of the paper to be solved with future studies.

## 2. Study Design

First, this study focuses on main typologies of cancer that have the highest estimated age-standardized incidence and mortality rate worldwide as indicated in Table 1 and Figure 1 based on data by World Health Organization-Cancer Today (2020) [42].

**Table 1. Estimated age-standardized incidence and mortality rates in 2020, worldwide, both sexes, all ages [42]**

Cancer	Incidence	Mortality
Breast	47.8	13.6
Prostate	30.7	7.7
Lung	22.4	18
Colorectum	19.5	9
Cervix uteri	13.3	7.3
Stomach	11.1	7.7
Liver	9.5	8.7
Corpus uteri	8.7	1.8
Ovary	6.6	4.2
Thyroid	6.6	0.43



**Figure 1. Estimated age-standardized incidence and mortality rates in 2020, worldwide, both sexes, all ages. Red bars indicate mortality, blue bars are incidence [42]**

Considering results just mentioned of Table 1 and Figure 1, this study focuses on the investigation of sensor technology and research in the following four main types of cancer: 77874967

- Breast Cancer;
- Lung Cancer;
- Prostate Cancer;
- Colorectal Cancer.

### 2.1. Data Sources and Retrieval Strategy

To address the main problem of this study stated in Introduction, we used the Web of Science [43] core collection database to retrieve the articles related to sensor research and technology and cancers under study. In this paper here, we focus as said on four major types of cancer for a comparative analysis [44] including: Breast cancer (BC), Lung cancer (LC), Prostate cancer (PC) and, Colorectal cancer (CC). We used the following strategy for extracting articles related to these topics for further processing. The term "sensor" was searched with "breast cancer" in the topics of articles. We changed the "breast" to "lung" for extracting the articles related to lung cancer, "prostate" for prostate cancer and "colorectal" for colorectal cancer. The results are refined by document type = "Articles", Language = "English", Publication years = (1991-2021), Web of Science index = "SCI-EXPANDED"). We found 1,117 unique articles for breast cancer, 764 articles for lung cancer, 454 articles for prostate cancer, and 282 articles for colorectal cancer.

### 2.2. Data Analysis Procedure

To find the applications of sensor research and technology in cancers, we used the original keywords (DEs) provided by authors as the basis for constructing the word co-occurrences networks. According to this technique, two terms are considered co-occurrence whenever they simultaneously appear in a single document [45]. To find the relevant sensor research and technologies to each of the cancer under study, we applied the following procedure:

*Keywords standardization:* We tried to clean the keywords according to their meaning and structures in this step. For instance, we combined the "bio-sensor" and "biosensor" into Biosensor. Also, we changed all abbreviations and plural forms of nouns into a basic form (e.g., computers changed to computer and "AMPK" changed to "Amp-activated Protein kinase").

*Network construction:* We used SCI2 tool V. 1.3 for constructing the word co-occurrences network [46]. As mentioned above, we used the article's original keywords (DE tag) to create the networks. We create four different networks for breast, lung, prostate, and colorectal cancer. Also, we removed the isolated nodes after analyzing the nodes and links in the networks.

**Path-finding:** path-finding is a technique for choosing the shortest links between two nodes. To reduce the links of our networks and emphasize the most important nodes, we used a minimum spanning tree (MST) path-finder algorithm [47]. All the calculations are implemented by SCI2 tool [46] version 1.3. In addition, as an input parameter of the algorithm, we set the parameter Weight Attribute Measures to "SIMILARITY" and Edge Weight Attribute to "Weighted". The initial network of breast cancer contains 10,149 links, and after the algorithm the network has reduced to 2,318 edges. The lung cancer network contains 6,128 initially and has 1,539 links after applying the link reduction algorithm. After the algorithm implementation, the Prostate cancer network had 3,395 links and 850 edges. These results for colorectal cancer include 2,394 links at the first and 528 links after implementing the link reduction algorithm.

**Visualizations:** We utilized Gephi software [48] version 0.9.2 to visualize the networks. The nodes indicate the original keywords and links show the co-occurrences among them. The size of nodes are based on the Betweenness centrality (BC). This index represents the importance of a node in making the connection between other network nodes and is responsible for sustaining the network integration. Equation 1 shows how this index can be measured [36]:

$$BC(v) = \sum_{s,t \in V} \frac{\sigma_{st}v}{\sigma_{st}} \tag{1}$$

Here, BC(v) represent the Betweenness centrality value of node v, and  $\sigma_{st}$  counted the shortest paths shortest between node s and node t (cf., [34]). We implemented Betweenness Centrality (BC) measures to show the bridge nodes that facilitate the linkage of entities in the networks. Additionally we used BC value as a threshold for identifying the group of the path in each network. For this purpose, nodes with BC value greater than 0.1 has considered as a hub for identifying the groups in each network.

### 3. Results

#### 3.1. Breast Cancer

Breast cancer is seriously threatening women health in the world [49, 50]. As mentioned earlier, the breast cancer sample contains 1,117 articles, and it is the most extensive dataset in our analysis. This network contains 2,319 nodes (keywords) and 2,318 links. Also, this network includes 149 sensors that are interconnected to the other nodes. Figure 2 shows the breast cancer co-word network.




Figure 2. Co-word analysis map of breast cancer

Based on the Betweenness centrality value, we found three sub-groups in this network. Table 1A in Appendix I shows the most important information about these groups. Also, there are 149 sensors interconnected in this network.

Group 1 related to breast cancer has five hot topics: Autophagy, Immunoassay, Electrochemical Biosensor, Tumorigenesis, and Microrna, which have a high co-occurrence with Electrochemical Biosensor, Electrochemical Sensor, Oxygen Sensor, Immuno sensor, and Array-based Sensor.

Group 2 based on Biosensor has some hot topics, including HER2, Cancer antigen, Nanoparticle, Tactile Sensor, and Signal Amplification, which are significantly related to Optical sensor, Colorimetric Sensor, Colorimetric Nanosensor, Ph. Sensor, and Refractive Index Sensor.

Group 3, led by Reactive Oxygen Species, is related to Apoptosis, Mcf-7 Cancer Cells, Circulating Tumor Cell, DNA Hydrogel Biosensor, and Carbon Dot. In this domain, Raman Biosensor, DNA Hydrogel Biosensor, Light Addressable Potentiometric Sensor (laps), Capacitive Sensor, and Label-free Biosensor are sensors included in this group of connections (see Table 1A in Appendix I for details about groups, core keywords and related sensors in the breast cancer network).

### 3.2. Lung Cancer

Lung cancer is the second cancer were analyzed. This network contains 1,540 nodes (keywords) and 1,539 links. Also, this network includes 121 sensors that interconnected to other nodes. Figure 3 shows the lung cancer co-word network.




Figure 3. Co-word analysis map of lung cancer

Figure 3 shows that network of lung cancer has eight path groups. All nodes with a value of Betweenness centrality greater than 0.1 are considered the head of a group. Top keywords and all sensors included in these categories are in Table 2A of Appendix I.

Group 1, based on central node of lung cancer, is related to five hot topics: Electronic Nose (e-nose), Pattern Recognition, Mutation, Nrf2 (Nuclear factor-erythroid factor 2-related factor 2), and Calix [4] arene. It is also illustrated that 69 sensors are interconnected to this path. The oxygen sensor, Electrochemical Biosensor, Cell Sensor, Metal Oxide Semiconductor Sensor, Chemiresistive Sensor, Breath Sensor, Electrochemical Immunosensor, and Capacitive Biosensor are sensors that are involved in the creation of linkage path among nodes.

Group 2, led by Volatile Organic Compounds (VOC), has 23 related sensors including, Exhaled Breath Sensor, DNA Sensor, Volatile Organic Compound Sensors, Cmos Sensor, Electrochemical Genosensor, etc. The topics related to this group of nodes are Breath, Diagnosis, Gold Nanoparticle, Nanoparticles, and Exhaled Breath.

Group 3, connected to Breath analysis, has eight interconnected sensors, including Piezoresistive Membrane Sensors, H<sub>2</sub>s Sensor, Formaldehyde Gas Sensor, Quantum Resistive Vapor Sens Quantum Resistive Sensor, Acetone Sensor, and Genetically Encoded Nanosensor. The most frequent keywords involved in this path group are: Real-Time, Diabetes, Non-invasive, Formaldehyde, and SnO<sub>2</sub>.

Group 4 with the head of Gas sensor is related to important keywords: Humidity sensor, Health Monitoring, Reduced Graphene Oxide, and Acetone. Six sensors of gas, lung cancer, sensor, multiparameter virtual sensor array, humidity sensor, sensor mechanism, and flexible sensor are part of this path group.

Group 5 has Biosensor as the most important technology in creating the path among different sensors. It generates a bridge with several sensors given by: Fluorescence Biosensor, Wireless Sensor Networks, Photoelectric Aerosol Sensor, Direct Progeny Sensor, Pid Sensor, Chemo-resistive Gas Sensor, Wireless Sensor Networks, Radon, Smart Home, Electrochemical Inhibitors, and Hydrocarbon Gas Sensor.

Group 6 is led by Exosome connected to the top four topic of Cancer Diagnosis, Lung-cancer Biomarker, Immunoassay, and Multi-wall Carbon Nanotubes related to six sensors of Optical Biosensor, Saw Gas Sensor, Optical Chemical Sensor, Vocs Identification, Saw Immunosensor, and Impedimetric Sensor.

Group 7 is based on Surface Plasmon Resonance that includes five hot keywords of Endoscopy, Au Nps, Signal Enhancement, Erlotinib, and Tollen's Reagent, which have two sensors of Histidine sensor and Fiber Optic Biosensor in their category.

Group 8, finally, is related to Graphene, and has interaction with DNA Mutation, Chemical Sensor, Urine Headspace, Colorimetric Sensor, and Tuberculosis keywords. Chemical Sensor, Colorimetric Sensor, Cancer Sensor, Array-based Sensor, Temperature Sensors, Impedance-based Sensor, Attachable Gas Sensors, Hg(ii) Sensor, Eis Aptamer Sensor, and Microrna Sensor are the important sensing technologies in this group.

### 3.3. Prostate Cancer

This network contains 870 nodes (keywords) and 869 links. This network includes 72 sensors that are interconnected to other nodes.

Figure 4 shows that there are eight groups in the Prostate cancer network. The most important nodes based on the Betweenness centrality value are: Prostate cancer, Prostate-specific antigen, Activated Protein Kinase (AMPK) and Biosensor. Table 3A in Appendix I shows details of groups, core keywords of them and related sensors.

Group 1, led by Prostate cancer, is related to 5 hot topics of Gold Nanoparticle, Immunosensor, Detection, Porcine Liver Esterase, and Fluorescent Probe. 27 sensors are interconnected to this path. Immunosensor, Near-infrared Biosensor, Resonance Sensor, Fna-based Electrochemical Sensor, Impedimetric Sensor, and Aptasensor are a couple of sensors involved in the creation of linkage path among these nodes.

Group 2, led by Activated Protein Kinase (Ampk), shows Label-free Nanoimmunosensor as the only connected Sensor. The hot topics related to this group of nodes are Apoptosis, Lkb1, Lung Cancer, Mtorc1, Castrate-resistant.

Group 3, connected to Prostate Specific Antigen (PSA), has 22 interconnected sensors, including Glucose Sensor, Ph Sensor, Colorimetric Sensor, Quantum Resistive Sensor, etc. The most frequent keywords involved in this path group are Aptamer, Prostate Cancer Diagnosis, Cancer Biomarker, and Silicon Nanowire.

Group 4 with the head of Biosensor is related to important keywords of Antibody, Prostatic Carcinoma, DNA, Acoustic Wave Sensor, Cancer Metastasis. Biosensor, Optical Sensor, Acoustic Wave Sensor, Bio-mems Force Sensor are main elements of this group.

Group 5, led by Prostate, is connected to Zinc, Chromogranin A, Fluorescent Sensor, Imaging Diagnosis, and Peptide related to four sensors of Trans-rectal and Pressure Sensor Array, Chemosensor, and Fluorescent Sensor.




Figure 4. Co-word analysis map of Prostate cancer

Group 6 has Electrochemical Sensor that generates the path among different sensors and keywords. It is responsible for making a bridge between Nanosensor, Flutamide Sensor, Bicalutamide Sensor and most frequent keywords of Flutamide, Nanocomposite, Voltammetry, Anticancer Drug, and Electrophilicity.

Group 7, distinguished by Sarcosine, includes keywords of Urine, Electrochemical Biosensor, Oligonucleotides, Label Free Detection, and different sensors (Sarcosine Biosensor, Potentiometric Sensor, Electrochemical Biosensor, Urine Sensors, Graphene-based Electrical Sensor, Disposable Sensor Chips, and Colorimetric Biosensor) in their category.

Group 8, related to Apoptosis, has keywords of Chemotherapy, DNA Damage, DNA Repair, Rad9, and Tumor Suppressor. Three sensors of Carbon Nanotube Biosensor, Wireless Pressure sensors, and Implantable Pressure Sensor are the important sensing technologies in this group.

### 3.4. Colorectal Cancer

Finally, the colorectal cancer co-word network contains 529 nodes and 528 links. Figure 5 shows the co-occurrence network of keywords of this cancer and their connections with sensors.

Figure 5 shows 9 groups in the colorectal cancer network. The most important nodes based on the Betweenness centrality value are colorectal cancer, Faecal Immunochemical Test, Screening, and Biosensor. Table 4A in Appendix I shows details of these groups, core keywords of them and related sensors. Table 4A also shows that there are 31 sensors interconnected in this network.

Group 1, led by Colorectal Cancer, is related to five topics of Apoptosis, Occult Blood Test, Precision Medicine, Social Health, and Electrochemical Biosensor. Thirteen sensors are interconnected to this path. Electrochemical Biosensor, Gas Sensor Array, Nanostructured Sensors, Bifunctional Nanobiosensor, and Inductive Sensors are of technologies involved in creating linkage path among these nodes.

Group 2, led by Faecal Immunochemical Test (fit), has five topics: Inflammatory Bowel Disease, Reg3, Quality Assurance, Advance Notification, and Letter.

Group 3, connected to Screening, has two interconnected sensors including, Chemoresistive Sensors and Nucleic Acid-sensor. The most frequent keywords involved in this path group are Chemoresistive Sensors, Blood, Tumor Marker, Tissue Microarray, Faecal Occult Blood Test.




Figure 5. Co-word analysis map of colorectal cancer

Group 4 with the head of Sensitivity is related to important keywords of Antibody, Prostatic Carcinoma, DNA, Acoustic Wave Sensor, and Cancer Metastasis. Biosensor, Optical Sensor, Acoustic Wave Sensor, Bio-mems Force Sensor are element of this path group.

Group 5 is based on Colon Cancer having connections to top five keywords of Zinc, Chromogranin A, Fluorescent Sensor, making Diagnosis, and Peptide related to four sensors of Trans-rectal Pressure Sensor Array, Chemosensor, and Fluorescent Sensor.

Group 6 has Colorectal Cancer Screening in the most important position for creating the path among different sensors and keywords and for bridging Nanosensor, Flutamide Sensor, Bicalutamide Sensor and most frequent keywords of Flutamide, Nanocomposite, Voltammetry, Anticancer Drug, and Electrophilicity.

Group 7, based on Biomarkers, includes five keywords of Endoscopy, Au Nps, Signal Enhancement, Erlotinib, and Tollen's Reagent, and two sensors (Histidine sensor and Fiber Optic Biosensor).

Group 8, related to Biosensor, has DNA Mutation, Chemical Sensor, Urine Headspace, Colorimetric Sensor, and Tuberculosis keywords. Chemical Sensor, Colorimetric Sensor, Cancer Sensor, Array-based Sensor, Temperature Sensors, Impedance-based Sensor, Attachable Gas Sensors, Hg(ii) Sensor, Eis Aptamer Sensor, and MicroRNA Sensor are the most important sensing technologies in this group.

Group 9, led by Soft Sensors and Actuators, is related to five topics: Gold Nanoparticle, Immunosensor, Detection, Porcine Liver Esterase, and Fluorescent Probe. Twenty-seven sensors are interconnected to this path. Immunosensor, Near-infrared Biosensor, Resonance Sensor, Fna-based Electrochemical Sensor, Impedimetric Sensor, and Aptasensor are main sensors involved in the creation of linkage path among nodes in this group.

### 3.5. Frequent sensor technologies in cancer studies

According to Table 2, Biosensor is the only type of sensor that plays an essential role in all types of cancer research: breast cancer, lung cancer, prostate cancer, and colorectal cancer. After that, the electrochemical sensor is in all types of cancer, except lung cancer research. Surprisingly, electrochemical biosensor is used in breast cancer, lung cancer, and prostate cancer research but not in colorectal cancer. Optical Sensor can also be considered one of the sensor technology



that is significantly used in studies of three types of cancer: breast cancer, prostate cancer, and colorectal cancer. This study shows that this type of sensor is applied in more diversified approaches. Moreover, the oxygen sensor, as a type of gas sensor, is mostly applied in lung cancer and breast cancer studies because of the usage for breath analysis in the treatment process. CMOS Sensor is another technology investigated in two types of cancer studies, including lung cancer and colorectal cancer.

**Table 2. The most frequent sensors in cancer studies**

Sensor technologies	Breast Cancer	Lung Cancer	Prostate Cancer	Colorectal Cancer
<i>Biosensor</i>	*	*	*	*
<i>Electrochemical Sensor</i>	*		*	*
<i>Electrochemical Biosensor</i>	*	*	*	
<i>Oxygen sensor</i>	*	*		
Tactile Sensor	*			
Immuno Sensor	*			
Fiber Optic Sensor	*			
Cancer Sensor	*			
Optical Sensor	*		*	*
Pressure Sensors	*			
Dna Sensor	*			
Impedimetric Sensor	*			
Terahertz Sensor	*			
Genosensor	*			
Biomimetic Sensor	*			
Electrochemical Cytosensor	*			
Gas sensor		*		
Chemical Sensor		*		
Fluorescence Sensor		*		
Cell Sensor		*		
Metal Oxide Semiconductor Sensor		*		
Breath Sensor		*		
Electrochemical Immunosensor		*		
Capacitive Biosensor		*		
Exhaled Breath Sensor		*		
Acetone Sensor		*		
Volatile Organic Compound Sensors		*		
Cmos Sensor		*		*
Electrochemical Genosensor		*		
Colorimetric Sensor		*		
Immunosensor			*	
Near-infrared Biosensor			*	
Resonance Sensor			*	
Chemosensor			*	
Glucose Sensor			*	
Impedimetric Sensor			*	
Soft Sensors and Actuators				*
Whole Cell Sensor				*

#### 4. Concluding Remarks

The evolution of sensor technology over the last few decades has been unparalleled by the intensive activity of research in public and private laboratories [1, 4, 51-54]. Sensor research and technology are co-evolving with growing interactions in different research fields directed to fulfil human goals and needs and solve problems in society. Cancer is still one of the leading diseases and causes of death in the world. More than 250 types of cancer are currently known. The types of cancer under study here are a major cause of cancer-related deaths globally due to the difficulty of diagnosis in early stages that generates late treatments and a low probability of survival. In fact, in the health domain, a major

challenge is the detection of diseases using rapid and cost-effective technology. Many cancer detection methods show poor sensitivity and selectivity, are time-consuming, and have a high cost for healthcare [16]. In short, early diagnosis is an important phase of the process of cancer treatment. For this reason, the role of sensor technology and research in these topics plays basic aspects for improving clinical diagnosis and early treatment for patients and, as a consequence, for reducing the mortality worldwide.

This study shows an exploratory analysis of the role of sensor technology in cancer research to see possible new directions for improving diagnosis and therapeutic treatments. The results of this analysis are:

- Biosensor is the only type of sensor that plays an essential role in research for all types of four cancer under study.
- Electrochemical sensor is in all types of cancer research, except lung cancer.
- Electrochemical biosensor is used in breast cancer, lung cancer, and prostate cancer research but not in colorectal cancer research.
- Optical Sensor is a technology investigated and applied in three types of cancer: breast cancer, prostate cancer, and colorectal cancer.
- Oxygen sensor has a role in lung cancer and breast cancer studies due to the usage for breath analysis in the treatment process.
- Finally, CMOS Sensor is another technology investigated and used in two types of cancer studies (lung cancer and colorectal cancer).

Overall, then, results suggest new directions of sensors for cancer research, such as optical biosensors that are rapid, real-time, and portable. They have a low detection limit and high sensitivity, and have great potential for diagnosing various types of cancer. In fact, optical biosensors can detect cancer in a few million malignant cells, in comparison to conventional diagnosis techniques that use 1 billion cells in tumor tissue with a diameter of 7–10 nm (traditional methods that are also costly, inconvenient, complex, time-consuming, and require technical specialists [6]). Moreover, cancer biomarkers using luminescence and electrochemical metal-organic framework sensors are opening the way for personalized patient treatments and the development of new cancer-detecting devices [16]. The challenge of sensor technology in cancer research is the development of simple, reliable, and sensitive point-of-care testing biosensors for cancerous exosome detection to early cancer diagnosis and prognosis. The biosensor is a main technology for cancer research that could also avoid the influence of the external environment, including surrounding light and temperature [55].

These conclusions are, of course, tentative. Although this study has provided some interesting, albeit preliminary results, it has several limitations. First, a limitation of this study is that sources under study may only capture certain aspects of the ongoing dynamics of sensor research and technology in cancer studies. Second, there are multiple confounding factors that have an important role in the interaction between sensor technology and cancer research for diagnosis to be further investigated, such as high R&D investments, collaboration intensity, intellectual property rights, etc. [40, 41, 56, 57]. Third, the computational and statistical analyses in this study focus on data in a specific period and should be extended to other periods. Fourth, sensor research associated with cancer studies changes their borders during the evolution of science and technology, such that the identification of stable technological trajectories and new patterns in the evolution of sensors in cancer research are a non-trivial exercise [58, 59].

To conclude, future research should consider new data and apply new approaches to reinforce proposed results [60–68]. Despite these limitations, the results presented here clearly illustrate the evolutionary paths of the main sensor technologies that can be powerful tools in the future diagnosis and treatment of cancer. However, future studies need a detailed examination of other factors for detecting new technological trajectories and supporting appropriate strategies of research and innovation policy and management of technology to foster the technology transfer of sensor technology in cancer research for improving diagnosis and therapies directed to reduce, as far as possible, world-wide mortality of cancer in society.

## 5. Declarations

### 5.1. Author Contributions

Conceptualization, M.C., M.M. and S.R.; methodology, S.R.; software, S.R.; validation, M.C., and S.R.; formal analysis, M.M. and S.R.; investigation, M.C., M.M. and S.R.; resources, M.C., M.M. and S.R.; data curation, M.M. and S.R.; writing—original draft preparation, M.C., M.M. and S.R.; writing—review and editing, M.C.; visualization, M.C., S.R., and M.M.; supervision, M.C.; project administration, M.C. All authors have read and agreed to the published version of the manuscript.

## 5.2. Data Availability Statement

- The data presented in this study are openly available in:
  - World Health Organization-Cancer Today (2020). Estimated age-standardized incidence and mortality rates (World) in 2020, worldwide, both sexes, all ages. International Agency for research on Cancer, World Health Organization. Available online: <https://bit.ly/3JWpoT6> (accessed on April 2022) [42].
  - Web of Science (2022). Web of Science Core Collection, Document Search, Clarivate. Available online: <https://clarivate.com/webofsciencegroup/solutions/web-of-science/> (accessed on April 2022) [43].
- Data is contained within the article (Appendix I).

## 5.3. Funding

The authors received no financial support for the research, authorship, and/or publication of this article.

## 5.4. Institutional Review Board Statement

*Not Applicable* This study did not require ethical approval, not involving humans or animals.

## 5.5. Informed Consent Statement

The study did not involve humans.

## 5.6. Declaration of Competing Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

## 6. References

- [1] Andersen, P. D., Jørgensen, B. H., Lading, L., & Rasmussen, B. (2004). Sensor foresight - Technology and market. *Technovation*, 24(4), 311–320. doi:10.1016/S0166-4972(02)00072-X.
- [2] Rao N. S.V., Brooks R.R., Wu C.Q. 2018. Proceedings of International Symposium on Sensor Networks, Systems and Security - Advances in Computing and Networking with Applications, Springer. doi:10.1007/978-3-319-75683-7
- [3] Wilson, J. S. (2005). *Sensor Technology Handbook*. Elsevier, Amsterdam, Netherlands. doi:10.1016/B978-0-7506-7729-5.X5040-X.
- [4] Coccia Mario, Roshani S., Mosleh M. 2021. Scientific Developments and New Technological Trajectories in Sensor Research. *Sensors*, vol. 21, no. 23: art. N. 7803. doi:10.3390/s21237803.
- [5] Bayford, R. H., Damaso, R., Neshatvar, N., Ivanenko, Y., Rademacher, T. W., ..., & Demosthenous, A. (2022). Locating Functionalized Gold Nanoparticles Using Electrical Impedance Tomography. *IEEE Transactions on Biomedical Engineering*, 69(1), 494–502. doi:10.1109/TBME.2021.3100256.
- [6] Kaur, B., Kumar, S., & Kaushik, B. K. (2022). Recent advancements in optical biosensors for cancer detection. *Biosensors and Bioelectronics*, 197. doi:10.1016/j.bios.2021.113805.
- [7] Li, B., Pan, W., Liu, C., Guo, J., Shen, J., ... , & Zheng, L. (2020). Homogenous Magneto-Fluorescent Nanosensor for Tumor-Derived Exosome Isolation and Analysis. *ACS Sensors* 5(7), 2052–2060. doi:10.1021/acssensors.0c00513.
- [8] Li, B., Liu, C., Pan, W., Shen, J., Guo, J., ... , & Zheng, L. (2020). Facile fluorescent aptasensor using aggregation-induced emission luminogens for exosomal proteins profiling towards liquid biopsy. *Biosensors and Bioelectronics*, 168. doi:10.1016/j.bios.2020.112520.
- [9] Rey-Barth, S., Pinsault, N., Terrisse, H., Eychenne, C., Rolland, C., Foote, A., Guyot, C., & Bosson, J. L. (2022). A program centered on smart electrically assisted bicycle outings for rehabilitation after breast cancer: A pilot study. *Medical Engineering and Physics*, 100, 103758. doi:10.1016/j.medengphy.2022.103758.
- [10] Girsang, A. S., & Abimanyu, A. (2021). Development of an Enterprise Architecture for Healthcare using TOGAF ADM. *Emerging Science Journal*, 5(3), 305-321. doi:10.28991/esj-2021-01278.
- [11] Thakare, S., Shaikh, A., Bodas, D., & Gajbhiye, V. (2022). Application of dendrimer-based nanosensors in immunodiagnosis. *Colloids and Surfaces B: Biointerfaces*, 209. doi:10.1016/j.colsurfb.2021.112174.
- [12] Wu, Y., Feng, Y., & Li, X. (2022). Classification of breast cancer by a gold nanoparticle based multicolor fluorescent aptasensor. *Journal of Colloid and Interface Science*, 611, 287–293. doi:10.1016/j.jcis.2021.12.039.

- [13] Lu, J. Y., Chen, Q. Y., Meng, S. C., & Feng, C. J. (2022). A dye-andrographolide assembly as a turn-on sensor for detection of phthalate in both cells and fish. *Analytica Chimica Acta*, 1195, 339460. doi:10.1016/j.aca.2022.339460.
- [14] Pothipor, C., Bamrungsap, S., Jakmunee, J., & Ounnunkad, K. (2022). A gold nanoparticle-dye/poly(3-aminobenzylamine)/two dimensional MoSe<sub>2</sub>/graphene oxide electrode towards label-free electrochemical biosensor for simultaneous dual-mode detection of cancer antigen 15-3 and microRNA-21. *Colloids and Surfaces B: Biointerfaces*, 210. doi:10.1016/j.colsurfb.2021.112260.
- [15] Kim, G., Wu, Q., Chu, J. L., Smith, E. J., Oelze, M. L., Moore, J. S., & Li, K. C. (2022). Ultrasound controlled mechanophore activation in hydrogels for cancer therapy. *Proceedings of the National Academy of Sciences of the United States of America*, 119(4). doi:10.1073/pnas.2109791119.
- [16] Mohan, B., Kumar, S., Xi, H., Ma, S., Tao, Z., Xing, T., You, H., Zhang, Y., & Ren, P. (2022). Fabricated Metal-Organic Frameworks (MOFs) as luminescent and electrochemical biosensors for cancer biomarkers detection. *Biosensors and Bioelectronics*, 197. doi:10.1016/j.bios.2021.113738.
- [17] Bax, C., Prudenza, S., Gaspari, G., Capelli, L., Grizzi, F., & Taverna, G. (2022). Drift compensation on electronic nose data for non-invasive diagnosis of prostate cancer by urine analysis. In *iScience*, 25(1), 103622. doi:10.1016/j.isci.2021.103622.
- [18] Prema, P., Boobalan, T., Arun, A., Rameshkumar, K., Suresh Babu, R., Veeramanikandan, V., Nguyen, V. H., & Balaji, P. (2022). Green tea extract mediated biogenic synthesis of gold nanoparticles with potent anti-proliferative effect against PC-3 human prostate cancer cells. *Materials Letters*, 306. doi:10.1016/j.matlet.2021.130882.
- [19] Coccia M. (2012). Converging genetics, genomics and nanotechnologies for groundbreaking pathways in biomedicine and nanomedicine. *Int. J. Healthcare Technology and Management*, 13(4), 184-197. doi:10.1504/IJHTM.2012.050616
- [20] Coccia M. (2012). Driving forces of technological change in medicine: Radical innovations induced by side effects and their impact on society and healthcare, *Technology in Society*, 34(4), 271-283. doi:10.1016/j.techsoc.2012.06.002
- [21] Coccia M. (2014). Converging scientific fields and new technological paradigms as main drivers of the division of scientific labour in drug discovery process: the effects on strategic management of the R&D corporate change, *Technology Analysis & Strategic Management*, 26(7), 733-749. doi:10.1080/09537325.2014.882501
- [22] Coccia M. (2016). Radical innovations as drivers of breakthroughs: characteristics and properties of the management of technology leading to superior organizational performance in the discovery process of R&D labs, *Technology Analysis & Strategic Management*, 28(4), 381-395. doi:10.1080/09537325.2015.1095287.
- [23] Coccia M. (2017). Sources of technological innovation: Radical and incremental innovation problem-driven to support competitive advantage of firms. *Technology Analysis & Strategic Management*, (29)9, 1048-1061. doi:10.1080/09537325.2016.1268682.
- [24] Coccia M. (2017). The source and nature of general purpose technologies for supporting next K-waves: Global leadership and the case study of the U.S. Navy's Mobile User Objective System, *Technological Forecasting & Social Change*, 116 (March), 331-339. doi:10.1016/j.techfore.2016.05.019.
- [25] Coccia M., Finardi U. (2013). New technological trajectories of non-thermal plasma technology in medicine. *Int. J. Biomedical Engineering and Technology*, 11(4), 337-356. doi:10.1504/IJBET.2013.055665.
- [26] Coccia M., Finardi U., Margon D. (2012). Current trends in nanotechnology research across worldwide geo-economic players, *The Journal of Technology Transfer*, 37(5), 777-787. doi:10.1007/s10961-011-9219-6.
- [27] Coccia M. (2020). Asymmetry of the technological cycle of disruptive innovations. *Technology Analysis & Strategic Management*, 32(12), 1462-1477. doi:10.1080/09537325.2020.1785415.
- [28] Joshi, S., Guruprasad, G., Kulkarni, S., & Ghosh, R. (2022). Reduced Graphene Oxide Based Electronic Sensors for Rapid and Label-Free Detection of CEA and CYFRA 21-1. *IEEE Sensors Journal*, 22(2), 1138–1145. doi:10.1109/JSEN.2021.3132637.
- [29] Kaya, S. I., Ozcelikay, G., Mollarasouli, F., Bakirhan, N. K., & Ozkan, S. A. (2022). Recent achievements and challenges on nanomaterial based electrochemical biosensors for the detection of colon and lung cancer biomarkers. *Sensors and Actuators B: Chemical*, 351. doi:10.1016/j.snb.2021.130856.
- [30] Tumuluru, P., Hrushikesava Raju, S., Santhi, M.V.B.T., Subba Rao, G., Seetha Rama Krishna, P., Koujalagi, A. (2022). Smart Lung Cancer Detector Using a Novel Hybrid for Early Detection of Lung Cancer. *Inventive Communication and Computational Technologies. Lecture Notes in Networks and Systems*, 311. Springer, Singapore. doi:10.1007/978-981-16-5529-6\_64.
- [31] Jiang, X., Wang, C., Ke, Z., Duo, L., Wu, T., Wang, W., Yang, Y., & Dai, Y. (2022). The ion channel TRPV1 gain-of-function reprograms the immune microenvironment to facilitate colorectal tumorigenesis. *Cancer Letters*, 527, 95–106. doi:10.1016/j.canlet.2021.12.012.

- [32] Welz, L., Kakavand, N., Hang, X., Laue, G., Ito, G., Silva, M. G., ... Aden, K. (2022). Epithelial X-Box Binding Protein 1 Coordinates Tumor Protein p53-Driven DNA Damage Responses and Suppression of Intestinal Carcinogenesis. *Gastroenterology*, 162(1), 223–237.e11. doi:10.1053/j.gastro.2021.09.057.
- [33] Coccia M. 2018a. General properties of the evolution of research fields: a scientometric study of human microbiome, evolutionary robotics and astrobiology, *Scientometrics*, 117(2), 1265-1283. doi:10.1007/s11192-018-2902-8.
- [34] Coccia M., Mosleh M., Roshani S., (2022). Evolution of quantum computing: Theoretical and innovation management implications for emerging quantum industry. *IEEE Transactions on Engineering Management*. doi:10.1109/TEM.2022.3175633.
- [35] Ardito, L., Coccia, M., & Messeni Petruzzelli, A. (2021). Technological exaptation and crisis management: Evidence from COVID-19 outbreaks. *R & D Management*, 51(4), 381–392. doi:10.1111/radm.12455.
- [36] Jia, Y., Lu, V., Hoberock, J., Garland, M. and Hart, J.C., 2012. Edge v. node parallelism for graph centrality metrics. In *GPU Computing Gems Jade Edition* (pp. 15-28). Morgan Kaufmann.
- [37] Coccia M. (2004). Spatial metrics of the technological transfer: analysis and strategic management, *Technology Analysis & Strategic Management*, (16)1, 31-52. doi:10.1080/0953732032000175490.
- [38] Coccia, M. (2007). Spatial mobility of knowledge transfer and absorptive capacity: analysis and measurement of the impact within the geoeconomic space. *The Journal of Technology Transfer*, 33(1), 105–122. doi:10.1007/s10961-007-9032-4.
- [39] Coccia M. (2018). An introduction to the theories of institutional change, *Journal of Economics Library*, 5(4), 337-344. doi:10.1453/jel.v5i4.1788.
- [40] Mosleh M., Roshani S., Coccia M. (2022). Scientific laws of research funding to support citations and diffusion of knowledge in life science. *Scientometrics*, 127, 1931–1951. doi:10.1007/s11192-022-04300-1.
- [41] Roshani, S., Bagherlooieh, M.-R., Mosleh, M., & Coccia, M. (2021). What is the relationship between research funding and citation-based performance? A comparative analysis between critical disciplines. *Scientometrics*, 126(9), 7859–7874. doi:10.1007/s11192-021-04077-9.
- [42] World Health Organization-Cancer Today (2020). Estimated age-standardized incidence and mortality rates (World) in 2020, worldwide, both sexes, all ages. International Agency for research on Cancer, World Health Organization. Available online: <https://bit.ly/3JWpoT6> (accessed on March 2022).
- [43] Web of Science (2022). Web of Science Core Collection, Document Search, Clarivate. Available online: <https://clarivate.com/webofsciencegroup/solutions/web-of-science/> (accessed on April 2022).
- [44] Coccia, M. (2020). Deep learning technology for improving cancer care in society: New directions in cancer imaging driven by artificial intelligence. *Technology in Society*, 60, 1–11. doi:10.1016/j.techsoc.2019.101198.
- [45] Delecroix, B., & Epstein, R. (2004). Co-word analysis for the non-scientific information example of Reuters Business Briefings. *Data Science Journal*, 3, 80–87. doi:10.2481/dsj.3.80.
- [46] Sci2 Team. (2009). Science of Science (Sci2) Tool. Indiana University and SciTech Strategies. Indiana, United States. Available online: <https://sci2.cns.iu.edu> (accessed on April 2022).
- [47] Quirin, A., Cordon, O., Guerrero-Bote, V. P., Vargas-Quesada, B., & Moya-Anegón, F. (2008). A quick MST-based algorithm to obtain pathfinder networks ( $\infty, n - 1$ ). *Journal of the American Society for Information Science and Technology*, 59(12), 1912–1924. doi:10.1002/asi.20904.
- [48] Bastian, M., Heymann, S., & Jacomy, M. (2009). Gephi: an open source software for exploring and manipulating networks. *Proceedings of the international AAAI conference on web and social media*, 3(1), 361-362, 17-20 May, 2009, San Jose, United States.
- [49] Chagpar, A. B., & Coccia, M. (2019). Factors associated with breast cancer mortality-per-incident case in low-to-middle income countries (LMICs). *Journal of Clinical Oncology*, 37(15\_suppl), 1566–1566. doi:10.1200/jco.2019.37.15\_suppl.1566.
- [50] Harbeck, N., & Gnant, M. (2017). Breast cancer. *The Lancet*, 389(10074), 1134-1150. doi:10.1016/S0140-6736(16)31891-8.
- [51] Coccia, M. (2021). Technological Innovation. *The Blackwell Encyclopedia of Sociology*. Edited by George Ritzer and Chris Rojek. John Wiley & Sons, Ltd. doi:10.1002/9781405165518.wbeost011.pub2.
- [52] Pagliaro, M., & Coccia, M. (2021). How self-determination of scholars outclasses shrinking public research lab budgets, supporting scientific production: a case study and R&D management implications. *Heliyon*, 7(1), 5998. doi:10.1016/j.heliyon.2021.e05998.
- [53] Coccia, M. (2019). A theory of classification and evolution of technologies within a Generalised Darwinism. *Technology Analysis and Strategic Management*, 31(5), 517–531. doi:10.1080/09537325.2018.1523385.

- [54] Coccia, M., & Watts, J. (2020). A theory of the evolution of technology: Technological parasitism and the implications for innovation management. *Journal of Engineering and Technology Management*, 55. doi:10.1016/j.jengtecman.2019.11.003.
- [55] Zou, L., Liu, X., Zhou, Y., Mei, W., Wang, Q., Yang, X., & Wang, K. (2022). Optical fiber amplifier and thermometer assisted point-of-care biosensor for detection of cancerous exosomes. *Sensors and Actuators B: Chemical*, 351. doi:10.1016/j.snb.2021.130893.
- [56] Coccia M., Wang L. (2015). Path-breaking directions of nanotechnology-based chemotherapy and molecular cancer therapy, *Technological Forecasting & Social Change*, 94(May):155–169. doi:10.1016/j.techfore.2014.09.007.
- [57] Coccia M., Wang L. (2016). Evolution and convergence of the patterns of international scientific collaboration, *Proceedings of the National Academy of Sciences of the United States of America*, 2016 February 23, 113(8), 2057-2061. doi:10.1073/pnas.1510820113.
- [58] Coccia M. (2020). The evolution of scientific disciplines in applied sciences: dynamics and empirical properties of experimental physics, *Scientometrics*, 124, 451-487. doi:10.1007/s11192-020-03464-y.
- [59] Coccia M. (2022). Technological trajectories in quantum computing to design a quantum ecosystem for industrial change, *Technology Analysis & Strategic Management*, 1-16. doi:10.1080/09537325.2022.2110056.
- [60] Coccia M. (2021). Comparative Critical Decisions in Management. In: Farazmand A. (Eds), *Global Encyclopedia of Public Administration, Public Policy, and Governance*. Springer, Cham. doi:10.1007/978-3-319-31816-5\_3969-1.
- [61] Coccia M. (2018). Classification of innovation considering technological interaction, *Journal of Economics Bibliography*, 5(2), 76-93. doi:10.1453/jeb.v5i2.1650.
- [62] Coccia, M. (2017). A new classification of technologies, Working Paper CocciaLab n. 26/2, Arizona State University (USA), arXiv eLibrary. Available online: <http://arxiv.org/abs/1712.07711> (accessed on May 2022).
- [63] Coccia M. (2018). Types of government and innovative performance of countries, *J. Adm. Soc. Sci.*, vol. 5, n. 1, pp. 15-33, doi:10.1453/jsas.v5i1.1573.
- [64] Coccia M. (2022). Probability of discoveries between research fields to explain scientific and technological change. *Technology in Society*, vol. 68, February, n. 101874. doi:10.1016/j.techsoc.2022.101874.
- [65] Coccia, M. (2020). Fishbone diagram for technological analysis and foresight. *International Journal of Foresight and Innovation Policy*, 14(2/3/4), 225. doi:10.1504/ijfip.2020.111221.
- [66] Coccia M. (2017). The Fishbone diagram to identify, systematize and analyze the sources of general purpose technologies. *Journal of Social and Administrative Sciences*, vol. 4, n. 4, pp. 291-303. doi:10.1453/jsas.v4i4.1518
- [67] Coccia M. 2020. Destructive Technologies for Industrial and Corporate Change. In: Farazmand A. (Eds), *Global Encyclopedia of Public Administration, Public Policy, and Governance*. Springer. doi:10.1007/978-3-319-31816-5\_3972-1.
- [68] Coccia M. 2022. Critical innovation strategies for achieving competitive strategic entrepreneurship in ever-increasing turbulent markets. In Faghieh N., Forouharfar Amir (Eds.), *Strategic Entrepreneurship-Perspectives on Dynamics, Theories, and Practices*, Springer, Chapter 12, 255-272. doi:10.1007/978-3-030-86032-5.

Appendix I

Table 1A. Groups, Core keywords and related sensors in the breast cancer network

Group	Core Keyword	Top 5 keywords	Related sensors
1	Breast Cancer	Autophagy Immunoassay Electrochemical Biosensor Tumorigenesis Microrna	<ol style="list-style-type: none"> <li>1. Electrochemical Biosensor</li> <li>2. Electrochemical Sensor</li> <li>3. Oxygen sensor</li> <li>4. Immuno Sensor</li> <li>5. Array-based Sensor</li> <li>6. Terahertz Sensor</li> <li>7. Dna Sensor</li> <li>8. Fiber Optic Sensor</li> <li>9. Impedimetric Sensor</li> <li>10. Fluorescence Sensor</li> <li>11. Dna Biosensor</li> <li>12. Single-use Sensors</li> <li>13. Impedance Sensor</li> <li>14. Photoelectrochemical Biosensor</li> <li>15. Electrochemical Cytosensor</li> <li>16. Optical Biosensor</li> <li>17. Antifouling Biosensor</li> <li>18. Electrochemical Dna Sensor</li> <li>19. Electrochemical Dna Biosensor</li> <li>20. Cytosensor</li> <li>21. Surface Plasmon Resonance Biosensor</li> <li>22. Micro Sensor</li> <li>23. Dna Damage Sensor</li> <li>24. Nuclease Optical Sensor</li> <li>25. Microfluidic Immunosensor</li> <li>26. Gan Hemt Based Biosensor</li> <li>27. Aptasensor</li> <li>28. Chemical Sensor</li> <li>29. Radio Sensor Technology (rst)</li> <li>30. Miniature Sensor</li> <li>31. Electrochemical Genosensor</li> <li>32. Cell-based Biosensor</li> <li>33. Metabolic Sensor</li> <li>34. Multimodal Sensors</li> <li>35. Multi-modal sensor Data</li> <li>36. Acoustic Biosensors</li> <li>37. Silicon-sensor Chips</li> <li>38. Electrochemical Aptasensor</li> <li>39. Estrogen Biosensor</li> <li>40. Stress Sensor</li> <li>41. Spr-based Pcf Sensor</li> <li>42. Oil Adulteration sensor</li> <li>43. New Ion-channel Sensor Model</li> <li>44. Environmental Sensor</li> <li>45. Fluorescent Biosensor</li> <li>46. Body Sensor Network</li> <li>47. Breath Sensor</li> <li>48. Optical 3-d Sensor</li> <li>49. Mems Sensor</li> <li>50. Nanobiosensor</li> <li>51. Quartz Crystal Microbalance Sensor</li> <li>52. Aunps Sensor</li> <li>53. Nanomechanosensor</li> <li>54. Ratiometric Aptasensor</li> <li>55. Recyclable Sensor</li> <li>56. Redox Sensor</li> <li>57. Thermal Sensors</li> <li>58. Bionic Sensor</li> <li>59. Mems Mass Sensor</li> <li>60. Genomagnetic Sensor</li> <li>61. on-off Type Aptasensor</li> <li>62. Piezoresistive Force Sensor</li> <li>63. Sandwich-type Immunosensor</li> <li>64. Dsrna sensor</li> <li>65. Cmos Capacitance Sensor</li> <li>66. Plasmonic Biosensors</li> <li>67. Cell Sensor</li> <li>68. E-DNA Sensor</li> <li>69. Metal Nanoparticles-graphene Hybrid Biosensors</li> <li>70. Multiplex Dna Sensor</li> <li>71. Genetically-encoded Sensor</li> <li>72. Apoptosis Sensor</li> </ol>

			<ul style="list-style-type: none"> <li>73. Lectin Sensor</li> <li>74. Glucose Biosensor</li> <li>75. Molecular Sensors</li> <li>76. Electrochemical Sandwich Immunosensor</li> <li>77. sensor Activity</li> <li>78. Label-free Electrochemical Sensor</li> <li>79. Self-powered Sensor</li> <li>80. Bio-mems Force Sensor</li> <li>81. Sandwich-type Biosensor</li> <li>82. Fiber Optic Biosensor</li> <li>83. Fluorescent Sensor</li> <li>84. Aptamersensor</li> <li>85. Gold Nanostructured Sensor</li> <li>86. Luminescent Sensor</li> <li>87. Electronic Sensor</li> <li>88. Laser Distance Sensor</li> <li>89. Active Radio Sensor</li> <li>90. Stimulus Response sensor</li> <li>91. Lspr sensor Multiplexed Detection</li> <li>92. Plow-through Biosensor</li> <li>93. Fluorescence Turn-on Sensor</li> <li>94. Rhodamine-coumarin Based Chemo sensor</li> <li>95. Biochemosensor</li> <li>96. Sh-saw Biosensor</li> <li>97. Electrochemiluminescence Immunosensor</li> <li>98. Live Cell Non-invasive Apoptosis Detection Sensor (niads)</li> <li>99. Breast Cancer Sensor</li> <li>100. Kinase Biosensor</li> </ul>
2	Biosensor	<p>Her2 Cancer antigen Nanoparticle Tactile Sensor Signal Amplification</p>	<ul style="list-style-type: none"> <li>1. Biosensor</li> <li>2. Optical Sensor</li> <li>3. Colorimetric Sensor</li> <li>4. Colorimetric Nanosensor</li> <li>5. Ph. Sensor</li> <li>6. Refractive Index Sensor</li> <li>7. Nanosensor</li> <li>8. Label-free Optical Sensor</li> <li>9. Label-free Aptasensor</li> <li>10. Electrogenenerated Chemiluminescence Aptasensor</li> <li>11. Fluid-type Tactile Sensor</li> <li>12. Vision-based Sensor</li> <li>13. Spr Sensor</li> <li>14. Label-free Electrochemical Immunosensor</li> <li>15. Silicon Nanobiosensor</li> <li>16. Protease Sensor</li> <li>17. Environmental Sensor</li> <li>18. Biochemosensor</li> <li>19. Tactile Sensor</li> <li>20. Pressure Sensors</li> <li>21. Genosensor</li> <li>22. Cancer Sensor</li> <li>23. Biomimetic Sensor</li> <li>24. Mirna sensor</li> <li>25. Electrochemical Immunosensor</li> <li>26. Occipital Structure Sensor</li> <li>27. Multiplexed Immunosensor</li> <li>28. Acoustic Sensor</li> <li>29. Ratiometric Electrochemical Biosensor</li> <li>30. Lspr Biosensor</li> <li>31. Atomic Force Microscopy Sensor</li> </ul>
3	Reactive Oxygen Species	<p>Apoptosis Mcf-7 Cancer Cells Circulating Tumor Cell Dna Hydrogel Biosensor Carbon Dot</p>	<ul style="list-style-type: none"> <li>1. Raman Biosensor</li> <li>2. Dna Hydrogel Biosensor</li> <li>3. Light Addressable Potentiometric Sensor (laps)</li> <li>4. Capacitive Sensor</li> <li>5. Label-free Biosensor</li> <li>6. Nanowire Biosensor</li> <li>7. Motion Sensor</li> <li>8. Targeted Drug Delivery sensor</li> <li>9. Ratiometric Fluorescent Sensor</li> <li>10. Hall Sensor</li> <li>11. Cell-based Sensor</li> <li>12. Metal Ion Sensors</li> <li>13. Conductivity Sensor</li> <li>14. Turn Off Fluorescence Sensor</li> <li>15. Hydrogel Sensor</li> <li>16. Magnetoelastic Sensor</li> <li>17. Cmos Image Sensor</li> <li>18. Pb2+ Ions sensor</li> </ul>



**Table 2A. Groups, Core keywords and related sensors in the lung cancer network**

Group	Core Keyword	Top 5 keywords	Related sensors
1	Lung Cancer	Electronic Nose (e-nose) Pattern Recognition Mutation Nrf2 (Nuclear factor-erythroid factor 2-related factor 2) Calix[4]arene	1. Oxygen sensor 2. Electrochemical Biosensor 3. Cell Sensor 4. Metal Oxide Semiconductor Sensor 5. Chemiresistive Sensor 6. Breath Sensor 7. Electrochemical Immunosensor 8. Capacitive Biosensor 9. Photoelectrochemical Immunosensor 10. Vapor sensor 11. Ammonia Gas Sensor 12. Voc Gas Sensor 13. Electrochemical Sensor 14. Mems Magnetic Sensor 15. Immunosensor 16. Sensor-based Gas Analyzer 17. Nonconjugated Polymer Gas Sensor 18. Color Sensor 19. Computed Tomography-guided Sensor Implantation 20. Metal Oxide Mox Sensor 21. Dna Damage Sensor Protein 22. Sensor Phenomena And Characterization 23. Label-free Electrochemical Immunosensor 24. Mox Sensors 25. Low sensor Chamber Volume 26. Metal Oxide Sensors 27. Artificial Olfactory Sensor 28. Optical Fiber Sensors 29. Optical Sensor 30. Electronic Smell Sensor 31. Colorimetric Cross-responsive Sensor 32. Sensor-type Prototype System 33. Mos Sensors 34. Sensor Selection 35. Fluorescence Turn-on Chemosensor 36. Coumarin Based Sequential Chemosensor 37. Nanostructured sensor Materials 38. Love-wave Sensor 39. Calorimetric Sensor 40. Gas-sensor Property 41. Electrokinetic Sensor 42. Chemosensors 43. Surface Stress Sensor 44. Nanomechanical Sensor 45. Label-free Immunosensor 46. Chemical Gas Sensor 47. Mach Zehnder Interferometer Sensor 48. Picric Acid Sensor 49. Diverse Sensor Array 50. Virtual Sensors Array 51. Aptasensor 52. Label-free Nanoimmunosensor 53. Microarray Sers Sensors 54. Capacitive Sensor 55. Nh3 Gas Sensor 56. Smartphone-integrated Sensor 57. sensor For Health 58. Silicon Biophotonic Sensor 59. Nanobiosensor 60. Single Molecule sensor 61. Fluoride Ions sensor 62. Breath Ethanol Sensors 63. Silicon Nanobiosensor 64. Poly-silicon Wire Sensor 65. Cytosensor 66. Adsorption-based Sensor 67. Graphene Biosensor 68. Alkane Sensor

			69. Luminescent Sensor
2	Volatile Organic Compounds (voc)	Breath Diagnosis Gold Nanoparticle Nanoparticles Exhaled Breath	<ol style="list-style-type: none"> <li>1. Exhaled Breath Sensor</li> <li>2. Dna Sensor</li> <li>3. Volatile Organic Compound Sensors</li> <li>4. Cmos Sensor</li> <li>5. Electrochemical Genosensor</li> <li>6. Metal Oxide Semiconductor Gas Sensor</li> <li>7. Intracellular Sensor</li> <li>8. Amperometric Immunosensor</li> <li>9. Odor Sensors</li> <li>10. Chemical Piezosensor</li> <li>11. Chip Integrated Biosensor</li> <li>12. Nanophotonic Biosensor</li> <li>13. Stochastic Sensor</li> <li>14. Lectin Sensor</li> <li>15. Hydrogen Gas Sensor</li> <li>16. Impedance Biosensor</li> <li>17. Alcohol Nanosensor</li> <li>18. Paper-based Sensors</li> <li>19. Chemoresistive Sensors</li> <li>20. Multianalyte Biosensor</li> <li>21. Co2 Biosensor</li> <li>22. Characterization Of The Sensor</li> <li>23. Trace Gas sensor</li> </ol>
3	Breath analysis	Real Time Diabetes Non-invasive Formaldehyde Sno2	<ol style="list-style-type: none"> <li>1. Piezoresistive Membrane Sensors</li> <li>2. H2s Sensor</li> <li>3. Formaldehyde Gas Sensor</li> <li>4. Quantum Resistive Vapor Sensor</li> <li>5. Quantum Resistive Sensor</li> <li>6. Acetone Sensor</li> <li>7. Genetically Encoded Nanosensor</li> <li>8. Gas Biosensor</li> </ol>
4	Gas Sensor	Humidity sensor Health Monitoring Reduced Graphene Oxide Acetone Tin Oxide	<ol style="list-style-type: none"> <li>9. Gas sensor</li> <li>10. Lung Cancer Sensor</li> <li>11. Multiparameter Virtual Sensor Array</li> <li>12. Humidity sensor</li> <li>13. sensor Mechanism</li> <li>14. Flexible Sensor</li> </ol>
5	Biosensor	Wireless Sensor Networks Radon Smart Home Electrochemical Inhibitors	<ol style="list-style-type: none"> <li>15. Biosensor</li> <li>16. Fluorescence Biosensor</li> <li>17. Wireless Sensor Networks</li> <li>18. Photoelectric Aerosol Sensor</li> <li>19. Direct Progeny Sensor</li> <li>20. Pid Sensor</li> <li>21. Chemo-resistive Gas Sensor</li> <li>22. Hydrocarbon Gas Sensor</li> </ol>
6	Exosome	Cancer Diagnosis Lung-cancer Biomarker Immunoassay Multi-wall Carbon Nanotubes	<ol style="list-style-type: none"> <li>23. Optical Biosensor</li> <li>24. Saw Gas Sensor</li> <li>25. Optical Chemical Sensor, Vocs Identification</li> <li>26. Saw Immunosensor</li> <li>27. Impedimetric Sensor</li> </ol>
7	Surface Plasmon Resonance (spr)	Endoscopy Au Nps Signal Enhancement Erlotinib Tollen's Reagent	<ol style="list-style-type: none"> <li>28. Histidine sensor</li> <li>29. Fiber Optic Biosensor</li> </ol>
8	Graphene	Dna Mutation Chemical Sensor Urine Headspace Colorimetric Sensor Tuberculosis	<ol style="list-style-type: none"> <li>30. Chemical Sensor</li> <li>31. Colorimetric Sensor</li> <li>32. Cancer Sensor</li> <li>33. Array-based Sensor</li> <li>34. Temperature Sensors</li> <li>35. Impedance-based Sensor</li> <li>36. Attachable Gas Sensors</li> <li>37. Hg(ii) Sensor</li> <li>38. Eis Aptamer Sensor</li> </ol>

**Table 3A. Groups, Core keywords and related sensors in the Prostate cancer network**

Group	Core Keyword	Top 5 keywords	Related sensors
1	Prostate cancer	Gold Nanoparticle Immunosensor Detection Porcine Liver Esterase Fluorescent Probe	<ol style="list-style-type: none"> <li>1. Immunosensor</li> <li>2. Near-infrared Biosensor</li> <li>3. Resonance Sensor</li> <li>4. Fna-based Electrochemical Sensor</li> <li>5. Impedimetric Sensor</li> <li>6. Aptasensor</li> <li>7. Piezoelectric Sensor</li> <li>8. Boronate Sensor</li> <li>9. Zinc sensor</li> <li>10. Nanopore-based Sensor</li> <li>11. Nanowire Biosensor</li> <li>12. Microsensors</li> <li>13. Voltammetric Sensor</li> <li>14. Hall Sensor</li> <li>15. Electrochemical Aptasensor</li> <li>16. Tactile Sensor</li> <li>17. Array-based Sensor</li> <li>18. Non-enzymatic Sensor</li> <li>19. Electrochemical Aptamer Sensors</li> <li>20. Ratiometric Aptasensor</li> <li>21. Light Addressable Potentiometric Sensor (laps)</li> <li>22. Camera Sensor</li> <li>23. Fluorescence Gas-sensory Arrays</li> </ol>
2	Activated Protein Kinase (Ampk)	Apoptosis Lkb1 Lung Cancer Mtorc1 Castrate-resistant	<ol style="list-style-type: none"> <li>1. Label-free Nanoimmunosensor</li> </ol>
3	Prostate Specific Antigen (psa)	Aptamer Prostate Cancer Diagnosis Cancer Biomarker Silicon Nanowire	<ol style="list-style-type: none"> <li>1. Glucose Sensor</li> <li>2. Ph Sensor</li> <li>3. Colorimetric Sensor</li> <li>4. Quantum Resistive Sensor</li> <li>5. Label-free Biosensors</li> <li>6. Love Wave Sensor</li> <li>7. Biomarker sensor</li> <li>8. Photonic Sensor</li> <li>9. Biomarker Pressure Sensor</li> <li>10. Carbon Nanotube Sensors</li> <li>11. Ion Selective Sensors</li> <li>12. Rna Biosensor</li> <li>13. Affinity Sensor</li> <li>14. Electrical Conductivity Sensor</li> <li>15. Conductivity Sensor</li> <li>16. Memristive Biosensors</li> <li>17. Ring Resonator Biosensor</li> <li>18. Nanobiosensor</li> <li>19. Metal Nanoparticles-graphene Hybrid Biosensors</li> <li>20. Impedimetric Immunosensor</li> <li>21. Single-molecule Sensor</li> <li>22. Sandwich-type Electrochemical Immunosensor</li> </ol>
4	Biosensor	Antibody Prostatic Carcinoma Dna Acoustic Wave Sensor Cancer Metastasis	<ol style="list-style-type: none"> <li>1. Biosensor</li> <li>2. Optical Sensor</li> <li>3. Acoustic Wave Sensor</li> <li>4. Bio-mems Force Sensor</li> </ol>
5	Prostate	Zinc Chromogranin A Fluorescent Sensor Imaging Diagnosis Peptide	<ol style="list-style-type: none"> <li>1. Trans-rectal Sensor</li> <li>2. Pressure Sensor Array</li> <li>3. Chemosensor</li> <li>4. Fluorescent Sensor</li> </ol>
6	Electrochemical Sensor	Flutamide Nanocomposite Voltammetry Anticancer Drug Electrophilicity	<ol style="list-style-type: none"> <li>1. Electrochemical Sensor</li> <li>2. Nanosensor</li> <li>3. Flutamide Sensor</li> <li>4. Bicalutamide Sensor</li> </ol>
7	Sarcosine	Urine Electrochemical Biosensor Oligonucleotides Label Free Detection	<ol style="list-style-type: none"> <li>1. Sarcosine Biosensor</li> <li>2. Potentiometric Sensor</li> <li>3. Electrochemical Biosensor</li> <li>4. Urine Sensors</li> <li>5. Graphene-based Electrical Sensor</li> <li>6. Disposable Sensor Chips</li> <li>7. Colorimetric Biosensor</li> </ol>
8	Apoptosis	Chemotherapy Dna Damage	<ol style="list-style-type: none"> <li>1. Carbon Nanotube Biosensor</li> <li>2. Wireless Pressure Sensor</li> </ol>

Dna Repair  
Rad9  
Tumor Suppressor

3. Implantable Pressure Sensor

**Table 4A. Groups, Core keywords and related sensors in the colorectal cancer network**

Group	Core Keyword	Top 5 keywords	Related sensors
1	Colorectal Cancer	Apoptosis Occult Blood Test Precision Medicine Social Health Electrochemical Biosensor	1. Electrochemical Biosensor 2. Gas Sensor Array 3. Nanostructured Sensors 4. Bifunctional Nanobiosensor 5. Inductive Sensors 6. Body Sensor Network 7. Electrochemical Genosensor 8. Electrochemical Dna Biosensor 9. Silicon Bio-photonic Sensor 10. Aptasensor 11. Cell-based Biosensor 12. Electrochemical Aptasensor 13. Rna Sensor
2	Faecal Immunochemical Test (fit)	Inflammatory Bowel Disease Reg3 Quality Assurance Advance Notification Letter	-
3	Screening	Chemoresistive Sensors Blood Tumor Marker Tissue Microarray Faecal Occult Blood Test	1. Chemoresistive Sensors 2. Nucleic Acid-sensor
4	Sensitivity	Stability Specificity	1. Evanescent Wave Absorption Sensor
5	Colon Cancer	Transmission Electron Microscopy (tem) Oxidative Stress Kras Drug Screening	1. Electrochemical Sensor 2. Electrochemical Enzymatic Sensor 3. Dna Sensor 4. Nanosensor
6	Colorectal Cancer Screening	Colonoscopy Quantitative Fecal Immunochemical Test For Hemoglobin Sample Stability	1. Electric-field Effect Colorectal Sensor
7	Biomarkers	Wearables Sex Circadian Rhythms Nanotechnology Hemolysis Assay	-
8	Biosensor	Cancer Markers Surface Plasmon Resonance Whole Cell Sensor Circular Dichroism Spectroscopy	1. Biosensor 2. Whole Cell Sensor 3. Cmos Sensor
9	Soft Sensors And Actuators	Optical Sensor Bowel Viability Colon Cloud Serve Pulse Oximetry	1. Optical Sensor 2. Robot sensor Systems 3. Endocavitary Sensor