

10-1-2022

Reducing Time to Antibiotics in Patients with Neutropenic Fever on a Bone Marrow Transplant Unit

Regina McGuire

Christopher Anand Gardner

Jordan Villars

William O'Hara

Jessica Radicke

See next page for additional authors

Follow this and additional works at: https://jdc.jefferson.edu/student_papers



Part of the [Oncology Commons](#)

[Let us know how access to this document benefits you](#)

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's [Center for Teaching and Learning \(CTL\)](#). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Student Papers & Posters by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: JeffersonDigitalCommons@jefferson.edu.

Authors

Regina McGuire, Christopher Anand Gardner, Jordan Villars, William O'Hara, Jessica Radicke, Felicia Rivera, Jill Cristiano, Joanne E. Filicko-O'Hara, Usama Gergis, and Adam F. Binder

Reducing time to antibiotics in patients with neutropenic fever on a bone marrow transplant unit

Regina McGuire, Christopher Anand Gardner, Jordan Villars, William O'Hara, Jessica Radicke, Felicia Rivera, Jill Cristiano, Joanne E. Filicko-O'Hara, Usama Gergis, Adam F Binder

Abstract #310


Background/Methods:

- Timely administration of antibiotics in patients with neutropenic fever (NF) is essential for reducing morbidity and mortality among oncology patients.
- The optimal time to antibiotics (TTA) for patients with NF is unclear, but IDSA/ASCO guidelines recommend a median TTA within one hour of documented fever.
- This study focused on identifying barriers at a single academic institution to timely antibiotic administration for patients admitted to the inpatient Bone Marrow Transplant (BMT) unit, and implemented new processes to reduce median TTA to less than 60 minutes

Methods:

- Chart reviews were performed to identify causes for delays in antibiotics (abx).
- Based on a root cause analysis, 4 interventions were implemented: cefepime was stocked in the pyxis (Int 1 - August 2018), NF guidelines were updated (Int 2 - October 2019), educational videos were created for just in time learning for house staff rotating on the oncology services and an education campaign for the nursing staff (Int 3 - June 2020), a nurse driven protocol to release and administer abx was piloted on the BMT (Int 4 - December 2021)


Results/Graphs/Data:



Through iterative changes and process improvement methodology, we were able to improve our median time to antibiotics after neutropenic fever from 128 minutes to 53 minutes.

Regina.mcguire@students.jefferson.edu

Copies of this poster obtained through Quick Response (QR) Code are for personal use only and may not be reproduced without permission from ASCO® or the author of this poster.



Payoff/Effect on Outcome	High	Implement Ensure appropriate abx for initial management of neutropenic fever are in the pyxis	Possible Change workflow so nurses have ability to pull abx as soon as fever reported Develop nursing based order set to draw cultures to ensure they are drawn prior to abx and to prevent delays in hanging abx
	Low	Consider Educate incoming interns and Night float on proper management of neutropenic fever Establish clear neutropenic fever guidelines for the institution	Kill Create Force Function in EPIC to order abx if patient has documented neutropenic fever
		Easy	Hard
Ease of Implementation			