

<https://helda.helsinki.fi>

---

Correction: Patinen et al. Caries Experience and Erosive Tooth  
Wear in Finnish Men Conscripts 2021: A Cross-Sectional  
Study. Dent. J. 2022, 10, 122

Patinen, Pertti

Multidisciplinary Digital Publishing Institute  
2022-10-24

---

Patinen, P.; Tanner, T.; Huttunen, M.; Muhonen, A.; Räsänen, S.; Moilanen, P.; Päckilä, J.;  
Anttonen, V.; Kämppe, A. Correction: Patinen et al. Caries Experience and Erosive Tooth  
Wear in Finnish Men Conscripts 2021: A Cross-Sectional Study. Dent. J. 2022, 10, 122.  
Dent. J. 2022, 10, 197.

---

<http://hdl.handle.net/10138/350211>

---

*Downloaded from Helda, University of Helsinki institutional repository.*

*This is an electronic reprint of the original article.*

*This reprint may differ from the original in pagination and typographic detail.*

*Please cite the original version.*



Correction

# Correction: Patinen et al. Caries Experience and Erosive Tooth Wear in Finnish Men Conscripts 2021: A Cross-Sectional Study. *Dent. J.* 2022, 10, 122

Pertti Patinen <sup>1</sup>, Tarja Tanner <sup>1</sup>, Mika Huttunen <sup>1,2</sup>, Annakaisa Muhonen <sup>2</sup>, Sari Räsänen <sup>2</sup>, Pernelle Moilanen <sup>1</sup>, Jari Päckilä <sup>3</sup>, Vuokko Anttonen <sup>1</sup> and Antti Kämppi <sup>1,4,\*</sup>

<sup>1</sup> Research Unit of Oral Health Sciences, University of Oulu, Aapistie 5, 90220 Oulu, Finland

<sup>2</sup> Finnish Defence Forces, Centre for Military Medicine, Tykkikentäntie 1, 11311 Riihimäki, Finland

<sup>3</sup> Research Unit of Mathematical Sciences, University of Oulu, Pentti Kaiteran katu 1, 90014 Oulu, Finland

<sup>4</sup> Department of Oral and Maxillofacial Diseases, University of Helsinki, Haartmaninkatu 1, 00014 Helsinki, Finland

\* Correspondence: antti.kamppi@helsinki.fi; Tel.: +358-294-1911

## Text Correction

There was an error in the original publication [1]. Some written errors need to be corrected.

A correction has been made to the following sections:

Abstract:

“Most (76.6%) had BEWE (basic erosive wear examination) of 0–2.”

Results, Paragraph 3:

“Large proportion of conscripts examined, 38.1%, had the first signs of erosive tooth wear (BEWE 1–2) visible in their dentition.”

Discussion, Paragraph 3:

“On the other hand, the results suggest also that the reason for third molar extraction was more often something other indication than the need for restorative treatment.”

## Table Legend

In the original publication, there was a mistake in the legend for Table 4. The correct legend appears below.

**Table 4.** Distribution of BEWE score values.

## Error in Table

In the original publication, there was a mistake in Table 2 as published. The data are misplaced. The corrected Table 2 appears below.



**Citation:** Patinen, P.; Tanner, T.; Huttunen, M.; Muhonen, A.; Räsänen, S.; Moilanen, P.; Päckilä, J.; Anttonen, V.; Kämppi, A. Correction: Patinen et al. Caries Experience and Erosive Tooth Wear in Finnish Men Conscripts 2021: A Cross-Sectional Study. *Dent. J.* 2022, 10, 122. *Dent. J.* 2022, 10, 197. <https://doi.org/10.3390/dj10110197>

Received: 20 September 2022

Accepted: 29 September 2022

Published: 24 October 2022

**Publisher's Note:** MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



**Copyright:** © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

**Table 2.** DMFT values with and without third molars.

Year of Birth	3rd Molars Included				3rd Molars Excluded				
	DT	MT	FT	DMFT	DT	MT	FT	DMFT	
	n	Mean (SD)	Mean (SD)	Mean (SD)	Mean (SD)	Mean (SD)	Mean (SD)	Mean (SD)	
2000	39	2.69 (3.00)	0.15 (0.67)	2.69 (3.26)	5.54 (4.78)	2.54 (2.93)	0.03 (0.16)	2.67 (3.20)	5.23 (4.77)
2001	159	1.49 (3.00)	0.30 (0.77)	2.37 (2.76)	4.14 (4.28)	1.34 (2.76)	0.09 (0.33)	2.36 (2.76)	3.80 (4.06)
2002	310	0.75 (1.59)	0.16 (0.64)	1.57 (2.20)	2.48 (3.21)	0.67 (1.52)	0.03 (0.19)	1.57 (2.20)	2.28 (3.05)
All	508	1.13 (2.31)	0.20 (0.67)	1.91 (2.51)	3.23 (3.83)	1.03 (2.17)	0.05 (0.24)	1.91 (2.50)	2.98 (3.66)
95% CI		(0.93, 1.33)	(0.14, 0.26)	(1.69, 2.13)	(2.90, 3.57)	(0.84, 1.21)	(0.03, 0.07)	(1.69, 2.12)	(2.66, 3.30)

The authors state that the scientific conclusions are unaffected. This correction was approved by the Academic Editor. The original publication has also been updated.

## Reference

1. Patinen, P.; Tanner, T.; Huttunen, M.; Muhonen, A.; Räsänen, S.; Moilanen, P.; Päckilä, J.; Anttonen, V.; Kämppi, A. Caries Experience and Erosive Tooth Wear in Finnish Men Conscripts 2021: A Cross-Sectional Study. *Dent. J.* **2022**, *10*, 122. [[CrossRef](#)] [[PubMed](#)]