Engineering Conferences International ECI Digital Archives

Vaccine Technology VIII

Proceedings

6-12-2022

Targeting endogenous retroviruses using a novel adenoviral vaccine technology

Anne-Marie Andersson InProTher ApS, Denmark

Emeline Ragonnaud University of Copenhagen, InProTher Aps, Denmark

Joana D. Boluña University of Copenhagen, InProTher Aps, Denmark

Isabella S. Pedersen University of Copenhagen, InProTher Aps, Denmark

Amaia V. Bermejo University of Copenhagen, InProTher Aps, Denmark

See next page for additional authors

Follow this and additional works at: https://dc.engconfintl.org/vaccine_viii

Recommended Citation

Anne-Marie Andersson, Emeline Ragonnaud, Joana D. Boluña, Isabella S. Pedersen, Amaia V. Bermejo, Lasse Neukirch, Karen N. Nielsen, Silke Schroedel, Christian Thirion, and Peter J. Holst, "Targeting endogenous retroviruses using a novel adenoviral vaccine technology" in "Vaccine Technology VIII", Tarit Mukhopadhyay, Merck Research Laboratories, USA; Charles Lutsch, Sanofi Pasteur, France; Linda Hwee-Lin Lua, University of Queensland, Australia; Francesc Godia, Universitat Autònoma de Barcelona, Spain Eds, ECI Symposium Series, (2022). https://dc.engconfintl.org/vaccine_viii/8

This Abstract is brought to you for free and open access by the Proceedings at ECI Digital Archives. It has been accepted for inclusion in Vaccine Technology VIII by an authorized administrator of ECI Digital Archives. For more information, please contact franco@bepress.com.

Authors

Anne-Marie Andersson, Emeline Ragonnaud, Joana D. Boluña, Isabella S. Pedersen, Amaia V. Bermejo, Lasse Neukirch, Karen N. Nielsen, Silke Schroedel, Christian Thirion, and Peter J. Holst

TARGETING ENDOGENOUS RETROVIRUSES USING A NOVEL ADENOVIRAL VACCINE TECHNOLOGY

Emeline Ragonnaud, University of Copenhage, InProTher Aps, Denmark era@inprother.com Joana D. Boluña, University of Copenhagen, InProTher Aps, Denmark Isabella S. Pedersen, University of Copenhagen, InProTher Aps, Denmark Amaia V. Bermejo, University of Copenhagen, InProTher Aps, Denmark Lasse Neukirch, University of Copenhagen, InProTher Aps, Denmark Karen N. Nielsen, University of Copenhagen, InProTher Aps, Denmark Anne-Marie C. Andersson, InProTher Aps, Denmark Silke Schroedel, Sirion Biotech, Germany Christian Thirion, Sirion Biotech, Germany Peter J. Holst, InProTher Aps, Denmark

Key Words: Adenovirus, cancer, vaccines, ERV

Human Endogenous Retroviruses (HERVs) are promising cancer vaccine targets as they are reactivated in cancers while being silent in healthy tissues. Around 8-9% of our genome is made up of HERVs and reactivation of HERVs, especially HERV-K, have been implicated in tumorigenesis via oncogenic signaling and immune evasion. As one of the means for cancer immune evasion, HERVs utilize an Immune Suppressive Domain (ISD) located in their envelope protein (Env). Here, our cancer vaccine strategy was to evaluate if adenoviral vaccines encoding a virus-like particle immunogen design including Gag for particle formation and an ISD mutated Env protein (ISDmut) as a surface target, could induce potent and efficacious immune responses. For this purpose, we used the adenoviral vectors hAd19a and hAd5.

In initial proof-of-concept studies, targeting the mouse version of ERVs (murine leukemia virus, MeIARV), our ISDmut MeIARV vaccine induced significantly higher CD8+T cell responses compared to the WT vaccine in mice. Therapeutic vaccination in combination with checkpoin inhibitors eradicated large colorectal tumors in 80% of the mice and protected against heterologous re-challenge. In a heterologous prime-boost vaccination in mice the immune response could be further increased, reaching 7-8% specific T cells targeting MeIARV. For HERV-K, a more stringent transgenic mouse model was used which is tolerant for HERV-K. Here, two immunizations were able to rise HERV-K specific T cells. Finally, in non-human primates where simian ERV ENV shares 90 % of similarities with HERV-K Env, our vaccine induced strong antibody responses that bind human cancer cell lines.

Overall, our results indicate that an adenoviral prime-boost regimen encoding a virus-like particle forming antigen with a mutated ISD should allow broad cancer targeting.