



A search for an unexpected asymmetry in the production of $e^+\mu^-$ and $e^-\mu^+$ pairs in proton–proton collisions recorded by the ATLAS detector at $\sqrt{s} = 13$ TeV

The ATLAS Collaboration *

ARTICLE INFO

Article history:

Received 16 December 2021
Received in revised form 7 April 2022
Accepted 11 April 2022
Available online 15 April 2022
Editor: M. Doser

ABSTRACT

This search, a type not previously performed at ATLAS, uses a comparison of the production cross sections for $e^+\mu^-$ and $e^-\mu^+$ pairs to constrain physics processes beyond the Standard Model. It uses 139 fb^{-1} of proton–proton collision data recorded at $\sqrt{s} = 13$ TeV at the LHC. Targeting sources of new physics which prefer final states containing $e^+\mu^-$ to $e^-\mu^+$, the search contains two broad signal regions which are used to provide model-independent constraints on the ratio of cross sections at the 2% level. The search also has two special selections targeting supersymmetric models and leptoquark signatures. Observations using one of these selections are able to exclude, at 95% confidence level, singly produced smuons with masses up to 640 GeV in a model in which the only other light sparticle is a neutralino when the R -parity-violating coupling λ'_{231} is close to unity. Observations using the other selection exclude scalar leptoquarks with masses below 1880 GeV when $g_{1R}^{eu} = g_{1R}^{\mu c} = 1$, at 95% confidence level. The limit on the coupling reduces to $g_{1R}^{eu} = g_{1R}^{\mu c} = 0.46$ for a mass of 1420 GeV.

© 2022 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.


1. Introduction

Under the Standard Model of particle physics, the ratio of the production cross section of a positron and muon together in a proton–proton interaction is expected to be very similar to the production cross section for an electron and anti-muon. This similarity is a consequence of the lepton flavour universality of the electroweak boson interactions that produce these leptons, in combination with charge conservation and the relatively low mass of these leptons with respect to the mass of the electroweak bosons. As was explored in Ref. [1], measuring the ratio of these cross sections can serve as an experimental test of this aspect of the Standard Model (SM) and could have sensitivity to physics Beyond the Standard Model (BSM). Specifically, the ratio:


$$\rho \equiv \frac{\sigma(pp \rightarrow e^+\mu^- + X)}{\sigma(pp \rightarrow e^-\mu^+ + X)} \quad (1)$$

is defined, where the leptons are all taken to be promptly produced in the primary interaction.¹ Scenarios are considered where the presence of a BSM process would bias ρ to be significantly greater than one (more $e^+\mu^-$ than $e^-\mu^+$). Two concrete examples

of such BSM models are considered in this Letter. The first is an R -parity-violating supersymmetry model. As was noted in Ref. [1], a non-zero R -parity-violating λ'_{231} coupling (defined in Refs. [2–4]) linking smuons to top and down quarks could easily drive $\rho > 1$ as the proton's down quarks would result in




(and related s-channel processes) occurring more frequently than the charge conjugate process:



* E-mail address: atlas.publications@cern.ch.

¹ The X in Eq. (1) contains no further prompt leptons.

The second model considered to drive $\rho > 1$ is a scalar leptoquark with couplings permitting $S_1 \rightarrow ue^-$ and $S_1 \rightarrow c\mu^-$. In that case, processes such as



would be favoured over charge conjugates.

This Letter describes a measurement of ρ using the ATLAS detector at the LHC, which is used as a test for the existence of BSM physics that would bias ρ above one. While related BSM processes could also bias ρ to be significantly less than one, sensitivity to such processes are not considered in this Letter because of the existence of experimental effects that predominantly bias the measured ratio downwards. Examples of these effects are explored further in Ref. [1], but one such example is the presence of hadronic jets being incorrectly reconstructed as an electron more frequently than as a muon. This bias for fake electrons over fake muons, in combination with the predominance of W^+ over W^- bosons from the $(pp)^{2+}$ initial state [5,6], would manifest as a bias for $e^-\mu^+$ (with a fake e^-) over $e^+\mu^-$ (with a fake μ^-), and hence bias the measured ρ downwards. The analysis strategy presented in this Letter includes estimating corrections to account for some of these biasing experimental effects, the primary motivation for which is the enhancement of sensitivity to BSM physics that increases ρ rather than to improve the accuracy of the ρ measurement, and estimating systematic uncertainties to account for any remaining biases. In particular, for the model-independent statistical analysis of the measured ρ in this Letter it is assumed that the SM hypothesis covers values of ρ less than or equal to one, an assumption that is checked in data in the analysis event selections.² Thus evidence for new physics would only be claimed if the BSM contribution is strong enough to overcome any residual biases that have not been accounted for. For calculating limits on signal model parameters the strength of the residual biases are estimated from an SM-enriched control region.

The structure of this Letter is as follows: in Section 2 the ATLAS detector is described and Section 3 details the datasets used in the analysis. Section 4 describes the object reconstruction and Section 5 defines the regions of phase space that ρ is measured in and how experimental effects that could impact its measurement are corrected for, including the verification of these corrections with the measurement of ρ in SM-enriched control regions. Section 6 presents the measurement of ρ in generic signal regions designed to have broad sensitivity to BSM physics that would bias ρ upwards, then in optimised signal regions designed to have sensitivity to the two BSM models described above, alongside a statistical interpretation of the result in the parameter space of these models.

2. ATLAS detector

The ATLAS experiment [7] at the LHC is a multipurpose particle detector with a forward–backward symmetric cylindrical geometry and a near 4π coverage in solid angle.³ It consists of an inner

tracking detector surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadron calorimeters, and a muon spectrometer. The inner tracking detector covers the pseudorapidity range $|\eta| < 2.5$. It consists of silicon pixel, silicon microstrip, and transition radiation tracking detectors. Lead/liquid-argon (LAr) sampling calorimeters provide electromagnetic (EM) energy measurements with high granularity. A steel/scintillator-tile hadron calorimeter covers the central pseudorapidity range ($|\eta| < 1.7$). The endcap and forward regions are instrumented with LAr calorimeters for both the EM and hadronic energy measurements up to $|\eta| = 4.9$. The muon spectrometer surrounds the calorimeters and is based on three large superconducting air-core toroidal magnets with eight coils each. The field integral of the toroids ranges between 2.0 and 6.0 T·m across most of the detector. The muon spectrometer includes a system of precision chambers for tracking and fast detectors for triggering. A two-level trigger system is used to select events. The first-level trigger is implemented in hardware and uses a subset of the detector information to accept events at a rate below 100 kHz. This is followed by a software-based trigger that reduces the accepted event rate to 1 kHz on average depending on the data-taking conditions.

An extensive software suite [8] is used in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3. Data and Monte Carlo samples

The proton–proton collisions analysed in this Letter are those collected at a centre-of-mass energy of $\sqrt{s} = 13$ TeV and a 25 ns interbunch spacing between 2015 and 2018. They correspond to an integrated luminosity of 139 fb^{-1} . The uncertainty in the combined 2015–2018 integrated luminosity is 1.7% [9], obtained using the LUCID-2 detector [10] for the primary luminosity measurements. In any given data-taking period the unprescaled two-lepton p_T thresholds were used [11–13]. These thresholds ranged from 10 GeV to 24 GeV.

R -parity-violating (RPV) [14] models of supersymmetry [15–20] were tested using simulated events with $\mu^-\tilde{\chi}_1^0 t$ or $\mu^+\tilde{\chi}_1^0 t$ in the final state, where $\tilde{\chi}_1^0$ is the lightest neutralino. This neutralino is considered stable enough on detector scales that it can only be detected through missing transverse momentum, unless it approaches or exceeds the top-quark mass, when it can decay through the RPV coupling. These events were generated at leading order using the Monte Carlo (MC) program MADGRAPH5_AMC@NLO [21] version 2.61 together with the RPV MSSM UFO model [22]. Shower evolution and hadronisation was performed by PYTHIA 8 [23] version 8.23. The NNPDF2.3LO [24] PDF was used with a set of tuned parameters called the A14 tune [25]. All RPV couplings except λ'_{231} were set to zero, so only the smuon RPV interaction is considered. Supersymmetric particles other than the neutralino and smuon were decoupled by setting their masses to a large value. The MADGRAPH hard processes permitted at most one additional light parton in the final state, and they were matched to the PYTHIA parton shower using the CKKW-L [26] merging scheme. Use of the matching scale $Q_{\text{MS}} = \frac{1}{4}(m(t) + m(\tilde{\chi}_1^0))$ gives a smooth transition between the matrix-element and parton-shower regimes, and distributions with little dependence on the exact scale value. Event samples were generated for a two-dimensional grid of points, distributed in a plane of smuon and neutralino masses, all with a coupling of

² See definitions of CR-RATIO and CR-JET in Section 5, and the estimates of fake-lepton contributions to Standard Model expectations.

³ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms

of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

$\lambda'_{231} = 1.0$. Samples for other values of the coupling were obtained by weighting the cross sections of the first set in proportion to the square of the desired value of λ'_{231} and changing the branching ratio for the smuon decay. The branching ratio for the desired smuon to muon decay is 2% (70%) at $\lambda'_{231} = 1$ (0.1), whilst the remaining smuons decay via the RPV vertex.

Leptoquark events were generated at leading order using MADGRAPH5_AMC@NLO 2.61 together with the ‘S1’ model of Ref. [27], which is implemented as a FeynRules [28] package named ‘LO_LQ_S1’ available online [29] and described in Ref. [30]. Shower evolution and hadronisation were performed by PYTHIA 8.23. The NNPDF2.3LO PDF was used with the A14 tune. All leptoquark couplings were set to zero, apart from two flavours of the g_{1R} coupling of Ref. [27] which couples leptoquarks to leptons and quarks in weak singlet states. Specifically, g_{1R}^{eu} and g_{1R}^{uc} were assigned a common non-zero value simply denoted ‘ λ ’. The leptoquark signal events were generated for a set of leptoquark masses, all with a coupling of $\lambda = 1.0$. Charm-quark-initiated processes are neglected since they provide no charge-flavour asymmetry, and their cross section is only $\mathcal{O}(5\%)$ of that for up-quark-initiated processes. The hard processes specified no additional light jets in the final state and they were matched to the PYTHIA parton shower using the CKKW-L [31] merging scheme. The merging scale Q_{MS} was chosen to be $\frac{1}{4}(m(t) + m(S_1))$, where $m(S_1)$ is the mass of the leptoquark.

Next-to-leading order (NLO) cross sections are used for the samples and were calculated using MADGRAPH5_AMC@NLO 2.94 with a narrow-width (nw) approximation and the NNPDF2.3NLO PDF set. To include the effect of the finite-width (fw) approximation in the samples, the cross sections are corrected thus:

$$\sigma_{\text{Total}}^{\text{NLO,fw}} = \frac{\sigma_{e^+\mu^-}^{\text{NLO,nw}}}{\sigma_{e^+\mu^-}^{\text{LO,nw}}} \sigma_{e^+\mu^-}^{\text{LO,fw}} + \frac{\sigma_{e^-\mu^+}^{\text{NLO,nw}}}{\sigma_{e^-\mu^+}^{\text{LO,nw}}} \sigma_{e^-\mu^+}^{\text{LO,fw}}, \quad (2)$$

following an approach similar to that used in Ref. [32]. The narrow-width leading order (LO) cross sections are calculated using MADGRAPH5_AMC@NLO 2.94 and the NNPDF2.3LO PDF set. The finite-width LO cross sections are calculated using the same set-up as the generated samples described above. Theoretical uncertainties in the NLO cross sections are calculated by MADGRAPH5_AMC@NLO using an envelope of nine variations of the renormalisation and factorisation scales, each taking values of either 0.5, 1.0 or 2.0 times their nominal value.

Samples for other values of the coupling λ were obtained by weighting the cross sections of the first set in proportion to the square of the desired value of λ and accounting for the change in leptoquark width. A two-dimensional grid of samples for a variety of leptoquark masses and couplings was thereby obtained. All signal sample events were then simulated using ATLFastII [33], a fast simulation of the ATLAS detector.

MC simulations of SM processes are not used in the final result of this analysis, but were used to guide the signal-region choices, to study the validity of the analysis strategy, to assist in deriving efficiencies and uncertainties for the fake-lepton background estimate, and to perform cross-checks (see Appendix A for MC sample details). Instead, measurements of ρ are based entirely on comparisons between $e^+\mu^-$ and $e^-\mu^+$ data, and contributions from jets misidentified as leptons, muon corrections and even expected SM yields (see Section 6) are also estimated primarily from data.

4. Reconstructed objects

Reconstructed objects (electrons, muons, jets, missing transverse momentum) are the building blocks of any analysis. In this analysis, leptons and jets exist in two forms: ‘BASELINE’ and

‘SIGNAL’. The former are used to define missing transverse momentum and the procedure to resolve ambiguities between objects with overlapping constituents, otherwise the analysis regions are built exclusively on the latter.

BASELINE electrons are required to have $|\eta| < 2.47$ and $p_T > 10$ GeV, and to pass the Loose likelihood-based identification working point defined in Ref. [34]. The same p_T and $|\eta|$ demands are placed on BASELINE muons, which are also required to pass the Medium identification working point as defined in Ref. [35]. The anti- k_t algorithm [36,37] with a radius parameter of $R = 0.4$ is used to reconstruct jets with a four-momentum recombination scheme, using ‘particle-flow’ objects [38] as inputs. BASELINE jets are required to have $p_T > 20$ GeV and $|\eta| < 4.5$. The missing transverse momentum, \vec{p}_T^{miss} , is calculated from the BASELINE leptons and jets as described in Ref. [39] using the Tight working point and ‘particle-flow track-based soft term’ defined therein.

An overlap removal procedure is applied to BASELINE jets and BASELINE leptons to avoid double-counting. Firstly, any electron which shares a track with a muon is rejected. Any jet whose angular distance ΔR from an electron is less than 0.2 is removed, as is any which has fewer than three tracks lying within $\Delta R = 0.4$ of a muon. Finally, electrons and muons within $\Delta R = 0.4$ of the remaining jets are then discarded.

The ‘jet vertex tagger’ (JVT) [40] is applied to jets with $|\eta| < 2.4$ and $p_T < 120$ GeV, and helps to veto jets that are likely to have originated from pile-up (additional pp collisions from the same or nearby bunch crossings). A similar ‘forward jet vertex tagger’ (fJVT) is used to help identify and remove pile-up jets with $|\eta| > 2.5$ [41]. Jets surviving the overlap removal procedure are deemed SIGNAL if they pass the JVT or fJVT, and have $|\eta| < 2.8$.

Those leptons which remain are then given a status of SIGNAL if they meet the following five criteria: (i) they must have $p_T > 25$ GeV and $|\eta| < 2.47$, and (ii) be consistent with the hard-scatter vertex, through $|d_0/\sigma(d_0)| < 3$ and $|z_0 \sin(\theta)| < 0.3$ mm, where d_0 and z_0 are their transverse and longitudinal impact parameters; (iii) electrons must pass the Tight likelihood-based identification working point defined in Ref. [34], and have charge misidentification suppressed through the use of the boosted-decision-tree-based discriminant described in Ref. [34]; (iv) electrons with $p_T < 200$ GeV ($p_T > 200$ GeV) are required to pass the Tight (HighPtCaloOnly) isolation working point of Ref. [34] to reduce contamination by electrons from heavy-flavour decays or misidentified light hadrons; and (v) muons with $p_T < 200$ GeV ($p_T > 200$ GeV) are required to pass the Tight (FixedCutHighPtTrackOnly) isolation working point of Ref. [35] to reduce contamination by muons from semileptonic heavy-flavour and hadron decays.

In the rest of this Letter, leptons and jets are assumed to be only those with SIGNAL status, unless stated otherwise.

5. Analysis

The tests of whether ρ is significantly greater than one are made in four signal regions. Two of them, (SR-MET and SR-JET) aim to provide sensitivity to general sources of charge-flavour violation, while the other two (SR-RPV and SR-LQ) are less inclusive versions of their partners⁴ and target specific RPV supersymmetry and leptoquark theories mentioned in the introduction. These regions are summarised in Fig. 1.

The PRELIMINARY selection common to all signal regions requires the presence of exactly one electron and exactly one muon, of opposite charge. As there are few other constraints on the forms

⁴ Every event in SR-RPV is also in SR-MET, and every event in SR-LQ is also in SR-JET.




Fig. 1. Summary of the regions used in the analysis. ℓ_1 refers to the lepton with the largest p_T in each event. j_2 refers to the jet with the second-largest p_T in each event. SR-MET and SR-JET are used for the ρ measurement. CR-RATIO and CR-JET are used to check the SM expectation of $\rho \leq 1$, and CR-RATIO is used to derive the residual-bias uncertainty included in the ratio measurement. CR-RPV is used to derive the SM background expectation used to set limits on RPV supersymmetry models in SR-RPV, after being validated in VR-RPV-X and VR-RPV-Y. CR-LQ is used to derive the SM background expectation used to set limits on scalar leptoquark models in SR-LQ, after being validated in VR-LQ-X and VR-LQ-Y. Note that the horizontal positions of the boxes do not denote $\Sigma(m_T)$ thresholds beyond the 200 GeV cut.

that the signal regions should take, and as the ATLAS experiment has not previously published a charge-flavour asymmetry search, the approach taken in this first search is to prioritise simple selections over complex ones. With this principle in mind:

- when defining SR-MET, the only requirement which is added to the PRELIMINARY selection is that $\Sigma(m_T) > 200$ GeV, where $\Sigma(m_T) \equiv m_T(e, \vec{p}_T^{\text{miss}}) + m_T(\mu, \vec{p}_T^{\text{miss}})$ and m_T is the usual transverse mass:
$$m_T(\ell, \vec{p}_T^{\text{miss}}) \equiv \sqrt{2|\vec{p}_T^\ell| |\vec{p}_T^{\text{miss}}| - 2\vec{p}_T^\ell \cdot \vec{p}_T^{\text{miss}}},$$
- and when defining SR-JET (a subset of SR-MET) the only additional requirement is that events must contain at least one jet with transverse momentum greater than 20 GeV.

The primary purpose of the $\Sigma(m_T)$ requirement is to allow for the low $\Sigma(m_T)$ region to be available for studying the SM behaviour before unblinding the data in the signal regions. The benchmark BSM models have a low yield in $\Sigma(m_T) < 200$ GeV, and it can be assumed that they are representative of other general sources of charge-flavour violation, so BSM sensitivity is not reduced substantially by excluding this region from SR-MET or SR-JET. As shown in Fig. 1, the region $\Sigma(m_T) < 200$ GeV is designated as CR-RATIO. If the further requirement of at least one jet with $p_T > 20$ GeV is placed, the region is designated CR-JET, used to study the SM behaviour in a region more kinematically similar to SR-JET.

The signal-optimised regions make use of three more flavour-symmetric event variables: \mathcal{S} , M_{T2} and H_p .

- \mathcal{S} is the so-called ‘object-based \vec{p}_T^{miss} significance’ defined in Eq. (15) of Ref. [42]. It is a dimensionless measure of the degree to which the apparent missing transverse momentum in the event is ‘real’ (i.e. attributable to momentum carried away by invisible particles) rather than due to object mismeasurement or pile-up.

- $M_{T2} \equiv \min_{\vec{a}+\vec{b}=\vec{p}_T^{\text{miss}}} \max[m_T(e, \vec{a}), m_T(\mu, \vec{b})]$ was proposed in Ref. [43], where \vec{a} and \vec{b} represent the contributions to \vec{p}_T^{miss} from each semi-leptonic decay of a pair-produced particle, and all possible values that sum to the observed \vec{p}_T^{miss} are minimised over. It is evaluated using the algorithm of Ref. [44].
- $H_p \equiv |\vec{p}_T^e| + |\vec{p}_T^\mu| + |\vec{p}_T^{j_1}|$ is a simple sum of the magnitudes of the transverse momenta of the two leptons and the most energetic jet in the event.

SR-RPV is defined to require $\mathcal{S} > 10$ and $M_{T2} > 100$ GeV. The first requirement anticipates that neutralinos ($\tilde{\chi}_1^0$) of the supersymmetric signals should carry away missing transverse momentum, while the second suppresses SM W^+W^- backgrounds. In all other respects, SR-RPV is identical to SR-MET.

In contrast, the targeted leptoquark model processes have no invisible particles in the final state, so SR-LQ requires $\mathcal{S} < 6$. Furthermore, SM backgrounds in this region are suppressed by requiring events to have $H_p > 1$ TeV. In all other respects, SR-LQ is the same as SR-JET.

Once the analysis regions are defined, potential biases to the measurement must be considered. The largest source of strictly one-sided charge-flavour bias in the ratio measurement is the misreconstruction of jets as light leptons in W +jet events. In particular: (i) more W^+ than W^- are produced in LHC proton collisions, and (ii) jets misreconstructed as ‘fake’ leptons are more likely to appear to be electrons than muons. If uncorrected, these two factors would cause $e_{\text{fake}}^-\mu_{\text{real}}^+$ to be more prevalent than $e_{\text{fake}}^+\mu_{\text{real}}^-$ and therefore the so-called ‘fake’ background would favour $\rho < 1$. To remove the bias, a data-driven estimate of the number of fake-lepton events passing any particular selection is determined, separately for each charge combination, and is subtracted from the raw data counts before the ratio ρ of $e^+\mu^-$ to $e^-\mu^+$ counts is calculated.

The fake-lepton estimate itself is determined using a Likelihood Matrix Method approach of the form described in Ref. [45] or ‘Method B’ of Ref. [46]. This method predicts the fake lepton background where either one or both leptons is fake, and relies on two lepton definitions with different stringencies. The tighter selection corresponds to the SIGNAL definition used in the rest of the analysis, and the looser ‘Loose’ definition relaxes this by removing the isolation requirements, vertex requirements, and loosening the electron identification requirement to the Loose likelihood-based working point defined in Ref. [34]. Real-lepton efficiencies are derived in $e^\pm e^\mp$ and $\mu^\pm \mu^\mp$ regions, dominated by $Z \rightarrow \ell\ell$ events, as the number of events with two SIGNAL leptons divided by the number of events with a given lepton loosened to pass the Loose requirements. The fake-lepton efficiencies are derived using a muon tag-and-probe method, using $\mu^\pm \mu^\pm$ pairs for the muon efficiency and $e^\pm \mu^\pm$ pairs for the electron efficiency. The ‘tag’ lepton must pass the SIGNAL requirements as well as $p_T > 50$ GeV, and the efficiency is defined as the fraction of Loose probe leptons also passing the SIGNAL requirements, once the small SM real-lepton background (estimated from MC) has been subtracted. The requirement for same-charge-sign rather than opposite-charge-sign increases the contribution from events with fake leptons relative to real SM processes, dominantly W +jets events. The efficiencies are calculated separately for each lepton flavour and charge (such that the flavour and charge match the lepton that has its selection loosened), and are binned in lepton p_T . These efficiencies, together

with event counts in regions orthogonal to the signal regions and where one lepton is required to pass the LOOSE selection, are used to calculate a prediction for the yield of fake-lepton events in the signal regions. The fake-lepton estimate accounts for $\mathcal{O}(2\%)$ of the events in the signal regions used for the ratio measurement, and $\mathcal{O}(6\%)$ or $\mathcal{O}(17\%)$ of the events in the signal region used for the RPV supersymmetry or leptoquark interpretation, respectively. As can be seen in Fig. 2, the fake-lepton estimate in $e^-\mu^+$ events is indeed generally higher than in $e^+\mu^-$ events.

The uncertainty in the fake-lepton estimate includes two uncertainties: one propagated from uncertainty in the values of the efficiencies, and a ‘non-closure’ uncertainty. The non-closure uncertainty is derived in the region used to calculate electron fake efficiencies: an $e^\pm\mu^\pm$ region (with the electron failing the SIGNAL selection but passing the LOOSE selection, and the muon passing the ‘tag’ selection described above), which – like the signal regions – has fake leptons originating mostly from $W + \text{jet}$ events. The region is split into two bins, with either $\Sigma(m_T) < 200$ GeV or $\Sigma(m_T) > 200$ GeV. The non-closure uncertainty is taken as the fractional difference in event counts in these bins between the total background estimate and the data. Here, the total background estimate includes the Likelihood Matrix Method fake-background estimate, as well as the real-lepton background estimated using SM MC. It was checked that the real-lepton background contamination in this region has no significant impact on the uncertainty value. The non-closure uncertainty has a magnitude of 21% (13%) for events with $\Sigma(m_T) > 200$ GeV ($\Sigma(m_T) < 200$ GeV), which is applied to the signal (control) region.

Only two other sources of potential charge-flavour bias motivate application of an explicit correction to data. Firstly, in certain regions of the detector there are small differences between the reconstruction (and trigger) efficiencies for positively and negatively charged muons. These are largely a result of the toroidal magnetic field that the muons move in while traversing the muon spectrometer, increasing the relative acceptance of muons of one charge in certain regions, usually anti-symmetrically in η . To remove these differences, weights (depending on muon charge, transverse momentum and pseudorapidity, and derived from $Z \rightarrow \mu\mu$ samples following the tag-and-probe approach described in Ref. [35]) are applied to events after data-taking but before any other use in the analysis. These weights correct for the bias by taking the efficiency values back to the charge-averaged values. Approximately two thirds of these weights have values within 1% of unity. In addition to introducing an overall acceptance change of $\sim 0.05\%$, these weights are responsible for event yields acquiring non-integer values. Uncertainties associated with this correction are obtained by propagating the statistical uncertainty of the charge-bias measurement. Secondly, a small correction is applied to data to account for the muon sagitta bias, which is derived in accord with Ref. [47], and comes with associated uncertainties which are also applied to data. This charge-dependent bias in muon momentum is caused by misalignment of the detector, and is found to be very minor: 68% of muons have a bias of less than 0.2% of the muon p_T .

Before unblinding the signal regions, the hypothesis that the proton–proton initial state and experimental effects lead to a bias favouring $\rho \leq 1$ in the SM was confirmed by measuring ρ , binned in ‘transverse mass’ M_{T2} [43], in CR-RATIO. Whilst the ratio is consistent with one within uncertainties, the maximal deviation from one is used to define a 2% ‘residual-bias’ uncertainty encompassing small remaining uncorrected detector biases. The extrapolation of the uncertainty to high $\Sigma(m_T)$ was validated by inspecting its impact on the ρ measurement in CR-RATIO and CR-JET when binned in $\Sigma(m_T)$.

6. Results

The observed data and fake-lepton background estimate in the $e^+\mu^-$ and $e^-\mu^+$ channels of SR-MET and SR-JET are shown in bins of M_{T2} and H_P respectively in Fig. 2. Benchmark RPV-supersymmetry or leptoquark signal yields are included to demonstrate that these BSM models favour $e^+\mu^-$ over $e^-\mu^+$. In the lower panels of Fig. 2, an estimate of the proportion of SM background processes in each bin is given, showing that $t\bar{t}$ is expected to dominate in most bins apart from the tails, where the fake-lepton, diboson, and single-top backgrounds become proportionally more important.

The ratio, ρ , is measured in bins, i , of M_{T2} (H_P) in the SR-MET (SR-JET) by maximising a parameterised likelihood model of the observed yields, $\tilde{N}_{\text{obs},i}^{+-/-+}$. The likelihood model assumes an independent Poisson distribution for the yield in each bin of the charge-flavour channels ($e^+\mu^-$ or $e^-\mu^+$):

$$\begin{aligned} \mathcal{L}(\tilde{N}_{\text{obs}}^{+-/-+} | \theta, \vec{\alpha}, \vec{\rho}) = & \prod_{i \in \text{bins}} \left[\text{Pois}(N_{\text{obs},i}^{+-} | w_i^{+-}(\vec{\theta}) N_{\text{exp},i} + F_i^{+-}(\vec{\alpha})) \right. \\ & \times \text{Pois}(N_{\text{obs},i}^{+-} | \rho_i w_i^{+-}(\vec{\theta}) N_{\text{exp},i} + F_i^{+-}(\vec{\alpha})) \Big] \\ & \times \prod_{k \in \text{fake lepton uncertainties}} \text{Gaus}(0 | \alpha_k, 1) \\ & \times \prod_{j \in \text{data uncertainties}} \text{Gaus}(0 | \theta_j, 1), \end{aligned} \quad (3)$$

where the expectation in each bin is the combination of a fake-lepton background estimate, $F_i^{+-/-+}$, and a total irreducible (real-lepton) SM expectation, $N_{\text{exp},i}$, which is a floating parameter in the likelihood. Uncertainties associated with the Likelihood Matrix Method estimate and the non-closure uncertainty in the fake-lepton background estimate are included by parameterising $F_i^{+-/-+}$ with Gaussian-constrained nuisance parameters, α . Muon charge and sagitta-bias corrections are already applied to the observed yields,⁵ $\tilde{N}_{\text{obs},i}^{+-/-+}$, with the relative uncertainties on these corrections included in the $w_i^{+-/-+}(\vec{\theta})$ term and corresponding Gaussian-constrained nuisance parameters on the expected yields, θ_j . The ‘residual-bias’ uncertainty is included in the same manner. A global ratio measurement from combining all bins in a region gives $\rho = 0.987^{+0.022}_{-0.021}$ for SR-MET and SR-JET. The binned measured ratios (maximum-likelihood estimators of ρ_i) are shown in Fig. 3. In the lower bins of these variables the residual-bias uncertainty dominates; in the final two bins of M_{T2} and three bins of H_P the fake-lepton and statistical uncertainties dominate. Fig. 3 also shows one-sided p-values for a hypothesis test of $\rho = 1$ using a modified profile-likelihood-ratio test statistic that equals zero when $\rho_i \leq 1$, calculated using asymptotic approximations [48]. No significant upward deviation from one is seen in any bin, meaning that the SM hypothesis of $\rho \leq 1$ is not excluded anywhere. The largest upward deviation of ρ from one has a local significance of 1σ . The largest downward deviation from one is $\rho = 0.929^{+0.023}_{-0.022}$, in the $80 - 100$ GeV bin of M_{T2} , with a local significance of 3.1σ . The goodness-of-fit significance to the model that $\rho = 1$ in all bins is 1.6σ , estimated using a likelihood ratio test statistic with the asymptotic approximation.

The CL_s method [49] is used to obtain 95% confidence level (CL) upper limits on the number of possible signal events S entering SR-MET and SR-JET, with a fraction z entering the $e^+\mu^-$ channel,

⁵ These corrections are sufficiently close to unity to support the Poisson modelling assumption for the corrected yields (further evidence can be seen in Table 1).




Fig. 2. Distributions of data in the $e^+\mu^-$ and $e^-\mu^+$ channels of the model-independent signal regions, binned in M_{T2} for SR-MET, and H_p for SR-JET, to correspond to the ratio measurement binning. The data has the muon charge and sagitta-bias corrections applied and corresponding uncertainties are added in quadrature in the error bar with the statistical uncertainty of the data. The fake-lepton background estimate is also shown, along with its uncertainty components added in quadrature, illustrating larger yields in the $e^-\mu^+$ channel as expected. The lower panel shows the fraction that each SM process contributes to the total SM background in each bin, estimated using standard MC simulations. The dominant background is $t\bar{t}$, whilst the importance of the fake-lepton background increases in higher bins of each variable. Benchmark RPV-supersymmetry signal models are shown for SR-MET, and benchmark scalar leptoquark models are shown for SR-JET, which all strongly favour the $e^+\mu^-$ final state over $e^-\mu^+$, as expected.




Fig. 3. A summary of the ratio ρ measurement in the full Run-2 data for SR-MET binned in M_{T2} , and SR-JET binned in H_p . Muon charge and sagitta-bias corrections are applied to data along with corresponding uncertainties, and the likelihood matrix method is used to estimate the charge-flavour-biased fake-lepton background such that it can be subtracted from the data. A 2% uncertainty in ρ , encompassing remaining observed detector biases, is also included. The lower panel shows the p -value for a one-sided discovery test to reject the SM hypothesis that $\rho \leq 1$.




Fig. 4. Observed and expected 95% CL upper limits on the total number of signal events entering the $e^+\mu^-$ and $e^-\mu^+$ channels in each bin of SR-MET and SR-JET. The regions are binned in the same way as the ratio (ρ) measurement. The limits are shown for a selection of 'z' values, where 'z' is the fraction of the total number of signal events entering the $e^+\mu^-$ channel. The expected limit is calculated with the asymptotic approximation, by considering when there is a 50% chance of exclusion at 95% CL_s, under the hypothesis that $S = 0$ and $\rho_i = 1$.

and these are shown in Fig. 4 for a range of z values. These limits are calculated using a profile-likelihood-ratio test statistic with the likelihood function from Eq. (3) after fixing the ratio values to $\rho_i = 1$ and adding signal components to the Poisson expectations: Sz in the $e^+\mu^-$ channel, and $S(1-z)$ in the $e^-\mu^+$ channel, where S is the parameter of interest.

Having seen consistency with the SM hypothesis in the ratio measurement, limits are placed on parameters of the two benchmark BSM models. RPV-supersymmetry model exclusion limits are calculated with a one-sided profile-likelihood-ratio test statistic, where a likelihood function is defined for the observed yields in the $e^+\mu^-$ and $e^-\mu^+$ channels of both SR-RPV and a corresponding control region CR-RPV. This likelihood function is similar to Eq. (3) with signal yield terms added to the Poisson expectations (these signal terms are scaled by a signal strength parameter μ_{sig}) and i labelling the regions instead of the bins (each region in this model has a single bin). The ρ_i are also replaced by a single ρ that is common to both regions. In this respect, the control region drives the measurement of ρ and the signal region determines the value of μ_{sig} , which is used as the parameter of interest in the test statistic. The variance of ρ across the (S, M_{T2}) -plane ('RPV-plane') outside of the signal region is estimated with measurements of the ratio in bins of the plane axis observables: the binning was chosen to approximately match the statistical precision of the signal region. The estimated variance of 6% is added to the likelihood model as an uncertainty in ρ to cover the modelling assumption that ρ is invariant across the plane. This uncertainty covers both statistical and systematic sources of variance. The model is validated by finding good agreement between the observed and post-fit expected yields in the $e^+\mu^-$ channel of validation regions orthogonal to SR-RPV and CR-RPV (defined in Fig. 1), where the $e^-\mu^+$ channel of these regions is included in the fit along with both channels of CR-RPV. These validation regions are not included for the test statistic calculations when calculating the limits. Fig. 5(a) shows the observed and expected yields after the fit in the RPV-plane, demonstrating good agreement in the validation regions. This analysis is repeated in the (H_p, S) -plane ('LQ-plane') for leptoquark benchmark models (see Fig. 1), with an estimated 9% variance of ρ across the plane. Fig. 5(b) shows the fit result in the LQ-plane, demonstrating again good agreement in the validation regions. Un-

certainties are included in the signal terms for lepton reconstruction efficiency, energy scale and resolution, and trigger efficiency differences between MC simulation and data; uncertainties in the jet-energy scale and resolution [50], the modelling of the \vec{p}_T^{miss} soft term [39], and electron charge identification [51] are also included. The RPV signal model yields include theoretical uncertainties in the signal acceptance due to the choice of parton shower model and factorisation and renormalisation scales. The LQ signal models include effects of factorisation and renormalisation scale uncertainties on the NLO cross-section prediction, which form the $\pm 1\sigma_{\text{theory}}$ band on the observed limit.

As shown in Table 1, no statistically significant deviations of the data from the total SM background prediction are seen in the $e^+\mu^-$ channels of either signal region. By construction, since $N_{\text{exp},i}$ is a freely floating parameter, good agreement is seen between the data and SM prediction in the $e^-\mu^+$ channels after the fit excluding the $e^+\mu^-$ channels. These are included in the Table 1 for completeness and comparison with the benchmark signal yields.

The observed and expected RPV-supersymmetry limits are shown in Fig. 6 for the case where the λ'_{231} coupling is fixed at one, and in Fig. 7 where the coupling takes values between 0.1 and 1.5. The perturbative upper limit for the λ'_{231} coupling is 1.12 at the Z-boson mass [53], and increases with the energy scale. For coupling values above 1, the limit at high smuon mass becomes constant since the cross-section increase and the branching-ratio decrease cancel each other out. Neutralino masses near and above the top-quark mass are not excluded, as here the neutralino can decay through the RPV coupling and no real \vec{p}_T^{miss} remains in the final state. For the largest coupling value considered, smuon masses up to 650 GeV are excluded.

Fig. 8 shows the observed and expected limits on the leptoquark models considered. Since the energy required to produce a pair of leptoquarks is always double that required to make a single one, the suppression of high centre-of-mass energies by steeply falling parton distribution functions naturally leads to places where this analysis has better reach in leptoquark mass than analyses which have targeted pair production.⁶ Notably, leptoquark couplings of $g_{1R}^{eu} = g_{1R}^{\mu c} > 0.46$ are newly excluded for masses above 1420 GeV, up to a value of unity (the largest coupling considered) for a leptoquark mass of 1880 GeV.

7. Conclusion

To search for evidence of new physics, this analysis compares the production cross sections for $e^+\mu^-$ and $e^-\mu^+$ by investigating the ratio $\rho = \frac{\sigma(pp \rightarrow e^+\mu^- + X)}{\sigma(pp \rightarrow e^-\mu^+ + X)}$ in a variety of signal regions. New physics processes could potentially raise or lower ρ from one, but even though the largest Standard Model effect known to lower ρ was subtracted, the model-independent tests presented in the first half of this analysis look only for evidence of the 'unexpected' scenario of $\rho > 1$. No significant model-independent evidence for $\rho > 1$ was seen when analysing 139 fb^{-1} of proton–proton collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ by the ATLAS detector at the LHC.

Further observations were conducted in more exclusive regions optimised for particular signals beyond the Standard Model. These regions targeted: (i) R-parity-violating supersymmetric models with non-zero λ'_{231} couplings, with smuons and stable neutralinos, and (ii) scalar leptoquark models with $g_{1R}^{eu} = g_{1R}^{\mu c}$. The secondary measurements were then used to create exclusions in planes in

⁶ This benefit comes, though, at the cost of requiring two non-zero leptoquark couplings $g_{1R}^{eu} \neq 0 \neq g_{1R}^{\mu c}$ rather than just the one assumed by existing pair-production searches.




Fig. 5. Distributions of data in the $e^+\mu^-$ channel of the signal, control, and validation regions, used for the R -parity-violating supersymmetry model and leptoquark model fits. Note that ‘VR-LQ-x’ has a lower bound of $H_P > 600$ GeV, as it is not necessary to validate the ratio extrapolation any further away, kinematically, from the signal region. The data has the muon charge and sagitta-bias corrections applied. The fake-lepton background estimate and data-driven real SM background prediction derived from the fit are also shown. The sum of these is the total SM background estimate, and its error bar includes contributions from the fake-lepton background estimate, muon charge-bias and sagitta-bias uncertainties on the denominator data yields used to fit the SM background estimate. The lower panel shows the significance of any deviation between the observed data yields and total SM background prediction in each bin, defined in Ref. [52].

Table 1

Observed yields, and (post-fit) expected yields for the data-driven SM estimates in the case where $\mu_{\text{sig}} = 0$ and the fit excludes the $e^+\mu^-$ signal region; in such a fit the post-fit expected yields in the $e^-\mu^+$ channel are constrained to match the data exactly. Additionally, signal yields are shown for the benchmark RPV-supersymmetry signal points in SR-RPV and the leptoquark signal points in SR-LQ obtained from a fit excluding the $e^+\mu^-$ signal region and setting $\mu_{\text{sig}} = 1$. Small weights correcting for muon charge biases affect all rows except that containing the fake-lepton estimate. These weights, w_i , cause non-integer yields. The uncertainties, $\sqrt{\sum_i w_i^2}$, are given for data to support the choice made to model the yields with a Poisson distribution.

	SR-RPV		SR-LQ	
	$e^+\mu^-$	$e^-\mu^+$	$e^+\mu^-$	$e^-\mu^+$
$M(\tilde{\chi}_1^0, \tilde{\mu}) = (0, 500)$ GeV, $\lambda'_{231} = 1$	191 ± 23	46.8 ± 7.7		
$M(\tilde{\chi}_1^0, \tilde{\mu}) = (50, 250)$ GeV, $\lambda'_{231} = 1$	1160 ± 130	361 ± 97		
$M(S_1) = 1$ TeV, $\lambda = 0.5$			214 ± 15	14.5 ± 1.8
$M(S_1) = 1.25$ TeV, $\lambda = 1.0$			356 ± 53	22.9 ± 3.7
Data	489 ± 22	510 ± 23	60.9 ± 7.8	69.1 ± 8.3
Total SM expectation	503 ± 48	510 ± 26	61 ± 15	69 ± 12
• part due to real leptons	473 ± 47	479 ± 24	47 ± 13	47 ± 11
• part due to fake leptons	29.4 ± 8.2	30.3 ± 8.3	14.1 ± 6.5	22.1 ± 6.6

sparticle or leptoquark model spaces. The search was able to exclude singly produced smuons in certain models in which the only other light sparticle is a neutralino, albeit with those exclusions dependent on the existence of λ'_{231} R -parity-violating couplings. Scalar leptoquarks with $g_{1R}^{eu} = g_{1R}^{\mu c} \leq 1$ were excluded for masses below 1880 GeV. This value reduces to $g_{1R}^{eu} = g_{1R}^{\mu c} = 0.46$ for 1420 GeV (close to the limits obtained in analyses based on leptoquark pair production).

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; JINR; MES




Fig. 6. Expected and observed exclusion limits are shown for RPV-supersymmetry models which allow for production of a single smuon (decaying into a muon and neutralino) in association with a top quark (decaying leptonically). The expected limit is calculated with the asymptotic approximation, by considering when there is a 50% chance of exclusion at 95% CL_s, under the SM-only hypothesis. The smuon is produced through the λ'_{231} coupling, which is fixed at unity. All limits are computed at 95% CL and all uncertainties are included. Also shown are dotted lines to indicate the two kinematic limits for the RPV process considered.




Fig. 7. Expected and observed exclusion limits are shown for RPV-supersymmetry models which allow for production of a single smuon (decaying into a muon and neutralino) in association with a top quark (decaying leptonically). The expected limit is calculated with the asymptotic approximation, by considering when there is a 50% chance of exclusion at 95% CL_s, under the SM-only hypothesis. The smuon is produced through the λ'_{231} coupling, which takes values up to 1.5. All limits are computed at 95% CL and all uncertainties are included.

of Russia and NRC KI, Russian Federation; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF, Canton of Bern and Canton of Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, Canarie, Compute Canada and CCRC, Canada; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex, Investissements d'Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales programme and Aristeia programme co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and GIF, Israel; Norwegian Financial Mechanism 2014–2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation,




Fig. 8. Expected and observed exclusion limits are shown for models featuring production of a single scalar leptoquark which decays into a muon and charm quark. All limits are computed at 95% CL and all uncertainties are included. The $\pm 1\sigma_{\text{theory}}$ band considers the theoretical uncertainty of the NLO cross section used for the leptoquark signals. The expected limit is calculated with the asymptotic approximation, by considering when there is a 50% chance of exclusion at 95% CL_s, under the SM-only hypothesis. The underlined exclusion is derived from a previous ATLAS leptoquark pair-production search [54], considering the result from μc final states. Since the model in this analysis requires leptoquarks to have two decay modes while that of Ref. [54] assumes only one, a branching ratio of 50% into μc was used when determining the position of the exclusion boundary. The interpretation of Ref. [54] also assumes that the narrow-width approximation is valid for leptoquarks over the range of coupling values shown.

CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelser, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [55].

Appendix A

The top pair and single-top backgrounds were modelled using POWHEG Box [56] v2 interfaced to PYTHIA 8 [23] and EvtGEN [57] and the NNPDF2.3LO [24] PDF. A dilepton filter was applied to the $t\bar{t}$ and tW processes.

The diboson backgrounds were modelled using SHERPA [58]. Hard processes with no or one additional jet in the final state were simulated at NLO, while up to three additional jets were included at LO. SHERPA 2.2.2 was used for the fully leptonic final states ($\ell\ell\ell\ell$, $\ell\ell\nu\nu$, $\ell\ell\nu\nu$ and $\ell\nu\nu\nu$) together with the CT10 PDF [59]. For the semileptonic final states ($\ell\ell qq$ and $\ell\nu qq$), SHERPA 2.2.1 was used with the NNPDF [24] PDF. The loop-induced processes ($gg\ell\ell\ell\ell$, $gg\ell\ell\nu\nu$, $\ell\ell\ell\ell jj$, $\ell\ell\nu\nu jj$ and same-sign $\ell\ell\nu\nu jj$) were generated using SHERPA 2.1.1 and the CT10 PDF.

The $Z +$ jets background was modelled using SHERPA 2.2.1 with the NNPDF PDF. Up to two jets were generated at NLO and up to four at LO.

The $t\bar{t} + X$ processes were simulated using MADGRAPH5_AMC@NLO + PYTHIA 8. The EvtGEN program was used for properties of the bottom and charm hadron decays. The events are normalised to their respective NLO cross sections.

References

- [1] C.G. Lester, B.H. Brunt, Difference between two species of emu hides a test for lepton flavour violation, *J. High Energy Phys.* 03 (2017) 149, arXiv:1612.02697 [hep-ph].
- [2] V. Barger, G.F. Giudice, T. Han, Some new aspects of supersymmetry R-parity violating interactions, *Phys. Rev. D* 40 (9 1989) 2987.
- [3] D. Choudhury, R-parity violation at LEP2: virtual effects, *Phys. Lett. B* (ISSN 0370-2693) 376 (1996) 201, <https://www.sciencedirect.com/science/article/pii/0370269396002729>.
- [4] H.K. Dreiner, An introduction to explicit R-parity violation, in: G.L. Kane (Ed.), *Adv. Ser. Dir. High Energy Phys.* 21 (2010) 565, arXiv:hep-ph/9707435.
- [5] CMS Collaboration, Measurements of the W boson rapidity, helicity double-differential cross sections, and charge asymmetry in pp collisions at $\sqrt{s} = 13$ TeV, *Phys. Rev. D* 102 (2020) 092012, arXiv:2008.04174 [hep-ex].
- [6] ATLAS Collaboration, Measurement of W^\pm and Z-boson production cross sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Lett. B* 759 (2016) 601, arXiv:1603.09222 [hep-ex].
- [7] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, *J. Instrum.* 3 (2008) S08003.
- [8] ATLAS Collaboration, The ATLAS collaboration software and firmware, ATL-SOFT-PUB-2021-001, <https://cds.cern.ch/record/2767187>, 2021.
- [9] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC, ATLAS-CONF-2019-021, <https://cds.cern.ch/record/2677054>, 2019.
- [10] G. Avoni, et al., The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS, *J. Instrum.* 13 (2018) P07017.
- [11] ATLAS Collaboration, Performance of electron and photon triggers in ATLAS during LHC Run 2, *Eur. Phys. J. C* 80 (2020) 47, arXiv:1909.00761 [hep-ex].
- [12] ATLAS Collaboration, Performance of the ATLAS muon triggers in Run 2, *J. Instrum.* 15 (2020) P09015, arXiv:2004.13447 [hep-ex].
- [13] ATLAS Collaboration, The ATLAS Inner Detector Trigger performance in pp collisions at 13 TeV during LHC Run 2, arXiv:2107.02485 [hep-ex], 2021.
- [14] G.R. Farrar, P. Fayet, Phenomenology of the production, decay, and detection of new hadronic states associated with supersymmetry, *Phys. Lett. B* 76 (1978) 575.
- [15] Y. Gol'fand, E. Likhtman, Extension of the algebra of Poincare group generators and violation of p invariance, *JETP Lett.* 13 (1971) 323, *Pisma Zh. Eksp. Teor. Fiz.* 13 (1971) 452.
- [16] D. Volkov, V. Akulov, Is the neutrino a goldstone particle?, *Phys. Lett. B* 46 (1973) 109.
- [17] J. Wess, B. Zumino, Supergauge transformations in four dimensions, *Nucl. Phys. B* 70 (1974) 39.
- [18] J. Wess, B. Zumino, Supergauge invariant extension of quantum electrodynamics, *Nucl. Phys. B* 78 (1974) 1.
- [19] S. Ferrara, B. Zumino, Supergauge invariant Yang-Mills theories, *Nucl. Phys. B* 79 (1974) 413.
- [20] A. Salam, J. Strathdee, Super-symmetry and non-Abelian gauges, *Phys. Lett. B* 51 (1974) 353.
- [21] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* 07 (2014) 079, arXiv:1405.0301 [hep-ph].
- [22] B. Fuks, Beyond the minimal supersymmetric standard model: from theory to phenomenology, *Int. J. Mod. Phys. A* 27 (2012) 1230007, arXiv:1202.4769 [hep-ph].
- [23] T. Sjöstrand, S. Mrenna, P.Z. Skands, A brief introduction to PYTHIA 8.1, *Comput. Phys. Commun.* 178 (2008) 852, arXiv:0710.3820 [hep-ph].
- [24] R.D. Ball, et al., Parton distributions with LHC data, *Nucl. Phys. B* 867 (2013) 244, arXiv:1207.1303 [hep-ph].
- [25] ATLAS Collaboration, ATLAS Pythia 8 tunes to 7 TeV data, ATL-PHYS-PUB-2014-021, <https://cds.cern.ch/record/1966419>, 2014.
- [26] L. Lönnblad, S. Prestel, Merging multi-leg NLO matrix elements with parton showers, *J. High Energy Phys.* 03 (2013) 166, arXiv:1211.7278 [hep-ph].
- [27] W. Buchmüller, R. Rückl, D. Wyler, Leptoquarks in lepton-quark collisions, *Phys. Lett. B* (ISSN 0370-2693) 191 (1987) 442, <http://www.sciencedirect.com/science/article/pii/037026938790637X>.
- [28] A. Alloul, N.D. Christensen, C. Degrande, C. Duhr, B. Fuks, FeynRules 2.0 - a complete toolbox for tree-level phenomenology, *Comput. Phys. Commun.* 185 (2014) 2250, arXiv:1310.1921 [hep-ph].
- [29] <https://lqnlo.hepforge.org>.
- [30] I. Doršner, A. Greljo, Leptoquark toolbox for precision collider studies, *J. High Energy Phys. (ISSN 1029-8479)* 5 (2018) 126, [https://doi.org/10.1007/JHEP05\(2018\)126](https://doi.org/10.1007/JHEP05(2018)126).
- [31] L. Lönnblad, Correcting the colour-dipole cascade model with fixed order matrix elements, *J. High Energy Phys.* 05 (2002) 046, arXiv:hep-ph/0112284.
- [32] A. Roy, N. Nikiforou, N. Castro, T. Andeen, Novel interpretation strategy for searches of singly produced vectorlike quarks at the LHC, *Phys. Rev. D* 101 (2020) 115027, arXiv:2003.00640 [hep-ph].
- [33] ATLAS Collaboration, The ATLAS simulation infrastructure, *Eur. Phys. J. C* 70 (2010) 823, arXiv:1005.4568 [physics.ins-det].
- [34] ATLAS Collaboration, Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data, *J. Instrum.* 14 (2019) P12006, arXiv:1908.00005 [hep-ex].
- [35] ATLAS Collaboration, Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* 81 (2021) 578, arXiv:2012.00578 [hep-ex].
- [36] M. Cacciari, G.P. Salam, G. Soyez, The anti- k_t jet clustering algorithm, *J. High Energy Phys.* 04 (2008) 063, arXiv:0802.1189 [hep-ph].
- [37] M. Cacciari, G.P. Salam, G. Soyez, FastJet user manual, *Eur. Phys. J. C* 72 (2012) 1896, arXiv:1111.6097 [hep-ph].
- [38] ATLAS Collaboration, Jet reconstruction and performance using particle flow with the ATLAS Detector, *Eur. Phys. J. C* 77 (2017) 466, arXiv:1703.10485 [hep-ex].
- [39] ATLAS Collaboration, E_T^{miss} performance in the ATLAS detector using 2015–2016 LHC p-p collisions, tech. rep., CERN, 2018, <https://cds.cern.ch/record/2625233>.
- [40] ATLAS Collaboration, Tagging and suppression of pileup jets with the ATLAS detector, ATLAS-CONF-2014-018, <https://cds.cern.ch/record/1700870>, 2014.
- [41] ATLAS Collaboration, Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector, *Eur. Phys. J. C* 77 (2017) 580, Erratum: *Eur. Phys. J. C* 77 (2017) 712, arXiv:1705.02211 [hep-ex], Erratum: *Eur. Phys. J. C* 77 (2017) 712.
- [42] ATLAS Collaboration, Object-based missing transverse momentum significance in the ATLAS detector, tech. rep., CERN, 2018, <https://cds.cern.ch/record/2630948>.
- [43] C.G. Lester, D.J. Summers, Measuring masses of semi-invisibly decaying particle pairs produced at hadron colliders, *Phys. Lett. B* 463 (1999) 99, arXiv:hep-ph/9906349 [hep-ph].
- [44] C.G. Lester, B. Nachman, Bisection-based asymmetric M_{T2} computation: a higher precision calculator than existing symmetric methods, *J. High Energy Phys.* 03 (2015) 100, arXiv:1411.4312 [hep-ph].
- [45] E.W. Varnes, A Poisson likelihood approach to fake lepton estimation with the matrix method, arXiv:1606.06817 [hep-ex], 2016.
- [46] T.P.S. Gillam, C.G. Lester, Improving estimates of the number of ‘fake’ leptons and other mis-reconstructed objects in hadron collider events: BoB’s your UNCLE, *J. High Energy Phys.* 11 (2014) 031, arXiv:1407.5624 [hep-ph].
- [47] ATLAS Collaboration, Alignment of the ATLAS inner detector in Run 2, *Eur. Phys. J. C* 80 (2020) 1194, arXiv:2007.07624 [hep-ex].
- [48] G. Cowan, K. Cranmer, E. Gross, O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, *Eur. Phys. J. C* 71 (2011) 1554, arXiv:1007.1727 [physics.data-an].
- [49] A.L. Read, Presentation of search results: the CL_s technique, *J. Phys. G* 28 (2002) 2693.
- [50] ATLAS Collaboration, Jet energy scale and resolution measured in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Eur. Phys. J. C* 81 (2021) 689, arXiv:2007.02645 [hep-ex].
- [51] ATLAS Collaboration, Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data, *J. Instrum.* 14 (2019) P12006, arXiv:1908.00005 [hep-ex].
- [52] ATLAS Collaboration, Formulae for estimating significance, ATL-PHYS-PUB-2020-025, <https://cds.cern.ch/record/2736148>, 2020.
- [53] B.C. Allanach, A. Dedes, H.K. Dreiner, Bounds on R-parity violating couplings at the weak scale and at the GUT scale, *Phys. Rev. D* 60 (1999) 075014, arXiv:hep-ph/9906209.
- [54] ATLAS Collaboration, Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector, *J. High Energy Phys.* 10 (2020) 112, arXiv:2006.05872 [hep-ex].
- [55] ATLAS Collaboration, ATLAS computing acknowledgements, ATL-SOFT-PUB-2021-003, <https://cds.cern.ch/record/2776662>.
- [56] S. Alioli, P. Nason, C. Oleari, E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, *J. High Energy Phys.* 06 (2010) 043, arXiv:1002.2581 [hep-ph].
- [57] D.J. Lange, The EvtGen particle decay simulation package, *Nucl. Instrum. Methods A* 462 (2001) 152.
- [58] T. Gleisberg, S. Höche, F. Krauss, M. Schönherr, S. Schumann, et al., Event generation with SHERPA 1.1, *J. High Energy Phys.* 02 (2009) 007, arXiv:0811.4622 [hep-ph].
- [59] H.-L. Lai, et al., New parton distributions for collider physics, *Phys. Rev. D* 82 (2010) 074024, arXiv:1007.2241 [hep-ph].

The ATLAS Collaboration

- G. Aad ⁹⁸, B. Abbott ¹²⁴, D.C. Abbott ⁹⁹, A. Abed Abud ³⁴, K. Abeling ⁵¹, D.K. Abhayasinghe ⁹¹, S.H. Abidi ²⁷, A. Aboulhorma ^{33e}, H. Abramowicz ¹⁵⁷, H. Abreu ¹⁵⁶, Y. Abulaiti ⁵, A.C. Abusleme Hoffman ^{142a}, B.S. Acharya ^{64a,64b,o}, B. Achkar ⁵¹, L. Adam ⁹⁶, C. Adam Bourdarios ⁴, L. Adamczyk ^{81a}, L. Adamek ¹⁶², S.V. Addepalli ²⁴, J. Adelman ¹¹⁶, A. Adiguzel ^{11c,ac}, S. Adorni ⁵², T. Adye ¹³⁹, A.A. Affolder ¹⁴¹, Y. Afik ³⁴, C. Agapopoulou ⁶², M.N. Agaras ¹², J. Agarwala ^{68a,68b}, A. Aggarwal ¹¹⁴, C. Agheorghiesei ^{25c}, J.A. Aguilar-Saavedra ^{135f,135a,ab}, A. Ahmad ³⁴, F. Ahmadov ⁷⁷, W.S. Ahmed ¹⁰⁰, X. Ai ⁴⁴, G. Aielli ^{71a,71b}, I. Aizenberg ¹⁷⁵, S. Akatsuka ⁸³, M. Akbiyik ⁹⁶, T.P.A. Åkesson ⁹⁴, A.V. Akimov ¹⁰⁷, K. Al Khoury ³⁷, G.L. Alberghi ^{21b}, J. Albert ¹⁷¹, P. Albicocco ⁴⁹, M.J. Alconada Verzini ⁸⁶, S. Alderweireldt ⁴⁸, M. Aleksić ³⁴, I.N. Aleksandrov ⁷⁷, C. Alexa ^{25b}, T. Alexopoulos ⁹, A. Alfonsi ¹¹⁵, F. Alfonsi ^{21b}, M. Alhroob ¹²⁴, B. Ali ¹³⁷, S. Ali ¹⁵⁴, M. Aliev ¹⁶¹, G. Alimonti ^{66a}, C. Allaire ³⁴, B.M.M. Allbrooke ¹⁵², P.P. Allport ¹⁹, A. Aloisio ^{67a,67b}, F. Alonso ⁸⁶, C. Alpigiani ¹⁴⁴, E. Alunno Camelia ^{71a,71b}, M. Alvarez Estevez ⁹⁵, M.G. Alvaggi ^{67a,67b}, Y. Amaral Coutinho ^{78b}, A. Ambler ¹⁰⁰, L. Ambroz ¹³⁰, C. Amelung ³⁴, D. Amidei ¹⁰², S.P. Amor Dos Santos ^{135a}, S. Amoroso ⁴⁴, K.R. Amos ¹⁶⁹, C.S. Amrouche ⁵², V. Ananiev ¹²⁹, C. Anastopoulos ¹⁴⁵, N. Andari ¹⁴⁰, T. Andeen ¹⁰, J.K. Anders ¹⁸, S.Y. Andrean ^{43a,43b}, A. Andreazza ^{66a,66b}, S. Angelidakis ⁸, A. Angerami ³⁷, A.V. Anisenkov ^{117b,117a}, A. Annovi ^{69a}, C. Antel ⁵², M.T. Anthony ¹⁴⁵, E. Antipov ¹²⁵, M. Antonelli ⁴⁹, D.J.A. Antrim ¹⁶, F. Anulli ^{70a}, M. Aoki ⁷⁹, J.A. Aparisi Pozo ¹⁶⁹, M.A. Aparo ¹⁵², L. Aperio Bella ⁴⁴, N. Aranzabal ³⁴, V. Araujo Ferraz ^{78a}, C. Arcangeletti ⁴⁹, A.T.H. Arce ⁴⁷, E. Arena ⁸⁸, J-F. Arguin ¹⁰⁶, S. Argyropoulos ⁵⁰, J.-H. Arling ⁴⁴, A.J. Armbruster ³⁴, A. Armstrong ¹⁶⁶, O. Arnaez ¹⁶², H. Arnold ³⁴, Z.P. Arrubarrena Tame ¹¹⁰, G. Artoni ¹³⁰, H. Asada ¹¹², K. Asai ¹²², S. Asai ¹⁵⁹, N.A. Asbah ⁵⁷, E.M. Asimakopoulou ¹⁶⁷, L. Asquith ¹⁵², J. Assahsah ^{33d}, K. Assamagan ²⁷, R. Astalos ^{26a}, R.J. Atkin ^{31a}, M. Atkinson ¹⁶⁸, N.B. Atlay ¹⁷, H. Atmani ^{58b}, P.A. Atmasiddha ¹⁰², K. Augsten ¹³⁷, S. Auricchio ^{67a,67b}, V.A. Aistrup ¹⁷⁷, G. Avner ¹⁵⁶, G. Avolio ³⁴, M.K. Ayoub ^{13c}, G. Azuelos ^{106,aj}, D. Babal ^{26a}, H. Bachacou ¹⁴⁰, K. Bachas ¹⁵⁸, A. Bachiu ³², F. Backman ^{43a,43b}, A. Badea ⁵⁷, P. Bagnaia ^{70a,70b}, H. Bahrasemani ¹⁴⁸, A.J. Bailey ¹⁶⁹, V.R. Bailey ¹⁶⁸, J.T. Baines ¹³⁹, C. Bakalis ⁹, O.K. Baker ¹⁷⁸, P.J. Bakker ¹¹⁵, E. Bakos ¹⁴, D. Bakshi Gupta ⁷, S. Balaji ¹⁵³, R. Balasubramanian ¹¹⁵, E.M. Baldin ^{117b,117a}, P. Balek ¹³⁸, E. Ballabene ^{66a,66b}, F. Balli ¹⁴⁰, L.M. Baltes ^{59a}, W.K. Balunas ¹³⁰, J. Balz ⁹⁶, E. Banas ⁸², M. Bandieramonte ¹³⁴, A. Bandyopadhyay ²², S. Bansal ²², L. Barak ¹⁵⁷, E.L. Barberio ¹⁰¹, D. Barberis ^{53b,53a}, M. Barbero ⁹⁸, G. Barbour ⁹², K.N. Barends ^{31a}, T. Barillari ¹¹¹, M-S. Barisits ³⁴, J. Barkeloo ¹²⁷, T. Barklow ¹⁴⁹, B.M. Barnett ¹³⁹, R.M. Barnett ¹⁶, A. Baroncelli ^{58a}, G. Barone ²⁷, A.J. Barr ¹³⁰, L. Barranco Navarro ^{43a,43b}, F. Barreiro ⁹⁵, J. Barreiro Guimarães da Costa ^{13a}, U. Barron ¹⁵⁷, S. Barsov ¹³³, F. Bartels ^{59a}, R. Bartoldus ¹⁴⁹, G. Bartolini ⁹⁸, A.E. Barton ⁸⁷, P. Bartos ^{26a}, A. Basalaev ⁴⁴, A. Basan ⁹⁶, M. Baselga ⁴⁴, I. Bashta ^{72a,72b}, A. Bassalat ^{62,ag}, M.J. Basso ¹⁶², C.R. Basson ⁹⁷, R.L. Bates ⁵⁵, S. Batlamous ^{33e}, J.R. Batley ³⁰, B. Batool ¹⁴⁷, M. Battaglia ¹⁴¹, M. Bauce ^{70a,70b}, F. Bauer ^{140,*}, P. Bauer ²², H.S. Bawa ²⁹, A. Bayirli ^{11c}, J.B. Beacham ⁴⁷, T. Beau ¹³¹, P.H. Beauchemin ¹⁶⁵, F. Becherer ⁵⁰, P. Bechtle ²², H.P. Beck ^{18,q}, K. Becker ¹⁷³, C. Becot ⁴⁴, A.J. Beddall ^{11a}, V.A. Bednyakov ⁷⁷, C.P. Bee ¹⁵¹, T.A. Beermann ³⁴, M. Begalli ^{78b}, M. Begel ²⁷, A. Behera ¹⁵¹, J.K. Behr ⁴⁴, C. Beirao Da Cruz E Silva ³⁴, J.F. Beirer ^{51,34}, F. Beisiegel ²², M. Belfkir ⁴, G. Bella ¹⁵⁷, L. Bellagamba ^{21b}, A. Bellerive ³², P. Bellos ¹⁹, K. Beloborodov ^{117b,117a}, K. Belotskiy ¹⁰⁸, N.L. Belyaev ¹⁰⁸, D. Benchekroun ^{33a}, Y. Benhammou ¹⁵⁷, D.P. Benjamin ²⁷, M. Benoit ²⁷, J.R. Bensinger ²⁴, S. Bentvelsen ¹¹⁵, L. Beresford ³⁴, M. Beretta ⁴⁹, D. Berge ¹⁷, E. Bergeaas Kuutmann ¹⁶⁷, N. Berger ⁴, B. Bergmann ¹³⁷, L.J. Bergsten ²⁴, J. Beringer ¹⁶, S. Berlendis ⁶, G. Bernardi ¹³¹, C. Bernius ¹⁴⁹, F.U. Bernlochner ²², T. Berry ⁹¹, P. Berta ¹³⁸, A. Berthold ⁴⁶, I.A. Bertram ⁸⁷, O. Bessidskaia Bylund ¹⁷⁷, S. Bethke ¹¹¹, A. Betti ⁴⁰, A.J. Bevan ⁹⁰, S. Bhattacharya ¹⁵¹, D.S. Bhattacharya ¹⁷², P. Bhattacharai ²⁴, V.S. Bhopatkar ⁵, R. Bi ¹³⁴, R.M. Bianchi ¹³⁴, O. Biebel ¹¹⁰, R. Bielski ¹²⁷, N.V. Biesuz ^{69a,69b}, M. Biglietti ^{72a}, T.R.V. Billoud ¹³⁷, M. Bindi ⁵¹, A. Bingul ^{11d}, C. Bini ^{70a,70b}, S. Biondi ^{21b,21a}, A. Biondini ⁸⁸, C.J. Birch-sykes ⁹⁷, G.A. Bird ^{19,139}, M. Birman ¹⁷⁵, T. Bisanz ³⁴, J.P. Biswal ², D. Biswas ^{176,j}, A. Bitadze ⁹⁷, C. Bittrich ⁴⁶, K. Bjørke ¹²⁹, I. Bloch ⁴⁴, C. Blocker ²⁴, A. Blue ⁵⁵, U. Blumenschein ⁹⁰, J. Blumenthal ⁹⁶, G.J. Bobbink ¹¹⁵, V.S. Bobrovnikov ^{117b,117a}, M. Boehler ⁵⁰, D. Bogavac ¹², A.G. Bogdanchikov ^{117b,117a}, C. Bohm ^{43a}, V. Boisvert ⁹¹, P. Bokan ⁴⁴, T. Bold ^{81a}, M. Bomben ¹³¹, M. Bona ⁹⁰, M. Boonekamp ¹⁴⁰, C.D. Booth ⁹¹, A.G. Borbély ⁵⁵, H.M. Borecka-Bielska ¹⁰⁶, L.S. Borgna ⁹², G. Borissov ⁸⁷, D. Bortoletto ¹³⁰, D. Boscherini ^{21b}, M. Bosman ¹², J.D. Bossio Sola ³⁴, K. Bouaouda ^{33a}, J. Boudreau ¹³⁴, E.V. Bouhova-Thacker ⁸⁷, D. Boumediene ³⁶, R. Bouquet ¹³¹, A. Boveia ¹²³, J. Boyd ³⁴, D. Boye ²⁷, I.R. Boyko ⁷⁷, A.J. Bozson ⁹¹, J. Bracinik ¹⁹, N. Brahim ^{58d,58c}, G. Brandt ¹⁷⁷,

- O. Brandt ³⁰, F. Braren ⁴⁴, B. Brau ⁹⁹, J.E. Brau ¹²⁷, W.D. Breaden Madden ⁵⁵, K. Brendlinger ⁴⁴, R. Brener ¹⁷⁵, L. Brenner ³⁴, R. Brenner ¹⁶⁷, S. Bressler ¹⁷⁵, B. Brickwedde ⁹⁶, D.L. Briglin ¹⁹, D. Britton ⁵⁵, D. Britzger ¹¹¹, I. Brock ²², R. Brock ¹⁰³, G. Brooijmans ³⁷, W.K. Brooks ^{142e}, E. Brost ²⁷, P.A. Bruckman de Renstrom ⁸², B. Brüers ⁴⁴, D. Bruncko ^{26b}, A. Bruni ^{21b}, G. Bruni ^{21b}, B.H. Brunt ³⁰, M. Bruschi ^{21b}, N. Bruscino ^{70a,70b}, L. Bryngemark ¹⁴⁹, T. Buanes ¹⁵, Q. Buat ¹⁵¹, P. Buchholz ¹⁴⁷, A.G. Buckley ⁵⁵, I.A. Budagov ⁷⁷, M.K. Bugge ¹²⁹, O. Bulekov ¹⁰⁸, B.A. Bullard ⁵⁷, S. Burdin ⁸⁸, C.D. Burgard ⁴⁴, A.M. Burger ¹²⁵, B. Burghgrave ⁷, J.T.P. Burr ⁴⁴, C.D. Burton ¹⁰, J.C. Burzynski ¹⁴⁸, E.L. Busch ³⁷, V. Büscher ⁹⁶, P.J. Bussey ⁵⁵, J.M. Butler ²³, C.M. Buttar ⁵⁵, J.M. Butterworth ⁹², W. Buttlinger ¹³⁹, C.J. Buxo Vazquez ¹⁰³, A.R. Buzykaev ^{117b,117a}, G. Cabras ^{21b}, S. Cabrera Urbán ¹⁶⁹, D. Caforio ⁵⁴, H. Cai ¹³⁴, V.M.M. Cairo ¹⁴⁹, O. Cakir ^{3a}, N. Calace ³⁴, P. Calafiura ¹⁶, G. Calderini ¹³¹, P. Calfayan ⁶³, G. Callea ⁵⁵, L.P. Caloba ^{78b}, D. Calvet ³⁶, S. Calvet ³⁶, T.P. Calvet ⁹⁸, M. Calvetti ^{69a,69b}, R. Camacho Toro ¹³¹, S. Camarda ³⁴, D. Camarero Munoz ⁹⁵, P. Camarri ^{71a,71b}, M.T. Camerlingo ^{72a,72b}, D. Cameron ¹²⁹, C. Camincher ¹⁷¹, M. Campanelli ⁹², A. Camplani ³⁸, V. Canale ^{67a,67b}, A. Canesse ¹⁰⁰, M. Cano Bret ⁷⁵, J. Cantero ¹²⁵, Y. Cao ¹⁶⁸, F. Capocasa ²⁴, M. Capua ^{39b,39a}, A. Carbone ^{66a,66b}, R. Cardarelli ^{71a}, J.C.J. Cardenas ⁷, F. Cardillo ¹⁶⁹, G. Carducci ^{39b,39a}, T. Carli ³⁴, G. Carlino ^{67a}, B.T. Carlson ¹³⁴, E.M. Carlson ^{171,163a}, L. Carminati ^{66a,66b}, M. Carnesale ^{70a,70b}, R.M.D. Carney ¹⁴⁹, S. Caron ¹¹⁴, E. Carquin ^{142e}, S. Carrá ⁴⁴, G. Carratta ^{21b,21a}, J.W.S. Carter ¹⁶², T.M. Carter ⁴⁸, D. Casadei ^{31c}, M.P. Casado ^{12,g}, A.F. Casha ¹⁶², E.G. Castiglia ¹⁷⁸, F.L. Castillo ^{59a}, L. Castillo Garcia ¹², V. Castillo Gimenez ¹⁶⁹, N.F. Castro ^{135a,135e}, A. Catinaccio ³⁴, J.R. Catmore ¹²⁹, A. Cattai ³⁴, V. Cavalieri ²⁷, N. Cavalli ^{21b,21a}, V. Cavasinni ^{69a,69b}, E. Celebi ^{11b}, F. Celli ¹³⁰, M.S. Centonze ^{65a,65b}, K. Cerny ¹²⁶, A.S. Cerqueira ^{78a}, A. Cerri ¹⁵², L. Cerrito ^{71a,71b}, F. Cerutti ¹⁶, A. Cervelli ^{21b}, S.A. Cetin ^{11b}, Z. Chadi ^{33a}, D. Chakraborty ¹¹⁶, M. Chala ^{135f}, J. Chan ¹⁷⁶, W.S. Chan ¹¹⁵, W.Y. Chan ⁸⁸, J.D. Chapman ³⁰, B. Chargeishvili ^{155b}, D.G. Charlton ¹⁹, T.P. Charman ⁹⁰, M. Chatterjee ¹⁸, S. Chekanov ⁵, S.V. Chekulaev ^{163a}, G.A. Chelkov ^{77,ae}, A. Chen ¹⁰², B. Chen ¹⁵⁷, B. Chen ¹⁷¹, C. Chen ^{58a}, C.H. Chen ⁷⁶, H. Chen ^{13c}, H. Chen ²⁷, J. Chen ^{58c}, J. Chen ²⁴, S. Chen ¹³², S.J. Chen ^{13c}, X. Chen ^{58c}, X. Chen ^{13b}, Y. Chen ^{58a}, Y-H. Chen ⁴⁴, C.L. Cheng ¹⁷⁶, H.C. Cheng ^{60a}, A. Cheplakov ⁷⁷, E. Cheremushkina ⁴⁴, E. Cherepanova ⁷⁷, R. Cherkaoui El Moursli ^{33e}, E. Cheu ⁶, K. Cheung ⁶¹, L. Chevalier ¹⁴⁰, V. Chiarella ⁴⁹, G. Chiarelli ^{69a}, G. Chiodini ^{65a}, A.S. Chisholm ¹⁹, A. Chitan ^{25b}, Y.H. Chiu ¹⁷¹, M.V. Chizhov ^{77,s}, K. Choi ¹⁰, A.R. Chomont ^{70a,70b}, Y. Chou ⁹⁹, Y.S. Chow ¹¹⁵, T. Chowdhury ^{31f}, L.D. Christopher ^{31f}, M.C. Chu ^{60a}, X. Chu ^{13a,13d}, J. Chudoba ¹³⁶, J.J. Chwastowski ⁸², D. Cieri ¹¹¹, K.M. Ciesla ⁸², V. Cindro ⁸⁹, I.A. Cioară ^{25b}, A. Ciocio ¹⁶, F. Cirotto ^{67a,67b}, Z.H. Citron ^{175,k}, M. Citterio ^{66a}, D.A. Ciubotaru ^{25b}, B.M. Ciungu ¹⁶², A. Clark ⁵², P.J. Clark ⁴⁸, J.M. Clavijo Columbie ⁴⁴, S.E. Clawson ⁹⁷, C. Clement ^{43a,43b}, L. Clissa ^{21b,21a}, Y. Coadou ⁹⁸, M. Cobal ^{64a,64c}, A. Coccaro ^{53b}, J. Cochran ⁷⁶, R.F. Coelho Barrue ^{135a}, R. Coelho Lopes De Sa ⁹⁹, S. Coelli ^{66a}, H. Cohen ¹⁵⁷, A.E.C. Coimbra ³⁴, B. Cole ³⁷, J. Collot ⁵⁶, P. Conde Muiño ^{135a,135g}, S.H. Connell ^{31c}, I.A. Connelly ⁵⁵, E.I. Conroy ¹³⁰, F. Conventi ^{67a,ak}, H.G. Cooke ¹⁹, A.M. Cooper-Sarkar ¹³⁰, F. Cormier ¹⁷⁰, L.D. Corpe ³⁴, M. Corradi ^{70a,70b}, E.E. Corrigan ⁹⁴, F. Corriveau ^{100,y}, M.J. Costa ¹⁶⁹, F. Costanza ⁴, D. Costanzo ¹⁴⁵, B.M. Cote ¹²³, G. Cowan ⁹¹, J.W. Cowley ³⁰, K. Cranmer ¹²¹, S. Crépé-Renaudin ⁵⁶, F. Crescioli ¹³¹, M. Cristinziani ¹⁴⁷, M. Cristoforetti ^{73a,73b,b}, V. Croft ¹⁶⁵, G. Crosetti ^{39b,39a}, A. Cueto ³⁴, T. Cuhadar Donszelmann ¹⁶⁶, H. Cui ^{13a,13d}, A.R. Cukierman ¹⁴⁹, W.R. Cunningham ⁵⁵, F. Curcio ^{39b,39a}, P. Czodrowski ³⁴, M.M. Czurylo ^{59b}, M.J. Da Cunha Sargedas De Sousa ^{58a}, J.V. Da Fonseca Pinto ^{78b}, C. Da Via ⁹⁷, W. Dabrowski ^{81a}, T. Dado ⁴⁵, S. Dahbi ^{31f}, T. Dai ¹⁰², C. Dallapiccola ⁹⁹, M. Dam ³⁸, G. D'amen ²⁷, V. D'Amico ^{72a,72b}, J. Damp ⁹⁶, J.R. Dandoy ¹³², M.F. Daneri ²⁸, M. Danninger ¹⁴⁸, V. Dao ³⁴, G. Darbo ^{53b}, S. Darmora ⁵, A. Dattagupta ¹²⁷, S. D'Auria ^{66a,66b}, C. David ^{163b}, T. Davidek ¹³⁸, D.R. Davis ⁴⁷, B. Davis-Purcell ³², I. Dawson ⁹⁰, K. De ⁷, R. De Asmundis ^{67a}, M. De Beurs ¹¹⁵, S. De Castro ^{21b,21a}, N. De Groot ¹¹⁴, P. de Jong ¹¹⁵, H. De la Torre ¹⁰³, A. De Maria ^{13c}, D. De Pedis ^{70a}, A. De Salvo ^{70a}, U. De Sanctis ^{71a,71b}, M. De Santis ^{71a,71b}, A. De Santo ¹⁵², J.B. De Vivie De Regie ⁵⁶, D.V. Dedovich ⁷⁷, J. Degens ¹¹⁵, A.M. Deiana ⁴⁰, J. Del Peso ⁹⁵, Y. Delabat Diaz ⁴⁴, F. Deliot ¹⁴⁰, C.M. Delitzsch ⁶, M. Della Pietra ^{67a,67b}, D. Della Volpe ⁵², A. Dell'Acqua ³⁴, L. Dell'Asta ^{66a,66b}, M. Delmastro ⁴, P.A. Delsart ⁵⁶, S. Demers ¹⁷⁸, M. Demichev ⁷⁷, S.P. Denisov ¹¹⁸, L. D'Eramo ¹¹⁶, D. Derendarz ⁸², J.E. Derkaoui ^{33d}, F. Derue ¹³¹, P. Dervan ⁸⁸, K. Desch ²², K. Dette ¹⁶², C. Deutsch ²², P.O. Deviveiros ³⁴, F.A. Di Bello ^{70a,70b}, A. Di Ciaccio ^{71a,71b}, L. Di Ciaccio ⁴, A. Di Domenico ^{70a,70b}, C. Di Donato ^{67a,67b}, A. Di Girolamo ³⁴, G. Di Gregorio ^{69a,69b}, A. Di Luca ^{73a,73b}, B. Di Micco ^{72a,72b}, R. Di Nardo ^{72a,72b}, C. Diaconu ⁹⁸, F.A. Dias ¹¹⁵, T. Dias Do Vale ^{135a}, M.A. Diaz ^{142a}, F.G. Diaz Capriles ²²,

- J. Dickinson ¹⁶, M. Didenko ¹⁶⁹, E.B. Diehl ¹⁰², J. Dietrich ¹⁷, S. Díez Cornell ⁴⁴, C. Diez Pardos ¹⁴⁷,
 A. Dimitrijevska ¹⁶, W. Ding ^{13b}, J. Dingfelder ²², I.-M. Dinu ^{25b}, S.J. Dittmeier ^{59b}, F. Dittus ³⁴, F. Djama ⁹⁸,
 T. Djorava ^{155b}, J.I. Djuvslund ¹⁵, M.A.B. Do Vale ¹⁴³, D. Dodsworth ²⁴, C. Doglioni ⁹⁴, J. Dolejsi ¹³⁸,
 Z. Dolezal ¹³⁸, M. Donadelli ^{78c}, B. Dong ^{58c}, J. Donini ³⁶, A. D'onofrio ^{13c}, M. D'Onofrio ⁸⁸, J. Dopke ¹³⁹,
 A. Doria ^{67a}, M.T. Dova ⁸⁶, A.T. Doyle ⁵⁵, E. Drechsler ¹⁴⁸, E. Dreyer ¹⁴⁸, T. Dreyer ⁵¹, A.S. Drobac ¹⁶⁵,
 D. Du ^{58a}, T.A. du Pree ¹¹⁵, F. Dubinin ¹⁰⁷, M. Dubovsky ^{26a}, A. Dubreuil ⁵², E. Duchovni ¹⁷⁵, G. Duckeck ¹¹⁰,
 O.A. Ducu ^{34,25b}, D. Duda ¹¹¹, A. Dudarev ³⁴, M. D'uffizi ⁹⁷, L. Duflot ⁶², M. Dührssen ³⁴, C. Dülsen ¹⁷⁷,
 A.E. Dumitriu ^{25b}, M. Dunford ^{59a}, S. Dungs ⁴⁵, K. Dunne ^{43a,43b}, A. Duperrin ⁹⁸, H. Duran Yildiz ^{3a},
 M. Düren ⁵⁴, A. Durglishvili ^{155b}, B. Dutta ⁴⁴, B.L. Dwyer ¹¹⁶, G.I. Dyckes ¹⁶, M. Dyndal ^{81a}, S. Dysch ⁹⁷,
 B.S. Dziedzic ⁸², B. Eckerova ^{26a}, M.G. Eggleston ⁴⁷, E. Egidio Purcino De Souza ^{78b}, L.F. Ehrke ⁵², T. Eifert ⁷,
 G. Eigen ¹⁵, K. Einsweiler ¹⁶, T. Ekelof ¹⁶⁷, Y. El Ghazali ^{33b}, H. El Jarrari ^{33e}, A. El Moussaouy ^{33a},
 V. Ellajosyula ¹⁶⁷, M. Ellert ¹⁶⁷, F. Ellinghaus ¹⁷⁷, A.A. Elliot ⁹⁰, N. Ellis ³⁴, J. Elmsheuser ²⁷, M. Elsing ³⁴,
 D. Emeliyanov ¹³⁹, A. Emerman ³⁷, Y. Enari ¹⁵⁹, J. Erdmann ⁴⁵, A. Ereditato ¹⁸, P.A. Erland ⁸², M. Errenst ¹⁷⁷,
 M. Escalier ⁶², C. Escobar ¹⁶⁹, O. Estrada Pastor ¹⁶⁹, E. Etzion ¹⁵⁷, G. Evans ^{135a}, H. Evans ⁶³, M.O. Evans ¹⁵²,
 A. Ezhilov ¹³³, F. Fabbri ⁵⁵, L. Fabbri ^{21b,21a}, G. Facini ¹⁷³, V. Fadeyev ¹⁴¹, R.M. Fakhrutdinov ¹¹⁸,
 S. Falciano ^{70a}, P.J. Falke ²², S. Falke ³⁴, J. Faltova ¹³⁸, Y. Fan ^{13a}, Y. Fang ^{13a}, G. Fanourakis ⁴²,
 M. Fanti ^{66a,66b}, M. Faraj ^{58c}, A. Farbin ⁷, A. Farilla ^{72a}, E.M. Farina ^{68a,68b}, T. Farooque ¹⁰³,
 S.M. Farrington ⁴⁸, P. Farthouat ³⁴, F. Fassi ^{33e}, D. Fassouliotis ⁸, M. Faucci Giannelli ^{71a,71b}, W.J. Fawcett ³⁰,
 L. Fayard ⁶², O.L. Fedin ^{133,p}, M. Feickert ¹⁶⁸, L. Feligioni ⁹⁸, A. Fell ¹⁴⁵, C. Feng ^{58b}, M. Feng ^{13b},
 M.J. Fenton ¹⁶⁶, A.B. Fenyuk ¹¹⁸, S.W. Ferguson ⁴¹, J. Ferrando ⁴⁴, A. Ferrari ¹⁶⁷, P. Ferrari ¹¹⁵, R. Ferrari ^{68a},
 D. Ferrere ⁵², C. Ferretti ¹⁰², F. Fiedler ⁹⁶, A. Filipčič ⁸⁹, F. Filthaut ¹¹⁴, M.C.N. Fiolhais ^{135a,135c,a},
 L. Fiorini ¹⁶⁹, F. Fischer ¹⁴⁷, W.C. Fisher ¹⁰³, T. Fitschen ¹⁹, I. Fleck ¹⁴⁷, P. Fleischmann ¹⁰², T. Flick ¹⁷⁷,
 B.M. Flierl ¹¹⁰, L. Flores ¹³², M. Flores ^{31d}, L.R. Flores Castillo ^{60a}, F.M. Follega ^{73a,73b}, N. Fomin ¹⁵,
 J.H. Foo ¹⁶², B.C. Forland ⁶³, A. Formica ¹⁴⁰, F.A. Förster ¹², A.C. Forti ⁹⁷, E. Fortin ⁹⁸, M.G. Foti ¹³⁰,
 L. Fountas ⁸, D. Fournier ⁶², H. Fox ⁸⁷, P. Francavilla ^{69a,69b}, S. Francescato ⁵⁷, M. Franchini ^{21b,21a},
 S. Franchino ^{59a}, D. Francis ³⁴, L. Franco ⁴, L. Franconi ¹⁸, M. Franklin ⁵⁷, G. Frattari ^{70a,70b}, A.C. Freegard ⁹⁰,
 P.M. Freeman ¹⁹, W.S. Freund ^{78b}, E.M. Freundlich ⁴⁵, D. Froidevaux ³⁴, J.A. Frost ¹³⁰, Y. Fu ^{58a},
 M. Fujimoto ¹²², E. Fullana Torregrosa ¹⁶⁹, J. Fuster ¹⁶⁹, A. Gabrielli ^{21b,21a}, A. Gabrielli ³⁴, P. Gadow ⁴⁴,
 G. Gagliardi ^{53b,53a}, L.G. Gagnon ¹⁶, G.E. Gallardo ¹³⁰, E.J. Gallas ¹³⁰, B.J. Gallop ¹³⁹, R. Gamboa Goni ⁹⁰,
 K.K. Gan ¹²³, S. Ganguly ¹⁵⁹, J. Gao ^{58a}, Y. Gao ⁴⁸, Y.S. Gao ^{29,m}, F.M. Garay Walls ^{142a}, C. García ¹⁶⁹,
 J.E. García Navarro ¹⁶⁹, J.A. García Pascual ^{13a}, M. Garcia-Sciveres ¹⁶, R.W. Gardner ³⁵, D. Garg ⁷⁵,
 R.B. Garg ¹⁴⁹, S. Gargiulo ⁵⁰, C.A. Garner ¹⁶², V. Garonne ¹²⁹, S.J. Gasiorowski ¹⁴⁴, P. Gaspar ^{78b},
 G. Gaudio ^{68a}, P. Gauzzi ^{70a,70b}, I.L. Gavrilenco ¹⁰⁷, A. Gavriluk ¹¹⁹, C. Gay ¹⁷⁰, G. Gaycken ⁴⁴, E.N. Gazis ⁹,
 A.A. Geanta ^{25b}, C.M. Gee ¹⁴¹, C.N.P. Gee ¹³⁹, J. Geisen ⁹⁴, M. Geisen ⁹⁶, C. Gemme ^{53b}, M.H. Genest ⁵⁶,
 S. Gentile ^{70a,70b}, S. George ⁹¹, W.F. George ¹⁹, T. Geralis ⁴², L.O. Gerlach ⁵¹, P. Gessinger-Befurt ³⁴,
 M. Ghasemi Bostanabad ¹⁷¹, A. Ghosh ¹⁶⁶, A. Ghosh ⁷⁵, B. Giacobbe ^{21b}, S. Giagu ^{70a,70b},
 N. Giangiacomi ¹⁶², P. Giannetti ^{69a}, A. Giannini ^{67a,67b}, S.M. Gibson ⁹¹, M. Gignac ¹⁴¹, D.T. Gil ^{81b},
 B.J. Gilbert ³⁷, D. Gillberg ³², G. Gilles ¹¹⁵, N.E.K. Gillwald ⁴⁴, D.M. Gingrich ^{2,aj}, M.P. Giordani ^{64a,64c},
 P.F. Giraud ¹⁴⁰, G. Giugliarelli ^{64a,64c}, D. Giugni ^{66a}, F. Giuli ^{71a,71b}, I. Gkialas ^{8,h}, P. Gkountoumis ⁹,
 L.K. Gladilin ¹⁰⁹, C. Glasman ⁹⁵, G.R. Gledhill ¹²⁷, M. Glisic ¹²⁷, I. Gnesi ^{39b,d}, M. Goblirsch-Kolb ²⁴,
 D. Godin ¹⁰⁶, S. Goldfarb ¹⁰¹, T. Golling ⁵², D. Golubkov ¹¹⁸, J.P. Gombas ¹⁰³, A. Gomes ^{135a,135b},
 R. Goncalves Gama ⁵¹, R. Gonçalo ^{135a,135c}, G. Gonella ¹²⁷, L. Gonella ¹⁹, A. Gongadze ⁷⁷, F. Gonnella ¹⁹,
 J.L. Gonski ³⁷, S. González de la Hoz ¹⁶⁹, S. Gonzalez Fernandez ¹², R. Gonzalez Lopez ⁸⁸,
 C. Gonzalez Renteria ¹⁶, R. Gonzalez Suarez ¹⁶⁷, S. Gonzalez-Sevilla ⁵², G.R. Gonzalvo Rodriguez ¹⁶⁹,
 R.Y. González Andana ^{142a}, L. Goossens ³⁴, N.A. Gorasia ¹⁹, P.A. Gorbounov ¹¹⁹, H.A. Gordon ²⁷, B. Gorini ³⁴,
 E. Gorini ^{65a,65b}, A. Gorišek ⁸⁹, A.T. Goshaw ⁴⁷, M.I. Gostkin ⁷⁷, C.A. Gottardo ¹¹⁴, M. Gouighri ^{33b},
 V. Goumarre ⁴⁴, A.G. Goussiou ¹⁴⁴, N. Govender ^{31c}, C. Goy ⁴, I. Grabowska-Bold ^{81a}, K. Graham ³²,
 E. Gramstad ¹²⁹, S. Grancagnolo ¹⁷, M. Grandi ¹⁵², V. Gratchev ¹³³, P.M. Gravila ^{25f}, F.G. Gravili ^{65a,65b},
 H.M. Gray ¹⁶, C. Grefe ²², I.M. Gregor ⁴⁴, P. Grenier ¹⁴⁹, K. Grevtsov ⁴⁴, C. Grieco ¹², N.A. Grieser ¹²⁴,
 A.A. Grillo ¹⁴¹, K. Grimm ^{29,l}, S. Grinstein ^{12,v}, J.-F. Grivaz ⁶², S. Groh ⁹⁶, E. Gross ¹⁷⁵, J. Grosse-Knetter ⁵¹,
 C. Grud ¹⁰², A. Grummer ¹¹³, J.C. Grundy ¹³⁰, L. Guan ¹⁰², W. Guan ¹⁷⁶, C. Gubbels ¹⁷⁰, J. Guenther ³⁴,
 J.G.R. Guerrero Rojas ¹⁶⁹, F. Guescini ¹¹¹, D. Guest ¹⁷, R. Gugel ⁹⁶, A. Guida ⁴⁴, T. Guillemain ⁴, S. Guindon ³⁴,
 J. Guo ^{58c}, L. Guo ⁶², Y. Guo ¹⁰², R. Gupta ⁴⁴, S. Gurbuz ²², G. Gustavino ¹²⁴, M. Guth ⁵², P. Gutierrez ¹²⁴,

- L.F. Gutierrez Zagazeta ¹³², C. Gutschow ⁹², C. Guyot ¹⁴⁰, C. Gwenlan ¹³⁰, C.B. Gwilliam ⁸⁸, E.S. Haaland ¹²⁹, A. Haas ¹²¹, M. Habedank ⁴⁴, C. Haber ¹⁶, H.K. Hadavand ⁷, A. Hadef ⁹⁶, S. Hadzic ¹¹¹, M. Haleem ¹⁷², J. Haley ¹²⁵, J.J. Hall ¹⁴⁵, G. Halladjian ¹⁰³, G.D. Hallewell ⁹⁸, L. Halser ¹⁸, K. Hamano ¹⁷¹, H. Hamdaoui ^{33e}, M. Hamer ²², G.N. Hamity ⁴⁸, K. Han ^{58a}, L. Han ^{13c}, L. Han ^{58a}, S. Han ¹⁶, Y.F. Han ¹⁶², K. Hanagaki ^{79,t}, M. Hance ¹⁴¹, M.D. Hank ³⁵, R. Hankache ⁹⁷, E. Hansen ⁹⁴, J.B. Hansen ³⁸, J.D. Hansen ³⁸, M.C. Hansen ²², P.H. Hansen ³⁸, K. Hara ¹⁶⁴, T. Harenberg ¹⁷⁷, S. Harkusha ¹⁰⁴, Y.T. Harris ¹³⁰, P.F. Harrison ¹⁷³, N.M. Hartman ¹⁴⁹, N.M. Hartmann ¹¹⁰, Y. Hasegawa ¹⁴⁶, A. Hasib ⁴⁸, S. Hassani ¹⁴⁰, S. Haug ¹⁸, R. Hauser ¹⁰³, M. Havranek ¹³⁷, C.M. Hawkes ¹⁹, R.J. Hawkings ³⁴, S. Hayashida ¹¹², D. Hayden ¹⁰³, C. Hayes ¹⁰², R.L. Hayes ¹⁷⁰, C.P. Hays ¹³⁰, J.M. Hays ⁹⁰, H.S. Hayward ⁸⁸, S.J. Haywood ¹³⁹, F. He ^{58a}, Y. He ¹⁶⁰, Y. He ¹³¹, M.P. Heath ⁴⁸, V. Hedberg ⁹⁴, A.L. Heggelund ¹²⁹, N.D. Hehir ⁹⁰, C. Heidegger ⁵⁰, K.K. Heidegger ⁵⁰, W.D. Heidorn ⁷⁶, J. Heilman ³², S. Heim ⁴⁴, T. Heim ¹⁶, B. Heinemann ^{44,ah}, J.G. Heinlein ¹³², J.J. Heinrich ¹²⁷, L. Heinrich ³⁴, J. Hejbal ¹³⁶, L. Helary ⁴⁴, A. Held ¹²¹, C.M. Helling ¹⁴¹, S. Hellman ^{43a,43b}, C. Helsens ³⁴, R.C.W. Henderson ⁸⁷, L. Henkelmann ³⁰, A.M. Henriques Correia ³⁴, H. Herde ¹⁴⁹, Y. Hernández Jiménez ¹⁵¹, H. Herr ⁹⁶, M.G. Herrmann ¹¹⁰, T. Herrmann ⁴⁶, G. Herten ⁵⁰, R. Hertenberger ¹¹⁰, L. Hervas ³⁴, N.P. Hessey ^{163a}, H. Hibi ⁸⁰, S. Higashino ⁷⁹, E. Higón-Rodriguez ¹⁶⁹, K.H. Hiller ⁴⁴, S.J. Hillier ¹⁹, M. Hils ⁴⁶, I. Hinchliffe ¹⁶, F. Hinterkeuser ²², M. Hirose ¹²⁸, S. Hirose ¹⁶⁴, D. Hirschbuehl ¹⁷⁷, B. Hiti ⁸⁹, O. Hladik ¹³⁶, J. Hobbs ¹⁵¹, R. Hobincu ^{25e}, N. Hod ¹⁷⁵, M.C. Hodgkinson ¹⁴⁵, B.H. Hodkinson ³⁰, A. Hoecker ³⁴, J. Hofer ⁴⁴, D. Hohn ⁵⁰, T. Holm ²², T.R. Holmes ³⁵, M. Holzbock ¹¹¹, L.B.A.H. Hommels ³⁰, B.P. Honan ⁹⁷, J. Hong ^{58c}, T.M. Hong ¹³⁴, Y. Hong ⁵¹, J.C. Honig ⁵⁰, A. Höngle ¹¹¹, B.H. Hooberman ¹⁶⁸, W.H. Hopkins ⁵, Y. Horii ¹¹², L.A. Horyn ³⁵, S. Hou ¹⁵⁴, J. Howarth ⁵⁵, J. Hoya ⁸⁶, M. Hrabovsky ¹²⁶, A. Hrynevich ¹⁰⁵, T. Hryna'ova ⁴, P.J. Hsu ⁶¹, S.-C. Hsu ¹⁴⁴, Q. Hu ³⁷, S. Hu ^{58c}, Y.F. Hu ^{13a,13d,al}, D.P. Huang ⁹², X. Huang ^{13c}, Y. Huang ^{58a}, Y. Huang ^{13a}, Z. Hubacek ¹³⁷, F. Hubaut ⁹⁸, M. Huebner ²², F. Huegging ²², T.B. Huffman ¹³⁰, M. Huhtinen ³⁴, S.K. Huiberts ¹⁵, R. Hulskens ⁵⁶, N. Huseynov ^{77,z}, J. Huston ¹⁰³, J. Huth ⁵⁷, R. Hyneman ¹⁴⁹, S. Hyrych ^{26a}, G. Iacobucci ⁵², G. Iakovidis ²⁷, I. Ibragimov ¹⁴⁷, L. Iconomidou-Fayard ⁶², P. Iengo ³⁴, R. Iguchi ¹⁵⁹, T. Iizawa ⁵², Y. Ikegami ⁷⁹, A. Ilg ¹⁸, N. Ilic ¹⁶², H. Imam ^{33a}, T. Ingebretsen Carlson ^{43a,43b}, G. Introzzi ^{68a,68b}, M. Iodice ^{72a}, V. Ippolito ^{70a,70b}, M. Ishino ¹⁵⁹, W. Islam ¹⁷⁶, C. Issever ^{17,44}, S. Istin ^{11c,am}, J.M. Iturbe Ponce ^{60a}, R. Iuppa ^{73a,73b}, A. Ivina ¹⁷⁵, J.M. Izen ⁴¹, V. Izzo ^{67a}, P. Jacka ¹³⁶, P. Jackson ¹, R.M. Jacobs ⁴⁴, B.P. Jaeger ¹⁴⁸, C.S. Jagfeld ¹¹⁰, G. Jäkel ¹⁷⁷, K. Jakobs ⁵⁰, T. Jakoubek ¹⁷⁵, J. Jamieson ⁵⁵, K.W. Janas ^{81a}, G. Jarlskog ⁹⁴, A.E. Jaspan ⁸⁸, N. Javadov ^{77,z}, T. Javůrek ³⁴, M. Javurkova ⁹⁹, F. Jeanneau ¹⁴⁰, L. Jeanty ¹²⁷, J. Jejelava ^{155a,aa}, P. Jenni ^{50,e}, S. Jézéquel ⁴, J. Jia ¹⁵¹, Z. Jia ^{13c}, Y. Jiang ^{58a}, S. Jiggins ⁴⁸, J. Jimenez Pena ¹¹¹, S. Jin ^{13c}, A. Jinaru ^{25b}, O. Jinnouchi ¹⁶⁰, H. Jivan ^{31f}, P. Johansson ¹⁴⁵, K.A. Johns ⁶, C.A. Johnson ⁶³, D.M. Jones ³⁰, E. Jones ¹⁷³, R.W.L. Jones ⁸⁷, T.J. Jones ⁸⁸, J. Jovicevic ¹⁴, X. Ju ¹⁶, J.J. Junggeburth ³⁴, A. Juste Rozas ^{12,v}, S. Kabana ^{142d}, A. Kaczmarska ⁸², M. Kado ^{70a,70b}, H. Kagan ¹²³, M. Kagan ¹⁴⁹, A. Kahn ³⁷, A. Kahn ¹³², C. Kahra ⁹⁶, T. Kaji ¹⁷⁴, E. Kajomovitz ¹⁵⁶, C.W. Kalderon ²⁷, A. Kamenshchikov ¹¹⁸, M. Kaneda ¹⁵⁹, N.J. Kang ¹⁴¹, S. Kang ⁷⁶, Y. Kano ¹¹², D. Kar ^{31f}, K. Karava ¹³⁰, M.J. Kareem ^{163b}, I. Karkanas ¹⁵⁸, S.N. Karpov ⁷⁷, Z.M. Karpova ⁷⁷, V. Kartvelishvili ⁸⁷, A.N. Karyukhin ¹¹⁸, E. Kasimi ¹⁵⁸, C. Kato ^{58d}, J. Katzy ⁴⁴, K. Kawade ¹⁴⁶, K. Kawagoe ⁸⁵, T. Kawaguchi ¹¹², T. Kawamoto ¹⁴⁰, G. Kawamura ⁵¹, E.F. Kay ¹⁷¹, F.I. Kaya ¹⁶⁵, S. Kazakos ¹², V.F. Kazanin ^{117b,117a}, Y. Ke ¹⁵¹, J.M. Keaveney ^{31a}, R. Keeler ¹⁷¹, J.S. Keller ³², A.S. Kelly ⁹², D. Kelsey ¹⁵², J.J. Kempster ¹⁹, J. Kendrick ¹⁹, K.E. Kennedy ³⁷, O. Kepka ¹³⁶, S. Kersten ¹⁷⁷, B.P. Kerševan ⁸⁹, S. Ketabchi Haghight ¹⁶², M. Khandoga ¹³¹, A. Khanov ¹²⁵, A.G. Kharlamov ^{117b,117a}, T. Kharlamova ^{117b,117a}, E.E. Khoda ¹⁴⁴, T.J. Khoo ¹⁷, G. Khoriauli ¹⁷², E. Khramov ⁷⁷, J. Khubua ^{155b}, S. Kido ⁸⁰, M. Kiehn ³⁴, A. Kilgallon ¹²⁷, E. Kim ¹⁶⁰, Y.K. Kim ³⁵, N. Kimura ⁹², A. Kirchhoff ⁵¹, D. Kirchmeier ⁴⁶, C. Kirfel ²², J. Kirk ¹³⁹, A.E. Kiryunin ¹¹¹, T. Kishimoto ¹⁵⁹, D.P. Kisliuk ¹⁶², C. Kitsaki ⁹, O. Kivernyk ²², T. Klapdor-Kleingrothaus ⁵⁰, M. Klassen ^{59a}, C. Klein ³², L. Klein ¹⁷², M.H. Klein ¹⁰², M. Klein ⁸⁸, U. Klein ⁸⁸, P. Klimek ³⁴, A. Klimentov ²⁷, F. Klimpel ¹¹¹, T. Klingl ²², T. Klioutchnikova ³⁴, F.F. Klitzner ¹¹⁰, P. Kluit ¹¹⁵, S. Kluth ¹¹¹, E. Knerner ⁷⁴, T.M. Knight ¹⁶², A. Knue ⁵⁰, D. Kobayashi ⁸⁵, R. Kobayashi ⁸³, M. Kobel ⁴⁶, M. Kocian ¹⁴⁹, T. Kodama ¹⁵⁹, P. Kodys ¹³⁸, D.M. Koeck ¹⁵², P.T. Koenig ²², T. Koffas ³², N.M. Köhler ³⁴, M. Kolb ¹⁴⁰, I. Koletsou ⁴, T. Komarek ¹²⁶, K. Köneke ⁵⁰, A.X.Y. Kong ¹, T. Kono ¹²², V. Konstantinides ⁹², N. Konstantinidis ⁹², B. Konya ⁹⁴, R. Kopeliansky ⁶³, S. Koperny ^{81a}, K. Korcyl ⁸², K. Kordas ¹⁵⁸, G. Koren ¹⁵⁷, A. Korn ⁹², S. Korn ⁵¹, I. Korolkov ¹², E.V. Korolkova ¹⁴⁵, N. Korotkova ¹⁰⁹, B. Kortman ¹¹⁵, O. Kortner ¹¹¹, S. Kortner ¹¹¹, W.H. Kostecka ¹¹⁶, V.V. Kostyukhin ^{147,161}, A. Kotsokechagia ⁶², A. Kotwal ⁴⁷, A. Koulouris ³⁴, A. Kourkoumeli-Charalampidi ^{68a,68b}, C. Kourkoumelis ⁸,

- E. Kourlitis ⁵, O. Kovanda ¹⁵², R. Kowalewski ¹⁷¹, W. Kozanecki ¹⁴⁰, A.S. Kozhin ¹¹⁸, V.A. Kramarenko ¹⁰⁹, G. Kramberger ⁸⁹, P. Kramer ⁹⁶, D. Krasnopevtsev ^{58a}, M.W. Krasny ¹³¹, A. Krasznahorkay ³⁴, J.A. Kremer ⁹⁶, J. Kretzschmar ⁸⁸, K. Kreul ¹⁷, P. Krieger ¹⁶², F. Krieter ¹¹⁰, S. Krishnamurthy ⁹⁹, A. Krishnan ^{59b}, M. Krivos ¹³⁸, K. Krizka ¹⁶, K. Kroeninger ⁴⁵, H. Kroha ¹¹¹, J. Kroll ¹³⁶, J. Kroll ¹³², K.S. Krowppman ¹⁰³, U. Kruchonak ⁷⁷, H. Krüger ²², N. Krumnack ⁷⁶, M.C. Kruse ⁴⁷, J.A. Krzysiak ⁸², A. Kubota ¹⁶⁰, O. Kuchinskaia ¹⁶¹, S. Kuday ^{3a}, D. Kuechler ⁴⁴, J.T. Kuechler ⁴⁴, S. Kuehn ³⁴, T. Kuhl ⁴⁴, V. Kukhtin ⁷⁷, Y. Kulchitsky ^{104,ad}, S. Kuleshov ^{142c}, M. Kumar ^{31f}, N. Kumari ⁹⁸, M. Kuna ⁵⁶, A. Kupco ¹³⁶, T. Kupfer ⁴⁵, O. Kuprash ⁵⁰, H. Kurashige ⁸⁰, L.L. Kurchaninov ^{163a}, Y.A. Kurochkin ¹⁰⁴, A. Kurova ¹⁰⁸, M.G. Kurth ^{13a,13d}, E.S. Kuwertz ³⁴, M. Kuze ¹⁶⁰, A.K. Kvam ¹⁴⁴, J. Kvita ¹²⁶, T. Kwan ¹⁰⁰, K.W. Kwok ^{60a}, C. Lacasta ¹⁶⁹, F. Lacava ^{70a,70b}, H. Lacker ¹⁷, D. Lacour ¹³¹, N.N. Lad ⁹², E. Ladygin ⁷⁷, R. Lafaye ⁴, B. Laforge ¹³¹, T. Lagouri ^{142d}, S. Lai ⁵¹, I.K. Lakomiec ^{81a}, N. Lalloue ⁵⁶, J.E. Lambert ¹²⁴, S. Lammers ⁶³, W. Lampl ⁶, C. Lampoudis ¹⁵⁸, E. Lançon ²⁷, U. Landgraf ⁵⁰, M.P.J. Landon ⁹⁰, V.S. Lang ⁵⁰, J.C. Lange ⁵¹, R.J. Langenberg ⁹⁹, A.J. Lankford ¹⁶⁶, F. Lanni ²⁷, K. Lantzsch ²², A. Lanza ^{68a}, A. Lapertosa ^{53b,53a}, J.F. Laporte ¹⁴⁰, T. Lari ^{66a}, F. Lasagni Manghi ^{21b}, M. Lassnig ³⁴, V. Latonova ¹³⁶, T.S. Lau ^{60a}, A. Laudrain ⁹⁶, A. Laurier ³², M. Lavorgna ^{67a,67b}, S.D. Lawlor ⁹¹, Z. Lawrence ⁹⁷, M. Lazzaroni ^{66a,66b}, B. Le ⁹⁷, B. Leban ⁸⁹, A. Lebedev ⁷⁶, M. LeBlanc ³⁴, T. LeCompte ⁵, F. Ledroit-Guillon ⁵⁶, A.C.A. Lee ⁹², G.R. Lee ¹⁵, L. Lee ⁵⁷, S.C. Lee ¹⁵⁴, S. Lee ⁷⁶, L.L. Leeuw ^{31c}, B. Lefebvre ^{163a}, H.P. Lefebvre ⁹¹, M. Lefebvre ¹⁷¹, C. Leggett ¹⁶, K. Lehmann ¹⁴⁸, N. Lehmann ¹⁸, G. Lehmann Miotto ³⁴, W.A. Leight ⁴⁴, A. Leisos ^{158,u}, M.A.L. Leite ^{78c}, C.E. Leitgeb ⁴⁴, R. Leitner ¹³⁸, K.J.C. Leney ⁴⁰, T. Lenz ²², S. Leone ^{69a}, C. Leonidopoulos ⁴⁸, A. Leopold ¹⁵⁰, C. Leroy ¹⁰⁶, R. Les ¹⁰³, C.G. Lester ³⁰, M. Levchenko ¹³³, J. Levêque ⁴, D. Levin ¹⁰², L.J. Levinson ¹⁷⁵, D.J. Lewis ¹⁹, B. Li ^{13b}, B. Li ^{58b}, C. Li ^{58a}, C-Q. Li ^{58c,58d}, H. Li ^{58a}, H. Li ^{58b}, H. Li ^{58b}, J. Li ^{58c}, K. Li ¹⁴⁴, L. Li ^{58c}, M. Li ^{13a,13d}, Q.Y. Li ^{58a}, S. Li ^{58d,58c,c}, T. Li ^{58b}, X. Li ⁴⁴, Y. Li ⁴⁴, Z. Li ^{58b}, Z. Li ¹³⁰, Z. Li ¹⁰⁰, Z. Li ⁸⁸, Z. Liang ^{13a}, M. Liberatore ⁴⁴, B. Liberti ^{71a}, K. Lie ^{60c}, J. Lieber Marin ^{78b}, K. Lin ¹⁰³, R.A. Linck ⁶³, R.E. Lindley ⁶, J.H. Lindon ², A. Linss ⁴⁴, E. Lipeles ¹³², A. Lipniacka ¹⁵, T.M. Liss ^{168,ai}, A. Lister ¹⁷⁰, J.D. Little ⁷, B. Liu ^{13a}, B.X. Liu ¹⁴⁸, J.B. Liu ^{58a}, J.K.K. Liu ³⁵, K. Liu ^{58d,58c}, M. Liu ^{58a}, M.Y. Liu ^{58a}, P. Liu ^{13a}, X. Liu ^{58a}, Y. Liu ⁴⁴, Y. Liu ^{13c,13d}, Y.L. Liu ¹⁰², Y.W. Liu ^{58a}, M. Livan ^{68a,68b}, J. Llorente Merino ¹⁴⁸, S.L. Lloyd ⁹⁰, E.M. Lobodzinska ⁴⁴, P. Loch ⁶, S. Loffredo ^{71a,71b}, T. Lohse ¹⁷, K. Lohwasser ¹⁴⁵, M. Lokajicek ¹³⁶, J.D. Long ¹⁶⁸, I. Longarini ^{70a,70b}, L. Longo ³⁴, R. Longo ¹⁶⁸, I. Lopez Paz ¹², A. Lopez Solis ⁴⁴, J. Lorenz ¹¹⁰, N. Lorenzo Martinez ⁴, A.M. Lory ¹¹⁰, A. Lösle ⁵⁰, X. Lou ^{43a,43b}, X. Lou ^{13a}, A. Lounis ⁶², J. Love ⁵, P.A. Love ⁸⁷, J.J. Lozano Bahilo ¹⁶⁹, G. Lu ^{13a}, M. Lu ^{58a}, S. Lu ¹³², Y.J. Lu ⁶¹, H.J. Lubatti ¹⁴⁴, C. Luci ^{70a,70b}, F.L. Lucio Alves ^{13c}, A. Lucotte ⁵⁶, F. Luehring ⁶³, I. Luise ¹⁵¹, L. Luminari ^{70a}, O. Lundberg ¹⁵⁰, B. Lund-Jensen ¹⁵⁰, N.A. Luongo ¹²⁷, M.S. Lutz ¹⁵⁷, D. Lynn ²⁷, H. Lyons ⁸⁸, R. Lysak ¹³⁶, E. Lytken ⁹⁴, F. Lyu ^{13a}, V. Lyubushkin ⁷⁷, T. Lyubushkina ⁷⁷, H. Ma ²⁷, L.L. Ma ^{58b}, Y. Ma ⁹², D.M. Mac Donell ¹⁷¹, G. Maccarrone ⁴⁹, C.M. Macdonald ¹⁴⁵, J.C. MacDonald ¹⁴⁵, R. Madar ³⁶, W.F. Mader ⁴⁶, M. Madugoda Ralalage Don ¹²⁵, N. Madysa ⁴⁶, J. Maeda ⁸⁰, T. Maeno ²⁷, M. Maerker ⁴⁶, V. Magerl ⁵⁰, J. Magro ^{64a,64c}, D.J. Mahon ³⁷, C. Maidantchik ^{78b}, A. Maio ^{135a,135b,135d}, K. Maj ^{81a}, O. Majersky ^{26a}, S. Majewski ¹²⁷, N. Makovec ⁶², V. Maksimovic ¹⁴, B. Malaescu ¹³¹, Pa. Malecki ⁸², V.P. Maleev ¹³³, F. Malek ⁵⁶, D. Malito ^{39b,39a}, U. Mallik ⁷⁵, C. Malone ³⁰, S. Maltezos ⁹, S. Malyukov ⁷⁷, J. Mamuzic ¹⁶⁹, G. Mancini ⁴⁹, J.P. Mandalia ⁹⁰, I. Mandić ⁸⁹, L. Manhaes de Andrade Filho ^{78a}, I.M. Maniatis ¹⁵⁸, M. Manisha ¹⁴⁰, J. Manjarres Ramos ⁴⁶, K.H. Mankinen ⁹⁴, A. Mann ¹¹⁰, A. Manousos ⁷⁴, B. Mansoulie ¹⁴⁰, I. Manthos ¹⁵⁸, S. Manzoni ¹¹⁵, A. Marantis ^{158,u}, G. Marchiori ¹³¹, M. Marcisovsky ¹³⁶, L. Marcoccia ^{71a,71b}, C. Marcon ⁹⁴, M. Marjanovic ¹²⁴, Z. Marshall ¹⁶, S. Marti-Garcia ¹⁶⁹, T.A. Martin ¹⁷³, V.J. Martin ⁴⁸, B. Martin dit Latour ¹⁵, L. Martinelli ^{70a,70b}, M. Martinez ^{12,v}, P. Martinez Agullo ¹⁶⁹, V.I. Martinez Outschoorn ⁹⁹, S. Martin-Haugh ¹³⁹, V.S. Martoiu ^{25b}, A.C. Martyniuk ⁹², A. Marzin ³⁴, S.R. Maschek ¹¹¹, L. Masetti ⁹⁶, T. Mashimo ¹⁵⁹, J. Masik ⁹⁷, A.L. Maslennikov ^{117b,117a}, L. Massa ^{21b}, P. Massarotti ^{67a,67b}, P. Mastrandrea ^{69a,69b}, A. Mastroberardino ^{39b,39a}, T. Masubuchi ¹⁵⁹, D. Matakias ²⁷, T. Mathisen ¹⁶⁷, A. Matic ¹¹⁰, N. Matsuzawa ¹⁵⁹, J. Maurer ^{25b}, B. Maček ⁸⁹, D.A. Maximov ^{117b,117a}, R. Mazini ¹⁵⁴, I. Maznas ¹⁵⁸, S.M. Mazza ¹⁴¹, C. Mc Ginn ²⁷, J.P. Mc Gowan ¹⁰⁰, S.P. Mc Kee ¹⁰², T.G. McCarthy ¹¹¹, W.P. McCormack ¹⁶, E.F. McDonald ¹⁰¹, A.E. McDougall ¹¹⁵, J.A. McFayden ¹⁵², G. Mchedlidze ^{155b}, M.A. McKay ⁴⁰, K.D. McLean ¹⁷¹, S.J. McMahon ¹³⁹, P.C. McNamara ¹⁰¹, R.A. McPherson ^{171,y}, J.E. Mdhluli ^{31f}, Z.A. Meadows ⁹⁹, S. Meehan ³⁴, T. Megy ³⁶, S. Mehlhase ¹¹⁰, A. Mehta ⁸⁸, B. Meirose ⁴¹, D. Melini ¹⁵⁶, B.R. Mellado Garcia ^{31f}, A.H. Melo ⁵¹, F. Meloni ⁴⁴, A. Melzer ²², E.D. Mendes Gouveia ^{135a}, A.M. Mendes Jacques Da Costa ¹⁹, H.Y. Meng ¹⁶², L. Meng ³⁴, S. Menke ¹¹¹,

- M. Mentink ³⁴, E. Meoni ^{39b,39a}, C. Merlassino ¹³⁰, P. Mermod ^{52,*}, L. Merola ^{67a,67b}, C. Meroni ^{66a},
 G. Merz ¹⁰², O. Meshkov ^{107,109}, J.K.R. Meshreki ¹⁴⁷, J. Metcalfe ⁵, A.S. Mete ⁵, C. Meyer ⁶³, J.-P. Meyer ¹⁴⁰,
 M. Michetti ¹⁷, R.P. Middleton ¹³⁹, L. Mijović ⁴⁸, G. Mikenberg ¹⁷⁵, M. Mikestikova ¹³⁶, M. Mikuž ⁸⁹,
 H. Mildner ¹⁴⁵, A. Milic ¹⁶², C.D. Milke ⁴⁰, D.W. Miller ³⁵, L.S. Miller ³², A. Milov ¹⁷⁵, D.A. Milstead ^{43a,43b},
 T. Min ^{13c}, A.A. Minaenko ¹¹⁸, I.A. Minashvili ^{155b}, L. Mince ⁵⁵, A.I. Mincer ¹²¹, B. Mindur ^{81a}, M. Mineev ⁷⁷,
 Y. Minegishi ¹⁵⁹, Y. Mino ⁸³, L.M. Mir ¹², M. Miralles Lopez ¹⁶⁹, M. Mironova ¹³⁰, T. Mitani ¹⁷⁴,
 V.A. Mitsou ¹⁶⁹, M. Mittal ^{58c}, O. Miú ¹⁶², P.S. Miyagawa ⁹⁰, Y. Miyazaki ⁸⁵, A. Mizukami ⁷⁹,
 J.U. Mjörnmark ⁹⁴, T. Mkrtchyan ^{59a}, M. Mlynarikova ¹¹⁶, T. Moa ^{43a,43b}, S. Mobius ⁵¹, K. Mochizuki ¹⁰⁶,
 P. Moder ⁴⁴, P. Mogg ¹¹⁰, A.F. Mohammed ^{13a}, S. Mohapatra ³⁷, G. Mokgatitswane ^{31f}, B. Mondal ¹⁴⁷,
 S. Mondal ¹³⁷, K. Möning ⁴⁴, E. Monnier ⁹⁸, L. Monsonis Romero ¹⁶⁹, A. Montalbano ¹⁴⁸,
 J. Montejo Berlingen ³⁴, M. Montella ¹²³, F. Monticelli ⁸⁶, N. Morange ⁶², A.L. Moreira De Carvalho ^{135a},
 M. Moreno Llácer ¹⁶⁹, C. Moreno Martinez ¹², P. Morettini ^{53b}, S. Morgenstern ¹⁷³, D. Mori ¹⁴⁸, M. Morii ⁵⁷,
 M. Morinaga ¹⁵⁹, V. Morisbak ¹²⁹, A.K. Morley ³⁴, A.P. Morris ⁹², L. Morvaj ³⁴, P. Moschovakos ³⁴,
 B. Moser ¹¹⁵, M. Mosidze ^{155b}, T. Moskalets ⁵⁰, P. Moskvitina ¹¹⁴, J. Moss ^{29,n}, E.J.W. Moyse ⁹⁹,
 S. Muanza ⁹⁸, J. Mueller ¹³⁴, R. Mueller ¹⁸, D. Muenstermann ⁸⁷, G.A. Mullier ⁹⁴, J.J. Mullin ¹³²,
 D.P. Mungo ^{66a,66b}, J.L. Munoz Martinez ¹², F.J. Munoz Sanchez ⁹⁷, M. Murin ⁹⁷, P. Murin ^{26b},
 W.J. Murray ^{173,139}, A. Murrone ^{66a,66b}, J.M. Muse ¹²⁴, M. Muškinja ¹⁶, C. Mwewa ²⁷, A.G. Myagkov ^{118,ae},
 A.J. Myers ⁷, A.A. Myers ¹³⁴, G. Myers ⁶³, M. Myska ¹³⁷, B.P. Nachman ¹⁶, O. Nackenhorst ⁴⁵, A. Nag Nag ⁴⁶,
 K. Nagai ¹³⁰, K. Nagano ⁷⁹, J.L. Nagle ²⁷, E. Nagy ⁹⁸, A.M. Nairz ³⁴, Y. Nakahama ¹¹², K. Nakamura ⁷⁹,
 H. Nanjo ¹²⁸, F. Napolitano ^{59a}, R. Narayan ⁴⁰, E.A. Narayanan ¹¹³, I. Naryshkin ¹³³, M. Naseri ³², C. Nass ²²,
 T. Naumann ⁴⁴, G. Navarro ^{20a}, J. Navarro-Gonzalez ¹⁶⁹, R. Nayak ¹⁵⁷, P.Y. Nechaeva ¹⁰⁷, F. Nechansky ⁴⁴,
 T.J. Neep ¹⁹, A. Negri ^{68a,68b}, M. Negrini ^{21b}, C. Nellist ¹¹⁴, C. Nelson ¹⁰⁰, K. Nelson ¹⁰², S. Nemecek ¹³⁶,
 M. Nessi ^{34,f}, M.S. Neubauer ¹⁶⁸, F. Neuhaus ⁹⁶, J. Neundorf ⁴⁴, R. Newhouse ¹⁷⁰, P.R. Newman ¹⁹,
 C.W. Ng ¹³⁴, Y.S. Ng ¹⁷, Y.W.Y. Ng ¹⁶⁶, B. Ngair ^{33e}, H.D.N. Nguyen ¹⁰⁶, R.B. Nickerson ¹³⁰, R. Nicolaïdou ¹⁴⁰,
 D.S. Nielsen ³⁸, J. Nielsen ¹⁴¹, M. Niemeyer ⁵¹, N. Nikiforou ¹⁰, V. Nikolaenko ^{118,ae}, I. Nikolic-Audit ¹³¹,
 K. Nikolopoulos ¹⁹, P. Nilsson ²⁷, H.R. Nindhito ⁵², A. Nisati ^{70a}, N. Nishu ², R. Nisius ¹¹¹, T. Nitta ¹⁷⁴,
 T. Nobe ¹⁵⁹, D.L. Noel ³⁰, Y. Noguchi ⁸³, I. Nomidis ¹³¹, M.A. Nomura ²⁷, M.B. Norfolk ¹⁴⁵, R.R.B. Norisam ⁹²,
 J. Novak ⁸⁹, T. Novak ⁴⁴, O. Novgorodova ⁴⁶, L. Novotny ¹³⁷, R. Novotny ¹¹³, L. Nozka ¹²⁶, K. Ntekas ¹⁶⁶,
 E. Nurse ⁹², F.G. Oakham ^{32,aj}, J. Ocariz ¹³¹, A. Ochi ⁸⁰, I. Ochoa ^{135a}, J.P. Ochoa-Ricoux ^{142a}, S. Oda ⁸⁵,
 S. Odaka ⁷⁹, S. Oerdekk ¹⁶⁷, A. Ogrodnik ^{81a}, A. Oh ⁹⁷, C.C. Ohm ¹⁵⁰, H. Oide ¹⁶⁰, R. Oishi ¹⁵⁹, M.L. Ojeda ⁴⁴,
 Y. Okazaki ⁸³, M.W. O'Keefe ⁸⁸, Y. Okumura ¹⁵⁹, A. Olariu ^{25b}, L.F. Oleiro Seabra ^{135a}, S.A. Olivares Pino ^{142d},
 D. Oliveira Damazio ²⁷, D. Oliveira Goncalves ^{78a}, J.L. Oliver ¹⁶⁶, M.J.R. Olsson ¹⁶⁶, A. Olszewski ⁸²,
 J. Olszowska ⁸², Ö.O. Öncel ²², D.C. O'Neil ¹⁴⁸, A.P. O'Neill ¹³⁰, A. Onofre ^{135a,135e}, P.U.E. Onyisi ¹⁰,
 R.G. Oreamuno Madriz ¹¹⁶, M.J. Oreglia ³⁵, G.E. Orellana ⁸⁶, D. Orestano ^{72a,72b}, N. Orlando ¹², R.S. Orr ¹⁶²,
 V. O'Shea ⁵⁵, R. Ospanov ^{58a}, G. Otero y Garzon ²⁸, H. Otono ⁸⁵, P.S. Ott ^{59a}, G.J. Ottino ¹⁶, M. Ouchrif ^{33d},
 J. Ouellette ²⁷, F. Ould-Saada ¹²⁹, A. Ouraou ^{140,*}, Q. Ouyang ^{13a}, M. Owen ⁵⁵, R.E. Owen ¹³⁹,
 K.Y. Oyulmaz ^{11c}, V.E. Ozcan ^{11c}, N. Ozturk ⁷, S. Ozturk ^{11c}, J. Pacalt ¹²⁶, H.A. Pacey ³⁰, K. Pachal ⁴⁷,
 A. Pacheco Pages ¹², C. Padilla Aranda ¹², S. Pagan Griso ¹⁶, G. Palacino ⁶³, S. Palazzo ⁴⁸, S. Palestini ³⁴,
 M. Palka ^{81b}, P. Palni ^{81a}, D.K. Panchal ¹⁰, C.E. Pandini ⁵², J.G. Panduro Vazquez ⁹¹, P. Pani ⁴⁴,
 G. Panizzo ^{64a,64c}, L. Paolozzi ⁵², C. Papadatos ¹⁰⁶, S. Parajuli ⁴⁰, A. Paramonov ⁵, C. Paraskevopoulos ⁹,
 D. Paredes Hernandez ^{60b}, S.R. Paredes Saenz ¹³⁰, B. Parida ¹⁷⁵, T.H. Park ¹⁶², A.J. Parker ²⁹, M.A. Parker ³⁰,
 F. Parodi ^{53b,53a}, E.W. Parrish ¹¹⁶, J.A. Parsons ³⁷, U. Parzefall ⁵⁰, L. Pascual Dominguez ¹⁵⁷, V.R. Pascuzzi ¹⁶,
 F. Pasquali ¹¹⁵, E. Pasqualucci ^{70a}, S. Passaggio ^{53b}, F. Pastore ⁹¹, P. Pasuwan ^{43a,43b}, J.R. Pater ⁹⁷,
 A. Pathak ¹⁷⁶, J. Patton ⁸⁸, T. Pauly ³⁴, J. Pearkes ¹⁴⁹, M. Pedersen ¹²⁹, L. Pedraza Diaz ¹¹⁴, R. Pedro ^{135a},
 T. Peiffer ⁵¹, S.V. Peleganchuk ^{117b,117a}, O. Penc ¹³⁶, C. Peng ^{60b}, H. Peng ^{58a}, M. Penzin ¹⁶¹, B.S. Peralva ^{78a},
 A.P. Pereira Peixoto ^{135a}, L. Pereira Sanchez ^{43a,43b}, D.V. Perepelitsa ²⁷, E. Perez Codina ^{163a}, M. Perganti ⁹,
 L. Perini ^{66a,66b}, H. Pernegger ³⁴, S. Perrella ³⁴, A. Perrevoort ¹¹⁵, K. Peters ⁴⁴, R.F.Y. Peters ⁹⁷,
 B.A. Petersen ³⁴, T.C. Petersen ³⁸, E. Petit ⁹⁸, V. Petousis ¹³⁷, C. Petridou ¹⁵⁸, P. Petroff ⁶², F. Petracci ^{72a,72b},
 A. Petrukhin ¹⁴⁷, M. Pettee ¹⁷⁸, N.E. Pettersson ³⁴, K. Petukhova ¹³⁸, A. Peyaud ¹⁴⁰, R. Pezoa ^{142e},
 L. Pezzotti ³⁴, G. Pezzullo ¹⁷⁸, T. Pham ¹⁰¹, P.W. Phillips ¹³⁹, M.W. Phipps ¹⁶⁸, G. Piacquadio ¹⁵¹,
 E. Pianori ¹⁶, F. Piazza ^{66a,66b}, A. Picazio ⁹⁹, R. Piegala ²⁸, D. Pietreanu ^{25b}, J.E. Pilcher ³⁵, A.D. Pilkington ⁹⁷,
 M. Pinamonti ^{64a,64c}, J.L. Pinfold ², C. Pitman Donaldson ⁹², D.A. Pizzi ³², L. Pizzimento ^{71a,71b},
 A. Pizzini ¹¹⁵, M.-A. Pleier ²⁷, V. Plesanovs ⁵⁰, V. Pleskot ¹³⁸, E. Plotnikova ⁷⁷, P. Podberezk ^{117b,117a},

- R. Poettgen 94, R. Poggi 52, L. Poggiali 131, I. Pogrebnyak 103, D. Pohl 22, I. Pokharel 51, G. Polesello 68a,
 A. Poley 148, 163a, A. Pollicchio 70a, 70b, R. Polifka 138, A. Polini 21b, C.S. Pollard 130, Z.B. Pollock 123,
 V. Polychronakos 27, D. Ponomarenko 108, L. Pontecorvo 34, S. Popa 25a, G.A. Popeneciu 25d, L. Portales 4,
 D.M. Portillo Quintero 163a, S. Pospisil 137, P. Postolache 25c, K. Potamianos 130, I.N. Potrap 77, C.J. Potter 30,
 H. Potti 1, T. Poulsen 44, J. Poveda 169, T.D. Powell 145, G. Pownall 44, M.E. Pozo Astigarraga 34,
 A. Prades Ibanez 169, P. Pralavorio 98, M.M. Prapa 42, S. Prell 76, D. Price 97, M. Primavera 65a,
 M.A. Principe Martin 95, M.L. Proffitt 144, N. Proklova 108, K. Prokofiev 60c, F. Prokoshin 77,
 S. Protopopescu 27, J. Proudfoot 5, M. Przybycien 81a, D. Pudzha 133, P. Puzo 62, D. Pyatiizbyantseva 108,
 J. Qian 102, Y. Qin 97, T. Qiu 90, A. Quadt 51, M. Queitsch-Maitland 34, G. Rabanal Bolanos 57,
 F. Ragusa 66a, 66b, J.A. Raine 52, S. Rajagopalan 27, K. Ran 13a, 13d, D.F. Rassloff 59a, D.M. Rauch 44, S. Rave 96,
 B. Ravina 55, I. Ravinovich 175, M. Raymond 34, A.L. Read 129, N.P. Readioff 145, D.M. Rebuzzi 68a, 68b,
 G. Redlinger 27, K. Reeves 41, D. Reikher 157, A. Reiss 96, A. Rej 147, C. Rembser 34, A. Renardi 44,
 M. Renda 25b, M.B. Rendel 111, A.G. Rennie 55, S. Resconi 66a, M. Ressegotti 53b, 53a, E.D. Resseguei 16,
 S. Rettie 92, B. Reynolds 123, E. Reynolds 19, M. Rezaei Estabragh 177, O.L. Rezanova 117b, 117a,
 P. Reznicek 138, E. Ricci 73a, 73b, R. Richter 111, S. Richter 44, E. Richter-Was 81b, M. Ridel 131, P. Rieck 111,
 P. Riedler 34, O. Rifki 44, M. Rijssenbeek 151, A. Rimoldi 68a, 68b, M. Rimoldi 44, L. Rinaldi 21b, 21a,
 T.T. Rinn 168, M.P. Rinnagel 110, G. Ripellino 150, I. Riu 12, P. Rivadeneira 44, J.C. Rivera Vergara 171,
 F. Rizatdinova 125, E. Rizvi 90, C. Rizzi 52, B.A. Roberts 173, B.R. Roberts 16, S.H. Robertson 100, y, M. Robin 44,
 D. Robinson 30, C.M. Robles Gajardo 142e, M. Robles Manzano 96, A. Robson 55, A. Rocchi 71a, 71b,
 C. Roda 69a, 69b, S. Rodriguez Bosca 59a, A. Rodriguez Rodriguez 50, A.M. Rodríguez Vera 163b, S. Roe 34,
 A.R. Roepe 124, J. Roggel 177, O. Røhne 129, R.A. Rojas 171, B. Roland 50, C.P.A. Roland 63, J. Roloff 27,
 A. Romanouk 108, M. Romano 21b, A.C. Romero Hernandez 168, N. Rompotis 88, M. Ronzani 121, L. Roos 131,
 S. Rosati 70a, B.J. Rosser 132, E. Rossi 162, E. Rossi 4, E. Rossi 67a, 67b, L.P. Rossi 53b, L. Rossini 44, R. Rosten 123,
 M. Rotaru 25b, B. Rottler 50, D. Rousseau 62, D. Rousso 30, G. Rovelli 68a, 68b, A. Roy 10, A. Rozanov 98,
 Y. Rozen 156, X. Ruan 31f, A.J. Ruby 88, T.A. Ruggeri 1, F. Rühr 50, A. Ruiz-Martinez 169, A. Rummler 34,
 Z. Rurikova 50, N.A. Rusakovich 77, H.L. Russell 34, L. Rustige 36, J.P. Rutherford 6, E.M. Rüttinger 145,
 M. Rybar 138, E.B. Rye 129, A. Ryzhov 118, J.A. Sabater Iglesias 44, P. Sabatini 169, L. Sabetta 70a, 70b,
 H.F-W. Sadrozinski 141, R. Sadykov 77, F. Safai Tehrani 70a, B. Safarzadeh Samani 152, M. Safdari 149,
 S. Saha 100, M. Sahinsoy 111, A. Sahu 177, M. Saimpert 140, M. Saito 159, T. Saito 159, D. Salamani 34,
 G. Salamanna 72a, 72b, A. Salnikov 149, J. Salt 169, A. Salvador Salas 12, D. Salvatore 39b, 39a, F. Salvatore 152,
 A. Salzburger 34, D. Sammel 50, D. Sampsonidis 158, D. Sampsonidou 58d, 58c, J. Sánchez 169,
 A. Sanchez Pineda 4, V. Sanchez Sebastian 169, H. Sandaker 129, C.O. Sander 44, I.G. Sanderswood 87,
 J.A. Sandesara 99, M. Sandhoff 177, C. Sandoval 20b, D.P.C. Sankey 139, M. Sannino 53b, 53a, A. Sansoni 49,
 C. Santoni 36, H. Santos 135a, 135b, S.N. Santpur 16, A. Santra 175, K.A. Saoucha 145, A. Sapronov 77,
 J.G. Saraiva 135a, 135d, J. Sardain 98, O. Sasaki 79, K. Sato 164, C. Sauer 59b, F. Sauerburger 50, E. Sauvan 4,
 P. Savard 162, aj, R. Sawada 159, C. Sawyer 139, L. Sawyer 93, I. Sayago Galvan 169, C. Sbarra 21b,
 A. Sbrizzi 21b, 21a, T. Scanlon 92, J. Schaarschmidt 144, P. Schacht 111, D. Schaefer 35, U. Schäfer 96,
 A.C. Schaffner 62, D. Schaile 110, R.D. Schamberger 151, E. Schanet 110, C. Scharf 17, N. Scharmberg 97,
 V.A. Schegelsky 133, D. Scheirich 138, F. Schenck 17, M. Schernau 166, C. Schiavi 53b, 53a, L.K. Schildgen 22,
 Z.M. Schillaci 24, E.J. Schioppa 65a, 65b, M. Schioppa 39b, 39a, B. Schlag 96, K.E. Schleicher 50, S. Schlenker 34,
 K. Schmieden 96, C. Schmitt 96, S. Schmitt 44, L. Schoeffel 140, A. Schoening 59b, P.G. Scholer 50,
 E. Schopf 130, M. Schott 96, J. Schovancova 34, S. Schramm 52, F. Schroeder 177, H-C. Schultz-Coulon 59a,
 M. Schumacher 50, B.A. Schumm 141, Ph. Schune 140, A. Schwartzman 149, T.A. Schwarz 102,
 Ph. Schwemling 140, R. Schwienhorst 103, A. Sciandra 141, G. Sciolla 24, F. Scuri 69a, F. Scutti 101,
 C.D. Sebastiani 88, K. Sedlaczek 45, P. Seema 17, S.C. Seidel 113, A. Seiden 141, B.D. Seidlitz 27, T. Seiss 35,
 C. Seitz 44, J.M. Seixas 78b, G. Sekhniaidze 67a, S.J. Sekula 40, L. Selem 4, N. Semprini-Cesari 21b, 21a, S. Sen 47,
 C. Serfon 27, L. Serin 62, L. Serkin 64a, 64b, M. Sessa 72a, 72b, H. Severini 124, S. Sevova 149, F. Sforza 53b, 53a,
 A. Sfyrla 52, E. Shabalina 51, R. Shaheen 150, J.D. Shahinian 132, N.W. Shaikh 43a, 43b, D. Shaked Renous 175,
 L.Y. Shan 13a, M. Shapiro 16, A. Sharma 34, A.S. Sharma 1, S. Sharma 44, P.B. Shatalov 119, K. Shaw 152,
 S.M. Shaw 97, P. Sherwood 92, L. Shi 92, C.O. Shimmin 178, Y. Shimogama 174, J.D. Shinner 91,
 I.P.J. Shipsey 130, S. Shirabe 52, M. Shiyakova 77, J. Shlomi 175, M.J. Shochet 35, J. Shojaii 101, D.R. Shope 150,
 S. Shrestha 123, E.M. Shrif 31f, M.J. Shroff 171, E. Shulga 175, P. Sicho 136, A.M. Sickles 168,
 E. Sideras Haddad 31f, O. Sidiropoulou 34, A. Sidoti 21b, F. Siegert 46, Dj. Sijacki 14, J.M. Silva 19,

- M.V. Silva Oliveira ³⁴, S.B. Silverstein ^{43a}, S. Simion ⁶², R. Simoniello ³⁴, N.D. Simpson ⁹⁴, S. Simsek ^{11b}, P. Sinervo ¹⁶², V. Sinetckii ¹⁰⁹, S. Singh ¹⁴⁸, S. Singh ¹⁶², S. Sinha ⁴⁴, S. Sinha ^{31f}, M. Sioli ^{21b,21a}, I. Siral ¹²⁷, S.Yu. Sivoklokov ¹⁰⁹, J. Sjölin ^{43a,43b}, A. Skaf ⁵¹, E. Skorda ⁹⁴, P. Skubic ¹²⁴, M. Slawinska ⁸², K. Sliwa ¹⁶⁵, V. Smakhtin ¹⁷⁵, B.H. Smart ¹³⁹, J. Smiesko ¹³⁸, S.Yu. Smirnov ¹⁰⁸, Y. Smirnov ¹⁰⁸, L.N. Smirnova ^{109,r}, O. Smirnova ⁹⁴, E.A. Smith ³⁵, H.A. Smith ¹³⁰, M. Smizanska ⁸⁷, K. Smolek ¹³⁷, A. Smykiewicz ⁸², A.A. Snesarev ¹⁰⁷, H.L. Snoek ¹¹⁵, S. Snyder ²⁷, R. Sobie ^{171,y}, A. Soffer ¹⁵⁷, F. Sohns ⁵¹, C.A. Solans Sanchez ³⁴, E.Yu. Soldatov ¹⁰⁸, U. Soldevila ¹⁶⁹, A.A. Solodkov ¹¹⁸, S. Solomon ⁵⁰, A. Soloshenko ⁷⁷, O.V. Solovyanov ¹¹⁸, V. Solovyev ¹³³, P. Sommer ¹⁴⁵, H. Son ¹⁶⁵, A. Sonay ¹², W.Y. Song ^{163b}, A. Sopczak ¹³⁷, A.L. Sopio ⁹², F. Sopkova ^{26b}, S. Sottocornola ^{68a,68b}, R. Soualah ^{64a,64c}, A.M. Soukhariev ^{117b,117a}, Z. Soumami ^{33e}, D. South ⁴⁴, S. Spagnolo ^{65a,65b}, M. Spalla ¹¹¹, M. Spangenberg ¹⁷³, F. Spanò ⁹¹, D. Sperlich ⁵⁰, T.M. Spieker ^{59a}, G. Spigo ³⁴, M. Spina ¹⁵², D.P. Spiteri ⁵⁵, M. Spousta ¹³⁸, A. Stabile ^{66a,66b}, R. Stamen ^{59a}, M. Stamenkovic ¹¹⁵, A. Stampekkis ¹⁹, M. Standke ²², E. Stanecka ⁸², B. Stanislaus ³⁴, M.M. Stanitzki ⁴⁴, M. Stankaityte ¹³⁰, B. Stapf ⁴⁴, E.A. Starchenko ¹¹⁸, G.H. Stark ¹⁴¹, J. Stark ⁹⁸, D.M. Starko ^{163b}, P. Staroba ¹³⁶, P. Starovoitov ^{59a}, S. Stärz ¹⁰⁰, R. Staszewski ⁸², G. Stavropoulos ⁴², P. Steinberg ²⁷, A.L. Steinhebel ¹²⁷, B. Stelzer ^{148,163a}, H.J. Stelzer ¹³⁴, O. Stelzer-Chilton ^{163a}, H. Stenzel ⁵⁴, T.J. Stevenson ¹⁵², G.A. Stewart ³⁴, M.C. Stockton ³⁴, G. Stoica ^{25b}, M. Stolarski ^{135a}, S. Stonjek ¹¹¹, A. Straessner ⁴⁶, J. Strandberg ¹⁵⁰, S. Strandberg ^{43a,43b}, M. Strauss ¹²⁴, T. Strebler ⁹⁸, P. Strizenec ^{26b}, R. Ströhmer ¹⁷², D.M. Strom ¹²⁷, L.R. Strom ⁴⁴, R. Stroynowski ⁴⁰, A. Strubig ^{43a,43b}, S.A. Stucci ²⁷, B. Stugu ¹⁵, J. Stupak ¹²⁴, N.A. Styles ⁴⁴, D. Su ¹⁴⁹, S. Su ^{58a}, W. Su ^{58d,144,58c}, X. Su ^{58a}, K. Sugizaki ¹⁵⁹, V.V. Sulin ¹⁰⁷, M.J. Sullivan ⁸⁸, D.M.S. Sultan ⁵², L. Sultanaliyeva ¹⁰⁷, S. Sultansoy ^{3c}, T. Sumida ⁸³, S. Sun ¹⁰², S. Sun ¹⁷⁶, X. Sun ⁹⁷, O. Sunneborn Gudnadottir ¹⁶⁷, C.J.E. Suster ¹⁵³, M.R. Sutton ¹⁵², M. Svatos ¹³⁶, M. Swiatlowski ^{163a}, T. Swirski ¹⁷², I. Sykora ^{26a}, M. Sykora ¹³⁸, T. Sykora ¹³⁸, D. Ta ⁹⁶, K. Tackmann ^{44,w}, A. Taffard ¹⁶⁶, R. Tafirout ^{163a}, R.H.M. Taibah ¹³¹, R. Takashima ⁸⁴, K. Takeda ⁸⁰, T. Takeshita ¹⁴⁶, E.P. Takeva ⁴⁸, Y. Takubo ⁷⁹, M. Talby ⁹⁸, A.A. Talyshев ^{117b,117a}, K.C. Tam ^{60b}, N.M. Tamir ¹⁵⁷, A. Tanaka ¹⁵⁹, J. Tanaka ¹⁵⁹, R. Tanaka ⁶², J. Tang ^{58c}, Z. Tao ¹⁷⁰, S. Tapia Araya ⁷⁶, S. Tapprogge ⁹⁶, A. Tarek Abouelfadl Mohamed ¹⁰³, S. Tarem ¹⁵⁶, K. Tariq ^{58b}, G. Tarna ^{25b}, G.F. Tartarelli ^{66a}, P. Tas ¹³⁸, M. Tasevsky ¹³⁶, E. Tassi ^{39b,39a}, G. Tateno ¹⁵⁹, Y. Tayalati ^{33e}, G.N. Taylor ¹⁰¹, W. Taylor ^{163b}, H. Teagle ⁸⁸, A.S. Tee ¹⁷⁶, R. Teixeira De Lima ¹⁴⁹, P. Teixeira-Dias ⁹¹, H. Ten Kate ³⁴, J.J. Teoh ¹¹⁵, K. Terashi ¹⁵⁹, J. Terron ⁹⁵, S. Terzo ¹², M. Testa ⁴⁹, R.J. Teuscher ^{162,y}, N. Themistokleous ⁴⁸, T. Theveneaux-Pelzer ¹⁷, O. Thielmann ¹⁷⁷, D.W. Thomas ⁹¹, J.P. Thomas ¹⁹, E.A. Thompson ⁴⁴, P.D. Thompson ¹⁹, E. Thomson ¹³², E.J. Thorpe ⁹⁰, Y. Tian ⁵¹, V.O. Tikhomirov ^{107,af}, Yu.A. Tikhonov ^{117b,117a}, S. Timoshenko ¹⁰⁸, P. Tipton ¹⁷⁸, S. Tisserant ⁹⁸, S.H. Tlou ^{31f}, A. Tnourji ³⁶, K. Todome ^{21b,21a}, S. Todorova-Nova ¹³⁸, S. Todt ⁴⁶, M. Togawa ⁷⁹, J. Tojo ⁸⁵, S. Tokár ^{26a}, K. Tokushuku ⁷⁹, E. Tolley ¹²³, R. Tombs ³⁰, M. Tomoto ^{79,112}, L. Tompkins ¹⁴⁹, P. Tornambe ⁹⁹, E. Torrence ¹²⁷, H. Torres ⁴⁶, E. Torró Pastor ¹⁶⁹, M. Toscani ²⁸, C. Tosciri ³⁵, J. Toth ^{98,x}, D.R. Tovey ¹⁴⁵, A. Traeet ¹⁵, C.J. Treado ¹²¹, T. Trefzger ¹⁷², A. Tricoli ²⁷, I.M. Trigger ^{163a}, S. Trincaz-Duvold ¹³¹, D.A. Trischuk ¹⁷⁰, W. Trischuk ¹⁶², B. Trocmé ⁵⁶, A. Trofymov ⁶², C. Troncon ^{66a}, F. Trovato ¹⁵², L. Truong ^{31c}, M. Trzebinski ⁸², A. Trzupek ⁸², F. Tsai ¹⁵¹, A. Tsiamis ¹⁵⁸, P.V. Tsiareshka ^{104,ad}, A. Tsirigotis ^{158,u}, V. Tsiskaridze ¹⁵¹, E.G. Tskhadadze ^{155a}, M. Tsopoulou ¹⁵⁸, Y. Tsujikawa ⁸³, I.I. Tsukerman ¹¹⁹, V. Tsulaia ¹⁶, S. Tsuno ⁷⁹, O. Tsur ¹⁵⁶, D. Tsybychev ¹⁵¹, Y. Tu ^{60b}, A. Tudorache ^{25b}, V. Tudorache ^{25b}, A.N. Tuna ³⁴, S. Turchikhin ⁷⁷, I. Turk Cakir ^{3a}, R.J. Turner ¹⁹, R. Turra ^{66a}, P.M. Tuts ³⁷, S. Tzamarias ¹⁵⁸, P. Tzanis ⁹, E. Tzovara ⁹⁶, K. Uchida ¹⁵⁹, F. Ukegawa ¹⁶⁴, P.A. Ulloa Poblete ^{142c}, G. Unal ³⁴, M. Unal ¹⁰, A. Undrus ²⁷, G. Unel ¹⁶⁶, F.C. Ungaro ¹⁰¹, K. Uno ¹⁵⁹, J. Urban ^{26b}, P. Urquijo ¹⁰¹, G. Usai ⁷, R. Ushioda ¹⁶⁰, M. Usman ¹⁰⁶, Z. Uysal ^{11d}, V. Vacek ¹³⁷, B. Vachon ¹⁰⁰, K.O.H. Vadla ¹²⁹, T. Vafeiadis ³⁴, C. Valderanis ¹¹⁰, E. Valdes Santurio ^{43a,43b}, M. Valente ^{163a}, S. Valentinietti ^{21b,21a}, A. Valero ¹⁶⁹, R.A. Vallance ¹⁹, A. Vallier ⁹⁸, J.A. Valls Ferrer ¹⁶⁹, T.R. Van Daalen ¹⁴⁴, P. Van Gemmeren ⁵, S. Van Stroud ⁹², I. Van Vulpen ¹¹⁵, M. Vanadia ^{71a,71b}, W. Vandelli ³⁴, M. Vandebroucke ¹⁴⁰, E.R. Vandewall ¹²⁵, D. Vannicola ¹⁵⁷, L. Vannoli ^{53b,53a}, R. Vari ^{70a}, E.W. Varnes ⁶, C. Varni ¹⁶, T. Varol ¹⁵⁴, D. Varouchas ⁶², K.E. Varvell ¹⁵³, M.E. Vasile ^{25b}, L. Vaslin ³⁶, G.A. Vasquez ¹⁷¹, F. Vazeille ³⁶, D. Vazquez Furelos ¹², T. Vazquez Schroeder ³⁴, J. Veatch ⁵¹, V. Vecchio ⁹⁷, M.J. Veen ¹¹⁵, I. Velisek ¹³⁰, L.M. Veloce ¹⁶², F. Veloso ^{135a,135c}, S. Veneziano ^{70a}, A. Ventura ^{65a,65b}, A. Verbytskyi ¹¹¹, M. Verducci ^{69a,69b}, C. Vergis ²², M. Verissimo De Araujo ^{78b}, W. Verkerke ¹¹⁵, A.T. Vermeulen ¹¹⁵, J.C. Vermeulen ¹¹⁵, C. Vernieri ¹⁴⁹, P.J. Verschuuren ⁹¹, M. Vessella ⁹⁹, M.L. Vesterbacka ¹²¹,

- M.C. Vetterli ^{148,aj}, A. Vgenopoulos ¹⁵⁸, N. Viaux Maira ^{142e}, T. Vickey ¹⁴⁵, O.E. Vickey Boeriu ¹⁴⁵, G.H.A. Viehhauser ¹³⁰, L. Vigani ^{59b}, M. Villa ^{21b,21a}, M. Villaplana Perez ¹⁶⁹, E.M. Villhauer ⁴⁸, E. Vilucchi ⁴⁹, M.G. Vincter ³², G.S. Virdee ¹⁹, A. Vishwakarma ⁴⁸, C. Vittori ^{21b,21a}, I. Vivarelli ¹⁵², V. Vladimirov ¹⁷³, E. Voevodina ¹¹¹, M. Vogel ¹⁷⁷, P. Vokac ¹³⁷, J. Von Ahnen ⁴⁴, E. Von Toerne ²², V. Vorobel ¹³⁸, K. Vorobev ¹⁰⁸, M. Vos ¹⁶⁹, J.H. Vossebeld ⁸⁸, M. Vozak ⁹⁷, L. Vozdecky ⁹⁰, N. Vranjes ¹⁴, M. Vranjes Milosavljevic ¹⁴, V. Vrba ^{137,*}, M. Vreeswijk ¹¹⁵, N.K. Vu ⁹⁸, R. Vuillermet ³⁴, O.V. Vujinovic ⁹⁶, I. Vukotic ³⁵, S. Wada ¹⁶⁴, C. Wagner ⁹⁹, W. Wagner ¹⁷⁷, S. Wahdan ¹⁷⁷, H. Wahlberg ⁸⁶, R. Wakasa ¹⁶⁴, M. Wakida ¹¹², V.M. Walbrecht ¹¹¹, J. Walder ¹³⁹, R. Walker ¹¹⁰, S.D. Walker ⁹¹, W. Walkowiak ¹⁴⁷, A.M. Wang ⁵⁷, A.Z. Wang ¹⁷⁶, C. Wang ^{58a}, C. Wang ^{58c}, H. Wang ¹⁶, J. Wang ^{60a}, P. Wang ⁴⁰, R.-J. Wang ⁹⁶, R. Wang ⁵⁷, R. Wang ¹¹⁶, S.M. Wang ¹⁵⁴, S. Wang ^{58b}, T. Wang ^{58a}, W.T. Wang ⁷⁵, W.X. Wang ^{58a}, X. Wang ^{13c}, X. Wang ¹⁶⁸, X. Wang ^{58c}, Y. Wang ^{58a}, Z. Wang ¹⁰², C. Wanotayaroj ³⁴, A. Warburton ¹⁰⁰, C.P. Ward ³⁰, R.J. Ward ¹⁹, N. Warrack ⁵⁵, A.T. Watson ¹⁹, M.F. Watson ¹⁹, G. Watts ¹⁴⁴, B.M. Waugh ⁹², A.F. Webb ¹⁰, C. Weber ²⁷, M.S. Weber ¹⁸, S.A. Weber ³², S.M. Weber ^{59a}, C. Wei ^{58a}, Y. Wei ¹³⁰, A.R. Weidberg ¹³⁰, J. Weingarten ⁴⁵, M. Weirich ⁹⁶, C. Weiser ⁵⁰, T. Wenaus ²⁷, B. Wendland ⁴⁵, T. Wengler ³⁴, S. Wenig ³⁴, N. Wermes ²², M. Wessels ^{59a}, K. Whalen ¹²⁷, A.M. Wharton ⁸⁷, A.S. White ⁵⁷, A. White ⁷, M.J. White ¹, D. Whiteson ¹⁶⁶, L. Wickremasinghe ¹²⁸, W. Wiedenmann ¹⁷⁶, C. Wiel ⁴⁶, M. Wielers ¹³⁹, N. Wieseotte ⁹⁶, C. Wiglesworth ³⁸, L.A.M. Wiik-Fuchs ⁵⁰, D.J. Wilbern ¹²⁴, H.G. Wilkens ³⁴, L.J. Wilkins ⁹¹, D.M. Williams ³⁷, H.H. Williams ¹³², S. Williams ³⁰, S. Willocq ⁹⁹, P.J. Windischhofer ¹³⁰, I. Wingerter-Seez ⁴, F. Winkelmeier ¹²⁷, B.T. Winter ⁵⁰, M. Wittgen ¹⁴⁹, M. Wobisch ⁹³, A. Wolf ⁹⁶, R. Wölker ¹³⁰, J. Wollrath ¹⁶⁶, M.W. Wolter ⁸², H. Wolters ^{135a,135c}, V.W.S. Wong ¹⁷⁰, A.F. Wongel ⁴⁴, S.D. Worm ⁴⁴, B.K. Wosiek ⁸², K.W. Woźniak ⁸², K. Wright ⁵⁵, J. Wu ^{13a,13d}, S.L. Wu ¹⁷⁶, X. Wu ⁵², Y. Wu ^{58a}, Z. Wu ^{140,58a}, J. Wuerzinger ¹³⁰, T.R. Wyatt ⁹⁷, B.M. Wynne ⁴⁸, S. Xella ³⁸, L. Xia ^{13c}, M. Xia ^{13b}, J. Xiang ^{60c}, X. Xiao ¹⁰², M. Xie ^{58a}, X. Xie ^{58a}, I. Xiotidis ¹⁵², D. Xu ^{13a}, H. Xu ^{58a}, H. Xu ^{58a}, L. Xu ^{58a}, R. Xu ¹³², T. Xu ^{58a}, W. Xu ¹⁰², Y. Xu ^{13b}, Z. Xu ^{58b}, Z. Xu ¹⁴⁹, B. Yabsley ¹⁵³, S. Yacoob ^{31a}, N. Yamaguchi ⁸⁵, Y. Yamaguchi ¹⁶⁰, M. Yamatani ¹⁵⁹, H. Yamauchi ¹⁶⁴, T. Yamazaki ¹⁶, Y. Yamazaki ⁸⁰, J. Yan ^{58c}, S. Yan ¹³⁰, Z. Yan ²³, H.J. Yang ^{58c,58d}, H.T. Yang ¹⁶, S. Yang ^{58a}, T. Yang ^{60c}, X. Yang ^{58a}, X. Yang ^{13a}, Y. Yang ¹⁵⁹, Z. Yang ^{102,58a}, W.-M. Yao ¹⁶, Y.C. Yap ⁴⁴, H. Ye ^{13c}, J. Ye ⁴⁰, S. Ye ²⁷, I. Yeletskikh ⁷⁷, M.R. Yexley ⁸⁷, P. Yin ³⁷, K. Yorita ¹⁷⁴, K. Yoshihara ⁷⁶, C.J.S. Young ⁵⁰, C. Young ¹⁴⁹, M. Yuan ¹⁰², R. Yuan ^{58b,i}, X. Yue ^{59a}, M. Zaazoua ^{33e}, B. Zabinski ⁸², G. Zacharis ⁹, E. Zaid ⁴⁸, A.M. Zaitsev ^{118,ae}, T. Zakareishvili ^{155b}, N. Zakharchuk ³², S. Zambito ³⁴, D. Zanzi ⁵⁰, S.V. Zeißner ⁴⁵, C. Zeitnitz ¹⁷⁷, J.C. Zeng ¹⁶⁸, D.T. Zenger Jr ²⁴, O. Zenin ¹¹⁸, T. Ženiš ^{26a}, S. Zenz ⁹⁰, S. Zerradi ^{33a}, D. Zerwas ⁶², B. Zhang ^{13c}, D.F. Zhang ¹⁴⁵, G. Zhang ^{13b}, J. Zhang ⁵, K. Zhang ^{13a}, L. Zhang ^{13c}, M. Zhang ¹⁶⁸, R. Zhang ¹⁷⁶, S. Zhang ¹⁰², X. Zhang ^{58c}, X. Zhang ^{58b}, Z. Zhang ⁶², P. Zhao ⁴⁷, T. Zhao ^{58b}, Y. Zhao ¹⁴¹, Z. Zhao ^{58a}, A. Zhemchugov ⁷⁷, Z. Zheng ¹⁴⁹, D. Zhong ¹⁶⁸, B. Zhou ¹⁰², C. Zhou ¹⁷⁶, H. Zhou ⁶, N. Zhou ^{58c}, Y. Zhou ⁶, C.G. Zhu ^{58b}, C. Zhu ^{13a,13d}, H.L. Zhu ^{58a}, H. Zhu ^{13a}, J. Zhu ¹⁰², Y. Zhu ^{58a}, X. Zhuang ^{13a}, K. Zhukov ¹⁰⁷, V. Zhulanov ^{117b,117a}, D. Ziemska ⁶³, N.I. Zimine ⁷⁷, S. Zimmermann ^{50,*}, J. Zinsser ^{59b}, M. Ziolkowski ¹⁴⁷, L. Živković ¹⁴, A. Zoccoli ^{21b,21a}, K. Zoch ⁵², T.G. Zorbos ¹⁴⁵, O. Zormpa ⁴², W. Zou ³⁷, L. Zwalski ³⁴

¹ Department of Physics, University of Adelaide, Adelaide; Australia² Department of Physics, University of Alberta, Edmonton AB; Canada³ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Istanbul Aydin University, Application and Research Center for Advanced Studies, Istanbul; ^(c) Division of Physics, TOBB University of Economics and Technology, Ankara; Turkey⁴ LAPP, Univ. Savoie Mont Blanc, CNRS/IN2P3, Annecy; France⁵ High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America⁶ Department of Physics, University of Arizona, Tucson AZ; United States of America⁷ Department of Physics, University of Texas at Arlington, Arlington TX; United States of America⁸ Physics Department, National and Kapodistrian University of Athens, Athens; Greece⁹ Physics Department, National Technical University of Athens, Zografou; Greece¹⁰ Department of Physics, University of Texas at Austin, Austin TX; United States of America¹¹ ^(a) Bahçeşehir University, Faculty of Engineering and Natural Sciences, Istanbul; ^(b) Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; ^(c) Department of Physics, Bogazici University, Istanbul; ^(d) Department of Physics Engineering, Gaziantep University, Gaziantep; Turkey¹² Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain¹³ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Physics Department, Tsinghua University, Beijing; ^(c) Department of Physics, Nanjing University, Nanjing;^(d) University of Chinese Academy of Science (UCAS), Beijing; China¹⁴ Institute of Physics, University of Belgrade, Belgrade; Serbia¹⁵ Department for Physics and Technology, University of Bergen, Bergen; Norway¹⁶ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA; United States of America¹⁷ Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany¹⁸ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland¹⁹ School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom²⁰ ^(a) Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; ^(b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia²¹ ^(a) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; ^(b) INFN Sezione di Bologna; Italy

- ²² Physikalisches Institut, Universität Bonn, Bonn; Germany
²³ Department of Physics, Boston University, Boston MA; United States of America
²⁴ Department of Physics, Brandeis University, Waltham MA; United States of America
²⁵ ^(a) Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; ^(e) University Politehnica Bucharest, Bucharest; ^(f) West University in Timisoara, Timisoara; Romania
²⁶ ^(a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic
²⁷ Physics Department, Brookhaven National Laboratory, Upton NY; United States of America
²⁸ Departamento de Física (FCEN) and IFIBA, Universidad de Buenos Aires and CONICET, Buenos Aires; Argentina
²⁹ California State University, CA; United States of America
³⁰ Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom
³¹ ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) iThemba Labs, Western Cape; ^(c) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; ^(d) National Institute of Physics, University of the Philippines Diliman (Philippines); ^(e) University of South Africa, Department of Physics, Pretoria; ^(f) School of Physics, University of the Witwatersrand, Johannesburg; South Africa
³² Department of Physics, Carleton University, Ottawa ON; Canada
³³ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; ^(b) Faculté des Sciences, Université Ibn-Tofail, Kénitra; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat; ^(f) Mohammed VI Polytechnic University, Ben Guerir; Morocco
³⁴ CERN, Geneva; Switzerland
³⁵ Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America
³⁶ LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France
³⁷ Nevis Laboratory, Columbia University, Irvington NY; United States of America
³⁸ Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark
³⁹ ^(a) Dipartimento di Fisica, Università della Calabria, Rende; ^(b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy
⁴⁰ Physics Department, Southern Methodist University, Dallas TX; United States of America
⁴¹ Physics Department, University of Texas at Dallas, Richardson TX; United States of America
⁴² National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece
⁴³ ^(a) Department of Physics, Stockholm University; ^(b) Oskar Klein Centre, Stockholm; Sweden
⁴⁴ Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany
⁴⁵ Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany
⁴⁶ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany
⁴⁷ Department of Physics, Duke University, Durham NC; United States of America
⁴⁸ SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom
⁴⁹ INFN e Laboratori Nazionali di Frascati, Frascati; Italy
⁵⁰ Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany
⁵¹ II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany
⁵² Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland
⁵³ ^(a) Dipartimento di Fisica, Università di Genova, Genova; ^(b) INFN Sezione di Genova; Italy
⁵⁴ II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany
⁵⁵ SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom
⁵⁶ LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France
⁵⁷ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America
⁵⁸ ^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; ^(b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; ^(c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; ^(d) Tsung-Dao Lee Institute, Shanghai; China
⁵⁹ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany
⁶⁰ ^(a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, University of Hong Kong, Hong Kong; ^(c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China
⁶¹ Department of Physics, National Tsing Hua University, Hsinchu; Taiwan
⁶² IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France
⁶³ Department of Physics, Indiana University, Bloomington IN; United States of America
⁶⁴ ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy
⁶⁵ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy
⁶⁶ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano; Italy
⁶⁷ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy
⁶⁸ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy
⁶⁹ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy
⁷⁰ ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy
⁷¹ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy
⁷² ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy
⁷³ ^(a) INFN-TIFPA; ^(b) Università degli Studi di Trento, Trento; Italy
⁷⁴ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck; Austria
⁷⁵ University of Iowa, Iowa City IA; United States of America
⁷⁶ Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America
⁷⁷ Joint Institute for Nuclear Research, Dubna; Russia
⁷⁸ ^(a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; ^(b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(c) Instituto de Física, Universidade de São Paulo, São Paulo; Brazil
⁷⁹ KEK, High Energy Accelerator Research Organization, Tsukuba; Japan
⁸⁰ Graduate School of Science, Kobe University, Kobe; Japan
⁸¹ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland
⁸² Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland
⁸³ Faculty of Science, Kyoto University, Kyoto; Japan
⁸⁴ Kyoto University of Education, Kyoto; Japan
⁸⁵ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka; Japan
⁸⁶ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina
⁸⁷ Physics Department, Lancaster University, Lancaster; United Kingdom
⁸⁸ Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom
⁸⁹ Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia

- ⁹⁰ School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom
⁹¹ Department of Physics, Royal Holloway University of London, Egham; United Kingdom
⁹² Department of Physics and Astronomy, University College London, London; United Kingdom
⁹³ Louisiana Tech University, Ruston LA; United States of America
⁹⁴ Fysiska institutionen, Lunds universitet, Lund; Sweden
⁹⁵ Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain
⁹⁶ Institut für Physik, Universität Mainz, Mainz; Germany
⁹⁷ School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom
⁹⁸ CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France
⁹⁹ Department of Physics, University of Massachusetts, Amherst MA; United States of America
¹⁰⁰ Department of Physics, McGill University, Montreal QC; Canada
¹⁰¹ School of Physics, University of Melbourne, Victoria; Australia
¹⁰² Department of Physics, University of Michigan, Ann Arbor MI; United States of America
¹⁰³ Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America
¹⁰⁴ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk; Belarus
¹⁰⁵ Research Institute for Nuclear Problems of Byelorussian State University, Minsk; Belarus
¹⁰⁶ Group of Particle Physics, University of Montreal, Montreal QC; Canada
¹⁰⁷ P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow; Russia
¹⁰⁸ National Research Nuclear University MEPhI, Moscow; Russia
¹⁰⁹ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow; Russia
¹¹⁰ Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany
¹¹¹ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany
¹¹² Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan
¹¹³ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America
¹¹⁴ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands
¹¹⁵ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands
¹¹⁶ Department of Physics, Northern Illinois University, DeKalb IL; United States of America
¹¹⁷ ^(a) Budker Institute of Nuclear Physics and NSU, SB RAS, Novosibirsk; ^(b) Novosibirsk State University Novosibirsk; Russia
¹¹⁸ Institute for High Energy Physics of the National Research Centre Kurchatov Institute, Protvino; Russia
¹¹⁹ Institute for Theoretical and Experimental Physics named by A.I. Alikhanov of National Research Centre "Kurchatov Institute", Moscow; Russia
¹²⁰ ^(a) New York University Abu Dhabi, Abu Dhabi; ^(b) United Arab Emirates University, Al Ain; ^(c) University of Sharjah, Sharjah; United Arab Emirates
¹²¹ Department of Physics, New York University, New York NY; United States of America
¹²² Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan
¹²³ Ohio State University, Columbus OH; United States of America
¹²⁴ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America
¹²⁵ Department of Physics, Oklahoma State University, Stillwater OK; United States of America
¹²⁶ Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic
¹²⁷ Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America
¹²⁸ Graduate School of Science, Osaka University, Osaka; Japan
¹²⁹ Department of Physics, University of Oslo, Oslo; Norway
¹³⁰ Department of Physics, Oxford University, Oxford; United Kingdom
¹³¹ LPNHE, Sorbonne Université, Université de Paris, CNRS/IN2P3, Paris; France
¹³² Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America
¹³³ Konstantinov Nuclear Physics Institute of National Research Centre "Kurchatov Institute", PNPI, St. Petersburg; Russia
¹³⁴ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America
¹³⁵ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; ^(b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Departamento de Física, Universidade de Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); ^(g) Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal
¹³⁶ Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic
¹³⁷ Czech Technical University in Prague, Prague; Czech Republic
¹³⁸ Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic
¹³⁹ Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom
¹⁴⁰ IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France
¹⁴¹ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America
¹⁴² ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; ^(c) Universidad Andres Bello, Department of Physics, Santiago; ^(d) Instituto de Alta Investigación, Universidad de Tarapacá, Arica; ^(e) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile
¹⁴³ Universidade Federal de São João del Rei (UFSJ), São João del Rei; Brazil
¹⁴⁴ Department of Physics, University of Washington, Seattle WA; United States of America
¹⁴⁵ Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom
¹⁴⁶ Department of Physics, Shinshu University, Nagano; Japan
¹⁴⁷ Department Physik, Universität Siegen, Siegen; Germany
¹⁴⁸ Department of Physics, Simon Fraser University, Burnaby BC; Canada
¹⁴⁹ SLAC National Accelerator Laboratory, Stanford CA; United States of America
¹⁵⁰ Department of Physics, Royal Institute of Technology, Stockholm; Sweden
¹⁵¹ Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America
¹⁵² Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom
¹⁵³ School of Physics, University of Sydney, Sydney; Australia
¹⁵⁴ Institute of Physics, Academia Sinica, Taipei; Taiwan
¹⁵⁵ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi; Georgia
¹⁵⁶ Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel
¹⁵⁷ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel
¹⁵⁸ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece
¹⁵⁹ International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan
¹⁶⁰ Department of Physics, Tokyo Institute of Technology, Tokyo; Japan
¹⁶¹ Tomsk State University, Tomsk; Russia
¹⁶² Department of Physics, University of Toronto, Toronto ON; Canada
¹⁶³ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON; Canada
¹⁶⁴ Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan
¹⁶⁵ Department of Physics and Astronomy, Tufts University, Medford MA; United States of America

- ¹⁶⁶ Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America
¹⁶⁷ Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden
¹⁶⁸ Department of Physics, University of Illinois, Urbana IL; United States of America
¹⁶⁹ Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain
¹⁷⁰ Department of Physics, University of British Columbia, Vancouver BC; Canada
¹⁷¹ Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada
¹⁷² Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany
¹⁷³ Department of Physics, University of Warwick, Coventry; United Kingdom
¹⁷⁴ Waseda University, Tokyo; Japan
¹⁷⁵ Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel
¹⁷⁶ Department of Physics, University of Wisconsin, Madison WI; United States of America
¹⁷⁷ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany
¹⁷⁸ Department of Physics, Yale University, New Haven CT; United States of America

^a Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.

^b Also at Bruno Kessler Foundation, Trento; Italy.

^c Also at Center for High Energy Physics, Peking University; China.

^d Also at Centro Studi e Ricerche Enrico Fermi; Italy.

^e Also at CERN, Geneva; Switzerland.

^f Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.

^g Also at Departament de Fisica de la Universitat Autònoma de Barcelona, Barcelona; Spain.

^h Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.

ⁱ Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.

^j Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY; United States of America.

^k Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.

^l Also at Department of Physics, California State University, East Bay; United States of America.

^m Also at Department of Physics, California State University, Fresno; United States of America.

ⁿ Also at Department of Physics, California State University, Sacramento; United States of America.

^o Also at Department of Physics, King's College London, London; United Kingdom.

^p Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg; Russia.

^q Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.

^r Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow; Russia.

^s Also at Faculty of Physics, Sofia University, 'St. Kliment Ohridski', Sofia; Bulgaria.

^t Also at Graduate School of Science, Osaka University, Osaka; Japan.

^u Also at Hellenic Open University, Patras; Greece.

^v Also at Institut Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.

^w Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.

^x Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest; Hungary.

^y Also at Institute of Particle Physics (IPP); Canada.

^z Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

^{aa} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.

^{ab} Also at Instituto de Fisica Teorica, IFT-UAM/CSIC, Madrid; Spain.

^{ac} Also at Istanbul University, Dept. of Physics, Istanbul; Turkey.

^{ad} Also at Joint Institute for Nuclear Research, Dubna; Russia.

^{ae} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny; Russia.

^{af} Also at National Research Nuclear University MEPhI, Moscow; Russia.

^{ag} Also at Physics Department, An-Najah National University, Nablus; Palestine.

^{ah} Also at Physikalisch-es Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.

^{ai} Also at The City College of New York, New York NY; United States of America.

^{aj} Also at TRIUMF, Vancouver BC; Canada.

^{ak} Also at Università di Napoli Parthenope, Napoli; Italy.

^{al} Also at University of Chinese Academy of Sciences (UCAS), Beijing; China.

^{am} Also at Yeditepe University, Physics Department, Istanbul; Turkey.

* Deceased.