






Implementation of named entity recognition with developing question answering system: case study in merapi volcano museum

Research Article

Arfiani Nur Khusna* , Okhy Kharisma Putri , Dimas Chaerul Ekty Saputra 

Arfiani Nur Khusna and Okhy Kharisma Putri are with the Department of Informatics, Universitas Ahmad Dahlan, Jl. Ringroad Selatan, Kragilan, Tamanan, Kec. Banguntapan, Kabupaten Bantul, Daerah Istimewa Yogyakarta 55191, Indonesia (emails: arfiani.khusna@tif.uad.ac.id, okhy1600018138@webmail.uad.ac.id). Dimas Chaerul Ekty Saputra is with the Department of Biomedical Engineering, Universitas Gadjah Mada, Jl. Teknik Utara, Pogung Kidul, Sinduadi, Kec. Mlati, Kabupaten Sleman, Daerah Istimewa Yogyakarta 55284, Indonesia (e-mail: dimaschaerul2020@mail.ugm.ac.id).

*Corresponding author.

Article History :

Received : 29 Feb 2022
Accepted : 1 Nov 2022
Available online : 7 Nov 2022

ABSTRACT

The Merapi Volcano Museum is one of the places used as a means of knowledge and information about the mountain with the website address, namely mgm.slemankab.go.id. Generally, the information provided causes website visitors to be dissatisfied with the information. The number of visitors who are dissatisfied with the information on the website is evidenced by the results of a questionnaire from 40 respondents, 50.55% of visitors do not get information that is not in accordance with what is desired. Therefore, a system is implemented using the Question Answering System (QAS) with the Named Entity Recognition (NER) method. The implementation of the system uses a telegram based on the NER methodology. Testing using White Box Testing. The results of testing and analysis of tests carried out with white box testing the system has 3 regions and 3 independent path, with path 1 = 1-2-3-4-11, path 2 = 1-2-3-4-5-6-7-8-11, and path 3 = 1-2-3-4-5-6-7-9-10-11. The 3 paths are able to return the right answer after being tested using test scenarios for each independent path.

Keywords : Named entity recognition, question answering system, museum, white-box testing, dissatisfied information

Journal of Intelligent Computing and Health Informatics (JICHI) is licensed under a Creative Commons Attribution-Share Alike 4.0 International License (CC BY-SA 4.0)



1. INTRODUCTION

Museum is a place that is used to store or accommodate all kinds of historical relics that can be known and studied (Brown & Mairesse, 2018). Mount Merapi Museum is one of the places used as a means of knowledge about volcanoes. Indonesia is located in the Ring of Fire area, making Indonesia has 129 active volcanoes. This museum provides information related to Mount Merapi in the form of eruption relics, documentation, display of Mount Merapi's miniature artists, earthquake simulation rooms and so on. Along with the development of technology, the Mount Merapi Museum currently has a website with the name Merapi Volcano Museum (mgm.slemankab.go.id). The Merapi volcano museum website provides general information related to the museum and visitors can obtain this information by accessing the website, opening each menu tab on the website to get the information they are looking for, then visitors reading the information. The information available on the website cannot be obtained by visitors quickly and accurately, because visitors need to access one by one page on the website and find the desired information.

Therefore, to obtain information that is concise and precise with what visitors want, a question-and-answer system is made that is able to provide answers in the form of information to visitors without having to open each menu tab page, so that visitors can quickly get information and understand the information (Gusmita et al., 2014). The system is expected to be able to display answers in the form of short text according to the questions that visitors have asked. One way is to build a Question Answering System with the object of the Merapi Volcano Museum so that it can make it easier for visitors to find answers to the information they are looking for quickly and efficiently.

Question Answering System (QAS) or question and answer system is a system that can provide direct answers to users (Sapitri & Al-faraby, 2018). Question Answering System provides correct and precise answers. In general, the question-and-answer system consists of three components, namely Question Analysis, Passage Retrieval and Answer Extraction. Named Entity Recognition (NER) method is the core of information extraction and involves processing of structured and unstructured documents (Yadav & Bethard, 2019). Identification expressions refer to people, places, organizations, companies, dates and times. Where the purpose of the Question Answering System (QAS) is to get and return the correct and appropriate answers to answer questions from users (Yu et al., 2020).

Based on the description of the background above, a study was proposed by applying the Question Answering System with the Named Entity Recognition method in answering questions and getting answers directly and precisely with the title "Question Answering System with Named Entity Recognition at the Merapi Volcano Museum".

2. METHODS

2.1 Information retrieval

Information retrieval system according to another opinion is a process related to the representation, storage, retrieval, and retrieval of information that is relevant to the information needs of users (Khusna & Agustina, 2018). This statement indicates that the information retrieval system contains the process of storing, providing, representing, identifying, and searching or searching for relevant documents in a database, in order to meet the information needs of users.

2.2 Question Answering System

Question Answering System or a question-and-answer system is a computer system with the ability to answer questions posed using natural language by utilizing natural language processing techniques, such as Information Retrieval and Information Extraction (Luan et al., 2019). The question-and-answer system aims to find the accuracy and consistency of answers to a question that is in accordance with the answer document.

Question Answering System assist users in expressing information needs in a more specific and natural form, for example users want to know the price of admission to the Merapi volcano museum, users can provide input questions such as "When is the inauguration of the Merapi volcano museum?" on the Question Answering System and the user gets *output* in the form of a text "Museum was inaugurated on October 1, 2009 by the Minister of Energy and Mineral Resources Purnomo Yusgiantoro" as an answer. It is different with Search Engines, if the user inputs the question above as a query, the search engine will return output in the form of a list of documents containing the query keyword, and to find the desired information or answer, the user must open, read, and filter every information in the document by carefully.




Fig. 1. QAS.

2.3 Question analysis

The stage for processing user questions according to the type of answer expected and to get keywords from the question. The questions given are related to the discussion related to the Merapi volcano museum in Indonesian. Analysis of questions is carried out to identify whether the question sentence has started with a question word and contains the question word what, when, where, and how much. The question pattern produces the target, context and property, so that the question pattern and the answer pattern will be interrelated. Target answers based on what question words (Object), when (Time), where (Location) and how much (Count). The following table 1 question

analysis.

Table 1. Analysis of question.

Feature	Description
Question mark	When ?
Question	When is the inauguration of the Merapi Volcano Museum ?
Question Pattern	(When) <T> <C> ?

When <C> is Context, <T> is Target and <P> is Property.

2.4 Text preprocessing

Text preprocessing is a text cleaning process by removing unused words, by separating each word, removing affixes, and eliminating words that are not important in documents or questions.

a. text Normalization

Text Normalization this steps to convert text to lowercase and delete symbols and characters other than the alphabet except those already defined (Pramanik & Hussain, 2019).

b. Tokenization

Tokenization is the process of converting document text into words or tokens. The tokens are separated by a space parameter (Prasad, 2021).

c. Stopword Removal

Stopword is a filtering process, namely the removal of words that often appear in documents, such as words and, yang, or, and others (Ladani & Desai, 2020).

d. Stemming

Stemming is a process to get the meaning of the word by changing the token into the root word first. Stemming is done to change the form of an affixed word into a basic word to match the good and correct word structure in Indonesian (Bougar & Ziyati, 2019). The following table 2 text preprocessing process.

Table 1. Text preprocessing process.

Tokenization	Filtering	Stemming
When	When	When
Inauguration	Inauguration	Official
Museum	Museum	museum
Mountain	Mountain	Mountain
Fire	Fire	Fire
Merapi	Merapi	Merapi

2.5 Answer Extraction

Answer extraction is the process of finding documents that contain candidate answers from a given pattern of questions.

a. Document Segmentation

Document Segmentation The process of converting

candidate answer documents into sentences (Zhang et al., 2021). This process uses a period as a marker between one sentence and another. Document segmentation is shown in table 3.

Table 2. Document segmentation.

Keywords Question	Count	Keywords Answer	Count
Official	1	Official	1
Museum	1	Museum	1
	2		2

b. Number of Keyword

Number of Keyword After being a sentence separation process, then to the Number of Keyword process, which is the process of calculating the number of keywords that exist in each sentence (Wick & Puppe, 2018). Table 4 for the process of number of keywords.

Theorem: Number of keywords as follows:

$$Kj \geq \left\lfloor \sqrt{Kp - 1} \right\rfloor + 1 \quad (1)$$

$$2 \geq \left\lfloor \sqrt{2 - 1} \right\rfloor + 1$$

$$2 \geq 0.414 + 1$$

$$2 \geq 1.414$$

When Kp is number of keywords in the question and Kj is number of keywords in the answer candidate.

2.6 Named Entity Recognition

Named Entity Recognition used to find and identify a number of entities from each candidate sentence such as person, location, time, object and count. Entities are based on existing question words such as "who" looks for a person entity, "where" looks for a location entity, "when" looks for a time entity (time), "what" looks for an object entity and "how" looks for a count entity. After the Named Entity Recognition process is carried out, the results of candidate answers are obtained, and if there are entities that do not meet the requirements based on the question words, they will not be processed. The following analysis of NER is contained in table 4.

Table 3. Named entity recognition.

Question	When is inauguration of the Merapi Volcano Museum?
Pattern	(when)
Question	<T> <C> <P> ?
Answer	<QT>
Pattern on DB	<E> <K> <J>
Candidate Answer	The inauguration of the museum was held on October 1, 2009 by the Minister of Energy and Mineral Resources Purnomo Yusgiantoro
NER Pattern Answer	[Inauguration-museum=object]held on[date-1-October-2009=time]by[Minister of Energy and Mineral Resources=object][Purnomo-Yusgiantoro=person]

When <T> is Target, <C> is Context, <P> is Property,

<QT> is Question Tag, <E> is Entity, <K> is keyword, and <J> is Answer.

2.7 White-Box Testing

The evaluation method is used to test how well the system finds and displays answers. This stage uses the white box testing method. White box testing is an approach between testing derived from structural knowledge and software implementation. The white box uses the control structure of the procedural design (Syaikhuddin et al., 2018).

a. Flowchart Notation

Flow Chart Notation is a program graph generated from mapping program flowcharts to represent the control flow of existing program logic (Ramos-Merino et al., 2018).

b. Region

Regions an area bounded by an edge and nodes. The area outside the graph is also a region (Azmi et al., 2018).

c. Independent Path

Independent Path is a path that traverses at least one new set of statements or a new condition in a program (Qiu et al., 2020).

d. Cyclomatic Complexity

Cyclomatic Complexity used to determine the number of independent paths which are the basic paths (Project, 2019).

e. Test Case Design

Test Case Design is a set of scenarios that have been prepared so that the system to be tested can meet the conditions according to the test case (Garousi et al., 2020).

3. RESULTS AND DISCUSSION

In this study the dataset in the form of information about the volcano museum and information about volcanoes. The data is stored in the system in the question-and-answer system program template file. The template folder contains 4 kinds of files, namely what folder (object), when (time), where (location), and how much (count), the Fig. 2, show the system dataset.




Fig. 1. QAS system dataset.




Fig. 2. Flowchart of QAS.

Testing begins with input or enter in the form of a question sentence. The question sentence begins with a question word which includes the words what, where, when, and how much. Furthermore, the system analyzes the questions that have been asked by the user. The question analysis stage is carried out to find out whether the question sentence contains a question word at the beginning of the sentence, if it has not started with a question word, the system will end and the user must re-enter the question starting with a question word (what, when, where and how much). The question analysis process is used to determine the pattern of existing questions, namely the existence of targets, contexts and properties.

The next stage is text preprocessing, this stage is done to process the question sentences using the tokenization, stemming and filtering processes. Then proceed to the named entity recognition stage, this stage is carried out to identify and adjust the entities contained in the question pattern with the existing entities in the database and the engine for the named entity method. The entity in question is what word looks for object entities, when to look for time entities, where to look for location entities, and how much to look for count entities.

Show answers, at this stage the system will display answers that match the pattern of questions and entities that exist in the named entity. The answers displayed are in the form of museum-related information that has been

stored in the system database. However, if the entity in the question sentence matches the entity in the named entity, the system will display the output "No answer found". QAS design flowchart in Fig. 3.

a. Trial Question

Test questions conducted on the system. Testing is done by inputting questions on the telegram bot. The tables below contain a classification of types of questions, showing a list of questions that submitted along with the accuracy of the answers generated by the system.

- What kind of question is that" Table 5 shows the questions with the question word "What".

Table 4. What kind of question is "that"?

No.	Question	Answer Appropriate	No
1	What is the history of the museum ?	v	-
2	What is the profile of the museum?	v	-
3	What are the museum collections?	v	-
4	Is there a museum guide available?	v	-
5	What are the museum facilities?	v	-
6	What is the museum email?	v	-
7	What information is there in the museum?	v	-
8	What is the vision and mission of the museum?		v
9	What's on the first floor of the museum?	v	-
10	What's on the second floor of the museum?	v	-
11	What are the areas in the museum?	v	-
12	Is there a hotspot at the museum?	v	-
13	What is the use of a museum home theater?	v	-
14	What is the use of the museum auditorium?	v	-
15	What souvenirs are available in the museum?	v	-
16	What is the function of the open theater museum?	v	-
17	What are the directions to the museum?	-	v

- "When" question. The Table 6, shows the question with word "When".

Table 5. Question "when"?

No.	Question	Answer Appropriate	No
1	When o'clock open museums ?	v	-
2	When is the museum open?	v	-
3	When was the museum officially inaugurated?	v	-

- "Where" question. The Table 7 shows the Question with the question word "Where".

Table 6. Question "where"?

No	Question	Answer Appropriate	No
1	Where is the address for the museum?	v	
2	Where is the museum parking?		v
3	Where is the home theater museum?		v
4	Where is the museum's auditorium?		v
5	Where is the museum kiosk?		v
6	Where is the musholla of the museum?		v
7	Where is the open theater museum?		v

- "How much" question. The Table 8, shows the question word "How Much"

Table 7. Question "how much"?

No.	Question	Answer Appropriate	No
1	How much do museum tickets cost?	v	-
2	What are the opening hours of the museum?	v	-
3	How many areas are there in the museum?	v	-
4	How big is the museum?	v	-
5	How many years has the museum been operating?	v	-
6	What is the phone number for the museum?	v	-
7	What is the capacity of the museum's home theater?	v	-

b. White-Box Testing

System testing using white box testing is done by making test cases obtained from independent paths. The independent path is obtained by calculating the cyclomatic complexity value of the flowgraph. The flowgraph is based on the flowchart of the question-and-answer system. Fig. 4 for white box testing flowgraph.

- Number of regions of the flow chart.
- Cyclomatic complexity V(G) for flow chart
 $V(G) = E - N + 2$
 $V(G) = P + 1$

Then:

- Flowgraph has 3 regions.
- $V(G) = 10 \text{ edges} - 9 \text{ nodes} + 2 = 3.$
- $V(G) = 2 \text{ predicate nodes} + 1 = 3.$

So, the cyclomatic complexity for the flowgraph in Fig. 4 is 3. A high cyclomatic complexity value indicates a complex procedure that is difficult to understand, test and maintain. The Table 9, show the cyclomatic complexity risk value.

Table 8. Cyclomatic complexity risk value.

CC	Procedure	Risk
1 – 4	A simple procedure	Low
5 – 10	A well-structured and stable procedure	Low
11 – 20	A more complex procedure	Currently
21 – 50	A complex procedure, alarming	Tall
>50	An error-prone, extremely troublesome, untestable procedure	Very high

Question Answering System here according to the relationship of cyclomatic complexity and risk in a fairly complex procedure with a low level of risk. Based on the previous cyclomatic complexity calculation, an independent path will be determined. In this question answering system, there are 3 independent paths, including:

Path 1 = 1-2-3-4-11. Description: The user inputs a question, then the question is analyzed. If no question word is found, the system stops and the user inputs the question again. The question must begin with a question word.

Path 2 = 1-2-3-4-5-6-7-8-11. Description: The user inputs a question, the analysis of the question sentence contains a question word at the beginning of the sentence, the question is processed, the system successfully finds the answer and is displayed.

Path 3 = 1-2-3-4-5-6-7-9-10-11. Description: The user inputs a question, the analysis of the question sentence contains a question word at the beginning of the sentence, the question is processed, the system does not find an answer because the question pattern does not match the NER keyword entity. The 3 independent paths above will be tested with data, so that at least each independent path will be passed at least 1 time.

c. Test Case

Test Case Validation will be carried out by testing using the program. So, it is known that the expected results are in accordance with the results of the application.

Table 9. Test case scenario.

Code	Information
V (Valid)	indicates the component in the scenario has a true or valid value, so the system is successful.
I (Invalid)	indicates the scenario component has an incorrect or invalid value.

- Independent path 1

Test of scenario:

Table 10. Independent test scenario 1.

Scenario Name	Condition
Enter the question sentence	Input the question sentence without starting with the question word

Test of data:

Table 11. Independent trial scenario 1.

Scenario name	Enter the question sentence
Data	Since when was the museum inaugurated?
Expected results	The system displays "the sentence does not start with a question word, please repeat your question..."
Results	Show "the sentence does not start with a question word, repeat your question..."
Validation	v

- Independent path 2

Test of scenario:

Table 12. Independent test scenario 2.

Scenario Name	Condition
Enter the question sentence	Input the question sentence starting with the question word

Test of data:

Table 13. Independent trial scenario 2.

Scenario name	Enter the question sentence
Data	When was the museum inaugurated?
Expected results	The system performs an answer search and displays the answer
Results	The system displays the answer
Validation	v

- Independent Path 3

Test of scenario:

Table 14. Independent test scenario 3.

Scenario Name	Condition
Enter the question sentence	The question sentence input begins with a question word, but the question pattern does not match the NER keyword entity.

Test of data:

Table 15. Independent trial scenario 3.

Scenario name	Enter the question sentence
Data	Since when was the museum inaugurated?
Expected results	The system displays "No answer"
Results	Show "No answer"
Validation	v

d. Test Case Results

Table 16. Test case results.

Scenario	Scenario Results	Test Result	In Accordance
Enter the question sentence	You're welcome	You're welcome	v
Enter the question sentence	You're welcome	You're welcome	v
Enter the question sentence	You're welcome	You're welcome	v

From the test results on the system, after being tested using data in the form of question sentence input with various possibilities, 3 test tests are valid or in Path with expectations.

4. CONCLUSION

Based on the research that has been done, the following conclusions can be drawn. The question and answer system is built by applying named entity recognition to the system. Named entity recognition is a process to find answers. Inquiry processing with tokenization, filtering and stemming. The results of the next extraction are displayed as answers to the questions that have been asked.

The results of the test are obtained 3 regions and 3 independent paths, with Path 1 = 1-2-3-4-11, Path 2 = 1-2-3-4-5-6-7-8-11, and Path 3 = 1-2-3-4-5-6-7-9-10-11. The 3 paths are capable of returns the correct answer after being tested using test scenarios for each independent path dan the system can display answers according to the expected test scenario using the white box testing method.

REFERENCES

- Azmi, N. S. A., Singkaravanit-Ogawa, S., Ikeda, K., Kitakura, S., Inoue, Y., Narusaka, Y., Shirasu, K., Kaido, M., Mise, K., & Takano, Y. (2018). Inappropriate expression of an NLP effector in *Colletotrichum orbiculare* impairs infection on cucurbitaceae cultivars via plant recognition of the C-terminal region. *Molecular Plant-Microbe Interactions*, 31(1), 101–111. <https://doi.org/10.1094/MPMI-04-17-0085-FI>
- Bougar, M., & Ziyati, E. H. (2019). Stemming algorithm for arabic text using a parallel data processing. *Advances in Intelligent Systems and Computing*, 797(July), 261–268. https://doi.org/10.1007/978-981-13-1165-9_23
- Brown, K., & Mairesse, F. (2018). The definition of the museum through its social role. *Curator: The Museum Journal*, 61(4), 525–539. <https://doi.org/10.1111/cura.12276>
- Garousi, V., Bauer, S., & Felderer, M. (2020). NLP-assisted software testing: A systematic mapping of the literature. *Information and Software Technology*, 126, 1–29. <https://doi.org/10.1016/j.infsof.2020.106321>
- Gusmita, R. H., Durachman, Y., Harun, S., Firmansyah, A. F., Sukmana, H. T., & Suhaimi, A. (2014). A rule-based question answering system on relevant documents of Indonesian Quran Translation. *2014 International Conference on Cyber and IT Service Management, CITSM 2014*, 104–107. <https://doi.org/10.1109/CITSM.2014.7042185>
- Khusna, A. N., & Agustina, I. (2018). Implementation of Information Retrieval Using TF-IDF Weighting Method On Detik.Com's Website. *TSSA-IEEE*.
- Ladani, D. J., & Desai, N. P. (2020). Stopword Identification and Removal Techniques on TC and IR applications: A Survey. *2020 6th International Conference on Advanced Computing and Communication Systems, ICACCS 2020*, 466–472. <https://doi.org/10.1109/ICACCS48705.2020.9074166>
- Luan, Y., Wadden, D., He, L., Shah, A., Ostendorf, M., & Hajishirzi, H. (2019). A general framework for information extraction using dynamic span graphs. *NAACL HLT 2019 - 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies - Proceedings of the Conference*, 1, 3036–3046. <https://doi.org/10.18653/v1/n19-1308>
- Pramanik, S., & Hussain, A. (2019). Text normalization using memory augmented neural networks. *Speech Communication*, 109, 15–23. <https://doi.org/10.1016/j.specom.2019.02.003>
- Prasad, G. N. R. (2021). Identification of Bloom 's Taxonomy level for the given Question paper using NLP Tokenization technique Turkish Journal of Computer and Mathematics Education Research Article Identification of Cognitive level of Question. *Turkish Journal of Computer and Mathematics Education*, 12(13), 1872–1875.
- Project, M. D. (2019). *N-Grams as a Measure of Naturalness and Complexity*. Department of computer science and media technology (CM), Digitala Vetenskapliga Arkivet.
- Qiu, M., Housh, M., & Ostfeld, A. (2020). A two-stage LP-NLP methodology for the least-cost design and operation of water distribution systems. *Water (Switzerland)*, 12(5), 1–21. <https://doi.org/10.3390/W12051364>
- Ramos-Merino, M., Álvarez-Sabucedo, L. M., Santos-Gago, J. M., & Sanz-Valero, J. (2018). A BPMN Based Notation for the Representation of Workflows in Hospital Protocols. *Journal of Medical Systems*, 42(10). <https://doi.org/10.1007/s10916-018-1034-2>
- Sapitri, A. I., & Al-faraby, S. (2018). Analisis Metode Pattern Based Approach Question Answering System Pada Dataset Hukum Islam Berbasis Bahasa Indonesia. *Media Informatika Budidarma (MIB)*, 2(4), 159–164. <http://dx.doi.org/10.30865/mib.v2i4.950>
- Syaikhuddin, M. M., Anam, C., Rinaldi, A. R., & Conoras, M. E. B. (2018). Conventional Software Testing Using White Box Method. *Kinetik: Game Technology, Information System, Computer Network, Computing, Electronics, and Control*, 3(1), 65–72. <https://doi.org/10.22219/kinetik.v3i1.231>
- Wick, C., & Puppe, F. (2018). Fully Convolutional Neural Networks for Page Segmentation of Historical Document Images of Historical Document Images. *In 2018 13th IAPR International Workshop on Document Analysis Systems (DAS)*, 287–292. <https://doi.org/10.1109/DAS.2018.39>
- Yadav, V., & Bethard, S. (2019). A survey on recent advances in named entity recognition from deep learning models. *ArXiv Preprint ArXiv:1910.11470*. <https://doi.org/10.48550/arXiv.1910.11470>
- Yu, W., Wu, L., Deng, Y., Mahindru, R., Zeng, Q., Guven, S., & Jiang, M. (2020). *A Technical Question Answering System with Transfer Learning*. 92–99. <https://doi.org/10.18653/v1/2020.emnlp-demos.13>

Zhang, N., Chen, X., Xie, X., Deng, S., Tan, C., Chen, M., Huang, F., Si, L., & Chen, H. (2021). *Document-level Relation Extraction as Semantic Segmentation*. 3999–4006. <https://doi.org/10.24963/ijcai.2021/551>



Arfiani Nur Khusna received her bachelor's degree from the Department of Informatics from Universitas Ahmad Dahlan, Indonesia and received Master of Engineering (M.Kom) in Department Informatics from Universitas Amikom, Indonesia. His current research interests includes Information System, Information Retrieval and Sentiment Analysis.



Okhy Kharisma Putri received her Bachelor's degree from the Department of Informatics, Faculty of Industrial Technology, Universitas Ahmad Dahlan, Yogyakarta, Indonesia in 2021. His current research interest includes Natural Language Programming and Machine Learning.



Dimas Chaerul Ekty Saputra received his Bachelor's degree from the Department of Informatics, Faculty of Industrial Technology, Universitas Ahmad Dahlan, Yogyakarta, Indonesia in 2020 and now he is a Master's Degree Candidate of Biomedical Engineering in Department of Biomedical Engineering, Graduate School, Universitas Gadjah

Mada, Yogyakarta, Indonesia. He is member of Association for Scientific Computing and Electronics, Engineering (ASCEE) Student Branch Indonesia. His current research interest includes Brain Science, Signal Processing, Machine Learning, Bioinformatics, Image Processing, and Natural Language Processing.