

ASIATRIB
2018

PROCEEDINGS *of*

Asia International Conference on Tribology 2018

Kuching, Sarawak, Malaysia
17 - 20 September 2018

First published 2018

Copyright © 2018 by Malaysian Tribology Society (MYTRIBOS)

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, electronic, mechanical photocopying, recording or otherwise, without the prior permission of the Publisher.

ISBN: 978-967-13625-2-5 (online)

Published and Printed in Malaysia by:

Malaysian Tribology Society,
Department of Mechanical Engineering, Faculty of Engineering, University of Malaya,
50603 Kuala Lumpur, MALAYSIA.

Tel: +603 7967 5245 | E-mail: mytribos.malaysia@gmail.com

www.mytribos.org

Preface by Editor-in-Chief

This open access e-proceedings contains a compilation of 234 selected papers from the 6th Asia International Conference on Tribology (ASIATRIB2018) that was held in Kuching, Sarawak, Malaysia, from 17 to 20 September 2018.

ASIATRIB is the mega event in the series of International Tribology Conferences under the auspices of the Asian Tribology Council (ATC), the apex body of national tribology society of Asia-Pacific countries such as China, South Korea, Japan, Australia, India, Malaysia, Taiwan and others. This conference is organized every four years with the great involvements from the various universities and major industry players. This year, ASIATRIB celebrates its 20th anniversary since its inception in 1998. Malaysia for the first time has been given the opportunity to host the ASIATRIB and become the first South-east Asian country to host this event. ASIATRIB2018 is organized by Malaysian Tribology Society (MYTRIBOS).

The call for papers attracted more than 300 submissions from different countries and continents. All submitted papers are then peer-reviewed, revised according to the reviewers' comments and ultimately 234 papers were accepted for publication in this proceedings. This open access e-proceedings can be viewed or downloaded via www.mytribos.org/proceedings/asiatrib2018. I hope that this proceedings will serve as a valuable reference for tribologists.

With the large number of submissions, the conference has achieved its main objective which is to bring together academicians, researchers, students, authorities, and practitioners from universities, industries, institutions, and related agencies to share their findings through oral and poster presentations. Thus, promoting new opportunities for research activities and enhancement. In addition, there is an opportunity for participants especially young researchers and students to enhance research network with established and renowned tribologists from local and abroad in the respective field in the quests to get new experiences, exchange research ideas, and build rapport through informal discussions.

As the editor-in-chief, I would like to express my gratitude to the fellow review members for their tireless effort in reviewing the submitted papers for this proceeding. I also would like to say special thanks to all the authors for promptly revising their papers according to the proceeding requirements. Finally, I would like to express my deepest gratitude to all sponsors for the support given in ensuring the success of this conference.

Thank you

Mohd Fadzli Bin Abdollah

Editor-in-Chief

Editorial Board

Editor-in-Chief

Mohd Fadzli Bin Abdollah - Universiti Teknikal Malaysia Melaka, Malaysia

Reviewers

Abdul Rafeq Saleman	Hiroyuki Kousaka	Masjuki Hassan
Abdul Rahim Abu Bakar	Hongyu Zhang	Mayank Tiwari
Abdul Samad Mohammed	Hua Chen	Md Razak Daud
Abu Bakar Sulong	İbrahim Sevim	Md Saidin Wahab
Adolfo Senatore	Ille Gebeshuber	Md. Abdul Maleque
Afiqah Omar	In-Ha Sung	Md. Abul Kalam
Ahmad Razlan Yusoff	Intan Sharhida Othman	Mehdi Amiri Darehbid
Ahmad Rivai	Ivan Krupka	Michel Fillon
Aleksander Lisiecki	Jaharah A. Ghani	Michimasa Uchidate
Alessandro Ruggiero	Jeng-Haur Horng	Mimi Azlina Abu Bakar
Alfons Fischer	Jinbin Lu	Minseob Kim
Amit Rai Dixit	John Tichy	Mohamad Ali Ahmad
Ankit Kotia	Joichi Sugimura	Mohammad Khalid
Atsushi Korenaga	Jun Shimizu	Mohammad Motaher Hossain
Bin Lin	Junho Choi	Mohammad Rasidi Rasani
Bingqiang Cao	Juyana A. Wahab	Mohd Amri Sulaiman
C.S. Ramesh	Kanao Fukuda	Mohd Azmir Mohd Azhari
Chandra B. Khatri	Kazuhiro Nakashima	Mohd Fadzli Bin Abdollah
Che Hassan Che Haron	Kazuyuki Yagi	Mohd Hafis Sulaiman
Chenhui Zhang	Kei Shibata	Mohd Juzaila Abd. Latif
Christopher Dellacorte	Kenji Yanagisawa	Mohd Kameil Abdul Hamid
Dae-Eun Kim	Kentaro Tanaka	Mohd Khairol Anuar Mohd Ariffin
Demofilo Maldonado	Klaus Friedrich	Mohd Rasidi Ibrahim
Deng Zhao	Koay Mei Hye	Mohd Rody Mohamad Zin
Dwyer-Joyce R	Koji Takiwatari	Mohit Sharma
Emilia Assenova	Koshi Adachi	Motohiro Itou
Erween Abd. Rahim	Kushendarsyah Saptaji	Motoyuki Murashima
Faiz Redza Ramli	Linmao Qian	Mubashir Gulzar
Florian Grün	M M Khonsari	Muhamad Noor Harun
Ftwi Yohanes	M.F. Wani	Muhamad Nasir Murad
Fudhail Abdul Munir	Mahadzir Ishak	Muhammad Rizal
G Srinvasu	Maksim Antonov	Muhammad Hussain Ismail
G.D. Bassan	Manish Roy	Muhammad Ilman Hakimi Chua Abdullah
Gananath D. Thakre	Mariyam Jameelah Ghazali	Mukund Dutt Sharma
Gerhard Poll	Mark Gee	N.R.K. Suresh
Har Prasad	Masabumi Masuko	Nenzi Wang

Noraiham Mohamad	Salete Martins Alves	Vijay Chaudhary
Noreffendy Tamaldin	Salmiah Kasolang	Vikas Kumar
Noritsugu Umehara	Santosh N. Shelke	Viorel Paleu
Norzahir Sapawe	Seido Yarimitsu	Wen Hsien
Nurin Wahidah Mohd Zulkifli	Shahira Liza Kamis	Willey Liew
Nurul Aini Mohd Ahyan	Shenjiang Wu	Woei Fong William Chong
P. Ramkumar	Shuangbiao Liu	Wojciech Litwin
P.B. Kushare	Shubrajit Bhaumik	Xianghui Meng
P.S. Mukherjee	Siti Fazlili Abdullah	Xiangqiong Zeng
P.V. Joseph	Siti Khadijah Alias	Xiaolei Wang
Peng Zhang	Sujeet K Sinha	Xiaoqiang Fan
Philippe Kapsa	Syahrullail Samion	Yonggang Meng
Pierre Montmitonnet	T.V.K. Gupta	Yongsheng Leng
Pravin Kachare	T.V.V.L.N. Rao	Yoshimasa Hirai
Q. Jane Wang	Taisuke Maruyama	Yoshitaka Nakanishi
Rainah Ismail	Takayuki Tokoroyama	Yosuke Nishitani
Rajesh Sharma	Talib Ria Jaafar	Yu Tian Tian
Rakesh Kumar Gautam	Tao-Hsing Chen	Yuan Yue
Ramdziah Md. Nasir	Tee Boon Tuan	Z.M. Jin
Renguo Lu	Teruo Murakami	Zahrul Fuadi
Rob Hewson	Tomasz Tański	Zeng Jing
Robert Wood	Toshiaki Wakabayashi	Zhang Hongyu
Rolf Waesche	Tuty Asma Abu Bakar	Zhinan Zhang
Romeo Glovnea	Umar Nirmal	Zhongmin Jin
Roszaidi Ramlan	Van Der Heide E.	Zongwei Xu
S. Senthilvelan	Viera Zatkalková	Zulkifli Ahmad
Saiful A. Che Ghani		

Table of Contents

Preface by Editor-in-Chief	i
Editorial Board	ii
Table of Contents	iv

No.	Title	Author(s)	Page
001	Surface texture characterization and chip morphology in ball nose end milling process of Inconel 718 for turbine blades	<i>M.S. Kasim, C.H.C. Haron, J.A. Ghani, M. Zaimi, R. Izamshah, T.J.S. Anand, H.A. Bakar, S.B. Mohamed</i>	1
002	Erosion wear resistance of laser cladding AlCr ₂ FeCoNiNbx high-entropy alloy coatings	<i>X.L. Ji, Y.Y. Bao, J.H. Zhao, P. Gu</i>	3
003	The effect of Poisson's ratio on the adhesive contact between an elastic sphere and a rigid half-space	<i>Jiunn-Jong Wu</i>	6
004	Effect of pulse duration on tribological behavior of textured stainless steel by laser surface texturing	<i>J.J. Zhang, D.H. Yang, C.W. Song, Y.D. Yan, T. Sun</i>	8
005	Investigation of lubricant transport processes of laser structured surfaces	<i>T. Stark, A. Aguilar, S. Alamri, T. Kiedrowski, A.F. Lasagni</i>	11
006	Development of tribological polymeric coatings	<i>Sujeet K. Sinha</i>	13
007	Investigation of temperature influence on diesel engine friction forces with a floating-liner testing bench	<i>H. Pasligh, F. Tasche, F. Dinkelacker</i>	15
008	Analysis of surface roughness of AlSi/5%AlN MMC using Taguchi method	<i>N.N. Wan, M.S. Said, M.N.A. Zakaria, A.R.A.B. Kadir, N. Othman, J.A. Ghani, B. Zubir</i>	17
009	Running-in behavior of wet multi-plate clutches – investigation and characterization	<i>K. Voelkel, H. Pflaum, K. Stahl</i>	19
010	Molecular dynamics analysis of anti-copper-corrosion additives in solution	<i>K. Nishikawa, H. Akiyama, K. Yagishita, H. Washizu</i>	21
011	Impact fretting wear properties of 304 austenitic stainless steel against alumina in sodium sulfate solution	<i>Y. Sato, Y. Nakagawa, B. Zhang</i>	23
012	Feasibility study for predicting maintenance of a five-punch nut manufacturing machine	<i>X. Novelo, H.Y. Chu</i>	25

013	Conditions for assuming a conformal contact to be non-conformal	<i>H.K. Kim, K.H. Yoon</i>	27
014	A neural network approach to the metallic surface wear on linear dry contact, plastic material reinforced with SGF/steel	<i>L. Căpitanu, V. Vlădăreanu</i>	29
015	Application of full factorial design to study the tribological properties of AA6061-B4C and AA6061-B4C-MoS2 composites	<i>V.V. Monikandan, M.A. Joseph, P.K. Rajendrakumar</i>	31
016	Friction properties of chlorine-doped amorphous carbon films sliding against various counter parts	<i>Y. Tokuta, T. Itoh, T. Shiozaki, M. Kawaguchi</i>	33
017	Fundamental study on functionality of synthetic sulfides: Evaluation of metal sulfides as solid lubricant	<i>S. Ishikawa, T. Sato, K. Saitoh, M. Takuma, Y. Takahashi</i>	35
018	Surface integrity of FC300 cast iron when machined with TiAlN ball end mill	<i>A.B. Hadzley, A.A. Anis, T. Norfauzi, A.A. Aziz, R. Izamshah, S. Kasim, M.A. Mohd Amran, M.R. Nurul Fatin</i>	38
019	Wear characteristics on gas turbine fuel nozzle-combustion liner contacting surface at different contact temperatures	<i>A.A. Pauzi, M.J. Ghazali, S. Mohd Yunus, W.F.H. Wan Zamri, C.H. Azhari, S. Husin</i>	40
020	Tribo-performance analysis of blast furnace slag reinforced polymer composite: An innovative polymer composite research work from steel sector	<i>Prasanta Kumar Padhi, Alok Satapathy</i>	43
021	Substitution of zinc stearate in aluminum cold extrusion	<i>H.W. Rehbein</i>	46
022	Performance evaluation of zinc dialkyldithiophosphate combined with sulfurized olefin and overbased calcium sulfonate in cold forming	<i>Tomohiro Takaki, Kazuhiro Yagishita, Toshiaki Wakabayashi</i>	48
023	Molecular simulations for complex boundary lubrication	<i>H. Washizu, H. Akiyama, M. Konishi, K. Nishikawa</i>	50
024	Simulation of lubricant Stribeck curve for SAE grade engine lubricants	<i>S.H. Hamdan, W.W.F. Chong</i>	52
025	Molecular dynamics simulation of load carrying properties for confined nano-meter thick lubrication film	<i>W.W.F. Chong, H. Zhang</i>	54
026	Friction and wear study of passenger car piston top ring sliding on cast iron material lubricated with palm fatty acid distillate (PFAD)	<i>Binfa Bongfa, M.K. Abdul Hamid, S. Syahrullail, P.M. Samin, A.R. Abu Bakar</i>	56

027	A Taguchi approach on influence of molybdenum disulphide as an anti-wear additive on the performance of lithium grease	<i>P.N. Nagare, H.N. Kudal</i>	59
028	Enhancement of tribological performance of hydroxylpropyl methylcellulose composite films with Cu and CuO nanoparticles	<i>Shih-Chen Shi, Shia-Seng Pek</i>	61
029	Kurtosis quantification of different minimal quantity lubrication effects in machining cast iron with coated and uncoated tool	<i>N. Jamil, A.R. Yusoff</i>	64
030	Dispersion stability of nanoparticle-shielded oil droplets in vegetable oil-in-water emulsions	<i>Reza Taheri, Buyung Kosasih</i>	66
031	Comparative study of tribological properties of vegetable oils added with pristine and fluorinated carbon nanofibers as additives in dodecane	<i>N. Nomedede-Martyr, K. Waldren, P. Bilas, Y. Bercion, P. Thomas, M. Dubois, L. Romana</i>	69
032	Hydrostatic bearing circular recess damping characteristic effectiveness on rotor vibration	<i>T. Seperamaniam, Nawal. A. Abdul Jalil, Zamir. A. Zulkefli, A. As'arry</i>	71
033	Poroelasticity effects on the squeeze film of parallel plates using the homogenization method	<i>B. Bou-Said, O.S.T. Gbehe, M. El Khlifi, M. Nabhani</i>	73
034	Effect of DLC coating on preventing hydrogen diffusion in thrust bearing	<i>Renguo Lu, Sora Shiode, Hiroshi Tani, Norio Tagawa, Shinji Koganezawa</i>	75
035	Multiscale simulation approach of journal bearings with short carbon fiber reinforced PEEK - Predicting friction and wear under steady state conditions	<i>D. Nadermann, A. Elter, S. Solovyev, H. Schwarze</i>	77
036	Improvement of hydrophobicity and macro-scale tribological performance of hydroxylpropyl methylcellulose composite films with stearic acid	<i>Yao-Qing Peng, Kar-Peng Goh, Shih-Chen Shi</i>	80
037	Effect of fly ash content on the wear properties of electrodeposited nickel – fly ash composite coating	<i>Intan Sharhida Othman, Muhamad Khaizaki Ahmad, Muhammad Zaimi Zainal Abidin, Jariah Mohamad Juoi, Zulkifli Mohd. Rosli, Syahrul Azwan Sundi, Mohd. Rody Mohamad Zin, Muhamad Ammar Farhan Maula Mohd. Azam</i>	83
038	Potential of palm methyl ester as a lubricant's bio-additive	<i>Z. Fuadi, K. Adachi</i>	85
039	Tribological properties of malaysian quarry dust reinforced nickel matrix composite coatings	<i>Intan Sharhida Othman, Emmy Nurulazwana Azhar, Muhamad Ammar Farhan Maula Mohd. Azam, Mohd. Shahir Kasim, Muhammad Zaimi Zainal Abidin, Syahrul Azwan Sundi, Liew Pay Jun</i>	87

040	Analysis of magnetohydrodynamic partial slip texture slider and journal bearing	<i>T.V.V.L.N. Rao, Ahmad Majdi Abdul Rani, Norani Muti Mohamed, Hamdan Haji Ya, Mokhtar Awang, Fakhrudin Mohd Hashim</i>	90
041	The anti-shock performance of fuel cell air compressor supported by water lubricated bearing	<i>Tianming Ren, Ming Feng</i>	92
042	Material comparison for large sliding thrust bearings in marine environment bases on full scale tribological experiments	<i>J. De Pauw, J. Vancoillie, W. Ostl, P. De Baets</i>	94
043	Tribological characteristics on GaInSn alloy of liquid metal bearing	<i>Y.H. Chae</i>	96
044	The effects of surface texturing in hydraulic components to improve tribological properties	<i>K.I. Kim, Y.G. Seo, D.P. Lim, D.S. Shim</i>	98
045	Investigating run-in behavior of ta-C friction and understating wear behavior at high temperature	<i>Woo-Young Lee, Takayuki Tokoroyama, Motoyuki Murashima, Young-Jun Jang, Jong-Kuk Kim, Noritsugu Umehara</i>	100
046	Tribocorrosion: A novel design and approach	<i>K. Pondicherry, J. Vancoillie1, J. De Pauw, J. Sukumaran, P. De Baets</i>	103
047	Influence of laser processing design on tool steel surface integrity	<i>F. Fazliana, S.N. Aqida, I. Izwan</i>	105
048	Influence of texture bottom profile on the hydrodynamic characteristics	<i>N.D. Hingawe, S.P. Bhole</i>	107
049	A new ball-on-disk vacuum tribometer with in situ measurement of the wear track by digital holographic microscopy	<i>B. Zhang, B. Meylan, K Wasmer, E. Cuche</i>	109
050	Effect of porosity on friction coefficient of polymer foam blocks under dry condition	<i>T. Yamaguchi, M. Takahashi, K. Shibata, K. Moriyasu, T. Nishiwaki, K. Hokkirigawa</i>	111
051	The effects of solid lubricants for space vehicle under the 10 ⁻⁷ torr ultra-high vacuum	<i>Wonil Kwak, Jeonkook Lee, Woosub Lee, Yongbok Lee</i>	114
052	Performances of a reduced thick insert in machining AISI1017 steel	<i>M.H. Zakaria, S.A.C. Ghani, W.S.W. Harun, E.A. Rahim, R. Ibrahim</i>	116
053	Enhancing polymer based tribocompounds using mineral fillers with an energy absorbing material transformation	<i>S. Kamerling, A.K. Schlarb</i>	119
054	Tool wear propagation in Ti6Al4V laser assisted micro milling using micro ball end mill	<i>Z. Mohid, E.A. Rahim</i>	121
055	Slurry effect on wear characteristics of brake pads	<i>M.K. Abdul Hamid, F. Samwil, Z.H. Che Daud, S.A. Abu Bakar, A.R. Abu Bakar</i>	123

056	Mechanical and dry sliding wear behavior of cenosphere particulate reinforced Al-Si12 matrix alloy composites produced by squeeze casting	<i>Tanusree Bera, S.K. Acharya</i>	125
057	Fluorination and wear of aluminum alloy slid against PTFE	<i>Y. Takeichi, K. Tamai, M. Kawamura, M. Dzimko</i>	127
058	Analytical friction model for sliding bodies with coupled longitudinal and transverse vibration	<i>P. Udaykant Jadav, R. Amali, O.B. Adetoro</i>	129
059	Velocity-dependent wear behaviors of a phosphate glass	<i>Hongtu He, Liang Yang, Yafeng Zhang, Jiixin Yu</i>	131
060	Thermal stress analysis of the multi-disc friction clutches	<i>Oday I. Abdullah, Josef Schlattmann</i>	134
061	Lubrication characteristics in fuel pump with variation of groove type for medium-speed diesel engines	<i>S.H. Hong</i>	136
062	Mechanochemical film formation by ZDDP	<i>J. Zhang, J. Wong, D. Dini, H.A. Spikes</i>	138
063	Effect of viscosity of grease oil on lubrication in reciprocating sliding	<i>Manabu Suzuki, Ryo Morita, Ken Arakawa, Tomohiro Monna, Taichi Sasaki, Tetsuhiro Nawata, Kousei Maruyama, Yoshinori Takeichi</i>	140
064	An investigation into cavitation modelling effect on pressure distribution of inclined lubricated contacts using CFD	<i>N. Almaida, M.R. Prasetyaji, M.H. Mufian, R.Z. Subarkah, M. Tauviqirrahman, Muchammad</i>	142
065	Flow pressure and material removal rate in chemical mechanical planarization	<i>Minho Lee, Kyobong Kim, Sangmin Lee, Gunhee Jang</i>	144
066	Investigation on the performance of compression ring-cylinder liner system under starved lubrication	<i>Y.J. Lu, C. Liu, Y.F. Zhang, J.X. Kang, S. Li, N. Müller⁴</i>	147
067	An investigation of lubrication mechanisms within hard-on-soft hip implants: A pilot study	<i>D. Nečas, M. Vrbka, J. Gallo, A. Galandáková, I. Křupka, M. Hartl</i>	149
068	Contribution of each synovia constituent to friction of UHMWPE/CoCrMo sliding pair for joint prosthesis	<i>H. Shinmori, Y. Sawae, M. Kubota, T. Morita, T. Yamaguchi</i>	151
069	Friction and wear of a medical mouth-guard material in reciprocating-motion sliding	<i>T. Akagaki, T. Hara, E. Yoshida, D. Mori, T. Sawamura</i>	153
070	Mechanical properties of additive manufactured CoCrMo meta-biomaterials for load bearing implants	<i>S.R. Mohamed, S.A.C. Ghani</i>	155
071	Extended Stribeck curves for bio-tribological applications	<i>K.S. Pondicherry, F. Rummel, C. Reppich, D. Ehgartner</i>	157

072	The development of artificial skin model and its tribological interactions with various skin contacting products	<i>Xiangqiong Zeng, Ye Wang, Jingmin Chen, Lin Lin, Jiusheng Li</i>	159
073	Investigation of TiB ₂ and TiN coatings with modified cutting insert in machining of AISI 1017	<i>S.A.C. Ghani, M.H. Zakaria, W.S.W. Harun, Z. Zaulkafilai, C.H.C. Haron</i>	162
074	Influences of counterface materials on the wear characteristic of concentrated polymer brush	<i>K. Sato, H. Okubo, K. Nakano, Y. Tsujii, S. Sasaki</i>	165
075	Friction reduction of Si-DLC vs POM sliding by plasma irradiation using microwave-excited atmospheric-pressure plasma jets	<i>T. Hibino, H. Kousaka, I. Tanaka, J. Kim, H. Sakakita</i>	167
076	Effects of adsorbed water due to atmospheric humidity on ball-on-ball sliding contact	<i>K.K. Yap, K. Fukuda, Z.A. Subhi</i>	169
077	Roughness effects in concentrated contact from full to mixed lubrication	<i>P. Sperka, I. Krupka, M. Hartl</i>	171
078	Effect of structure of tetrahedral amorphous carbon (ta-C) coating on friction and wear properties under base-oil lubrication condition	<i>M.M.B. Mustafa, N. Umehara, T. Tokoroyama, M. Murashima, A. Shibata, H. Moriguchi</i>	173
079	Friction property of Si-DLC with a local scratched damage before and after repairing deposition	<i>H. Takamatasu, I. Tanaka, H. Kousaka, T. Furuki</i>	176
080	Finite element analysis on nano-indentation behavior in columnar YSZ EB-PVD thermal barrier coatings based on 2D nonlinear contact	<i>N.R. Kadam, G. Karthikeyan, D.M. Kulkarni</i>	178
081	Effect of textured curved surface on hydrodynamic pressure	<i>N.L.S. Hashim, M.N. Harun, A. Yahya, M.S. Suri, A.A.M. Yusof</i>	180
082	Effects of multi-cycle micro-indentation on mechanical properties of polymeric materials	<i>Soumya Ranjan Guru, Sandip Panda, Mihir Sarangi</i>	182
083	Initiation of fretting fatigue scar of Ti-6Al-4V alloy dependent on the influence of its surface roughness	<i>L. Capitanu, L.L. Badita, V. Florescu, C. Tiganesteanu</i>	184
084	Generation of friction anisotropy by surface texturing under boundary lubrication and its mechanism	<i>S. Ito, K. Takahashi, S. Sasaki</i>	186
085	Fretting wear behavior of alloy 690 tubes in high temperature steam and water	<i>Ping Lai, Lefu Zhang, Xianglong Guo, Lichen Tang</i>	188
086	Multidimension, multiscale surface characterization	<i>Y.T. Wei, G. Feng, W.X. Sun</i>	190

087	A numerical approach to analyze ground surface texture based on abrasive belt topography	<i>W.X. Wang, J.Y. Li, W.G. Fan</i>	193
088	Noble method of surface energy estimation for local friction area with in-situ friction tester in ESEM	<i>T. Nakao, M. Terada, N. Umehara, M. Murashima</i>	196
089	The influence of the phase transition of lubricants on press working	<i>Nobuhide Tanino, Ryohei Shinozaki, Hideo Sugii, Bo Zhang, Toshifumi Mawatari</i>	198
090	Tribological evaluation of modified RBD palm olein-based lubricant on orthogonal cutting process	<i>N. Talib, S.A.S. Amiril, A.S.A. Razak, E.A. Rahim, S.A. Che Ghani, S. Syahrullail</i>	200
091	Impact of tribo-morphological transformation of graphene on the viscosity of engine oils	<i>A.K. Rasheed, M. Khalid, T.C.S.M. Gupta, S. Hikmat</i>	202
092	High pressure properties of lubricating oil containing aggregate type soft matter and its EHL oil film formation under impact contact	<i>T. Mawatari, Y. Sakamoto, B. Zhang, N. Ohno</i>	204
093	Tribological properties of UV irradiated DLC under PAO oil lubrication including ZnDTP, MoDTC and GMO	<i>M.T. Taib, T. Tokoroyama, N. Umehara, T. Murashima</i>	206
094	An explanation of the dependence of bulk modulus of liquids on pressure in terms of free volume	<i>B. Zhang, T. Mawatari</i>	208
095	Synergetic effects of a polymeric friction modifier and MoDTC on tribological properties under boundary lubrication	<i>Hikaru Okubo1, Mariko Isokane, Sumi Taro, Noriyoshi Tanaka, Shinya Sasaki</i>	210
096	Study of instantaneous starvation at a finite-length line contact	<i>Fakai Dong, Xiaoyang Chen, Xuejin Shen, Zhijian Wang</i>	213
097	Mechanical and wear properties of aluminium coatings produced by high pressure and low-pressure cold sprayed processes	<i>A. Manap, S.N.A. Yusof, N.F. Afandi, S. Mahalingam, Z.M. Rosli, K. Ogawa</i>	215
098	Wear properties of a-C:H and Si-DLC in pressurized high-temperature water	<i>M. Takeuchi, K. Okuno, N. Umehara, M. Murashima</i>	217
099	Investigation of influence of lubricant additives on scuffing performance using in-situ observation method	<i>Y. Matsuzaki, K. Yagi, J. Sugimura</i>	219
100	Simulation of fatigue failure on tooth flanks in consideration of pitting initiation and growth	<i>M. Weibring, L. Gondecki, P. Tenberge</i>	222
101	Effect of layer thickness on surface roughness of lattice structure manufactured using FDM	<i>N.A. Rosli, R. Hasan, M.R. Alkahari</i>	224

102	Tribological analysis of sliding motion on carbon-fiber based composite material enhanced by clay and CNT with texturing effect	<i>J.F. Lin, C.C. Wei, Y.H. Yang</i>	227
103	Water-repellent textured surfaces produced by an injection moulding using laser textured moulds	<i>M. Uchidate, A. Yoshida, Y. Shirakawabe, T. Tamura, K. Hirose</i>	229
104	Relation between coefficient of friction and surface roughness of workpiece in bulk plastic deformation	<i>S. Kamitani, A. Yamabe, S. Fukumoto, S. Syahrullail, Y.M. Guo</i>	231
105	2D numerical wear model for determining change in surface topography with number of wear cycles	<i>Deepak K. Prajapati, Mayank Tiwari</i>	233
106	Meso-scale SPH simulation including plasticity and wear	<i>N.N. Sugimura, L.V. Sang, Y. Mihara, H. Washizu</i>	235
107	Influence of load and time on tribological behaviour of semi-metallic friction material	<i>A.M. Zaharudin, R.J. Talib, M.N. Berhan, S. Budin</i>	238
108	Fretting wear characteristics of AISI 1040 steel alloy	<i>Krishnamurti Singh, Mayank Tiwari, Anirban Mahato</i>	240
109	Influence of climatic conditions on adhesion in the wheel-rail contact	<i>R. Galas, M. Omasta, I. Krupka, M. Hartl</i>	242
110	Impact-sliding complex fretting wear behaviors of laser shock peened TC4 alloy	<i>M.G. Yin, Z.B. Cai, W.J. Wang, M.H. Zhu</i>	244
111	Finite element analysis of the damage occurring in the sliding contact between a metallic ball and a composite plate	<i>S. Panier, G. Franz, J. Bijwe, L. Hui</i>	246
112	Study of sliding friction of micron-scale iron	<i>L.V. Sang, A. Yano, S. Fujii, N. Sugimura, Hitoshi Washizu</i>	248
113	Investigation of galling mechanisms of 316L stainless steel using finite element method	<i>G. Franz, K.E. Agode, S. Panier, T. Lesage, A. Jourani</i>	251
114	Influence of temperature on tribological behaviour of DLC coatings under lubricated conditions up to 250°C	<i>R. Wäsche, R. Ehrke, R. Kramer, A.R. Jayachandran, G. Brandt</i>	253
115	Galling characterization and classification of several stainless steels	<i>T. Lesage, S. Bouvier, Y. Chen, M. Risbet, A. Jourani, A. Oudriss, P.E. Mazeran</i>	255
116	In situ observation of the real contact area between a rubber slider and a rough rigid substrate	<i>S. Maegawa, F. Itoigawa, T. Nakamura</i>	257
117	Effect of trace moisture content on low friction mechanism of carbon fiber filled PTFE	<i>R. Umei, R. Taninoguchi, K. Sakaki, T. Morita, Y. Sawae, J. Sugimura</i>	259

118	Wear mechanisms of coated tungsten carbide when machining inconel 718 under cryogenic and dry conditions	<i>M.F. Azhar, C.H. Che Haron, J.A. Ghani, N.H. Abdul Halim</i>	261
119	Study on the wear resistance of deep cryogenic treatment YG8 cemented carbides	<i>Xianguo Yan, Liang Dong, Zhi Chen</i>	263
120	Tribological performance of epoxy with UHMWPE and MoS ₂ fillers on bearing steel in dry and with grease lubrication	<i>Neha Singh, Sujeet K. Sinha</i>	266
121	Numerical simulation analysis and design of membrane-type restrictor	<i>Ya-Lu Yang, Yu-Hsiang Lo, Tzung-Tang Huang, Shih Chieh Lin</i>	269
122	Wear of polymer composite solid lubricants for cryogenic ball bearing cages	<i>Woo-Seok Seo, Bokseong Choe, Yongbok Lee, Jeon-Kook Lee</i>	271
123	Numerical simulation of elastohydrodynamic lubrication under zero entrainment velocity conditions	<i>Y. Zhao, P.L. Wong, J.H. Mao</i>	273
124	Sliding effects in rolling bearings life	<i>G.E. Morales-Espejel, A. Gabelli</i>	275
125	Water-lubricated ceramic hydrostatic bearings for high speed machine tool spindle unit	<i>Shuai Yan, Bin Lin, Wenbin Hu, Xiaofeng Zhang</i>	277
126	Onset of plastic deformation in static loading of ceramic-on-steel hybrid bearing systems	<i>I. Shareef, J. Pitman, K. Burris</i>	279
127	Operation monitoring of high speed bearing by quantum dots sensor	<i>Ke Yan, Bei Yan, Te Luo, Yongsheng Zhu, Jun Hong</i>	281
128	Application of equivalent stress method in finite-length elastic space with the consideration of two free end surfaces	<i>Wang Zhijian, Chen Xiaoyang, Shen Xuejin</i>	283
129	Development of the 3D capillary structured bronze by utilizing metal 3D printer	<i>H. Maeda, K. Yana, H. Okubo, S. Sasaki</i>	285
130	Influence of surface profile of Co-Cr-Mo alloy on wear behavior of ultra-high molecular weight polyethylene used in artificial joint	<i>Y. Nakanishi, N. Motojima, Y. Nakashima, Y. Fujiwara, Y. Komohara, M. Takeya, H. Miura, H. Higaki</i>	287
131	Detailed evaluation of flowability and friction characteristics of steel powders	<i>N. Yashiro, K. Oohira, H. Washizu</i>	289
132	Observation of contact area of rubber wheel using an ultraviolet-induced fluorescence method	<i>J. Rahman, T. Iwai, K. Koshiba, Y. Shoukaku</i>	291
133	The correlated selection of a thin coating and gear oil to increase the resistance of 18CrNiMo7-6 gears to pitting - Part 1	<i>M. Szczerek, M. Kalbarczyk, A. Mankowska-Snopczynska, E. Osuch-Slomka, W. Piekoszewski, A. Snarski-Adamski, W. Tuszyński, A.N. Wieczorek</i>	293

134	Hard chrome substitution on aerospace products	<i>J. Terrazoni, C. Poupon</i>	296
135	Tribological behaviour of trihexyltetradecyl phosphonium bis (2,4,4-trimethylpentyl) phosphinate with ZDDP interaction	<i>George Koshy, Bilal Abdul Samad, Abhinand Suresh, Mohammed Shameem A.C, P.M. Anil</i>	298
136	Development of low torque and low noise grease for ball bearings in electric motors	<i>K. Miyake, T. Tsuda, K. Yoshizaki</i>	300
137	Effect of surface electric potential on friction coefficient of ionic liquids	<i>S. Kawada, S. Ogawa, S. Sasaki</i>	303
138	Correction method for measurement of gap shape by vertical-objective-type ellipsometric microscopy with rotating-compensator ellipsometry	<i>Katsuya Namba, Yusuke Sasao, Kenji Fukuzawa, Shintaro Itoh, Hedong Zhang</i>	305
139	Average contact length and velocity for pin in reciprocating and rotary motion	<i>Amit Ganguli, Manish Kumar, G. Anirudh, Debdutt Patro, Anshuman Dube, Narendra M. Dube</i>	307
140	Study of the tribological performance of a halogen-free pure lubricant in a steel-steel contact	<i>J. Bossert, P. De Baets, S. Glavatskih</i>	309
141	Study on low friction under low sliding velocity condition using PTFE material with copper particle as filler	<i>K. Kurachi, F. Itoigawa, S. Koyata, K. Yagishita, T. Nakamura</i>	311
142	Analysis of oil film distribution on roller surface by using two-phase flow analysis	<i>T. Suwa, M. Ochiai, H. Hashimoto</i>	313
143	Measurement of film thickness of lubricant using ultraviolet induced fluorescence method	<i>K. Koshiha, T. Iwai, J. Rahman, Y. Shoukaku</i>	315
144	Prediction of side surface foldover in axisymmetric upsetting of solid cylinders using the upper bound theorem	<i>S. Alexandrov, M. Vilotić, L. Lang</i>	317
145	The clarification of low friction mechanism in oil lubrication for B-DLC coating by in-situ observation of friction area	<i>T. Okamoto, N. Umehara, M. Murashima, K. Saito, K. Manabe, K. Hayashi</i>	319
146	Effects of hemispherical sliding bearings adopted to house model structures on seismic isolation	<i>F. Oshika, K. Ito, B.S. Gan</i>	321
147	Tribological characteristic of tool steel surface layer alloyed using laser	<i>M. Bonek, E. Tillova</i>	323
148	Suppressing stick-slip oscillation by using Mn-Cu damping alloy as friction material	<i>X.C. Wang, J.L. Mo, H. Ouyang, M.H. Zhu, Z.R. Zhou</i>	325

149	Effect of cryogenic treatment and electrolytic passivation on wear resistance of M2 HSS taps	<i>Yan Xianguo, Li Jiale, Chen Zhi</i>	327
150	Study on tool wear and wear mechanism when end milling inconel 718 using TiAlN coated carbide	<i>K. Kamdani, S. Hasan, A.F.I. Ahmad, M.A. Lajis</i>	330
151	Effect of inner structure made by 3D printer on wear and friction	<i>Motoyuki Murashima, Masato Kawaguchi, Shouta Yoshino, Noritsugu Umehara</i>	332
152	Material removal mechanism of hybrid Grp/SiCp/Al-Mg-Si composites during high stress abrasive wear condition	<i>N.Ch. Kaushik, Ch Sri Chaitanya, R.N. Rao</i>	334
153	Synthesis and tribological evaluation of aluminum-titanium diboride (Al-TiB ₂) metal matrix composite	<i>Amar Sheelwant, Suresh Kumar Reddy Narala, Palaparty Shailesh</i>	336
154	The influence of the friction force on the sliding stability of controlled multibody systems - CNC machine tool	<i>Yunn-Lin Hwang, Thi Na Ta</i>	338
155	Reducing wear of steel rolling on Ti6Al4V operating in vacuum	<i>I. Shareef, T.L. Krantz</i>	340
156	Application of Box-Behnken experimental design to optimize the magnetic actuation parameters' for driving fluid in micro pump	<i>M. Mazwan Mahat, S. Kasolang</i>	343
157	Micro running-in behavior of diamond-like carbon film	<i>Pengfei Shi, Linmao Qian</i>	346
158	The effect of molybdenum carbide (Mo ₂ C) particles on wear properties of diamond-like carbon under boundary lubrication	<i>K.A.M. Kassim, T. Tokoroyama, M. Murashima, N. Umehara</i>	348
159	Insights into the thermocapillary migration of liquid lubricants on different surfaces	<i>Qingwen Dai, Yajuan Ji, Wei Huang, Xiaolei Wang</i>	350
160	Effect of molecular structure on oxidative degradation of polyol ester	<i>N.A. Raof, R. Yunus, U. Rashid, N. Azis</i>	353
161	Characterization of starved hydrodynamic lubricating films	<i>C.L. Liu, F. Guo, P.L. Wong</i>	355
162	The effect of atmosphere gas on surface energy of carbonaceous hard coatings wear track by in-situ measurement in ESEM	<i>M. Terada, N. Umehara, M. Murashima</i>	357
163	Tribological properties of solid lubricant contained soft metal coating	<i>H. Usami, R. Yamazaki, T. Honda, Y. Mihara</i>	359
164	Deformation of textured surface with different spatial arrangements of dimple in soft-EHL contacts	<i>B. Su, L. Huang, W. Huang, X. Wang</i>	361

165	Wear characterization of thick laser cladded high speed steel coatings	<i>N. Ur Rahman, M.B. de Rooij, D.T.A. Matthews, G. Walmag, M. Sinnaeve, G.R.B.E. Römer</i>	364
166	Influence of current form changing on wear resistance of coating formed on Ti-6Al-4V by PEO	<i>M.V. Prozhega, A.G. Rakoch, A.A. Gladkova</i>	367
167	Machinability of Inconel 718 during face mill	<i>M.S.A. Hafiz, W.N.F. Mohamad, M.S..Kasim, N.S.M. Zainurin, M. Akmal, R. Izamshah, S.B Mohamed</i>	369
168	Influence of area ratio on pressure distribution for dimple structure	<i>H.A. Rahman, J.A. Ghani, W.M.F.W. Mahmood, M.R.M. Rasani</i>	371
169	Effect of rotational speed on dimensional wear coefficients of solution treated Al-Mg-Si and Al-Zn alloys tested in abrasion condition	<i>P. Narasimha Chandra, N. Ch Kaushik, Ch Chaitanya, R.N. Rao</i>	374
170	The erosion resistance of laser surface alloyed sintered stainless steels	<i>Z. Brytan</i>	376
171	Wear mechanism and tribological characterization of novel nano-composite coated cutting tool material	<i>Pavandatta M Jadhav, Narala Suresh Kumar Reddy</i>	378
172	Rapid prototyping medical model for hip and pelvis orthopedics surgical	<i>W.A.Y. Yusoff, Nurzawanah Zakariah, Nurshafikah Abd.Razak</i>	380
173	The performances of palm mid olein as lubricant in journal bearing application	<i>P. Zulhanafi, S. Syahrullail, Mohamad Ali Ahmad</i>	382
174	Traction behavior for rolling bearing based solid lubrication under the cryogenic environment	<i>Wonil Kwak, Bokseong Choe, Jeonkook Lee, Yongbok Lee</i>	384
175	A study of micropolar lubricated conical undulated journal bearings	<i>Arvind Kumar Rajput, Satish C. Sharma, Nathi Ram</i>	386
176	Effect of inlet condition on performance parameters of Rayleigh step bearing under thin film lubrication	<i>Rahul Kumar, Vikas Kumar Kaktan, Mohammad Sikander Azam, Subrata Kumar Ghosh</i>	389
177	The effect of nanoclay additive on pressure profile in journal bearing test rig	<i>I. H. Abdul Razak, K.S. Shahrudin, M.A. Ahmad, S. Kasolang, M.A.A. Bakar, N. Manap</i>	392
178	Dominant grease properties for high-speed spindle bearings	<i>M.N. bin Yusof, J. Wang</i>	394
179	Supporting and friction properties of magnetic fluids bearing	<i>Z.D. Hu, Q.W. Dai, W. Huang, X.L. Wang</i>	396
180	Fundamental physical mechanisms of adhesive wear identified with spatiotemporal mapping analysis	<i>K. Fukuda, T. Morita</i>	398

181	Influence of graphene nanoplatelet on the tribological performance of various bio-based lubricant	<i>M.H. Harith, N.W.M. Zulkifli, H.H. Masjuki, M.N.A.M. Yusoff, A.Z. Syahir, T.M. Ibrahim, Z.M. Zulfattah</i>	400
182	Friction screening tests for wet multi-plate clutches – Variation of lubricant and friction lining	<i>U. Stockinger, H. Pflaum, K. Stahl</i>	402
183	Lubricity assessment of butanol isomers in gasoline fuel	<i>M.N.A.M. Yusoff, N.W.M. Zulkifli, H.H. Masjuki, A.Z. Syahir, M.H. Harith, T.M. Ibrahim</i>	405
184	Wear performance of TMP ester as bio-based 2T lubricant	<i>Z.M. Zulfattah, N.W.M. Zulkifli, H.H. Masjuki, M.H. Harith, A.Z. Syahir, I. Norain, M.N.A.M. Yusoff</i>	407
185	Measurement of compressibility by means of pressure-bulk modulus relationship for low-to-high viscosity oils	<i>M.H. Sulaiman, P. Christiansen, N. Bay</i>	409
186	Enhancing tribological properties of cashew nut shell liquid (CNSL) with reduced graphene oxide(r-GO) as a friction modifier	<i>Shubrajit Bhaumik, Rishabh Maggirwar, Viorel Paleu</i>	411
187	Tribological behaviors of novel cholesterol ester derivatives as lubricant additives	<i>Y. Jiang, Y.M. Gao, J.S. Li</i>	414
188	A three-dimensional computational fluid-structure interaction analysis in the hip-joint prosthesis during transition toward prostration and bowing in the salat activity	<i>B.S. Wibowo, P.N. Wijaya, M. Tauviqirrahman, R. Ismail, J. Jamari, Muchammad</i>	416
189	Ionic liquids as antiwear additive in bio-based lubricant	<i>A.Z. Syahir, H.H. Masjuki, M.A. Kalam, N.W.M. Zulkifli, M.H. Harith, Z.M. Zulfattah, M.N.A.M. Ashraf</i>	418
190	Effect of load and temperature on wear properties of bio-lubricant from Musa Aluminata Balbisiana peel waste	<i>Nor Azmmi Bin Masripan, Husna A. Hamid, Mohd Fadzli Bin Abdollah</i>	420
191	Evaluation of new bearing retainer for liquid hydrogen turbopump	<i>M. Yoshida, H. Kakudo, T. Hashimoto, M. Sato, N. Azuma, H. Shiomi, S. Takada</i>	422
192	Diffusion kinetics of boronized compacted graphite iron	<i>Khalissah Muhammad Yusof, Bulan Abdullah, Nor Hayati Saad</i>	424
193	Studies on thermo-physical and tribological properties of nano-lubricants formulated with surfactant-modified CeO ₂ nanoparticles in 500n base oil – A response surface methodology approach	<i>Chacko Preno Koshy, Perikinalil Krishnan Rajendrakumar</i>	427
194	Noise separation in asynchronous error motion measurement with using capacitive displacement sensor	<i>Xinjie Wang, Ming Feng</i>	430

195	Enhancement of properties of vegetable oil with $\gamma\text{Fe}_2\text{O}_3$ nanoparticles	<i>I.O. Sadiq, S. Sharif, M.Y. Noordin, M.A. Suhaimi</i>	432
196	Tribological performance of 3D manufacture processed Ti6Al4V alloy used nitriding and carbon nitride coating treatments	<i>W.H. Kao, J.H. Horng, C.Y. Chang</i>	434
197	Friction reduction of SiC mechanical seal by carbon nanofiber film	<i>D. Okishio, H. Tani, R. Lu, S. Koganezawa, N. Tagawa</i>	436
198	Tribological behavior of Si-doped DLC coated layer on UIC60 steel	<i>K.H. Chau, T.G. Kim, J.H. Kim, W.Y.H. Liew, S.S. Kim</i>	438
199	Molecular dynamics study on SiO ₂ surface as non-fire solids	<i>T. Sato, K. Saitoh, M. Fuji, C.Y. Takai, R. Hadi, M. Takuma, Y. Takahashi</i>	440
200	Advances in antifouling technology for pipeline systems: A brief review	<i>Yusliza Yusuf, Mariyam Jameelah Ghazali, Mohd Fadzli Bin Abdollah</i>	442
201	Influence of variability of flow factors on lubrication characteristics of mechanical seals	<i>Jun Tomioka, Mikiko Oyabu, Nakae Yuzawa, Norifumi Miyanaga</i>	444
202	Measurements of hydrodynamic lubrication properties on dimple-type textured surfaces	<i>Norifumi Miyanaga, Terunao Kishida, Jun Tomioka</i>	446
203	Measurements of friction characteristics of Ni-P-SiC plating under water lubrication	<i>Norifumi Miyanaga, Shigeaki Minamikawa, Jun Tomioka</i>	448
204	The correlated selection of a thin coating and gear oil to increase the resistance of 18CrNiMo7-6 gears to abrasion and scuffing - Part 2	<i>W. Tuszynski, R. Michalczewski, E. Osuch-Slomka, A.N. Wieczorek, J. Wulczynski</i>	450
205	Influences of surface roughness on water adsorption on austenitic stainless steel	<i>N.D.A. Manaf, K. Fukuda, Z.A. Subhi, M.F.M. Radzi</i>	453
206	Physiochemical properties of palm oil mixed with organo-zinc additives	<i>Muhammad Aizat Md Alias, Mohd Fadzli Bin Abdollah, Hilmi Amiruddin, Noreffendy Tamaldin</i>	455
207	Tribological properties of thin film graphene grown from waste products	<i>Noor Ayuma Mat Tahir, Mohd Fadzli Bin Abdollah, Noreffendy Tamaldin, Mohd Rody Bin Mohamad Zin, Hilmi Amiruddin</i>	457
208	Experimental Investigation on a turbopump ball bearing friction torque	<i>S.M. Jeon, H.D. Kwak, E. Jeong</i>	460
209	Characteristics of friction material using kenaf as a friction modifier	<i>R.J. Talib, M.A. Selamat, N.A. Nordin, A. Jumahat, H. Sharudin, A.M. Zaharudin</i>	462
210	Influence of external vibration in radial direction for damage of small ball bearings - In case of giving axial vibration frequency up to 5 m/s ²	<i>Tomoya Hotta, Shoji Noguchi, Tohru Kanada, Norifumi Miyanaga</i>	464

211	Development of gas foil thrust bearings for high-speed cryogenic turboexpander	<i>Suraj K Behera, Ranjit Kumar Sahoo</i>	466
212	Effect of copper on friction and wear properties on copper-based friction materials	<i>H. Sharudin, R.J. Talib, M.A. Selamat², N.A. Norrdin, M. Ridzuan Arifin, Mohd Fahmi Md Salleh, N.I. Ismail, Y. Huzaifah</i>	469
213	Wear properties of nanoclay-filled basalt fiber reinforced polymer (BFRP) composites at different wear conditions	<i>A.A.A. Talib, A. Jumahat, S. Kasolang, H. Sharudin</i>	471
214	Effect of misalignment of externally pressurized air journal bearings using semi-implicit method	<i>Jaehyeok Lee, Sang-Shin Park</i>	473
215	Hydrodynamic lubrication of textured surfaces on the thrust bearings in a scroll compressor	<i>Sang-Shin Park, Jae-Sool Shim, Min-Su Kim, Jeonghun Kim</i>	476
216	Stability analysis of hydrodynamic journal bearings using a mass-conserving cavitation algorithm	<i>Norifumi Miyanaga, Jun Tomioka</i>	478
217	Spatiotemporal mapping analysis on the sliding behavior of steels with different hardness	<i>N. Md Ali, K. Fukuda, C. Y. Chai, T. Yamazaki</i>	480
218	Fabrication and wear characterization of dimple textured on the surface of UHMWPE	<i>M.Y. Tan, S. Liza, N.W. Zulkifli, H.H. Masjuki</i>	482
219	Design and development of bump-type gas foil journal bearings for cryogenic turboexpander	<i>Ranjit Kumar Sahoo, Suraj K Behera</i>	484
220	Surface roughness of AISI 4340 alloy steel in dry and cryogenic milling	<i>A.Z. Juri, S.S. Muhamad, J.A. Ghani, C.H.C. Haron</i>	487
221	Influence of resin on mechanical and tribological properties of friction materials	<i>N.A. Norrdin, R.J. Talib, R. Rabilah, Hazim Sharudin, N.N. Azmi, S.N.A.M. Halidi, N.S. Abdullah</i>	489
222	The effects of feed rate and frequency on the consistency of distance between dimple using dynamic assisted tool	<i>S. Hassan, J.A.Ghani, C.H.C. Haron</i>	491
223	Evaluation of palm oil as cold forging lubricant of aluminium A1100 using double cup extrusion test	<i>A.N. Afifah, S. Syahrullail, E.A. Rahim</i>	493
224	Preparation and dispersion stability of graphite nanoparticles in palm oil	<i>A.N. Farhanah, S. Syahrullail, E.A. Rahim</i>	495
225	Surface Integrity of magnesium alloy AZ91D at high speed milling	<i>Mohd Shahfizal Ruslan, Jaharah A Ghani, Afifah Juri, Mohd Shahir Kasim, Che Hassan Che Haron, Kamal Othman</i>	497
226	Molecular behaviour in thin film lubrication	<i>J.B. Luo, L.R. Ma</i>	499

227	Wear and surface analysis of lubricant with titanium oxide nanoparticles	<i>N.S. Mohamad, S. Kasolang, M.A. Ahmad</i>	502
228	Effect of oil on static coefficient of friction between micro fiber fabrics and pistia leaves surfaces	<i>N. Ab. Latif, S. Kasolang, M.A. Ahmad</i>	504
229	The performance of ceramic based friction material for brake pad applications	<i>N.N. Azmi, R.J. Talib, N.A. Norrdin, A.F.M. Yamin, A.S. Rodzi</i>	506
230	The effect of nanoclay additive on friction coefficient in hydrodynamic journal bearing	<i>N.N.N. Ahmad Fuad, M.A. Ahmad, J. Abdul Ghani, S. Kasolang, M.A.A. Bakar, N. Abdul Rahman</i>	508
231	Tribological study: Friction and wear of hydroxyapatite (HAp) ceramic material for scaffold applications	<i>Siti Norazlini Abd Aziz, Mimi Azlina Abu Bakar, Muhammad Hussain Ismail</i>	511
232	Boronizing on grooved metal surface	<i>R. Hasan, J.Z.L. Liew</i>	513
233	Experimental investigation on tribological properties of hexagonal boron nitride as natural oil-based lubricants additive	<i>Md. Eirfan, Boon Tuan Tee</i>	515
234	Sliding wear performance of dry and oil impregnated black-fiber palm wood - A brief report	<i>K. Friedrich, E.I. Akpan, B. Wetzel</i>	517

Observation of contact area of rubber wheel using an ultraviolet-induced fluorescence method

J. Rahman^{1,2,*}, T. Iwai¹, K. Koshiba¹, Y. Shoukaku¹

¹) Graduate School of Natural Science and Technology, Kanazawa University, Kakuma, Kanazawa, Ishikawa 920-1192, Japan.

²) Mechanical Engineering, Islamic University of Riau, Jl. Kaharuddin Nasution Km.1, Perhentian Marpoyan, Pekanbaru, Riau, Indonesia.

*Corresponding e-mail: jhonni_rahman@eng.uir.ac.id

Keywords: Contact area; fluorescence; pyranine

ABSTRACT – An ultraviolet-induced fluorescence method was used to measure the contact area between a cylindrical rubber wheel and flat glass. The experiment was carried out using pyranine as the fluorescence dye, and three variants of load in static and dynamic conditions. The contact area was captured by high-speed camera and analyzed using s software. Results showed that the contact area became wider as the applied load increased from 39.2 to 117.6 N in the static condition; in the dynamic condition, however, the contact area decreased as speed increased from 22.5 to 90 mm/s.

1. INTRODUCTION

Over the last several decades, the study of thin film thickness in elastohydrodynamic lubrication (EHL) has become the focus of many researchers. In 1996, a group study presented an experimental technique that could provide very high-resolution thickness measurement in the horizontal and vertical directions at around 1.4 μm and 0.5 nm respectively [1]. This technique was called relative optical interference intensity (ROII). In addition to ROII, other techniques have been used to measure thin film thickness. One called the fluorescence technique, was introduced in the 1970s by Ford et al. [2 - 3]. This technique was the first to apply fluorescence in tribology. The advantage of the fluorescence technique is that it can measure the actual amount of lubricant that exists between two surfaces. Thus, this observation approach is well suited to investigating the contact area between a rubber wheel and flat surface.

The purpose of this study is to identify the contact area (in this case contact width) between a rubber wheel and flat glass using a fluorescence technique, specifically, the ultraviolet-induced fluorescence method. As fluorescence dye, water-soluble dye pyranine with density of 3200 mg/l, was used in this experiment.

2. METHODOLOGY

2.1 Experimental apparatus

The contact area for the fluorescence image was produced using a rubber wheel on a surface of flat glass covered by fluorescence fluid. The rubber wheel was shaped in the form of a cylinder, with a diameter and width of around 80 mm and 32 mm, respectively; the flat glass was a square, 100mm in length and 5mm thick. In this apparatus, the contact area was observed with a digital high-speed camera (HAS-U2; DITECT, Ltd, Japan) with 18 different effective image sizes and a

maximum frame rate of 7500 frames per second (fps). The camera was located beneath the flat surface, where the distance of camera and observed contact area could be changed as desired. The fluorescence excitation was provided by an ultraviolet (UV) light, which produced a 367nm maximum wavelength high-power UV light.

2.2 Experimental method

The contact condition was captured with the high-speed camera under static and dynamic conditions. In the static condition, the rubber wheel was pressed by 3 different applied loads. Meanwhile, in the dynamic condition, the loaded rubber wheel moved on the flat fluorescence -liquid-covered glass at 3 different speeds. The experimental conditions are listed in Table 1. Pyranine is a chemical compound ($\text{C}_{16}\text{H}_7\text{Na}_3\text{O}_{10}\text{S}_3$) that is often used for optical analysis in bioscience and medical science. The captured images were then analyzed with software using a grayscale to differentiate the contact area and its surrounding.

Table 1 Experimental conditions

No	Contact condition	Moving speed (mm/s)	Applied load (N)
S1	Static	-	39.2
S2	Static	-	78.4
S3	Static	-	117.6
D1	Dynamic	22.5	78.4
D2	Dynamic	45	78.4
D3	Dynamic	90	78.4
D4	Dynamic	180	78.4

3. RESULTS AND DISCUSSION

3.1 Contact area due to load

Figure 1 shows the contact area between the cylindrical rubber wheel and flat glass covered by fluorescence liquid at three selected applied loads in the static condition. The point 0 mm on the x-axis indicates the central position of the contact area, while the y-axis signifies the value intensity of the fluorescence image in the range of 0 (min) to 254 (max). This figure proves that the present method can clearly differentiate the contact area from the surrounding area without contact. It can be seen that the contact area became wider as the applied load increased. The contact width increased by 3.4 mm (from 6.2 to 9.6 mm) as the applied load increased from 39.2 to 117.6 N. A low amount of fluorescence was

observed inside the contact area, which was assumed to be due to noise or dirt.

Figure 2 compares the contact area obtained using the present method and the Hertz theory for parallel cylindrical rubber wheel and flat glass (equation 1). It can be seen that the contact width measured using the fluorescence method was more than a 95% match for the Hertz theory calculated-contact width.

According to the Hertz theory, contact area for cylindrical materials can be calculated using the following equation,

$$a = 2 \sqrt{\frac{4WR}{\pi E^*}} \quad (1)$$

where,

- a = contact width
- W = applied load per unit width
- R = relative radius of curvature
- E* = reduced modulus




Figure 1 Contact width due to loads.




Figure 2 Contact width comparison.

3.2 Contact area due to rotating speed

Figures 3 and 4 show the effect of rotating speed on the contact area between a rubber wheel loaded with 78.4 N and a flat glass. It is evident that rotating speed affects the contact area, with the contact area becoming significantly smaller in the first 3 speed variants (from 22.5 to 90 mm/s), and then subsequently becoming slightly smaller. Looking at the rubber contact deformation in Fig. 3, there appears to be some fluorescence liquid between the rubber wheel and flat glass when the wheel moved at high speed. It seems that there is a complete separation by a thin layer of fluorescence liquid between the wheel and flat glass at higher speeds. Myant et al. [4] found a similar contact area tendency in an experiment using a hemisphere elastomer on glass disk at 5 different speeds, ranging from 2.19 to 579 mm/s.




Figure 3 Contact width due to moving speeds.




Figure 4 Contact width reduction due to moving speed.

4. CONCLUSION

An ultraviolet-induced fluorescence method using a pyranine dye of 3200 mg/l was used to observe the contact area between a cylindrical rubber wheel and flat glass. We found that the contact area became wider as the applied load increased under static condition. In the moving condition, however, the contact area between the loaded rubber wheel and flat glass was reduced as moving speed increased.

ACKNOWLEDGEMENTS


The author would like to appreciate DIKTI and LPDP of Indonesia for financial support as a doctoral student at Kanazawa University.

REFERENCES

- [1] Ma, L., & Zhang, C. (2009). Discussion on the technique of relative optical interference intensity for the measurement of lubricant film thickness. *Tribology Letters*, 36(3), 239.
- [2] Smart, A. E., & Ford, R. A. J. (1974). Measurement of thin liquid films by a fluorescence technique. *Wear*, 29(1), 41-47.
- [3] Ford, R. A. J., & Foord, C. A. (1978). Laser-based fluorescence techniques for measuring thin liquid films. *Wear*, 51(2), 289-297.
- [4] Myant, C., Reddyhoff, T., & Spikes, H. A. (2010). Laser-induced fluorescence for film thickness mapping in pure sliding lubricated, compliant, contacts. *Tribology international*, 43(11), 1960-1969.



ISBN 978-967-13625-2-5



9 789671 362525