

2022

**Search strategies for: "Seizure burden and neuropsychological outcomes of new-onset refractory status epilepticus (NORSE): systematic review"**

Olga Taraschenko

Spriha Pavuluri

Cynthia M. Schmidt

Yashwanth Pulluru

Navnika Gupta

# Search strategies for: Seizure burden and neuropsychological outcomes of new-onset refractory status epilepticus (NORSE): systematic review

Olga Taraschenko<sup>1\*</sup>, M.D., PhD., Spriha Pavuluri<sup>1</sup>, M.D., Cynthia M. Schmid<sup>2</sup>, M.D., Yashwanth Pulluru, M.D., and Navnika Gupta<sup>1</sup>, M.D

<sup>1</sup> Department of Neurological Sciences, Division of Epilepsy, University of Nebraska Medical Center, Omaha, NE

<sup>2</sup> Leon S. McGoogan Health Sciences Library, University of Nebraska Medical Center, Omaha, NE

EMBASE (embase.com, 1974-present version):

```
((fires OR norse OR desc OR aerrps) AND (epilep* OR convul* OR seizur*) OR (('epileptic state'/exp/mj OR 'intractable epilepsy'/exp/mj) AND (intract*:ab,kw,ti OR resistan*:ab,kw,ti OR refractor*:ab,kw,ti OR pharmacoresit*:ab,kw,ti) AND ('new onset':ab,kw,ti OR 'de novo':ab,kw,ti OR 'acute nonherpetic':ab,kw,ti OR 'acute non-herpetic':ab,kw,ti OR encephalopath*:ab,kw,ti OR encephaliti*:ab,kw,ti OR (((fever* OR febril*) NEAR/4 (induc* OR relat* OR associat* OR prodrom* OR infection* OR illness*)):ab,kw,ti))) OR (((('new onset' OR 'de novo' OR 'acute nonherpetic' OR 'acute non-herpetic') NEAR/7 (seiz* OR convuls* OR epilep*) NEAR/7 (refract* OR resist* OR intract* OR pharmacoresistan*)):ab,kw,ti) OR (((fever* OR febril*) NEAR/4 (induc* OR relat* OR associat* OR prodrom* OR infection* OR illness*) NEAR/7 (seizur* OR convuls* OR epilep*) NEAR/7 (refract* OR resist* OR intract* OR pharmacoresistan*)):ab,kw,ti) OR (((encephaliti* OR encephalopath*) NEAR/7 (seizur* OR convuls* OR epilep*) NEAR/7 (refract* OR resist* OR intract* OR pharmacoresistan*)):ab,kw,ti) NOT (herpe* NOT 'non herp*')) OR (((febrile OR fever OR encephalopath* OR encephaliti*) NEAR/5 (cryptogenic OR idiopathic OR catastrophic) NEAR/7 (seizur* OR convuls* OR epilep*)):ab,kw,ti) NOT (herpe* NOT 'non herp*')) OR 'new-onset refractory status epilepticus' OR 'febrile illness-related epilepsy' OR 'fever-induced refractory epileptic encephalopathy' OR 'fever-induced refractory epileptic encephalopath*' OR 'idiopathic catastrophic epileptic encephalopath*' OR 'severe refractory status epilepticus owing to presumed encephalitis' OR 'devastating epilepsy in school-age children' OR 'acute nonherpetic encephalitis with refractory repetitive partial seizures' OR 'acute encephalitis with refractory repetitive partial seizures' OR 'de novo cryptogenic refractory multifocal febrile status epilepticus') AND ('follow up'/exp OR 'outpatient'/exp OR 'outpatient care'/exp OR 'ambulatory care'/exp OR longterm:ab,ti OR 'long term':ab,ti OR chronic*:ab,ti OR 'follow up':ab,ti OR outpatient*:ab,ti OR ambulatory:ab,ti OR (((month* OR year*) NEAR/5 (from OR at OR later OR after* OR follow* OR post* OR later OR 'follow up' OR therap* OR treat* OR diet* OR rehab* OR manag* OR thereafter OR next OR ensu* OR subsequent* OR next OR succeeding)):ab,kw,ti) OR (((4 OR 5 OR 6 OR 7 OR 8 OR 9 OR 10 OR 11 OR 12 OR 13 OR 14 OR 15 OR 16 OR 17 OR 18 OR 19 OR 20 OR 21 OR 22 OR 23 OR 24 OR 25 OR 26 OR 27 OR 28 OR 29 OR 30 OR 31 OR 32 OR 33 OR 34 OR 35 OR 36 OR 37 OR 38 OR 39 OR 40 OR 41 OR 42 OR 43 OR 44 OR 45 OR 46 OR 47 OR 48 OR 49 OR 50 OR 51 OR 52 OR four OR five OR six OR seven OR eight OR nine OR 10 OR eleven OR twelve OR thirteen OR fourteen OR fifteen OR sixteen OR seventeen OR eighteen OR nineteen OR twenty OR thirty OR forty OR fifty) NEAR/1 (week* OR wk OR wks) NEAR/5 (from OR later OR after* OR follow* OR post* OR later OR 'follow up' OR therap* OR treat* OR diet* OR rehab* OR manag* OR thereafter OR next OR ensu* OR subsequent* OR next OR succeeding)):ab,kw,ti)) AND [english]/lim NOT 'conference abstract'/it
```

MEDLINE (EBSCOhost)

```
(( (fires OR norse OR desc OR aerrps) AND (epilep* OR convul* OR seizur*)) OR ((MM "Epilepsy+") OR (MM "Status Epilepticus+")) AND ( TI (intract* OR resistan* OR refractor* OR pharmacoresit*) OR AB (intract* OR resistan* OR refractor* OR pharmacoresit*) ) AND ( TI ("new onset" OR "de novo" OR "acute nonherpetic" OR "acute non-herpetic" OR encephalopath* OR encephaliti*) OR AB("new onset" OR "de novo" OR "acute nonherpetic" OR "acute non-herpetic" OR encephalopath* OR encephaliti*) OR TI ((fever* OR febril*) N3 (induc* OR relat* OR associat* OR prodrom* OR infection* OR illness*)) OR AB ((fever* OR febril*) N3 (induc* OR relat* OR associat* OR prodrom* OR infection* OR illness*)) ) ) OR (TI ("new onset" OR "de novo" OR "acute nonherpetic" OR "acute non-herpetic") N6 (seiz* OR convuls* OR epilep*) N6 (refract* OR resist* OR intract* OR pharmacoresistan*) ) OR AB ("new onset" OR "de novo" OR "acute nonherpetic" OR "acute non-herpetic") N6 (seiz* OR convuls* OR epilep*) N6 (refract* OR resist* OR intract* OR pharmacoresistan*)) OR TI ((fever* OR febril*) N3 (induc* OR relat* OR associat* OR prodrom* OR infection* OR illness*) N6 (seizur* OR convuls* OR epilep*) N6 (refract* OR resist* OR intract* OR pharmacoresistan*)) OR TI ((fever* OR febril*) N3 (induc* OR relat* OR associat* OR prodrom* OR infection* OR illness*) N6 (seizur* OR convuls* OR epilep*) N6 (refract* OR resist* OR intract* OR pharmacoresistan*)) OR AB ((fever* OR febril*) N3 (induc* OR relat* OR associat* OR prodrom* OR infection* OR illness*) N6 (seizur* OR convuls* OR epilep*) N6 (refract* OR resist* OR intract* OR pharmacoresistan*)) OR AB ((encephaliti* OR encephalopath*) N6 (seizur* OR convuls* OR epilep*) N6 (refract* OR resist* OR intract* OR pharmacoresistan*)) OR AB ((encephaliti* OR encephalopath*) N6 (seizur* OR convuls* OR epilep*) N6 (refract* OR resist* OR intract* OR pharmacoresistan*)) ) NOT (herpe* NOT non-herp*) OR ((TI ((febrile OR fever OR encephalopath* OR encephaliti*) N4 (cryptogenic OR idiopathic OR catastrophic) N6 (seizur* OR convuls* OR epilep*)) OR AB ((febrile OR fever OR encephalopath* OR encephaliti*) N4 (cryptogenic OR idiopathic OR catastrophic) N6 (seizur* OR convuls* OR epilep*)) ) NOT (herpe* NOT non-herp*)) OR "new-onset refractory status epilepticus" OR "febrile illness-related epilepsy" OR "fever-induced refractory epileptic encephalopathy" OR "fever-induced refractory epileptic encephalopath*" OR "idiopathic catastrophic epileptic encephalopath*" OR "severe refractory status epilepticus owing to presumed encephalitis" OR "devastating epilepsy in school-age children" OR "acute nonherpetic encephalitis with refractory repetitive partial seizures" OR "acute encephalitis with refractory repetitive partial seizures"
```

OR "de novo cryptogenic refractory multifocal febrile status epilepticus") AND ((MH "Follow-Up Studies") OR (MH "Aftercare+") OR (MH "Outpatient Clinics, Hospital+") OR (MH "Ambulatory Care+") OR (MH "Outpatients") OR (MH "Ambulatory Care Facilities+") OR TI (longterm OR "long term" OR chronic\* OR "follow up" OR outpatient\* OR ambulatory OR ((month\* OR year\*) N4 (from OR at OR later OR after\* OR follow\* OR post\* OR later OR "follow up" OR therap\* OR treat\* OR diet\* OR rehab\* OR manag\* OR thereafter OR next OR ensu\* OR subsequent\* OR next OR succeeding)) OR ((4 OR 5 OR 6 OR 7 OR 8 OR 9 OR 10 OR 11 OR 12 OR 13 OR 14 OR 15 OR 16 OR 17 OR 18 OR 19 OR 20 OR 21 OR 22 OR 23 OR 24 OR 25 OR 26 OR 27 OR 28 OR 29 OR 30 OR 31 OR 32 OR 33 OR 34 OR 35 OR 36 OR 37 OR 38 OR 39 OR 40 OR 41 OR 42 OR 43 OR 44 OR 45 OR 46 OR 47 OR 48 OR 49 OR 50 OR 51 OR 52 OR four OR five OR six OR seven OR eight OR nine OR 10 OR eleven OR twelve OR thirteen OR fourteen OR fifteen OR sixteen OR seventeen OR eighteen OR nineteen OR twenty OR thirty OR forty OR fifty) N0 (week\* OR wk OR wks) N4(from OR later OR after\* OR follow\* OR post\* OR later OR "follow up" OR therap\* OR treat\* OR diet\* OR rehab\* OR manag\* OR thereafter OR next OR ensu\* OR subsequent\* OR next OR succeeding))) OR AB (longterm OR "long term" OR chronic\* OR "follow up" OR outpatient\* OR ambulatory OR ((month\* OR year\*) N4 (from OR at OR later OR after\* OR follow\* OR post\* OR later OR "follow up" OR therap\* OR treat\* OR diet\* OR rehab\* OR manag\* OR thereafter OR next OR ensu\* OR subsequent\* OR next OR succeeding)) OR ((4 OR 5 OR 6 OR 7 OR 8 OR 9 OR 10 OR 11 OR 12 OR 13 OR 14 OR 15 OR 16 OR 17 OR 18 OR 19 OR 20 OR 21 OR 22 OR 23 OR 24 OR 25 OR 26 OR 27 OR 28 OR 29 OR 30 OR 31 OR 32 OR 33 OR 34 OR 35 OR 36 OR 37 OR 38 OR 39 OR 40 OR 41 OR 42 OR 43 OR 44 OR 45 OR 46 OR 47 OR 48 OR 49 OR 50 OR 51 OR 52 OR four OR five OR six OR seven OR eight OR nine OR 10 OR eleven OR twelve OR thirteen OR fourteen OR fifteen OR sixteen OR seventeen OR eighteen OR nineteen OR twenty OR thirty OR forty OR fifty) N0 (week\* OR wk OR wks) N4 (from OR later OR after\* OR follow\* OR post\* OR later OR "follow up" OR therap\* OR treat\* OR diet\* OR rehab\* OR manag\* OR thereafter OR next OR ensu\* OR subsequent\* OR next OR succeeding))))

## Limiters - English Language

## Search modes - Boolean/Phrase

## CINAHL (EBSCOhost)

((fires OR nurse OR desc OR aerpps) AND (epilep\* OR convul\* OR seizur\*)) OR ((MM "Epilepsy+") OR (MM "Status Epilepticus+") AND ( TI (intract\* OR resistan\* OR refractor\* OR pharmacoresit\*) OR AB (intract\* OR resistan\* OR refractor\* OR pharmacoresit\*) ) AND ( TI ("new onset" OR "de novo" OR "acute nonherpetic" OR "acute non-herpetic" OR encephalopath\* OR encephaliti\*) OR AB("new onset" OR "de novo" OR "acute nonherpetic" OR "acute non-herpetic" OR encephalopath\* OR encephaliti\*) OR TI ((fever\* OR febril\*) N3 (induc\* OR relat\* OR associat\* OR prodrom\* OR infection\* OR illness\*)) OR AB ((fever\* OR febril\*) N3 (induc\* OR relat\* OR associat\* OR prodrom\* OR infection\* OR illness\*)) ) OR (TI ("new onset" OR "de novo" OR "acute nonherpetic" OR "acute non-herpetic") N6 (seiz\* OR convuls\* OR epilep\*) N6 (refract\* OR resist\* OR intract\* OR pharmacoresistan\*)) OR AB ("new onset" OR "de novo" OR "acute nonherpetic" OR "acute non-herpetic") N6 (seiz\* OR convuls\* OR epilep\*) N6 (refract\* OR resist\* OR intract\* OR pharmacoresistan\*)) OR TI ((fever\* OR febril\*) N3 (induc\* OR relat\* OR associat\* OR prodrom\* OR infection\* OR illness\*) N6 (seizur\* OR convuls\* OR epilep\*) N6 (refract\* OR resist\* OR intract\* OR pharmacoresistan\*)) OR AB ((fever\* OR febril\*) N3 (induc\* OR relat\* OR associat\* OR prodrom\* OR infection\* OR illness\*) N6 (seizur\* OR convuls\* OR epilep\*) N6 (refract\* OR resist\* OR intract\* OR pharmacoresistan\*)) OR ((TI ((encephaliti\* OR encephalopath\*) N6 (seizur\* OR convuls\* OR epilep\*) N6 (refract\* OR resist\* OR intract\* OR pharmacoresistan\*)) OR AB ((encephaliti\* OR encephalopath\*) N6 (seizur\* OR convuls\* OR epilep\*) N6 (refract\* OR resist\* OR intract\* OR pharmacoresistan\*)) ) NOT (herpe\* NOT non-herp\*)) OR ((TI ((febrile OR fever OR encephalopath\* OR encephaliti\*) N4 (cryptogenic OR idiopathic OR catastrophic) N6 (seizur\* OR convuls\* OR epilep\*)) OR AB ((febrile OR fever OR encephalopath\* OR encephaliti\*) N4 (cryptogenic OR idiopathic OR catastrophic) N6 (seizur\* OR convuls\* OR epilep\*)) ) NOT (herpe\* NOT non-herp\*)) OR OR "new-onset refractory status epilepticus" OR "febrile illness-related epilepsy" OR "fever-induced refractory epileptic encephalopathy" OR "fever-induced refractory epileptic encephalopath\*" OR "idiopathic catastrophic epileptic encephalopath\*" OR "severe refractory status epilepticus owing to presumed encephalitis" OR "devastating epilepsy in school-age children" OR "acute nonherpetic encephalitis with refractory repetitive partial seizures" OR "acute encephalitis with refractory repetitive partial seizures" OR "de novo cryptogenic refractory multifocal febrile status epilepticus") AND ((MH "Outpatient Service") OR (MH "Outpatients") OR (MH "Ambulatory Care Facilities+") OR (MH "Ambulatory Care Nursing") OR (MH "Ambulatory Care") OR (MH "After Care") OR TI (longterm OR "long term" OR chronic\* OR "follow up" OR outpatient\* OR ambulatory OR ((month\* OR year\*) N4 (from OR at OR later OR after\* OR follow\* OR post\* OR later OR "follow up" OR therap\* OR treat\* OR diet\* OR rehab\* OR manag\* OR thereafter OR next OR ensu\* OR subsequent\* OR next OR succeeding)) OR ((4 OR 5 OR 6 OR 7 OR 8 OR 9 OR 10 OR 11 OR 12 OR 13 OR 14 OR 15 OR 16 OR 17 OR 18 OR 19 OR 20 OR 21 OR 22 OR 23 OR 24 OR 25 OR 26 OR 27 OR 28 OR 29 OR 30 OR 31 OR 32 OR 33 OR 34 OR 35 OR 36 OR 37 OR 38 OR 39 OR 40 OR 41 OR 42 OR 43 OR 44 OR 45 OR 46 OR 47 OR 48 OR 49 OR 50 OR 51 OR 52 OR four OR five OR six OR seven OR eight OR nine OR 10 OR eleven OR twelve OR thirteen OR fourteen OR fifteen OR sixteen OR seventeen OR eighteen OR nineteen OR twenty OR thirty OR forty OR fifty) N0 (week\* OR wk OR wks) N4(from OR later OR after\* OR follow\* OR post\* OR later OR "follow up" OR therap\* OR treat\* OR diet\* OR rehab\* OR manag\* OR thereafter OR next OR ensu\* OR subsequent\* OR next OR succeeding))) OR AB (longterm OR "long term" OR chronic\* OR "follow up" OR outpatient\* OR ambulatory OR ((month\* OR year\*) N4 (from OR at OR later OR after\* OR follow\* OR post\* OR

later OR "follow up" OR therap\* OR treat\* OR diet\* OR rehab\* OR manag\* OR thereafter OR next OR ensu\* OR subsequent\* OR next OR succeeding)) OR ((4 OR 5 OR 6 OR 7 OR 8 OR 9 OR 10 OR 11 OR 12 OR 13 OR 14 OR 15 OR 16 OR 17 OR 18 OR 19 OR 20 OR 21 OR 22 OR 23 OR 24 OR 25 OR 26 OR 27 OR 28 OR 29 OR 30 OR 31 OR 32 OR 33 OR 34 OR 35 OR 36 OR 37 OR 38 OR 39 OR 40 OR 41 OR 42 OR 43 OR 44 OR 45 OR 46 OR 47 OR 48 OR 49 OR 50 OR 51 OR 52 OR four OR five OR six OR seven OR eight OR nine OR 10 OR eleven OR twelve OR thirteen OR fourteen OR fifteen OR sixteen OR seventeen OR eighteen OR nineteen OR twenty OR thirty OR forty OR fifty) N0 (week\* OR wk OR wks) N4(from OR later OR after\* OR follow\* OR post\* OR later OR "follow up" OR therap\* OR treat\* OR diet\* OR rehab\* OR manag\* OR thereafter OR next OR ensu\* OR subsequent\* OR next OR succeeding))))

Limiters - English Language

Search modes - Boolean/Phrase

APA PsycINFO (EBSCOhost)

((fires OR nurse OR desc OR aerrps) AND (epilep\* OR convul\* OR seizur\*)) OR (( TI (intract\* OR resistan\* OR refractor\* OR pharmacoresit\*) OR AB (intract\* OR resistan\* OR refractor\* OR pharmacoresit\*) ) AND ( TI ("new onset" OR "de novo" OR "acute nonherpetic" OR "acute non-herpetic" OR encephalopath\* OR encephaliti\*) OR AB("new onset" OR "de novo" OR "acute nonherpetic" OR "acute non-herpetic" OR encephalopath\* OR encephaliti\*) OR TI ((fever\* OR febril\*) N3 (induc\* OR relat\* OR associat\* OR prodrom\* OR infection\* OR illness\*)) OR AB ((fever\* OR febril\*) N3 (induc\* OR relat\* OR associat\* OR prodrom\* OR infection\* OR illness\*)) ) ) OR TI (("new onset" OR "de novo" OR "acute nonherpetic" OR "acute non-herpetic") N6 (seiz\* OR convuls\* OR epilep\*) N6 (refract\* OR resist\* OR intract\* OR pharmacoresistan\*)) OR AB (("new onset" OR "de novo" OR "acute nonherpetic" OR "acute non-herpetic") N6 (seiz\* OR convuls\* OR epilep\*) N6 (refract\* OR resist\* OR intract\* OR pharmacoresistan\*)) OR TI ((fever\* OR febril\*) N3 (induc\* OR relat\* OR associat\* OR prodrom\* OR infection\* OR illness\*) N6 (seizur\* OR convuls\* OR epilep\*) N6 (refract\* OR resist\* OR intract\* OR pharmacoresistan\*)) OR AB ((fever\* OR febril\*) N3 (induc\* OR relat\* OR associat\* OR prodrom\* OR infection\* OR illness\*) N6 (seizur\* OR convuls\* OR epilep\*) N6 (refract\* OR resist\* OR intract\* OR pharmacoresistan\*)) OR ((TI ((encephaliti\* OR encephalopath\*) N6 (seizur\* OR convuls\* OR epilep\*) N6 (refract\* OR resist\* OR intract\* OR pharmacoresistan\*)) OR AB ((encephaliti\* OR encephalopath\*) N6 (seizur\* OR convuls\* OR epilep\*) N6 (refract\* OR resist\* OR intract\* OR pharmacoresistan\*)) ) NOT (herpe\* NOT non-herp\*)) OR ((TI ((febrile OR fever OR encephalopath\* OR encephaliti\*) N4 (cryptogenic OR idiopathic OR catastrophic) N6 (seizur\* OR convuls\* OR epilep\*)) OR AB ((febrile OR fever OR encephalopath\* OR encephaliti\*) N4 (cryptogenic OR idiopathic OR catastrophic) N6 (seizur\* OR convuls\* OR epilep\*)) ) NOT (herpe\* NOT non-herp\*)) OR "new-onset refractory status epilepticus" OR "febrile illness-related epilepsy" OR "fever-induced refractory epileptic encephalopathy" OR "fever-induced refractory epileptic encephalopath\*" OR "idiopathic catastrophic epileptic encephalopath\*" OR "severe refractory status epilepticus owing to presumed encephalitis" OR "devastating epilepsy in school-age children" OR "acute nonherpetic encephalitis with refractory repetitive partial seizures" OR "acute encephalitis with refractory repetitive partial seizures" OR "de novo cryptogenic refractory multifocal febrile status epilepticus") AND (DE "Outpatient Treatment" OR DE "Outpatient Commitment" OR DE "Outpatients" OR DE "Followup Studies" OR TI (longterm OR "long term" OR chronic\* OR "follow up" OR outpatient\* OR ambulatory OR ((month\* OR year\*) N4 (from OR at OR later OR after\* OR follow\* OR post\* OR later OR "follow up" OR therap\* OR treat\* OR diet\* OR rehab\* OR manag\* OR thereafter OR next OR ensu\* OR subsequent\* OR next OR succeeding)) OR ((4 OR 5 OR 6 OR 7 OR 8 OR 9 OR 10 OR 11 OR 12 OR 13 OR 14 OR 15 OR 16 OR 17 OR 18 OR 19 OR 20 OR 21 OR 22 OR 23 OR 24 OR 25 OR 26 OR 27 OR 28 OR 29 OR 30 OR 31 OR 32 OR 33 OR 34 OR 35 OR 36 OR 37 OR 38 OR 39 OR 40 OR 41 OR 42 OR 43 OR 44 OR 45 OR 46 OR 47 OR 48 OR 49 OR 50 OR 51 OR 52 OR four OR five OR six OR seven OR eight OR nine OR 10 OR eleven OR twelve OR thirteen OR fourteen OR fifteen OR sixteen OR seventeen OR eighteen OR nineteen OR twenty OR thirty OR forty OR fifty) N0 (week\* OR wk OR wks) N4(from OR later OR after\* OR follow\* OR post\* OR later OR "follow up" OR therap\* OR treat\* OR diet\* OR rehab\* OR manag\* OR thereafter OR next OR ensu\* OR subsequent\* OR next OR succeeding)))) OR AB (longterm OR "long term" OR chronic\* OR "follow up" OR outpatient\* OR ambulatory OR ((month\* OR year\*) N4 (from OR at OR later OR after\* OR follow\* OR post\* OR later OR "follow up" OR therap\* OR treat\* OR diet\* OR rehab\* OR manag\* OR thereafter OR next OR ensu\* OR subsequent\* OR next OR succeeding)) OR ((4 OR 5 OR 6 OR 7 OR 8 OR 9 OR 10 OR 11 OR 12 OR 13 OR 14 OR 15 OR 16 OR 17 OR 18 OR 19 OR 20 OR 21 OR 22 OR 23 OR 24 OR 25 OR 26 OR 27 OR 28 OR 29 OR 30 OR 31 OR 32 OR 33 OR 34 OR 35 OR 36 OR 37 OR 38 OR 39 OR 40 OR 41 OR 42 OR 43 OR 44 OR 45 OR 46 OR 47 OR 48 OR 49 OR 50 OR 51 OR 52 OR four OR five OR six OR seven OR eight OR nine OR 10 OR eleven OR twelve OR thirteen OR fourteen OR fifteen OR sixteen OR seventeen OR eighteen OR nineteen OR twenty OR thirty OR forty OR fifty) N0 (week\* OR wk OR wks) N4(from OR later OR after\* OR follow\* OR post\* OR later OR "follow up" OR therap\* OR treat\* OR diet\* OR rehab\* OR manag\* OR thereafter OR next OR ensu\* OR subsequent\* OR next OR succeeding))))

Limiters - English Language

## Search modes - Boolean/Phrase

### Scopus

(((KEY (epilep\*) AND TITLE-ABS (intract\* OR resistan\* OR refractor\* OR pharmacoeresit\*) AND (TITLE-ABS ("new onset" OR "de novo" OR "acute nonherpetic" OR "acute non-herpetic" OR encephalopath\* OR encephaliti\*) OR TITLE-ABS ((fever\* OR febril\*) W/4 (induc\* OR relat\* OR associat\* OR prodrom\* OR infection\* OR illness\*))) )) OR (TITLE-ABS-KEY ((fires OR norse OR desc OR aerrps) AND (epilep\* OR convul\* OR seizur\*)) OR ((TITLE-ABS (("new onset" OR "de novo" OR "acute nonherpetic" OR "acute non-herpetic") W/7 (seiz\* OR convuls\* OR epilep\*) W/7 (refract\* OR resist\* OR intract\* OR pharmacoeresistan\*))) OR ((TITLE-ABS ((fever\* OR febril\*) W/4 (induc\* OR relat\* OR associat\* OR prodrom\* OR infection\* OR illness\*) W/7 (seizur\* OR convuls\* OR epilep\*) W/7 (refract\* OR resist\* OR intract\* OR pharmacoeresistan\*))) OR ((TITLE-ABS ((encephaliti\* OR encephalopath\*) W/7 (seizur\* OR convuls\* OR epilep\*) W/7 (refract\* OR resist\* OR intract\* OR pharmacoeresistan\*) AND NOT (herpe\* NOT non-herp\*))) OR ((TITLE-ABS ((febrile OR fever OR encephalopath\* OR encephaliti\*) W/5 (cryptogenic OR idiopathic OR catastrophic) W/7 (seizur\* OR convuls\* OR epilep\*)) AND NOT (herpe\* NOT non-herp\*))) OR (TITLE-ABS-KEY ("new-onset refractory status epilepticus" OR "febrile illness-related epilepsy" OR "fever-induced refractory epileptic encephalopathy" OR "fever-induced refractory epileptic encephalopath\*" OR "idiopathic catastrophic epileptic encephalopath\*" OR "severe refractory status epilepticus owing to presumed encephalitis" OR "devastating epilepsy in school-age children" OR "acute nonherpetic encephalitis with refractory repetitive partial seizures" OR "acute encephalitis with refractory repetitive partial seizures" OR "de novo cryptogenic refractory multifocal febrile status epilepticus")) AND ((TITLE-ABS (longterm OR "long term" OR chronic\* OR "follow up" OR outpatient\* OR ambulatory)) OR (TITLE-ABS ((month\* OR year\*) W/5 (from OR at OR later OR after\* OR follow\* OR post\* OR later OR "follow up" OR therap\* OR treat\* OR diet\* OR rehab\* OR manag\* OR thereafter OR next OR ensu\* OR subsequent\* OR next OR succeeding))) OR (TITLE-ABS ((4 OR 5 OR 6 OR 7 OR 8 OR 9 OR 10 OR 11 OR 12 OR 13 OR 14 OR 15 OR 16 OR 17 OR 18 OR 19 OR 20 OR 21 OR 22 OR 23 OR 24 OR 25 OR 26 OR 27 OR 28 OR 29 OR 30 OR 31 OR 32 OR 33 OR 34 OR 35 OR 36 OR 37 OR 38 OR 39 OR 40 OR 41 OR 42 OR 43 OR 44 OR 45 OR 46 OR 47 OR 48 OR 49 OR 50 OR 51 OR 52 OR four OR five OR six OR seven OR eight OR nine OR 10 OR eleven OR twelve OR thirteen OR fourteen OR fifteen OR sixteen OR seventeen OR eighteen OR nineteen OR twenty OR thirty OR forty OR fifty) W/1 (week\* OR wk OR wks) W/5 (from OR later OR after\* OR follow\* OR post\* OR later OR "follow up" OR therap\* OR treat\* OR diet\* OR rehab\* OR manag\* OR thereafter OR next OR ensu\* OR subsequent\* OR next OR succeeding)))) ) AND ( LIMIT-TO ( LANGUAGE,"English" ) )

### Cochrane Library

ID	Search	Hits
#1	(((fires OR norse OR desc OR aerrps) AND (epilep* OR convul* OR seizur*)) OR "new-onset refractory status epilepticus" OR "febrile illness-related epilepsy" OR "fever-induced refractory epileptic encephalopathy" OR "fever-induced refractory epileptic encephalopath*" OR "idiopathic catastrophic epileptic encephalopath*" OR "severe refractory status epilepticus owing to presumed encephalitis" OR "devastating epilepsy in school-age children" OR "acute nonherpetic encephalitis with refractory repetitive partial seizures" OR "acute encephalitis with refractory repetitive partial seizures" OR "de novo cryptogenic refractory multifocal febrile status epilepticus"):ti,ab,kw	
#2	MeSH descriptor: [Aftercare] explode all trees	
#3	MeSH descriptor: [Follow-Up Studies] explode all trees	
#4	MeSH descriptor: [Ambulatory Care] explode all trees	
#5	MeSH descriptor: [Outpatients] explode all trees	

#6 MeSH descriptor: [Ambulatory Care Facilities] explode all trees

#7 MeSH descriptor: [Outpatients] explode all trees

#8 (((month\* OR year\*) NEAR/5 (from OR "at" OR later OR after\* OR follow\* OR post\* OR later OR "follow up" OR therap\* OR treat\* OR diet\* OR rehab\* OR manag\* OR thereafter OR ensu\* OR subsequent\* OR "next" OR succeeding))):ti,ab,kw 382505

#9 (((4 OR 5 OR 6 OR 7 OR 8 OR 9 OR 10 OR 11 OR 12 OR 13 OR 14 OR 15 OR 16 OR 17 OR 18 OR 19 OR 20 OR 21 OR 22 OR 23 OR 24 OR 25 OR 26 OR 27 OR 28 OR 29 OR 30 OR 31 OR 32 OR 33 OR 34 OR 35 OR 36 OR 37 OR 38 OR 39 OR 40 OR 41 OR 42 OR 43 OR 44 OR 45 OR 46 OR 47 OR 48 OR 49 OR 50 OR 51 OR 52 OR four OR five OR six OR seven OR eight OR nine OR 10 OR eleven OR twelve OR thirteen OR fourteen OR fifteen OR sixteen OR seventeen OR eighteen OR nineteen OR twenty OR thirty OR forty OR fifty) NEAR/1 (week\* OR wk OR wks) NEAR/5 (from OR later OR after\* OR follow\* OR post\* OR later OR "follow up" OR therap\* OR treat\* OR diet\* OR rehab\* OR manag\* OR thereafter OR ensu\* OR subsequent\* OR "next" OR succeeding))):ti,ab,kw

#11 MeSH descriptor: [Epilepsy] explode all trees

#12 MeSH descriptor: [Status Epilepticus] explode all trees

#13 ((intract\* OR resistan\* OR refractor\* OR pharmacoresit\*) AND ("new onset" OR "de novo" OR "acute nonherpetic" OR "acute non-herpetic" OR encephalopath\* OR encephaliti\* OR ((fever\* OR febril\*) NEAR/4 (induc\* OR relat\* OR associat\* OR prodrom\* OR infection\* OR illness\*)))):ti,ab,kw

#14 (#11 OR #12) AND #13

#15 (((("new onset" OR "de novo" OR "acute nonherpetic" OR "acute non herpetic") NEAR/7 (seiz\* OR convuls\* OR epilep\*) NEAR/7 (refract\* OR resist\* OR intract\* OR pharmacoresistan\*)))):ti,ab,kw

#16 (((fever\* OR febril\*) NEAR/4 (induc\* OR relat\* OR associat\* OR prodrom\* OR infection\* OR illness\*) NEAR/7 (seizur\* OR convuls\* OR epilep\*) NEAR/7 (refract\* OR resist\* OR intract\* OR pharmacoresistan\*)):ti,ab,kw

#17 (((encephaliti\* OR encephalopath\*) NEAR/7 (seizur\* OR convuls\* OR epilep\*) NEAR/7 (refract\* OR resist\* OR intract\* OR pharmacoresistan\*)) NOT (herpe\* NOT "non herp\*")):ti,ab,kw

#18 (((febrile OR fever OR encephalopath\* OR encephaliti\*) NEAR/5 (cryptogenic OR idiopathic OR catastrophic) NEAR/7 (seizur\* OR convuls\* OR epilep\*)) NOT (herpe\* NOT non-herp\*)):ti,ab,kw

#19 (#1 OR #14 OR #15 OR #16 OR #17 OR #18) AND (#2 OR #3 OR #4 OR #5 OR #6 OR #7 OR #8 OR #9)

#20 "Publication Type" NEAR/5 "conference abstract"

#21 #19 NOT #20

#22 language NEAR/5 english

#23 #21 AND #22